

TABLE 3. FY 2008 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
Mammals	55	Bat, gray (<i>Myotis grisescens</i>)	E	\$210,980	\$0	\$210,980	\$172,000	\$382,980
	35	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$883,370	\$0	\$883,370	\$5,000	\$888,370
	97	Bat, Ozark big-eared (<i>Corynorhinus</i> (= <i>Plecotus</i>) <i>townsendii ingens</i>)	E	\$22,400	\$0	\$22,400	\$0	\$22,400
	11	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$4,145,860	\$374,184	\$4,520,044	\$0	\$4,520,044
	102	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$13,290	\$0	\$13,290	\$0	\$13,290
	63	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	\$0	\$303,000	\$303,000	\$0	\$303,000
	100	Jaguar (<i>Panthera onca</i>)	E	\$19,850	\$0	\$19,850	\$0	\$19,850
	100	Jaguarundi, Gulf Coast (<i>Herpailurus</i> (= <i>Felis</i>) <i>yagouaroundi cacomitli</i>)	E	\$19,850	\$0	\$19,850	\$0	\$19,850
	28	Lynx, Canada (<i>Lynx canadensis</i>) - Contiguous U.S. DPS	T	\$342,910	\$0	\$342,910	\$1,000,000	\$1,342,910
	111	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$670	\$0	\$670	\$0	\$670
	93	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$31,750	\$0	\$31,750	\$0	\$31,750
	47	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) - U.S.A., north-central CO	T	\$0	\$0	\$0	\$600,000	\$600,000
	111	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>)	T	\$670	\$0	\$670	\$0	\$670
	72	Ocelot (<i>Leopardus</i> (= <i>Felis</i>) <i>pardalis</i>)	E	\$19,850	\$0	\$19,850	\$109,740	\$129,590
	73	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>)	E	\$0	\$125,000	\$125,000	\$0	\$125,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	102	Rice rat (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$13,290	\$0	\$13,290	\$0	\$13,290
	101	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - western pop.	E	\$0	\$13,500	\$13,500	\$0	\$13,500
	107	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - eastern pop.	T	\$2,570	\$0	\$2,570	\$0	\$2,570
	32	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - Entire, except Sussex Co., DE	E	\$1,179,840	\$0	\$1,179,840	\$0	\$1,179,840
	81	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus fuscus</i>)	DM	\$69,500	\$0	\$69,500	\$0	\$69,500
	101	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$0	\$13,500	\$13,500	\$0	\$13,500
	79	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$54,000	\$30,000	\$84,000	\$0	\$84,000
	103	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$5,140	\$0	\$5,140	\$0	\$5,140
	107	Whale, gray (<i>Eschrichtius robustus</i>) - W Pacific Ocean	E	\$2,570	\$0	\$2,570	\$0	\$2,570
	107	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$2,570	\$0	\$2,570	\$0	\$2,570
	109	Whale, right (<i>Balaena glacialis</i> (incl. <i>australis</i>))	E	\$0	\$1,600	\$1,600	\$0	\$1,600
	107	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$2,570	\$0	\$2,570	\$0	\$2,570
	9	Wolf, gray (<i>Canis lupus</i>) - Lower 48 States, except where delisted and where EXPN. Mexico.	E	\$370,410	\$0	\$370,410	\$4,384,000	\$4,754,410
	74	Wolf, red (<i>Canis rufus</i>) - except where EXPN	E	\$121,500	\$0	\$121,500	\$0	\$121,500
Mammals subtotal				\$7,548,700	\$860,784	\$8,409,484	\$6,270,740	\$14,680,224
Birds	7	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL .	T	\$0	\$5,463,748	\$5,463,748	\$0	\$5,463,748

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	14	Crane, whooping (<i>Grus americana</i>) except where EXPN	E	\$3,502,010	\$45,100	\$3,547,110	\$204,375	\$3,751,485
	16	Eagle, bald (<i>Haliaeetus leucocephalus</i>) - Sonoran Desert DPS	T	\$0	\$3,642,499	\$3,642,499	\$0	\$3,642,499
	70	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$177,330	\$0	\$177,330	\$0	\$177,330
	69	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$179,900	\$0	\$179,900	\$0	\$179,900
	100	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>)	E	\$19,850	\$0	\$19,850	\$0	\$19,850
	6	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$0	\$5,940,500	\$5,940,500	\$92,500	\$6,033,000
	67	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	\$0	\$250,000	\$250,000	\$0	\$250,000
	40	Pelican, brown (<i>Pelecanus occidentalis</i>) - except U.S. Atlantic coast, FL, AL	E	\$762,090	\$0	\$762,090	\$0	\$762,090
	12	Plover, piping (<i>Charadrius melodus</i>) - except Great Lakes watershed	T	\$3,999,500	\$0	\$3,999,500	\$66,667	\$4,066,167
	61	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) - Pacific coastal pop.	T	\$340,000	\$0	\$340,000	\$0	\$340,000
	19	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) - U.S.A. only	E	\$0	\$0	\$0	\$2,675,000	\$2,675,000
	106	scrub-jay, Florida (<i>Aphelocoma coerulescens</i>)	T	\$2,670	\$0	\$2,670	\$0	\$2,670
	4	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, SC	E	\$13,960	\$15,269,995	\$15,283,955	\$0	\$15,283,955
	54	Tern, least (<i>Sterna antillarum</i>) - interior pop.	E	\$372,790	\$0	\$372,790	\$66,667	\$439,457

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	33	Tern, roseate (<i>Sterna dougallii dougallii</i>) - northeast U.S. nesting pop.	E	\$1,127,170	\$0	\$1,127,170	\$0	\$1,127,170
	22	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$0	\$0	\$0	\$2,199,150	\$2,199,150
	23	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$19,850	\$0	\$19,850	\$2,096,623	\$2,116,473
	110	Woodpecker, ivory-billed (<i>Campephilus principalis</i>) - entire	E	\$0	\$0	\$0	\$1,200	\$1,200
	2	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$121,500	\$120,000	\$241,500	\$17,326,900	\$17,568,400
Birds subtotal				\$10,638,620	\$30,731,842	\$41,370,462	\$24,729,082	\$66,099,544
Reptiles	7	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$0	\$5,463,748	\$5,463,748	\$0	\$5,463,748
	111	Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops.	E	\$670	\$0	\$670	\$0	\$670
	96	Sea turtle, green (<i>Chelonia mydas</i>) - except where endangered	T	\$19,850	\$3,125	\$22,975	\$0	\$22,975
	99	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$20,520	\$0	\$20,520	\$0	\$20,520
	51	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$520,520	\$0	\$520,520	\$0	\$520,520
	50	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$520,520	\$3,125	\$523,645	\$0	\$523,645
	34	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$916,270	\$21,000	\$937,270	\$0	\$937,270
	108	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$2,000	\$0	\$2,000	\$0	\$2,000
	111	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	\$670	\$0	\$670	\$0	\$670
	86	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) - MI, OH, IN	T	\$48,580	\$0	\$48,580	\$0	\$48,580

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	24	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$15,960	\$0	\$15,960	\$2,097,880	\$2,113,840
	20	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$0	\$2,488,000	\$2,488,000	\$0	\$2,488,000
	25	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - southern	SAT	\$0	\$0	\$0	\$2,097,880	\$2,097,880
	44	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern	T	\$500,000	\$152,000	\$652,000	\$0	\$652,000
	68	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$0	\$188,000	\$188,000	\$0	\$188,000
Reptiles subtotal				\$2,565,560	\$8,318,998	\$10,884,558	\$4,195,760	\$15,080,318
Amphibians	1	Frog, California red-legged (<i>Rana aurora draytonii</i>) - subspecies range clarified	T	\$0	\$19,388,000	\$19,388,000	\$0	\$19,388,000
	49	Frog, Mississippi gopher (<i>Rana capito sevosa</i>) - Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$0	\$535,000	\$535,000	\$0	\$535,000
	42	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$0	\$0	\$0	\$702,500	\$702,500
	81	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$69,500	\$0	\$69,500	\$0	\$69,500
	80	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$0	\$3,500	\$3,500	\$75,000	\$78,500
Amphibians subtotal				\$69,500	\$19,926,500	\$19,996,000	\$777,500	\$20,773,500
Fishes	82	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$64,000	\$0	\$64,000	\$0	\$64,000
	85	Chub, Gila (<i>Gila intermedia</i>)	E	\$0	\$0	\$0	\$50,800	\$50,800
	5	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$0	\$0	\$0	\$7,559,800	\$7,559,800
	5	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$0	\$0	\$0	\$7,559,800	\$7,559,800
	71	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$0	\$0	\$0	\$172,000	\$172,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	98	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$0	\$22,000	\$22,000	\$0	\$22,000
	18	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>)	E	\$0	\$3,021,000	\$3,021,000	\$0	\$3,021,000
	57	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - except Salt and Verde R. drainages, AZ	E	\$0	\$369,000	\$369,000	\$0	\$369,000
	98	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$0	\$22,000	\$22,000	\$0	\$22,000
	85	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$0	\$0	\$0	\$50,800	\$50,800
	17	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - spring upper Columbia R.	E	\$0	\$2,700,109	\$2,700,109	\$379,000	\$3,079,109
	48	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - lower Columbia R.	T	\$0	\$317,614	\$317,614	\$270,000	\$587,614
	46	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - fall Snake R.	T	\$0	\$612,746	\$612,746	\$0	\$612,746
	30	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - spring/summer Snake R.	T	\$0	\$1,262,366	\$1,262,366	\$0	\$1,262,366
	52	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - winter Sac. R.	E	\$0	\$501,500	\$501,500	\$0	\$501,500
	58	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - CA Central Valley spring-run	T	\$0	\$365,500	\$365,500	\$0	\$365,500
	88	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - upper Willamette R.	T	\$0	\$37,746	\$37,746	\$0	\$37,746
	92	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) keta) - Columbia R.	T	\$0	\$32,361	\$32,361	\$0	\$32,361

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	38	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) keta) - summer-run Hood Canal	T	\$0	\$0	\$0	\$842,500	\$842,500
	92	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) kisutch) - Lower Columbia River	T	\$0	\$32,361	\$32,361	\$0	\$32,361
	27	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) kisutch) - OR, CA pop.	T	\$0	\$1,504,000	\$1,504,000	\$0	\$1,504,000
	15	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) nerka) - U.S.A. (Snake River, ID stock wherever found.)	E	\$0	\$3,750,711	\$3,750,711	\$0	\$3,750,711
	41	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$0	\$740,000	\$740,000	\$0	\$740,000
	78	Shiner, Topeka (<i>Notropis topeka</i> (=tristis))	E	\$0	\$85,000	\$85,000	\$0	\$85,000
	94	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$0	\$28,800	\$28,800	\$0	\$28,800
	10	Spikedace (<i>Meda fulgida</i>)	T	\$0	\$0	\$0	\$4,675,108	\$4,675,108
	95	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$0	\$28,500	\$28,500	\$0	\$28,500
	21	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - upper Columbia R. Basin	T	\$0	\$2,224,977	\$2,224,977	\$0	\$2,224,977
	39	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) Snake R. Basin	T	\$0	\$806,108	\$806,108	\$0	\$806,108
	13	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - middle Columbia R.	T	\$0	\$3,778,094	\$3,778,094	\$0	\$3,778,094
	37	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Central Valley CA	T	\$0	\$846,500	\$846,500	\$0	\$846,500
	62	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - lower Columbia R.	T	\$0	\$312,229	\$312,229	\$0	\$312,229
	91	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - upper Willamette R.	T	\$0	\$32,390	\$32,390	\$0	\$32,390

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	3	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$132,210	\$17,140,000	\$17,272,210	\$66,667	\$17,338,877
	57	Sucker, razorback (<i>Xyrauchen texanus</i>) - entire	E	\$0	\$369,000	\$369,000	\$0	\$369,000
	26	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) - U.S.A. only	E	\$0	\$0	\$0	\$1,550,795	\$1,550,795
	8	Trout, bull (<i>Salvelinus confluentus</i>) - U.S.A., conterminous, lower 48 states	T	\$0	\$5,010,827	\$5,010,827	\$0	\$5,010,827
Fishes subtotal				\$196,210	\$45,953,439	\$46,149,649	\$23,177,270	\$69,326,919
Clams	84	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$51,250	\$0	\$51,250	\$0	\$51,250
	66	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$252,500	\$0	\$252,500	\$0	\$252,500
	87	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$45,180	\$0	\$45,180	\$0	\$45,180
Clams subtotal				\$348,930	\$0	\$348,930	\$0	\$348,930
Snails	75	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$108,330	\$0	\$108,330	\$0	\$108,330
	102	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>))	T	\$13,290	\$0	\$13,290	\$0	\$13,290
	36	Snail, Utah valvata (<i>Valvata utahensis</i>)	E	\$0	\$853,000	\$853,000	\$0	\$853,000
Snails subtotal				\$121,620	\$853,000	\$974,620	\$0	\$974,620
Insects	60	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$342,910	\$0	\$342,910	\$0	\$342,910
	29	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$0	\$0	\$0	\$1,312,500	\$1,312,500
	64	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	\$0	\$0	\$0	\$301,250	\$301,250
	31	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$0	\$1,180,000	\$1,180,000	\$0	\$1,180,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	65	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	\$0	\$0	\$0	\$270,000	\$270,000
	56	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>)	E	\$0	\$0	\$0	\$379,000	\$379,000
	77	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i>))	E	\$0	\$0	\$0	\$91,300	\$91,300
	38	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$0	\$0	\$0	\$842,500	\$842,500
	53	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>)	E	\$0	\$0	\$0	\$470,300	\$470,300
	60	Tiger beetle, northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$342,910	\$0	\$342,910	\$0	\$342,910
	79	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincolni</i>)	E	\$0	\$0	\$0	\$84,000	\$84,000
Insects subtotal				\$685,820	\$1,180,000	\$1,865,820	\$3,750,850	\$5,616,670
Crustaceans	76	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$0	\$100,800	\$100,800	\$0	\$100,800
Crustaceans subtotal				\$0	\$100,800	\$100,800	\$0	\$100,800
Flowering Plants	83	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$55,980	\$0	\$55,980	\$0	\$55,980
	108	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	108	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$2,000	\$0	\$2,000	\$0	\$2,000
	108	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$2,000	\$0	\$2,000	\$0	\$2,000
	102	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$13,290	\$0	\$13,290	\$0	\$13,290
	84	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$51,250	\$0	\$51,250	\$0	\$51,250
	59	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$0	\$0	\$0	\$354,711	\$354,711

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	84	Daisy, lakeside (<i>Hymenoxys herbacea</i>)	T	\$51,250	\$0	\$51,250	\$0	\$51,250
	108	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	60	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$342,910	\$0	\$342,910	\$0	\$342,910
	89	Howellia, water (<i>Howellia aquatilis</i>)	T	\$0	\$36,547	\$36,547	\$0	\$36,547
	105	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$0	\$3,000	\$3,000	\$0	\$3,000
	90	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$0	\$33,988	\$33,988	\$0	\$33,988
	100	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$19,850	\$0	\$19,850	\$0	\$19,850
	60	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$342,910	\$0	\$342,910	\$0	\$342,910
	108	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	75	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$108,330	\$0	\$108,330	\$0	\$108,330
	84	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$51,250	\$0	\$51,250	\$0	\$51,250
	43	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$691,920	\$0	\$691,920	\$0	\$691,920
	108	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$2,000	\$0	\$2,000	\$0	\$2,000
	45	Pink, swamp (<i>Helonias bullata</i>)	T	\$0	\$0	\$0	\$627,688	\$627,688
	108	Plum, scrub (<i>Prunus geniculata</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	104	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$3,400	\$0	\$3,400	\$0	\$3,400
	111	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$670	\$0	\$670	\$0	\$670
	75	Roseroot, Leedy's (<i>Sedum integrifolium</i> ssp. <i>leedyi</i>)	T	\$108,330	\$0	\$108,330	\$0	\$108,330

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	102	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$13,290	\$0	\$13,290	\$0	\$13,290
	108	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$2,000	\$0	\$2,000	\$0	\$2,000
	108	Wireweed (<i>Polygonella basiramia</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
Flowering Plants subtotal				\$1,872,630	\$73,535	\$1,946,165	\$982,399	\$2,928,564
Total Land Expenditures				\$24,047,590	\$107,998,898	\$132,046,488	\$63,883,601	\$195,930,089