

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2009 REPORTED EXPENDITURES,
NOT INCLUDING LAND ACQUISITION COSTS**

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - fall Snake R.	T	\$76,426,121	\$76,426,121
2	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - middle Columbia R.	T	\$53,300,038	\$129,726,159
3	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Snake R. Basin	T	\$48,706,264	\$178,432,423
4	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - spring/summer Snake R.	T	\$42,991,913	\$221,424,336
5	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$41,385,379	\$262,809,715
6	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - upper Columbia R. Basin	T	\$37,733,486	\$300,543,201
7	Trout, bull (<i>Salvelinus confluentus</i>) - U.S.A., conterminous, lower 48 states	T	\$34,838,809	\$335,382,010
8	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - spring upper Columbia R.	E	\$33,502,816	\$368,884,826
9	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$25,435,817	\$394,320,643
10	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - lower Columbia R.	T	\$25,121,503	\$419,442,146
11	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) - U.S.A. (Snake River, ID stock wherever found.)	E	\$24,115,063	\$443,557,209
12	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - upper Willamette R.	T	\$20,121,108	\$463,678,317
13	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Puget Sound	T	\$20,042,547	\$483,720,864
14	Sturgeon, North American green (<i>Acipenser medirostris</i>) - U.S.A. (CA) Southern Distinct Population Segment	T	\$19,971,774	\$503,692,638
15	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - OR, CA pop.	T	\$19,263,929	\$522,956,567
16	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$18,725,568	\$541,682,135
17	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - lower Columbia R.	T	\$18,603,025	\$560,285,160
18	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Central Valley CA	T	\$17,464,599	\$577,749,759
19	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	\$17,372,401	\$595,122,160
20	Whale, right (<i>Balaena glacialis</i> (incl. <i>australis</i>))	E	\$16,492,556	\$611,614,716
21	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - upper Willamette R.	T	\$16,460,614	\$628,075,330
22	Tortoise, desert (<i>Gopherus agassizii</i>) - U.S.A., except in Sonoran Desert	T	\$15,394,389	\$643,469,719
23	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - CA Central Valley spring-run	T	\$15,171,650	\$658,641,369
24	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - winter Sacramento R.	E	\$14,806,849	\$673,448,218
25	Flycatcher, southwestern willow (<i>Empidonax traillii eximius</i>)	E	\$13,498,646	\$686,946,864
26	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$13,304,204	\$700,251,068
27	Sucker, razorback (<i>Xyrauchen texanus</i>) - entire	E	\$12,859,508	\$713,110,576
28	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Lower Columbia River	T	\$12,524,988	\$725,635,564
29	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - Entire, except where EXPN	E	\$12,451,853	\$738,087,417
30	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) - Columbia R.	T	\$11,496,300	\$749,583,717
31	Tortoise, desert (<i>Gopherus agassizii</i>) - outside/taken from Sonoran Desert	SAT	\$10,382,133	\$759,965,850
32	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$10,256,927	\$770,222,777
33	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - western pop.	E	\$10,155,813	\$780,378,590
34	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$9,992,054	\$790,370,644
35	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - eastern pop.	T	\$9,871,384	\$800,242,028
36	Sturgeon, white (<i>Acipenser transmontanus</i>) - U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$9,529,582	\$809,771,610
37	Chub, humpback (<i>Gila cypha</i>) - entire	E	\$8,981,685	\$818,753,295
38	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$8,397,119	\$827,150,414
39	Salmon, Atlantic (<i>Salmo salar</i>) - Gulf of Maine Atlantic Salmon DPS	E	\$7,607,662	\$834,758,076
40	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$7,515,853	\$842,273,929
41	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$7,515,428	\$849,789,357
42	Frog, California red-legged (<i>Rana draytonii</i>) - subspecies range clarified	T	\$7,140,505	\$856,929,862
43	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - central CA coast	T	\$7,060,529	\$863,990,391
44	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) - U.S.A. (Ozette Lake, WA)	T	\$6,922,648	\$870,913,039
45	Abalone, White (<i>Haliotis sorenseni</i>) - North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$6,713,710	\$877,626,749
46	Plover, piping (<i>Charadrius melodus</i>) - except Great Lakes watershed	T	\$6,557,037	\$884,183,786
47	Lynx, Canada (<i>Lynx canadensis</i>) - Contiguous U.S. DPS	T	\$6,556,340	\$890,740,126
48	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) - CA, OR, WA	T	\$6,497,341	\$897,237,467
49	Chub, bonytail (<i>Gila elegans</i>) - entire	E	\$6,324,500	\$903,561,967
50	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) - summer-run Hood Canal	T	\$6,258,492	\$909,820,459
51	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$5,827,651	\$915,648,110
52	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$5,802,421	\$921,450,531
53	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$5,695,822	\$927,146,353
54	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - CA coastal	T	\$5,587,806	\$932,734,159
55	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Puget Sound DPS	T	\$5,485,959	\$938,220,118

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
56	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - Salt and Verde R. drainages, AZ	EXPN	\$5,411,100	\$943,631,218
57	Trout, Lahontan cutthroat (<i>Oncorhynchus clarki henshawi</i>)	T	\$5,403,719	\$949,034,937
58	Wolf, gray (<i>Canis lupus</i>) - Lower 48 States, except MN and where EXPN. Mexico.	E	\$5,276,228	\$954,311,165
59	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$5,020,422	\$959,331,587
60	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - south central CA coast	T	\$5,005,224	\$964,336,811
61	Bear, grizzly (<i>Ursus arctos horribilis</i>) - lower 48 States, except where EXPN	T	\$5,002,828	\$969,339,639
62	Tern, least (<i>Sterna antillarum</i>) - interior pop.	E	\$4,992,502	\$974,332,141
63	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) - Pacific coastal pop.	T	\$4,872,780	\$979,204,921
64	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - southern CA coast	E	\$4,790,896	\$983,995,817
65	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$4,680,510	\$988,676,327
66	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - northern CA	T	\$4,652,209	\$993,328,536
67	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$4,627,010	\$997,955,546
68	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	\$4,610,359	\$1,002,565,905
69	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$4,573,702	\$1,007,139,607
70	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) kisutch) - central CA coast	E	\$4,201,770	\$1,011,341,377
71	Panther, Florida (<i>Puma</i> (=Felis) concolor coryi)	E	\$4,038,779	\$1,015,380,156
72	Whale, killer (<i>Orcinus orca</i>) - Southern Resident DPS	E	\$3,990,517	\$1,019,370,673
73	Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops.	E	\$3,746,687	\$1,023,117,360
74	Sea turtle, green (<i>Chelonia mydas</i>) - except where endangered	T	\$3,690,813	\$1,026,808,173
75	Bear, polar (<i>Ursus maritimus</i>)	T	\$3,513,120	\$1,030,321,293
76	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$3,431,456	\$1,033,752,749
77	scrub-jay, Florida (<i>Aphelocoma coerulescens</i>)	T	\$3,243,717	\$1,036,996,466
78	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$3,024,100	\$1,040,020,566
79	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$2,881,389	\$1,042,901,955
80	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - except Salt and Verde R. drainages, AZ	E	\$2,764,316	\$1,045,666,271
81	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$2,755,758	\$1,048,422,029
82	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$2,462,870	\$1,050,884,899
83	Bear, grizzly (<i>Ursus arctos horribilis</i>) - Yellowstone DPS	T	\$2,422,318	\$1,053,307,217
84	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$2,317,053	\$1,055,624,270
85	Wolf, gray (<i>Canis lupus</i>) - Mexican gray wolf, EXPN population	EXPN	\$2,230,900	\$1,057,855,170
86	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	\$2,229,159	\$1,060,084,329
87	Bat, gray (<i>Myotis grisescens</i>)	E	\$2,175,639	\$1,062,259,968
88	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	\$2,131,596	\$1,064,391,564
89	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus))	E	\$2,131,335	\$1,066,522,899
90	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>)	E	\$2,108,454	\$1,068,631,353
91	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$2,076,874	\$1,070,708,227
92	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$2,062,161	\$1,072,770,388
93	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus</i> (=microscaphus))	E	\$2,001,133	\$1,074,771,521
94	Ferret, black-footed (<i>Mustela nigripes</i>) - entire population, except where EXPN	E	\$1,983,583	\$1,076,755,104
95	Whale, gray (<i>Eschrichtius robustus</i>) - W Pacific Ocean	E	\$1,975,402	\$1,078,730,506
96	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$1,802,817	\$1,080,533,323
97	Gnatcatcher, coastal California (<i>Poliophtila californica californica</i>)	T	\$1,761,027	\$1,082,294,350
98	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern	T	\$1,748,355	\$1,084,042,705
99	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	\$1,713,500	\$1,085,756,205
100	Wolf, gray (<i>Canis lupus</i>) - WY, ID, MT	EXPN	\$1,712,779	\$1,087,468,984
101	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	\$1,654,845	\$1,089,123,829
102	Crane, whooping (<i>Grus americana</i>) - except where EXPN	E	\$1,636,083	\$1,090,759,912
103	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$1,473,203	\$1,092,233,115
104	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$1,392,739	\$1,093,625,854
105	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>)	E	\$1,368,210	\$1,094,994,064
106	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$1,344,332	\$1,096,338,396
107	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	\$1,318,117	\$1,097,656,513
108	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$1,252,130	\$1,098,908,643
109	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, SC	E	\$1,240,696	\$1,100,149,339
110	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$1,239,515	\$1,101,388,854
111	Condor, California (<i>Gymnogyps californianus</i>) - U.S.A. only	E	\$1,236,405	\$1,102,625,259
112	Trout, Apache (<i>Oncorhynchus apache</i>)	T	\$1,226,829	\$1,103,852,088
113	Warbler (=wood), Kirtland's (<i>Dendroica kirtlandii</i>)	E	\$1,200,200	\$1,105,052,288
114	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$1,192,498	\$1,106,244,786
115	Goose, Hawaiian (<i>Branta</i> (=Nesochen) sandvicensis)	E	\$1,156,608	\$1,107,401,394

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
116	Albatross, short-tailed (<i>Phoebastria</i> (= <i>Diomedea</i>) <i>albatrus</i>)	E	\$1,138,570	\$1,108,539,964
117	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$1,133,809	\$1,109,673,773
118	Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (Central CA DPS)	T	\$1,133,488	\$1,110,807,261
119	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$1,114,500	\$1,111,921,761
120	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>)	E	\$1,071,276	\$1,112,993,037
121	Eagle, bald (<i>Haliaeetus leucocephalus</i>) - Sonoran Desert DPS	T	\$1,066,144	\$1,114,059,181
122	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$1,041,457	\$1,115,100,638
123	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$1,016,654	\$1,116,117,292
124	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL pop.	T	\$1,011,269	\$1,117,128,561
125	Tortoise, gopher (<i>Gopherus polyphemus</i>) - W of of Mobile/Tombigbee Rs.	T	\$1,000,970	\$1,118,129,531
126	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$978,308	\$1,119,107,839
127	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i>))	E	\$973,785	\$1,120,081,624
128	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$973,774	\$1,121,055,398
129	Cui-ui (<i>Chasmistes cujus</i>)	E	\$968,697	\$1,122,024,095
130	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$952,795	\$1,122,976,890
131	Wolf, gray (<i>Canis lupus</i>) - MN	T	\$937,177	\$1,123,914,067
132	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$921,558	\$1,124,835,625
133	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) - U.S.A. only	E	\$898,328	\$1,125,733,953
134	Trout, Gila (<i>Oncorhynchus gilae</i>)	T	\$898,005	\$1,126,631,958
135	Spikedace (<i>Meda fulgida</i>)	T	\$896,035	\$1,127,527,993
136	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$890,036	\$1,128,418,029
137	Chub, Virgin River (<i>Gila seminuda</i> (= <i>robusta</i>))	E	\$879,044	\$1,129,297,073
138	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$877,306	\$1,130,174,379
139	Plover, piping (<i>Charadrius melodus</i>) - Great Lakes watershed	E	\$870,833	\$1,131,045,212
140	Chub, Oregon (<i>Oregonichthys crameri</i>)	E	\$863,084	\$1,131,908,296
141	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$858,524	\$1,132,766,820
142	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) - FL pop.	E	\$847,295	\$1,133,614,115
143	Coral, elkhorn (<i>Acropora palmata</i>)	T	\$827,075	\$1,134,441,190
144	Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (CA - Santa Barbara County)	E	\$821,170	\$1,135,262,360
145	Shiner, Topeka (<i>Notropis topeka</i> (= <i>tristis</i>))	E	\$820,015	\$1,136,082,375
146	Woundfin (<i>Plagopterus argentissimus</i>) - except Gila R. drainage, AZ, NM	E	\$810,493	\$1,136,892,868
147	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$806,877	\$1,137,699,745
148	Minnow, loach (<i>Tiaroga cobitis</i>)	T	\$798,585	\$1,138,498,330
149	Sawfish, smalltooth (<i>Pristis pectinata</i>)	E	\$796,453	\$1,139,294,783
150	Wolf, red (<i>Canis rufus</i>) - U.S.A. (portions of NC and TN)	EXPN	\$778,500	\$1,140,073,283
151	Shiner, Pecos bluntnose (<i>Notropis sinus pecosensis</i>)	T	\$774,060	\$1,140,847,343
152	Rabbit, pygmy (<i>Brachylagus idahoensis</i>) - Columbia Basin DPS	E	\$772,294	\$1,141,619,637
153	Otter, southern sea (<i>Enhydra lutris nereis</i>) - except where EXPN	T	\$769,606	\$1,142,389,243
154	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$753,715	\$1,143,142,958
155	Ferret, black-footed (<i>Mustela nigripes</i>) - U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	EXPN	\$741,895	\$1,143,884,853
156	Prairie dog, Utah (<i>Cynomys parvidens</i>)	T	\$732,002	\$1,144,616,855
157	Snails, Oahu tree (<i>Achatinella spp.</i>)	E*	\$716,044	\$1,145,332,899
158	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) - Columbia River DPS	E	\$713,937	\$1,146,046,836
159	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$704,318	\$1,146,751,154
160	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - except where endangered	T	\$701,640	\$1,147,452,794
161	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$699,172	\$1,148,151,966
162	Butterfly, Oregon silverspot (<i>Speyeria zereze hippolyta</i>)	T	\$699,143	\$1,148,851,109
163	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$692,711	\$1,149,543,820
164	Bat, Virginia big-eared (<i>Corynorhinus</i> (= <i>Plecotus</i>) <i>townsendii virginianus</i>)	E	\$682,250	\$1,150,226,070
165	Coral, staghorn (<i>Acropora cervicornis</i>)	T	\$671,833	\$1,150,897,903
166	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$653,570	\$1,151,551,473
167	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - Mexican nesting pop.	E	\$648,102	\$1,152,199,575
168	Trout, Paiute cutthroat (<i>Oncorhynchus clarki seleniris</i>)	T	\$645,354	\$1,152,844,929
169	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$609,107	\$1,153,454,036
170	Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (CA - Sonoma Co)	E	\$598,753	\$1,154,052,789
171	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	\$590,940	\$1,154,643,729
172	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$583,799	\$1,155,227,528
173	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>)	T	\$571,291	\$1,155,798,819
174	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$565,338	\$1,156,364,157

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
175	Wolf, gray (<i>Canis lupus</i>) - Western Great Lakes DPS	E	\$564,300	\$1,156,928,457
176	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$563,900	\$1,157,492,357
177	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) - southwest Alaska DPS	T	\$558,300	\$1,158,050,657
178	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>)	E	\$554,358	\$1,158,605,015
179	Crow, Hawaiian (= 'alala) (<i>Corvus hawaiiensis</i>)	E	\$550,931	\$1,159,155,946
180	Pelican, brown (<i>Pelecanus occidentalis</i>) - except U.S. Atlantic coast, FL, AL	DM	\$545,106	\$1,159,701,052
181	Lupine, Kincaid's (<i>Lupinus sulphureus</i> (= <i>oreganus</i>) ssp. <i>kincaidii</i> (= var. <i>kincaidii</i>))	T	\$536,783	\$1,160,237,835
182	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$530,786	\$1,160,768,621
183	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$523,919	\$1,161,292,540
184	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	\$521,018	\$1,161,813,558
185	Logperch, Roanoke (<i>Percina rex</i>)	E	\$520,648	\$1,162,334,206
186	Wolf, gray (<i>Canis lupus</i>) - Northern Rocky Mtns DPS - WY significant portion of the range	EXPN	\$514,965	\$1,162,849,171
187	Goby, tidewater (<i>Eucyclogobius newberryi</i>) - Entire	E	\$494,139	\$1,163,343,310
188	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$485,065	\$1,163,828,375
189	Sucker, June (<i>Chasmistes liorus</i>)	E	\$482,100	\$1,164,310,475
190	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$481,316	\$1,164,791,791
191	Clubshell (<i>Pleurobema clava</i>) - Entire Range; Except where EXPN	E	\$468,000	\$1,165,259,791
192	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) - U.S.A. only	E	\$461,732	\$1,165,721,523
193	Bat, lesser long-nosed (<i>Leptonycteris curasoae verbabuenae</i>)	E	\$430,488	\$1,166,152,011
194	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$423,529	\$1,166,575,540
195	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) - U.S.A., no central CO	T	\$420,345	\$1,166,995,885
196	Duck, Hawaiian (= koloa) (<i>Anas wyvilliana</i>)	E	\$411,378	\$1,167,407,263
197	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$406,405	\$1,167,813,668
198	Whipsnake (= striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$404,844	\$1,168,218,512
199	Frog, mountain yellow-legged (<i>Rana muscosa</i>) - southern California DPS	E	\$402,143	\$1,168,620,655
200	Darter, boulder (<i>Etheostoma wapiti</i>)	E	\$395,500	\$1,169,016,155
201	Kangaroo rat, Stephens' (<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>))	E	\$395,226	\$1,169,411,381
202	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$390,100	\$1,169,801,481
203	Tern, roseate (<i>Sterna dougallii dougallii</i>) - northeast U.S. nesting pop.	E	\$389,946	\$1,170,191,427
204	Wolf, red (<i>Canis rufus</i>) - except where EXPN	E	\$387,700	\$1,170,579,127
205	Pondberry (<i>Lindera melissifolia</i>)	E	\$387,310	\$1,170,966,437
206	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>)	E	\$379,862	\$1,171,346,299
207	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$374,489	\$1,171,720,788
208	Bear, grizzly (<i>Ursus arctos horribilis</i>) - experimental, non-essential, portions of ID and MT	EXPN	\$374,200	\$1,172,094,988
209	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$368,022	\$1,172,463,010
210	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	\$365,850	\$1,172,828,860
211	Snail, Utah valvata (<i>Valvata utahensis</i>)	E	\$363,029	\$1,173,191,889
212	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - Entire, except Sussex Co., DE	E	\$357,540	\$1,173,549,429
213	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$356,428	\$1,173,905,857
214	Rail, Guam (<i>Rallus owstoni</i>) - except Rota	E	\$356,247	\$1,174,262,104
215	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$353,376	\$1,174,615,480
216	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	E	\$352,244	\$1,174,967,724
217	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	\$350,094	\$1,175,317,818
218	Condor, California (<i>Gymnogyps californianus</i>) - U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$349,089	\$1,175,666,907
219	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$347,158	\$1,176,014,065
220	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$346,940	\$1,176,361,005
221	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>)	E	\$338,413	\$1,176,699,418
222	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>)	E	\$336,850	\$1,177,036,268
223	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$331,729	\$1,177,367,997
224	Three-ridge, fat (mussel) (<i>Amblema neisleri</i>)	E	\$331,383	\$1,177,699,380
225	Crane, whooping (<i>Grus americana</i>) - U.S.A. (AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	EXPN	\$331,146	\$1,178,030,526
226	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$328,598	\$1,178,359,124
227	Crane, whooping (<i>Grus americana</i>) - U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$327,133	\$1,178,686,257
228	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$326,283	\$1,179,012,540
229	Pearlymussel, cracking (<i>Hemistena lata</i>) - Entire Range; Except where listed as Experimental Populations	E	\$324,280	\$1,179,336,820
230	Caribou, woodland (<i>Rangifer tarandus caribou</i>) - Selkirk Mountain population	E	\$318,232	\$1,179,655,052

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
231	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$315,947	\$1,179,970,999
232	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$315,350	\$1,180,286,349
233	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$314,100	\$1,180,600,449
234	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$312,097	\$1,180,912,546
235	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	\$310,689	\$1,181,223,235
236	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	\$309,709	\$1,181,532,944
237	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$306,429	\$1,181,839,373
238	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$303,513	\$1,182,142,886
239	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>)	E	\$302,823	\$1,182,445,709
240	Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>)	T	\$300,392	\$1,182,746,101
241	trout, Greenback Cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	\$296,332	\$1,183,042,433
242	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$296,327	\$1,183,338,760
243	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$295,011	\$1,183,633,771
244	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$293,707	\$1,183,927,478
245	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$292,325	\$1,184,219,803
246	Sucker, Santa Ana (<i>Catostomus santaanae</i>) - 3 CA river basins	T	\$291,332	\$1,184,511,135
247	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>)	E	\$286,510	\$1,184,797,645
248	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$285,053	\$1,185,082,698
249	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) - U.S.A. only	E	\$283,265	\$1,185,365,963
250	Ocelot (<i>Leopardus</i> (= <i>Felis</i>) <i>pardalis</i>)	E	\$282,420	\$1,185,648,383
251	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$281,317	\$1,185,929,700
252	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	\$280,463	\$1,186,210,163
253	Chaffseed, American (<i>Schwalbea americana</i>)	E	\$279,561	\$1,186,489,724
254	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>)	E	\$277,200	\$1,186,766,924
255	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>)	E	\$274,047	\$1,187,040,971
256	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	\$272,862	\$1,187,313,833
257	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	\$268,846	\$1,187,582,679
258	Sheep, Peninsular bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA pop.	E	\$264,918	\$1,187,847,597
259	Lily, Western (<i>Lilium occidentale</i>)	E	\$262,848	\$1,188,110,445
260	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$262,132	\$1,188,372,577
261	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	\$262,110	\$1,188,634,687
262	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$261,986	\$1,188,896,673
263	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$252,306	\$1,189,148,979
264	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$250,205	\$1,189,399,184
265	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$245,510	\$1,189,644,694
266	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$238,651	\$1,189,883,345
267	Darter, bluemark (=jewel) (<i>Etheostoma</i> sp.)	E	\$237,500	\$1,190,120,845
268	Minnow, Devils River (<i>Dionda diaboli</i>)	T	\$237,176	\$1,190,358,021
269	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$226,255	\$1,190,584,276
270	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$223,889	\$1,190,808,165
271	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) - Sierra Nevada	E	\$222,979	\$1,191,031,144
272	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$218,003	\$1,191,249,147
273	Bankclimber, purple (mussel) (<i>Elliptoideus sloatianus</i>)	T	\$216,983	\$1,191,466,130
274	Bat, Ozark big-eared (<i>Corynorhinus</i> (= <i>Plecotus</i>) <i>townsendii ingens</i>)	E	\$216,300	\$1,191,682,430
275	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>)	E	\$214,000	\$1,191,896,430
276	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$213,744	\$1,192,110,174
277	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$213,686	\$1,192,323,860
278	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$210,408	\$1,192,534,268
279	Pearlymussel, birdwing (<i>Conradilla caelata</i>) - Entire Range; Except where EXPN	E	\$210,250	\$1,192,744,518
280	Bat, Mariana fruit (=Mariana flying fox) (<i>Pteropus mariannus mariannus</i>) - entire	T	\$208,212	\$1,192,952,730
281	salamander, Reticulated flatwoods (<i>Ambystoma bishopi</i>)	E	\$205,117	\$1,193,157,847
282	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$205,000	\$1,193,362,847
283	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$204,535	\$1,193,567,382
284	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$204,425	\$1,193,771,807
285	Ground beetle, [unnamed] (<i>Rhadine infernalis</i>)	E	\$201,400	\$1,193,973,207
285	Ground beetle, [unnamed] (<i>Rhadine exilis</i>)	E	\$201,400	\$1,194,174,607
286	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) - Entire Range; Except where EXPN	E	\$201,100	\$1,194,375,707
287	Spermolepis hawaiiensis (=Sci name)	E	\$197,596	\$1,194,573,303
288	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>)	T	\$197,016	\$1,194,770,319
289	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$196,650	\$1,194,966,969
290	Jaguar (<i>Panthera onca</i>)	E	\$196,600	\$1,195,163,569
291	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$195,219	\$1,195,358,788

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
292	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$194,912	\$1,195,553,700
293	Woodpecker, ivory-billed (<i>Campephilus principalis</i>) - entire	E	\$192,280	\$1,195,745,980
294	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>)	E	\$190,584	\$1,195,936,564
295	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) - Indiana north of 40 degrees north latitude, Michigan, Ohio	T	\$189,111	\$1,196,125,675
296	<i>Vigna o-wahuensis</i> (=Sci name)	E	\$188,563	\$1,196,314,238
297	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>)	E	\$187,795	\$1,196,502,033
298	Mahoe (<i>Alectryon macrococcus</i>)	E	\$187,425	\$1,196,689,458
299	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>)	E	\$187,177	\$1,196,876,635
300	<i>Abutilon sandwicense</i> (=Sci name)	E	\$187,030	\$1,197,063,665
301	Phlox, Texas trailing (<i>Phlox nivalis</i> ssp. <i>texensis</i>)	E	\$187,000	\$1,197,250,665
302	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$185,439	\$1,197,436,104
303	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$185,300	\$1,197,621,404
304	Ha'i wale (<i>Cyrtandra dentata</i>)	E	\$184,330	\$1,197,805,734
305	Mapleleaf, winged (<i>Quadrula fragosa</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$183,350	\$1,197,989,084
306	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$183,330	\$1,198,172,414
307	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$183,312	\$1,198,355,726
308	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>)	E	\$182,827	\$1,198,538,553
309	Howellia, water (<i>Howellia aquatilis</i>)	T	\$182,354	\$1,198,720,907
310	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$178,415	\$1,198,899,322
311	Otter, southern sea (<i>Enhydra lutris nereis</i>) - south of Pt. Conception, CA	EXPN	\$177,889	\$1,199,077,211
312	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$177,593	\$1,199,254,804
313	<i>Neraudia ovata</i> (=Sci name)	E	\$177,189	\$1,199,431,993
314	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$175,895	\$1,199,607,888
315	Po'e (<i>Portulaca sclerocarpa</i>)	E	\$174,773	\$1,199,782,661
316	Cactus, Colorado hookless (<i>Sclerocactus glaucus</i>)	T	\$174,271	\$1,199,956,932
317	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$173,481	\$1,200,130,413
318	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$172,649	\$1,200,303,062
319	Pigtoe, shiny (<i>Fusconaia cor</i>) - Entire Range; Except where listed as EXPN	E	\$172,000	\$1,200,475,062
320	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - Entire Range; Except where listed as EXPN	E	\$171,250	\$1,200,646,312
321	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$171,148	\$1,200,817,460
321	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$171,148	\$1,200,988,608
322	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$170,492	\$1,201,159,100
323	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincolniiana</i>)	E	\$170,131	\$1,201,329,231
324	A'e (<i>Zanthoxylum hawaiiense</i>)	E	\$169,363	\$1,201,498,594
325	<i>Silene hawaiiensis</i> (=Sci name)	T	\$169,224	\$1,201,667,818
326	Kamanomano (<i>Cenchrus agrimonoides</i>)	E	\$168,587	\$1,201,836,405
327	<i>Silene lanceolata</i> (=Sci name)	E	\$167,663	\$1,202,004,068
328	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (=E. <i>walkeri</i>))	E	\$166,877	\$1,202,170,945
329	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i> (=Sci name)	E	\$165,963	\$1,202,336,908
330	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$165,459	\$1,202,502,367
331	<i>Lipochaeta venosa</i> (=Sci name)	E	\$165,263	\$1,202,667,630
332	Honohono (<i>Haplostachys haplostachya</i>)	E	\$165,173	\$1,202,832,803
333	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$164,773	\$1,202,997,576
334	Ma'o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$164,487	\$1,203,162,063
335	<i>Asplenium fragile</i> var. <i>insulare</i> (=Sci name)	E	\$163,863	\$1,203,325,926
336	<i>Tetramolopium arenarium</i> (=Sci name)	E	\$163,163	\$1,203,489,089
337	Aupaka (<i>Isodendron hosakae</i>)	E	\$162,993	\$1,203,652,082
338	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscina</i>)	E	\$162,900	\$1,203,814,982
339	Kio'ele (<i>Hedyotis coriacea</i>)	E	\$162,773	\$1,203,977,755
340	Pennyroyal, Todsens's (<i>Hedeoma todsonii</i>)	E	\$160,946	\$1,204,138,701
341	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$160,025	\$1,204,298,726
342	Uhiuhi (<i>Caesalpinia kawaiense</i>)	E	\$159,519	\$1,204,458,245
343	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$158,381	\$1,204,616,626
344	Chub, Pahrnagat roundtail (<i>Gila robusta jordani</i>)	E	\$157,142	\$1,204,773,768
345	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	\$156,677	\$1,204,930,445
346	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>)	T	\$155,891	\$1,205,086,336
347	Sucker, Warner (<i>Catostomus warnerensis</i>)	T	\$155,682	\$1,205,242,018
348	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>)	E	\$153,610	\$1,205,395,628
349	Spinymussel, James (<i>Pleurobema collina</i>)	E	\$152,998	\$1,205,548,626

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
350	Darter, leopard (<i>Percina pantherina</i>)	T	\$152,741	\$1,205,701,367
351	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$151,402	\$1,205,852,769
352	Pua`ala (<i>Brighamia rockii</i>)	E	\$150,910	\$1,206,003,679
353	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$150,846	\$1,206,154,525
354	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$150,700	\$1,206,305,225
355	Skipper, Carson wandering (<i>Pseudocopaesodes eunus obscurus</i>)	E	\$150,695	\$1,206,455,920
356	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	\$150,500	\$1,206,606,420
357	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$149,110	\$1,206,755,530
358	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus alloparys</i>)	E	\$148,923	\$1,206,904,453
359	Morning-glory, Stebbins' (<i>Calystegia stebbinsi</i>)	E	\$148,574	\$1,207,053,027
360	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$148,458	\$1,207,201,485
361	Kangaroo rat, Fresno (<i>Dipodomys nitratoideis exilis</i>)	E	\$147,922	\$1,207,349,407
362	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$146,481	\$1,207,495,888
363	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	\$146,042	\$1,207,641,930
364	<i>Phyllostegia mannii</i> (=Sci name)	E	\$145,200	\$1,207,787,130
365	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>)	E	\$144,420	\$1,207,931,550
366	Crocodile, American (<i>Crocodylus acutus</i>) - FL pop.	T	\$144,202	\$1,208,075,752
367	Kangaroo rat, Tipton (<i>Dipodomys nitratoideis nitratoideis</i>)	E	\$143,645	\$1,208,219,397
368	<i>Phyllostegia parviflora</i> (=Sci name)	E	\$143,537	\$1,208,362,934
369	Haha (<i>Cyanea dunbarii</i>)	E	\$143,500	\$1,208,506,434
370	Lo`ulu (<i>Pritchardia munroi</i>)	E	\$142,600	\$1,208,649,034
371	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$142,554	\$1,208,791,588
372	`Awikiwiki (<i>Canavalia molokaiensis</i>)	E	\$142,210	\$1,208,933,798
373	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$142,023	\$1,209,075,821
374	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$141,882	\$1,209,217,703
375	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$141,533	\$1,209,359,236
376	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>)	E	\$141,360	\$1,209,500,596
377	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	\$141,000	\$1,209,641,596
378	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$139,277	\$1,209,780,873
379	Tarplant, Otay (<i>Deinandra</i> (=Hemizonia) <i>conjugens</i>)	T	\$137,175	\$1,209,918,048
380	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	\$137,000	\$1,210,055,048
381	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$136,900	\$1,210,191,948
382	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>)	E	\$136,850	\$1,210,328,798
383	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$136,800	\$1,210,465,598
384	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$136,583	\$1,210,602,181
385	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$134,904	\$1,210,737,085
386	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$133,779	\$1,210,870,864
387	Salamander, frosted flatwoods (<i>Ambystoma cingulatum</i>)	T	\$133,707	\$1,211,004,571
388	Bison, wood (<i>Bison bison athabasca</i>) - Canada	E	\$133,578	\$1,211,138,149
389	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$132,920	\$1,211,271,069
390	Poppy, Sacramento prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>)	E	\$132,800	\$1,211,403,869
391	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - Southwestern pop.	EXPN	\$131,140	\$1,211,535,009
392	Tiger beetle, northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$129,505	\$1,211,664,514
393	Limpet, Banbury Springs (<i>Lanx</i> sp.)	E	\$129,253	\$1,211,793,767
394	Layia, beach (<i>Layia carnosae</i>)	E	\$128,872	\$1,211,922,639
395	Spiny mussel, Tar River (<i>Elliptio steinstansana</i>)	E	\$127,690	\$1,212,050,329
396	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$127,427	\$1,212,177,756
397	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>)	E	\$126,700	\$1,212,304,456
398	<i>Schiedea nuttallii</i> (=Sci name)	E	\$125,977	\$1,212,430,433
399	Pink, swamp (<i>Helonias bullata</i>)	T	\$125,760	\$1,212,556,193
400	Akepa, Hawaii (honeycreeper) (<i>Loxia coccinea coccinea</i>)	E	\$125,041	\$1,212,681,234
401	Tuctoria, Greene's (<i>Tuctoria greenii</i>)	E	\$124,700	\$1,212,805,934
402	Toad, Wyoming (<i>Bufo baxteri</i> (=hemiphys))	E	\$124,313	\$1,212,930,247
403	Lupine, scrub (<i>Lupinus aridorum</i>)	E	\$124,250	\$1,213,054,497
404	Chub, Gila (<i>Gila intermedia</i>)	E	\$123,300	\$1,213,177,797
405	Bean, Cumberland (pearly mussel) (<i>Villosa trabalis</i>) - Entire; Except where EXPN	E	\$122,100	\$1,213,299,897
406	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$121,912	\$1,213,421,809
407	Woolly-threads, San Joaquin (<i>Monolopia</i> (=Lembertia) <i>congdonii</i>)	E	\$121,729	\$1,213,543,538
408	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$121,656	\$1,213,665,194
409	<i>Hesperomannia arbuscula</i> (=Sci name)	E	\$121,277	\$1,213,786,471
410	`Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	\$121,137	\$1,213,907,608
411	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>)	E	\$120,739	\$1,214,028,347

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
412	<i>Gouania vitifolia</i> (=Sci name)	E	\$120,577	\$1,214,148,924
413	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	\$120,445	\$1,214,269,369
414	popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$119,158	\$1,214,388,527
415	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>)	E	\$119,093	\$1,214,507,620
416	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$117,500	\$1,214,625,120
417	<i>Schiedea kaalae</i> (=Sci name)	E	\$116,677	\$1,214,741,797
418	Shiner, blue (<i>Cyprinella caerulea</i>)	T	\$116,563	\$1,214,858,360
419	Darter, amber (<i>Percina antesella</i>)	E	\$116,500	\$1,214,974,860
420	Haha (<i>Cyanea superba</i>)	E	\$116,377	\$1,215,091,237
420	Oha (<i>Delissea subcordata</i>)	E	\$116,377	\$1,215,207,614
421	Na'ena'e (<i>Dubautia herbstobatae</i>)	E	\$116,117	\$1,215,323,731
422	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$115,800	\$1,215,439,531
423	Kulu'i (<i>Nototrichium humile</i>)	E	\$115,787	\$1,215,555,318
424	<i>Hedyotis parvula</i> (=Sci name)	E	\$115,777	\$1,215,671,095
425	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$115,750	\$1,215,786,845
426	<i>Sanicula mariversa</i> (=Sci name)	E	\$115,477	\$1,215,902,322
427	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$114,777	\$1,216,017,099
428	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$114,700	\$1,216,131,799
429	<i>Neraudia angulata</i> (=Sci name)	E	\$114,477	\$1,216,246,276
430	<i>Phyllostegia kaalaensis</i> (=Sci name)	E	\$114,377	\$1,216,360,653
431	Ale (<i>Plantago princeps</i> var. <i>anomala</i>)	E	\$114,307	\$1,216,474,960
432	<i>Hedyotis degeneri</i> (=Sci name)	E	\$114,277	\$1,216,589,237
433	Lo'ulu (<i>Pritchardia kaalae</i>)	E	\$114,177	\$1,216,703,414
434	Creeper, Hawaii (<i>Oreomystis mana</i>)	E	\$114,171	\$1,216,817,585
435	Nehe (<i>Lipochaeta tenuifolia</i>)	E	\$114,077	\$1,216,931,662
435	Haha (<i>Cyanea longiflora</i>)	E	\$114,077	\$1,217,045,739
436	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>)	E	\$113,977	\$1,217,159,716
436	`Akoko (<i>Chamaesyce herbstii</i>)	E	\$113,977	\$1,217,273,693
437	<i>Tetramolopium filiforme</i> (=Sci name)	E	\$113,577	\$1,217,387,270
438	<i>Alsinidendron obovatum</i> (=Sci name)	E	\$113,377	\$1,217,500,647
439	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$113,000	\$1,217,613,647
440	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>)	T	\$111,995	\$1,217,725,642
441	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$110,486	\$1,217,836,128
442	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	\$108,550	\$1,217,944,678
443	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$106,527	\$1,218,051,205
444	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>)	T	\$104,668	\$1,218,155,873
445	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	\$104,354	\$1,218,260,227
446	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$104,027	\$1,218,364,254
447	Aupaka (<i>Isodendron longifolium</i>)	T	\$101,736	\$1,218,465,990
448	Akiapola'au (honeycreeper) (<i>Hemignathus munroi</i>)	E	\$100,651	\$1,218,566,641
449	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensii</i>)	E	\$100,239	\$1,218,666,880
450	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$100,096	\$1,218,766,976
451	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$99,892	\$1,218,866,868
452	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$99,410	\$1,218,966,278
453	Po'ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>)	E	\$98,800	\$1,219,065,078
453	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	\$98,800	\$1,219,163,878
454	Manzanita, Ione (<i>Arctostaphylos myrtifolia</i>)	T	\$98,243	\$1,219,262,121
455	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - Entire; Except where listed as EXPN	E	\$98,230	\$1,219,360,351
456	Evening-primrose, Antioch Dunes (<i>Oenothera deltoides</i> ssp. <i>howellii</i>)	E	\$96,496	\$1,219,456,847
457	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$96,392	\$1,219,553,239
458	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$96,211	\$1,219,649,450
459	Clubshell (<i>Pleurobema clava</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$96,000	\$1,219,745,450
460	Mapleleaf, winged (<i>Quadrula fragosa</i>) - Entire; except where listed as EXPN	E	\$95,800	\$1,219,841,250
461	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$95,232	\$1,219,936,482
462	Pu'uka'a (<i>Cyperus trachysanthos</i>)	E	\$94,663	\$1,220,031,145
463	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$94,230	\$1,220,125,375
464	<i>Bonamia menziesii</i> (=Sci name)	E	\$94,183	\$1,220,219,558
465	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$93,500	\$1,220,313,058
466	Kauila (<i>Colubrina oppositifolia</i>)	E	\$93,136	\$1,220,406,194
467	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$92,451	\$1,220,498,645
468	Milk-vetch, Sentry (<i>Astragalus crennophylax</i> var. <i>cremnophylax</i>)	E	\$92,200	\$1,220,590,845

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
469	Rocksail, plicate (<i>Leptoxis plicata</i>)	E	\$91,500	\$1,220,682,345
470	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$91,295	\$1,220,773,640
471	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$91,050	\$1,220,864,690
472	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	\$90,963	\$1,220,955,653
473	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$90,931	\$1,221,046,584
474	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunnescens</i>)	E	\$89,500	\$1,221,136,084
475	Moccasinsheel, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$89,375	\$1,221,225,459
476	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	\$89,200	\$1,221,314,659
477	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$89,050	\$1,221,403,709
478	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$88,561	\$1,221,492,270
479	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>)	E	\$88,000	\$1,221,580,270
480	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$87,850	\$1,221,668,120
481	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$87,200	\$1,221,755,320
482	Alani (<i>Melicope adscendens</i>)	E	\$87,100	\$1,221,842,420
483	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$87,042	\$1,221,929,462
484	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - Entire; Except where EXPN	E	\$86,845	\$1,222,016,307
485	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	\$86,765	\$1,222,103,072
486	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$86,342	\$1,222,189,414
487	Haha (<i>Cyanea acuminata</i>)	E	\$86,133	\$1,222,275,547
488	Oxytheca, cushionbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	\$86,112	\$1,222,361,659
489	Chub, spotfin (<i>Erimonax monachus</i>) - Entire	T	\$85,830	\$1,222,447,489
490	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	\$84,910	\$1,222,532,399
491	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$84,400	\$1,222,616,799
492	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>)	T	\$84,144	\$1,222,700,943
493	Buckwheat, steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>)	E	\$84,097	\$1,222,785,040
494	Alani (<i>Melicope knudsenii</i>)	E	\$83,800	\$1,222,868,840
495	Frog, Mississippi gopher (<i>Rana capito sevosa</i>) - Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$83,500	\$1,222,952,340
496	ˆOha wai (<i>Clermontia lindseyana</i>)	E	\$83,481	\$1,223,035,821
497	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$83,189	\$1,223,119,010
498	Nioi (<i>Eugenia koolauensis</i>)	E	\$82,531	\$1,223,201,541
499	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	\$82,321	\$1,223,283,862
500	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$81,636	\$1,223,365,498
501	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$81,418	\$1,223,446,916
502	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	\$80,455	\$1,223,527,371
503	<i>Hesperomannia arborescens</i> (=Sci name)	E	\$79,953	\$1,223,607,324
504	<i>Pteris lidgatei</i> (=Sci name)	E	\$79,453	\$1,223,686,777
505	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$79,168	\$1,223,765,945
506	Isopod, Madison Cave (<i>Antrolana lira</i>)	T	\$79,118	\$1,223,845,063
507	Jaguarundi, Gulf Coast (<i>Herpailurus</i> (=Felis) <i>yagouaroundi cacomitli</i>)	E	\$78,600	\$1,223,923,663
508	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$78,400	\$1,224,002,063
509	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$78,388	\$1,224,080,451
510	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$78,103	\$1,224,158,554
511	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$78,100	\$1,224,236,654
512	Pearlymussel, dromedary (<i>Dromus dromas</i>) - Entire Range; Except where EXPN	E	\$78,015	\$1,224,314,669
513	<i>Sanicula purpurea</i> (=Sci name)	E	\$77,553	\$1,224,392,222
514	Opuhe (<i>Urera kaalae</i>)	E	\$77,163	\$1,224,469,385
515	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>)	E	\$77,074	\$1,224,546,459
516	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$76,923	\$1,224,623,382
517	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$76,828	\$1,224,700,210
518	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$76,450	\$1,224,776,660
519	ˆOhe ˆohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$76,363	\$1,224,853,023
520	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$76,299	\$1,224,929,322
521	Haha (<i>Cyanea shipmanii</i>)	E	\$76,120	\$1,225,005,442
522	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$75,827	\$1,225,081,269
523	Haha (<i>Cyanea st.-johnii</i>)	E	\$75,553	\$1,225,156,822
524	<i>Phyllostegia hirsuta</i> (=Sci name)	E	\$75,453	\$1,225,232,275
525	Kolea (<i>Myrsine juddii</i>)	E	\$75,173	\$1,225,307,448
526	Alani (<i>Melicope lydgatei</i>)	E	\$74,853	\$1,225,382,301
526	Haha (<i>Cyanea koolauensis</i>)	E	\$74,853	\$1,225,457,154
527	Haha (<i>Cyanea humboldtiana</i>)	E	\$74,653	\$1,225,531,807
528	<i>Lobelia oahuensis</i> (=Sci name)	E	\$74,553	\$1,225,606,360

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
529	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i> (=Sci name)	E	\$74,353	\$1,225,680,713
530	`Akoko (<i>Chamaesyce rockii</i>)	E	\$74,153	\$1,225,754,866
531	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>)	E	\$74,100	\$1,225,828,966
532	Nanu (<i>Gardenia mannii</i>)	E	\$74,063	\$1,225,903,029
533	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$74,025	\$1,225,977,054
534	Ohai (<i>Sesbania tomentosa</i>)	E	\$73,802	\$1,226,050,856
535	Cactus, star (<i>Astrophytum asterias</i>)	E	\$73,800	\$1,226,124,656
536	<i>Viola oahuensis</i> (=Sci name)	E	\$73,753	\$1,226,198,409
537	Dace, Fosskett speckled (<i>Rhinichthys osculus</i> ssp.)	T	\$73,694	\$1,226,272,103
538	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$73,626	\$1,226,345,729
539	Ha'iwale (<i>Cyrtandra viridiflora</i>)	E	\$73,553	\$1,226,419,282
540	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$73,535	\$1,226,492,817
541	Ha'iwale (<i>Cyrtandra subumbellata</i>)	E	\$73,453	\$1,226,566,270
542	<i>Stenogyne kanehoana</i> (=Sci name)	E	\$73,253	\$1,226,639,523
543	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$73,212	\$1,226,712,735
544	<i>Alsinidendron trinerve</i> (=Sci name)	E	\$73,053	\$1,226,785,788
545	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$73,051	\$1,226,858,839
545	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>)	E	\$73,051	\$1,226,931,890
545	Broom, San Clemente Island (<i>Lotus dendroideus</i> ssp. <i>traskiae</i>)	E	\$73,051	\$1,227,004,941
546	Chub, Hutton tui (<i>Gila bicolor</i> ssp.) - Hutton	T	\$73,024	\$1,227,077,965
547	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$72,817	\$1,227,150,782
547	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$72,817	\$1,227,223,599
548	Wawae'iole (<i>Lycopodium</i> (=Phlegmariurus) <i>nutans</i>)	E	\$72,653	\$1,227,296,252
549	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	\$72,539	\$1,227,368,791
550	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$72,376	\$1,227,441,167
551	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>)	E	\$71,957	\$1,227,513,124
552	Ma'oli'oli (<i>Schiedea kealiae</i>)	E	\$71,953	\$1,227,585,077
553	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$71,847	\$1,227,656,924
554	Dace, desert (<i>Eremichthys acros</i>)	T	\$71,623	\$1,227,728,547
555	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$71,600	\$1,227,800,147
556	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium kauense</i>)	E	\$71,423	\$1,227,871,570
557	`Oha wai (<i>Clermontia peleana</i>)	E	\$71,400	\$1,227,942,970
558	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$71,265	\$1,228,014,235
559	Sedge, golden (<i>Carex lutea</i>)	E	\$71,254	\$1,228,085,489
560	Pearlymussel, littlewing (<i>Pegias fabula</i>)	E	\$71,077	\$1,228,156,566
561	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	\$71,020	\$1,228,227,586
562	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	\$70,852	\$1,228,298,438
563	Buckwheat, cushionbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>)	E	\$70,799	\$1,228,369,237
564	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>)	E	\$70,750	\$1,228,439,987
565	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>)	E	\$70,741	\$1,228,510,728
566	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	\$70,020	\$1,228,580,748
567	Beauty, Harper's (<i>Harperocalis flava</i>)	E	\$70,000	\$1,228,650,748
568	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	\$69,740	\$1,228,720,488
569	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$69,604	\$1,228,790,092
570	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$69,000	\$1,228,859,092
571	Heau (<i>Exocarpos luteolus</i>)	E	\$68,910	\$1,228,928,002
572	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - except where EXPN	T	\$68,638	\$1,228,996,640
573	Kolea (<i>Myrsine linearifolia</i>)	T	\$67,383	\$1,229,064,023
574	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$66,883	\$1,229,130,906
575	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$66,535	\$1,229,197,441
576	<i>Platanthera holochila</i> (=Sci name)	E	\$66,300	\$1,229,263,741
577	Chub, Chihuahua (<i>Gila nigrescens</i>)	T	\$66,167	\$1,229,329,908
578	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$65,706	\$1,229,395,614
579	Nukupu'u (honeycreeper) (<i>Hemignathus lucidus</i>)	E	\$64,600	\$1,229,460,214
580	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$64,363	\$1,229,524,577
581	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	\$64,163	\$1,229,588,740
582	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>)	E	\$64,000	\$1,229,652,740
583	Snail, Pecos assimineae (<i>Assiminea pecos</i>)	E	\$63,576	\$1,229,716,316
584	Purple cat's paw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - Entire Range; Except where listed as EXPN	E	\$63,364	\$1,229,779,680
585	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$63,212	\$1,229,842,892
586	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	\$63,100	\$1,229,905,992

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
587	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$63,094	\$1,229,969,086
588	Darter, duskytail (<i>Etheostoma percnurum</i>) - Entire	E	\$63,038	\$1,230,032,124
589	Mustard, slender-petaled (<i>Thelypodium stenopetalum</i>)	E	\$62,685	\$1,230,094,809
590	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$62,558	\$1,230,157,367
591	Rush-rose, island (<i>Helianthemum greenii</i>)	T	\$62,494	\$1,230,219,861
591	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$62,494	\$1,230,282,355
592	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$62,000	\$1,230,344,355
592	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$62,000	\$1,230,406,355
593	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	\$61,900	\$1,230,468,255
594	Snake, Lake Erie water (<i>Nerodia sipedon insularum</i>) - subspecies range clarified	T	\$61,740	\$1,230,529,995
595	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$61,630	\$1,230,591,625
596	Sucker, Modoc (<i>Catostomus microps</i>)	E	\$61,411	\$1,230,653,036
597	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$61,200	\$1,230,714,236
598	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$60,025	\$1,230,774,261
599	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	\$60,000	\$1,230,834,261
600	Monardella, willowy (<i>Monardella linoides</i> ssp. <i>viminea</i>)	E	\$59,356	\$1,230,893,617
601	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$59,190	\$1,230,952,807
602	Alani (<i>Melicope mucronulata</i>)	E	\$59,100	\$1,231,011,907
603	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - southern	SAT	\$59,018	\$1,231,070,925
604	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$58,238	\$1,231,129,163
605	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$58,176	\$1,231,187,339
606	Daisy, lakeside (<i>Hymenoxys herbacea</i>)	T	\$57,870	\$1,231,245,209
607	Poolfish, Pahrump (<i>Empetrichthys latos</i>)	E	\$57,672	\$1,231,302,881
608	<i>Phyllostegia velutina</i> (=Sci name)	E	\$57,220	\$1,231,360,101
609	Kuawawaenohu (<i>Alsinidendron lychnoides</i>)	E	\$57,110	\$1,231,417,211
610	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$56,880	\$1,231,474,091
611	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$56,847	\$1,231,530,938
612	^Anaunau (<i>Lepidium arbuscula</i>)	E	\$56,810	\$1,231,587,748
613	Bladderpod, Missouri (<i>Lesquerella filiformis</i>)	T	\$56,807	\$1,231,644,555
614	Trillium, relict (<i>Trillium reliquum</i>)	E	\$56,757	\$1,231,701,312
615	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$56,655	\$1,231,757,967
616	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	\$55,474	\$1,231,813,441
617	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$54,800	\$1,231,868,241
618	Seablite, California (<i>Suaeda californica</i>)	E	\$54,627	\$1,231,922,868
619	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$54,612	\$1,231,977,480
620	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	\$54,520	\$1,232,032,000
621	Spineflower, Robust (incl. Scotts Valley) (<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i>))	E	\$53,922	\$1,232,085,922
622	^Aiea (<i>Nothocestrum breviflorum</i>)	E	\$53,520	\$1,232,139,442
623	^Aiakaekua, popolo (<i>Solanum sandwicense</i>)	E	\$53,410	\$1,232,192,852
624	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	\$53,360	\$1,232,246,212
625	Sandalwood, Lanai (=ilahi) (<i>Santalum freycinetianum</i> var. <i>lanaiense</i>)	E	\$53,210	\$1,232,299,422
626	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$53,030	\$1,232,352,452
627	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$52,679	\$1,232,405,131
628	<i>Schiedea haleakalensis</i> (=Sci name)	E	\$52,500	\$1,232,457,631
629	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$52,160	\$1,232,509,791
630	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	\$51,922	\$1,232,561,713
631	^Oha wai (<i>Clermontia pyralaria</i>)	E	\$51,900	\$1,232,613,613
632	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$51,791	\$1,232,665,404
633	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$51,600	\$1,232,717,004
634	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	\$51,400	\$1,232,768,404
634	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$51,400	\$1,232,819,804
635	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$51,301	\$1,232,871,105
636	Ha'iwale (<i>Cyrtandra giffardii</i>)	E	\$51,121	\$1,232,922,226
637	Bear-poppy, dwarf (<i>Arctomecon humilis</i>)	E	\$50,950	\$1,232,973,176
638	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$50,600	\$1,233,023,776
639	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>)	E	\$50,510	\$1,233,074,286
640	Koki'o (<i>Kokia drynarioides</i>)	E	\$50,220	\$1,233,124,506
641	Wireweed (<i>Polygonella basiramia</i>)	E	\$50,209	\$1,233,174,715
642	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$50,106	\$1,233,224,821
643	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	\$50,000	\$1,233,274,821
644	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$49,800	\$1,233,324,621

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
645	Rosemary, Apalachicola (<i>Conradina glabra</i>)	E	\$49,200	\$1,233,373,821
646	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	\$49,150	\$1,233,422,971
647	Madtom, smoky (<i>Noturus baileyi</i>) - Entire	E	\$49,138	\$1,233,472,109
648	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$49,107	\$1,233,521,216
649	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$48,971	\$1,233,570,187
650	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>)	T	\$48,704	\$1,233,618,891
651	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$48,150	\$1,233,667,041
652	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$47,820	\$1,233,714,861
653	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	\$47,452	\$1,233,762,313
654	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>)	E	\$47,128	\$1,233,809,441
655	Daisy, Maguire (<i>Erigeron maguirei</i>)	T	\$46,940	\$1,233,856,381
656	Fanshell (<i>Cyprogenia stegaria</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$46,642	\$1,233,903,023
657	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	\$46,368	\$1,233,949,391
658	Harperella (<i>Ptilimnium nodosum</i>)	E	\$46,366	\$1,233,995,757
659	Flannelbush, Mexican (<i>Fremontodendron mexicanum</i>)	E	\$46,239	\$1,234,041,996
660	Shiner, Arkansas River (<i>Notropis girardi</i>) - Arkansas R. Basin	T	\$46,127	\$1,234,088,123
661	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>)	E	\$46,088	\$1,234,134,211
662	<i>Remya montgomeryi</i> (=Sci name)	E	\$45,300	\$1,234,179,511
663	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	\$45,042	\$1,234,224,553
664	Jaguarundi, Sinaloa (<i>Herpailurus</i> (=Felis) <i>yagouaroundi tolteca</i>)	E	\$45,000	\$1,234,269,553
665	<i>Schiedea membranacea</i> (=Sci name)	E	\$44,900	\$1,234,314,453
666	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$44,582	\$1,234,359,035
667	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$44,526	\$1,234,403,561
668	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$43,320	\$1,234,446,881
669	Rice rat (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$43,045	\$1,234,489,926
670	Darter, Maryland (<i>Etheostoma sellare</i>)	E	\$42,800	\$1,234,532,726
671	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	\$42,665	\$1,234,575,391
672	Oha (<i>Delissea rivularis</i>)	E	\$42,620	\$1,234,618,011
673	<i>Xylosma crenatum</i> (=Sci name)	E	\$42,400	\$1,234,660,411
674	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	\$42,272	\$1,234,702,683
675	<i>Aiea (Nothocestrum peltatum)</i>	E	\$42,200	\$1,234,744,883
676	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$42,197	\$1,234,787,080
677	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>)	E	\$42,010	\$1,234,829,090
678	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$42,000	\$1,234,871,090
679	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$41,950	\$1,234,913,040
680	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>))	E	\$41,934	\$1,234,954,974
681	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$41,852	\$1,234,996,826
682	Chub, Owens tui (<i>Gila bicolor snyderi</i>)	E	\$41,736	\$1,235,038,562
683	<i>Poa siphonoglossa</i> (=Sci name)	E	\$41,700	\$1,235,080,262
684	wild buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	\$41,550	\$1,235,121,812
685	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$41,420	\$1,235,163,232
686	Liliwai (<i>Acaena exigua</i>)	E	\$41,210	\$1,235,204,442
687	Bluegrass, Hawaiian (<i>Poa sandwicensis</i>)	E	\$40,910	\$1,235,245,352
688	Dropwort, Canby's (<i>Oxypolis canbyi</i>)	E	\$40,789	\$1,235,286,141
689	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$40,750	\$1,235,326,891
690	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$40,610	\$1,235,367,501
691	Clubshell, southern (<i>Pleurobema decusum</i>)	E	\$40,582	\$1,235,408,083
692	Haha (<i>Cyanea recta</i>)	T	\$40,500	\$1,235,448,583
693	Iguana, Mona ground (<i>Cyclura cornuta stejnegeri</i>)	T	\$40,380	\$1,235,488,963
694	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$40,000	\$1,235,528,963
695	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$39,500	\$1,235,568,463
695	<i>Geocarpon minimum</i> (=Sci name)	T	\$39,500	\$1,235,607,963
696	Manaca, palma de (<i>Calyptronoma rivalis</i>)	T	\$39,000	\$1,235,646,963
697	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>)	E	\$38,931	\$1,235,685,894
698	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	\$38,726	\$1,235,724,620
699	Chub, Sonora (<i>Gila ditaeia</i>)	T	\$38,600	\$1,235,763,220
700	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$38,500	\$1,235,801,720
701	<i>Ahinahina (Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>)	T	\$38,388	\$1,235,840,108
702	<i>Munroidendron racemosum</i> (=Sci name)	E	\$38,221	\$1,235,878,329
703	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$38,166	\$1,235,916,495
704	Pomace fly, [unnamed] (<i>Drosophila montgomeryi</i>)	E	\$38,026	\$1,235,954,521

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
705	Pomace fly, [unnamed] (<i>Drosophila substenoptera</i>)	E	\$37,947	\$1,235,992,468
706	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	\$37,451	\$1,236,029,919
707	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$37,141	\$1,236,067,060
708	Haha (<i>Cyanea stictophylla</i>)	E	\$37,061	\$1,236,104,121
709	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>)	E	\$36,754	\$1,236,140,875
710	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$36,665	\$1,236,177,540
711	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$36,661	\$1,236,214,201
712	Chub, Mohave tui (<i>Gila bicolor mohavensis</i>)	E	\$36,507	\$1,236,250,708
713	Pocketbook, finelined (<i>Lampsilis atilis</i>)	T	\$36,400	\$1,236,287,108
714	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	\$36,086	\$1,236,323,194
715	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$35,644	\$1,236,358,838
716	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$35,409	\$1,236,394,247
717	Elktoe, Cumberland (<i>Alasmidonta atropurpurea</i>)	E	\$35,300	\$1,236,429,547
718	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$35,138	\$1,236,464,685
719	<i>Phyllostegia warshaueri</i> (=Sci name)	E	\$35,000	\$1,236,499,685
720	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	\$34,988	\$1,236,534,673
721	`Oha wai (<i>Clermontia drepanomorpha</i>)	E	\$34,770	\$1,236,569,443
722	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$34,566	\$1,236,604,009
723	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$34,550	\$1,236,638,559
724	cactus, Uinta Basin hookless (<i>Sclerocactus wetlandicus</i>)	T	\$33,665	\$1,236,672,224
725	Rock-cress, McDonald's (<i>Arabis macdonaldiana</i>)	E	\$33,050	\$1,236,705,274
726	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	\$33,000	\$1,236,738,274
727	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$32,900	\$1,236,771,174
727	Shrimp, Alabama cave (<i>Palaemonias alabamiae</i>)	E	\$32,900	\$1,236,804,074
728	Plum, scrub (<i>Prunus geniculata</i>)	E	\$32,611	\$1,236,836,685
729	Olulu (<i>Brighamia insignis</i>)	E	\$32,548	\$1,236,869,233
730	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$32,300	\$1,236,901,533
731	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>)	E	\$32,150	\$1,236,933,683
732	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$32,000	\$1,236,965,683
733	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>)	E	\$31,945	\$1,236,997,628
734	Dudleya, Verity's (<i>Dudleya verityi</i>)	T	\$31,914	\$1,237,029,542
735	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	\$31,800	\$1,237,061,342
736	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekensis</i>)	E	\$31,738	\$1,237,093,080
737	Sedge, white (<i>Carex albida</i>)	E	\$31,206	\$1,237,124,286
738	fatmucket, Arkansas (<i>Lampsilis powellii</i>)	T	\$31,090	\$1,237,155,376
739	Alani (<i>Melicope zahlbruckneri</i>)	E	\$30,864	\$1,237,186,240
740	Bedstraw, island (<i>Galium buxifolium</i>)	E	\$30,760	\$1,237,217,000
741	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	\$30,556	\$1,237,247,556
742	Nohoanu (<i>Geranium multiflorum</i>)	E	\$30,310	\$1,237,277,866
743	Coneflower, Tennessee purple (<i>Echinacea tennesseensis</i>)	E	\$30,200	\$1,237,308,066
744	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$30,006	\$1,237,338,072
745	Chub, spotfin (<i>Erimonax monachus</i>) - Shoal Creek	EXPN	\$30,000	\$1,237,368,072
745	Clubshell, ovate (<i>Pleurobema perovatum</i>)	E	\$30,000	\$1,237,398,072
746	Groundsel, San Francisco Peaks (<i>Senecio franciscanus</i>)	T	\$29,900	\$1,237,427,972
747	Alani (<i>Melicope pallida</i>)	E	\$29,783	\$1,237,457,755
748	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>)	E	\$29,753	\$1,237,487,508
749	Spineflower, Ben Lomond (<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>)	E	\$29,634	\$1,237,517,142
750	Cactus, Siler pincushion (<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>)	T	\$29,500	\$1,237,546,642
751	`Anunu (<i>Sicyos alba</i>)	E	\$29,410	\$1,237,576,052
752	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>)	E	\$29,400	\$1,237,605,452
753	<i>Schiedea kauaiensis</i> (=Sci name)	E	\$29,283	\$1,237,634,735
754	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$28,920	\$1,237,663,655
755	Koki'o ke'oke'o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>)	E	\$28,883	\$1,237,692,538
756	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$28,554	\$1,237,721,092
757	Riversnail, Anthony's (<i>Atheurina anthonyi</i>) - Entire Range; Except where EXPN	E	\$28,500	\$1,237,749,592
758	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$28,425	\$1,237,778,017
759	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$28,403	\$1,237,806,420
760	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	\$28,350	\$1,237,834,770
761	Kamakahala (<i>Labordia lydgatei</i>)	E	\$27,683	\$1,237,862,453
762	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>)	T	\$27,491	\$1,237,889,944
763	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$27,380	\$1,237,917,324
764	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$27,350	\$1,237,944,674

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
765	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$27,300	\$1,237,971,974
766	Sandlance (<i>Polygonella myriophylla</i>)	E	\$27,270	\$1,237,999,244
767	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$27,166	\$1,238,026,410
768	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	\$27,058	\$1,238,053,468
769	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$26,800	\$1,238,080,268
770	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$26,741	\$1,238,107,009
771	Cactus, Tobusch fishhook (<i>Ancistrocactus tobuschii</i>)	E	\$26,500	\$1,238,133,509
772	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	\$26,460	\$1,238,159,969
773	Snail, armored (<i>Pyrgulopsis</i> (= <i>Marstonia</i>) <i>pachyta</i>)	E	\$26,000	\$1,238,185,969
773	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra alabamensis</i>)	E	\$26,000	\$1,238,211,969
774	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$25,953	\$1,238,237,922
775	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$25,950	\$1,238,263,872
776	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	\$25,860	\$1,238,289,732
777	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$25,562	\$1,238,315,294
778	Primrose, Maguire (<i>Primula maguirei</i>)	T	\$25,500	\$1,238,340,794
779	Cycladenia, Jones (<i>Cycladenia jonesii</i> (= <i>humilis</i>))	T	\$25,400	\$1,238,366,194
780	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$25,310	\$1,238,391,504
781	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$25,238	\$1,238,416,742
782	Haha (<i>Cyanea glabra</i>)	E	\$25,200	\$1,238,441,942
783	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$25,004	\$1,238,466,946
784	Puma (=cougar), eastern (<i>Puma</i> (= <i>Felis</i>) <i>concolor cougar</i>)	E	\$24,959	\$1,238,491,905
785	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$24,900	\$1,238,516,805
786	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$24,800	\$1,238,541,605
787	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$24,500	\$1,238,566,105
788	Milk-vetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$24,428	\$1,238,590,533
789	Mapele (<i>Cyrtandra cyaneoides</i>)	E	\$24,293	\$1,238,614,826
790	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$24,189	\$1,238,639,015
791	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>)	E	\$24,157	\$1,238,663,172
792	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	\$24,042	\$1,238,687,214
793	Snake, Concho water (<i>Nerodia paucimaculata</i>)	T	\$23,900	\$1,238,711,114
794	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	\$23,460	\$1,238,734,574
795	Milk-vetch, triple-ribbed (<i>Astragalus tricarlinatus</i>)	E	\$23,256	\$1,238,757,830
796	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>)	E	\$23,249	\$1,238,781,079
797	Lau `ehu (<i>Panicum niihauense</i>)	E	\$23,248	\$1,238,804,327
798	Butterfly, Schaus swallowtail (<i>Heraclides aristodemus ponceanus</i>)	E	\$23,104	\$1,238,827,431
799	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$22,650	\$1,238,850,081
800	Darter, snail (<i>Percina tanasi</i>)	T	\$22,630	\$1,238,872,711
801	Snowbells, Texas (<i>Styrax texanus</i>)	E	\$22,600	\$1,238,895,311
802	Trillium, persistent (<i>Trillium persistens</i>)	E	\$22,500	\$1,238,917,811
803	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>)	E	\$22,226	\$1,238,940,037
804	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$22,120	\$1,238,962,157
805	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$22,000	\$1,238,984,157
806	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$21,963	\$1,239,006,120
807	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>)	E	\$21,904	\$1,239,028,024
808	Alani (<i>Melicope ovalis</i>)	E	\$21,900	\$1,239,049,924
809	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$21,850	\$1,239,071,774
810	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>)	E	\$21,605	\$1,239,093,379
811	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$21,575	\$1,239,114,954
812	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$21,526	\$1,239,136,480
813	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>)	E	\$21,400	\$1,239,157,880
814	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$21,300	\$1,239,179,180
815	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>)	E	\$21,170	\$1,239,200,350
816	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	\$21,050	\$1,239,221,400
817	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$21,045	\$1,239,242,445
818	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	\$21,000	\$1,239,263,445
818	Isopod, Lee County cave (<i>Lirceus usdagalun</i>)	E	\$21,000	\$1,239,284,445
819	Joint-vetch, sensitive (<i>Aeschynomene virginica</i>)	T	\$20,900	\$1,239,305,345
820	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	\$20,550	\$1,239,325,895
821	Ko' oloa'ula (<i>Abutilon menziesii</i>)	E	\$20,510	\$1,239,346,405
822	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$20,500	\$1,239,366,905
823	Cactus, Knowlton's (<i>Pediocactus knowltonii</i>)	E	\$20,425	\$1,239,387,330
824	Dudleya, marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>)	T	\$20,362	\$1,239,407,692

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
825	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$20,218	\$1,239,427,910
826	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	\$20,000	\$1,239,447,910
826	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$20,000	\$1,239,467,910
826	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$20,000	\$1,239,487,910
826	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>)	E	\$20,000	\$1,239,507,910
827	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$19,900	\$1,239,527,810
828	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$19,691	\$1,239,547,501
829	Butterfly, Uncompahgre fritillary (<i>Boloria acrocynema</i>)	E	\$19,651	\$1,239,567,152
830	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	\$19,532	\$1,239,586,684
831	Kidneyshell, triangular (<i>Ptychobranthus greenii</i>)	E	\$19,500	\$1,239,606,184
831	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$19,500	\$1,239,625,684
832	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$19,458	\$1,239,645,142
833	Chub, slender (<i>Erimystax cahni</i>)	T	\$19,419	\$1,239,664,561
834	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$19,400	\$1,239,683,961
835	Haha (<i>Cyanea platyphylla</i>)	E	\$19,200	\$1,239,703,161
836	Tern, roseate (<i>Sterna dougallii dougallii</i>) - western hemisphere except NE U.S.	T	\$19,092	\$1,239,722,253
837	Cobana negra (<i>Stahliia monosperma</i>)	T	\$19,000	\$1,239,741,253
838	Amphipod, Peck's cave (<i>Stygobromus</i> (= <i>Stygonectes</i>) <i>pecki</i>)	E	\$18,826	\$1,239,760,079
839	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$18,740	\$1,239,778,819
840	Bellflower, Brooksville (<i>Campanula robbinsiae</i>)	E	\$18,437	\$1,239,797,256
841	Dudleya, Santa Monica Mountains (<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>)	T	\$18,350	\$1,239,815,606
842	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	\$18,348	\$1,239,833,954
843	<i>Delissea rhytidosperra</i> (=Sci name)	E	\$18,338	\$1,239,852,292
844	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$18,300	\$1,239,870,592
845	Puma (=mountain lion) (<i>Puma</i> (= <i>Felis</i>) <i>concolor</i> (all subsp. except <i>coryi</i>)) - FL	SAT	\$18,170	\$1,239,888,762
846	`Akoko, Ewa Plains (<i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i>)	E	\$18,010	\$1,239,906,772
847	Moccasinsheel, Coosa (<i>Medionidus parvulus</i>)	E	\$18,000	\$1,239,924,772
848	Koki'o (<i>Kokia kauaiensis</i>)	E	\$17,938	\$1,239,942,710
849	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	\$17,896	\$1,239,960,606
850	`Akoko (<i>Euphorbia haeleeeleana</i>)	E	\$17,738	\$1,239,978,344
851	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$17,600	\$1,239,995,944
852	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$17,583	\$1,240,013,527
853	Rock-cress, shale barren (<i>Arabis serotina</i>)	E	\$17,531	\$1,240,031,058
854	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$17,523	\$1,240,048,581
855	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>)	E	\$17,500	\$1,240,066,081
855	Shiner, palezone (<i>Notropis albizonatus</i>)	E	\$17,500	\$1,240,083,581
856	Awii (<i>Centaurium sebaeoides</i>)	E	\$17,320	\$1,240,100,901
857	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$17,300	\$1,240,118,201
858	Cactus, black lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>)	E	\$17,200	\$1,240,135,401
859	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$17,000	\$1,240,152,401
859	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$17,000	\$1,240,169,401
860	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>)	E	\$16,984	\$1,240,186,385
861	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>)	T	\$16,908	\$1,240,203,293
862	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$16,896	\$1,240,220,189
863	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	\$16,678	\$1,240,236,867
864	Madtom, pygmy (<i>Noturus stanauli</i>)	E	\$16,600	\$1,240,253,467
865	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>)	E	\$16,550	\$1,240,270,017
866	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$16,548	\$1,240,286,565
867	Tarplant, Santa Cruz (<i>Holocarpa macradenia</i>)	T	\$16,528	\$1,240,303,093
868	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - U.S.A. (DE, Sussex Co.)	EXPN	\$16,500	\$1,240,319,593
868	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$16,500	\$1,240,336,093
869	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$16,350	\$1,240,352,443
870	Milk-vetch, Clara Hunt's (<i>Astragalus clarianus</i>)	E	\$16,288	\$1,240,368,731
871	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$16,182	\$1,240,384,913
872	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$16,049	\$1,240,400,962
873	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>)	E	\$16,043	\$1,240,417,005
874	Chub, spotfin (<i>Erimonax monachus</i>) - Tellico River, TN	EXPN	\$16,000	\$1,240,433,005
874	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$16,000	\$1,240,449,005
874	<i>Achyranthes mutica</i> (=Sci name)	E	\$16,000	\$1,240,465,005
875	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$15,900	\$1,240,480,905
876	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$15,710	\$1,240,496,615
877	cactus, Pariette (<i>Sclerocactus brevispinus</i>)	T	\$15,700	\$1,240,512,315

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
878	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$15,576	\$1,240,527,891
879	Ko'oko'olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>)	E	\$15,520	\$1,240,543,411
880	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$15,400	\$1,240,558,811
881	Iliau, dwarf (<i>Wilkesia hobbdi</i>)	E	\$15,310	\$1,240,574,121
882	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$15,300	\$1,240,589,421
883	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$15,223	\$1,240,604,644
884	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$15,109	\$1,240,619,753
885	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$15,100	\$1,240,634,853
886	Pearlymussel, birdwing (<i>Conradilla caelata</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$15,000	\$1,240,649,853
886	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$15,000	\$1,240,664,853
886	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana</i> ssp. <i>valida</i>)	E	\$15,000	\$1,240,679,853
887	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>))	T	\$14,962	\$1,240,694,815
888	Cliff-rose, Arizona (<i>Purshia</i> (=Cowania) <i>subintegra</i>)	E	\$14,850	\$1,240,709,665
889	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$14,800	\$1,240,724,465
890	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$14,799	\$1,240,739,264
891	<i>Tetramolopium rockii</i> (=Sci name)	T	\$14,700	\$1,240,753,964
891	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$14,700	\$1,240,768,664
892	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$14,662	\$1,240,783,326
893	Darter, goldline (<i>Percina aurolineata</i>)	T	\$14,500	\$1,240,797,826
893	Lo'ulu (<i>Pritchardia schattaueri</i>)	E	\$14,500	\$1,240,812,326
893	<i>Alsinidendron viscosum</i> (=Sci name)	E	\$14,500	\$1,240,826,826
894	Lichen, rock gnome (<i>Gymnoderma lineare</i>)	E	\$14,458	\$1,240,841,284
895	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$14,323	\$1,240,855,607
896	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$14,310	\$1,240,869,917
897	<i>Diplazium molokaiense</i> (=Sci name)	E	\$14,300	\$1,240,884,217
898	Snail, Chittanooga ovate amber (<i>Succinea chittengoensis</i>)	T	\$14,276	\$1,240,898,493
899	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$14,200	\$1,240,912,693
900	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>)	E	\$14,177	\$1,240,926,870
901	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$14,153	\$1,240,941,023
902	Dudleya, Santa Cruz Island (<i>Dudleya nesiotica</i>)	T	\$14,082	\$1,240,955,105
903	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>)	E	\$14,041	\$1,240,969,146
904	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$13,900	\$1,240,983,046
904	Ha'iwale (<i>Cyrtandra tintinnabula</i>)	E	\$13,900	\$1,240,996,946
905	Bluegrass, Napa (<i>Poa napensis</i>)	E	\$13,764	\$1,241,010,710
906	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>)	E	\$13,576	\$1,241,024,286
906	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$13,576	\$1,241,037,862
907	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$13,531	\$1,241,051,393
908	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$13,500	\$1,241,064,893
909	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	\$13,400	\$1,241,078,293
910	Cypress, Santa Cruz (<i>Cupressus abramsiana</i>)	E	\$13,339	\$1,241,091,632
911	Alani (<i>Melicope balloui</i>)	E	\$13,300	\$1,241,104,932
912	<i>Schiedea spergulina</i> var. <i>leiopoda</i> (=Sci name)	E	\$13,038	\$1,241,117,970
913	Darter, relict (<i>Etheostoma chienense</i>)	E	\$13,000	\$1,241,130,970
913	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$13,000	\$1,241,143,970
913	<i>Leptocereus grantianus</i> (=Sci name)	E	\$13,000	\$1,241,156,970
914	Meadowrue, Cooley's (<i>Thalictrum cooley</i>)	E	\$12,946	\$1,241,169,916
915	Ceanothus, coyote (<i>Ceanothus ferrissae</i>)	E	\$12,923	\$1,241,182,839
915	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$12,923	\$1,241,195,762
916	Thistle, fountain (<i>Cirsium fontinale</i> var. <i>fontinale</i>)	E	\$12,817	\$1,241,208,579
917	Hedyotis, Na Pali beach (<i>Hedyotis st.-johnii</i>)	E	\$12,810	\$1,241,221,389
918	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$12,766	\$1,241,234,155
919	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	\$12,610	\$1,241,246,765
920	Bear, American black (<i>Ursus americanus</i>) - County range of LA black bear	SAT	\$12,601	\$1,241,259,366
921	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$12,541	\$1,241,271,907
922	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$12,421	\$1,241,284,328
923	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$12,296	\$1,241,296,624
924	Mallow, Kern (<i>Eremalche kernensis</i>)	E	\$12,194	\$1,241,308,818
925	Pussypaws, Mariposa (<i>Calyptidium pulchellum</i>)	T	\$12,074	\$1,241,320,892
926	Fringepod, Santa Cruz Island (<i>Thysanocarpus conchuliferus</i>)	E	\$11,998	\$1,241,332,890

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
927	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$11,894	\$1,241,344,784
928	Onion, Munz's (<i>Allium munzii</i>)	E	\$11,835	\$1,241,356,619
929	Rail, Guam (<i>Rallus owstoni</i>) - Rota	EXPN	\$11,700	\$1,241,368,319
930	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - Entire Range; Except where listed as EXPN	E	\$11,618	\$1,241,379,937
931	Avens, spreading (<i>Geum radiatum</i>)	E	\$11,547	\$1,241,391,484
932	Lampmussel, Alabama (<i>Lampsilis virescens</i>) - Entire Range; Except where EXPN	E	\$11,500	\$1,241,402,984
932	Combshell, upland (<i>Epioblasma metastrata</i>)	E	\$11,500	\$1,241,414,484
932	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$11,500	\$1,241,425,984
933	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$11,459	\$1,241,437,443
934	Silverside, Waccamaw (<i>Menidia extensa</i>)	T	\$11,260	\$1,241,448,703
935	<i>Lobelia niihauensis</i> (=Sci name)	E	\$11,100	\$1,241,459,803
936	Mustard, Carter's (<i>Warea carteri</i>)	E	\$11,011	\$1,241,470,814
937	Darter, bayou (<i>Etheostoma rubrum</i>)	T	\$11,000	\$1,241,481,814
937	Campeloma, slender (<i>Campeloma decampi</i>)	E	\$11,000	\$1,241,492,814
938	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$10,795	\$1,241,503,609
939	Darter, slackwater (<i>Etheostoma boschungii</i>)	T	\$10,680	\$1,241,514,289
940	Sculpin, pygmy (<i>Cottus paulus</i> (=pygmaeus))	T	\$10,612	\$1,241,524,901
941	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$10,573	\$1,241,535,474
942	Navarretia, many-flowered (<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>)	E	\$10,553	\$1,241,546,027
943	Kuahiwi laukahi (<i>Plantago hawaiiensis</i>)	E	\$10,520	\$1,241,556,547
944	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$10,450	\$1,241,566,997
945	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>)	E	\$10,438	\$1,241,577,435
946	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>)	T	\$10,323	\$1,241,587,758
947	<i>Delissea undulata</i> (=Sci name)	E	\$10,200	\$1,241,597,958
948	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$10,053	\$1,241,608,011
949	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$10,010	\$1,241,618,021
950	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$10,007	\$1,241,628,028
951	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Tellico River, TN	EXPN	\$10,000	\$1,241,638,028
951	Madtom, smoky (<i>Noturus baileyi</i>) - Tellico River, TN	EXPN	\$10,000	\$1,241,648,028
951	Darter, duskytail (<i>Etheostoma percnurum</i>) - Tellico River, TN	EXPN	\$10,000	\$1,241,658,028
952	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$9,905	\$1,241,667,933
953	<i>Schiedea verticillata</i> (=Sci name)	E	\$9,900	\$1,241,677,833
954	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$9,859	\$1,241,687,692
955	A`e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$9,820	\$1,241,697,512
956	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	\$9,800	\$1,241,707,312
957	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$9,781	\$1,241,717,093
958	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	\$9,704	\$1,241,726,797
959	<i>Neraudia sericea</i> (=Sci name)	E	\$9,700	\$1,241,736,497
960	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$9,607	\$1,241,746,104
961	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>)	E	\$9,550	\$1,241,755,654
962	Acornshell, southern (<i>Epioblasma othcaloogensis</i>)	E	\$9,500	\$1,241,765,154
962	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$9,500	\$1,241,774,654
962	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$9,500	\$1,241,784,154
962	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$9,500	\$1,241,793,654
962	Gumplant, Ash Meadows (<i>Grindelia fraxino-pratensis</i>)	T	\$9,500	\$1,241,803,154
962	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$9,500	\$1,241,812,654
962	Haha (<i>Cyanea lobata</i>)	E	\$9,500	\$1,241,822,154
962	<i>Eugenia woodburyana</i> (=Sci name)	E	\$9,500	\$1,241,831,654
963	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$9,479	\$1,241,841,133
964	Lo`ulu (<i>Pritchardia affinis</i>)	E	\$9,470	\$1,241,850,603
965	Nehe (<i>Lipochaeta fauriei</i>)	E	\$9,360	\$1,241,859,963
966	Remya, Maui (<i>Remya mauiensis</i>)	E	\$9,310	\$1,241,869,273
967	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$9,273	\$1,241,878,546
968	Amole, purple (<i>Chlorogalum purpureum</i>)	T	\$9,225	\$1,241,887,771
969	Pilo (<i>Hedyotis mannii</i>)	E	\$9,210	\$1,241,896,981
969	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>)	E	\$9,210	\$1,241,906,191
970	Cactus, Nichol's Turk's head (<i>Echinocactus horizontalonius</i> var. <i>nicholii</i>)	E	\$9,200	\$1,241,915,391
971	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$9,053	\$1,241,924,444
972	Centaury, spring-loving (<i>Centaureum namophilum</i>)	T	\$9,049	\$1,241,933,493
973	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$9,042	\$1,241,942,535
974	Turtle, flattened musk (<i>Sternotherus depressus</i>) - species range clarified	T	\$9,000	\$1,241,951,535

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
974	Butterfly, lotis blue (<i>Lycaeides argyrognomon lotis</i>)	E	\$9,000	\$1,241,960,535
974	Spineflower, Howell's (<i>Chorizanthe howellii</i>)	E	\$9,000	\$1,241,969,535
975	Ihi`ihi (<i>Marsilea villosa</i>)	E	\$8,800	\$1,241,978,335
976	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$8,750	\$1,241,987,085
977	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$8,710	\$1,241,995,795
978	<i>Abutilon eremitopetalum</i> (=Sci name)	E	\$8,700	\$1,242,004,495
979	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$8,657	\$1,242,013,152
980	Roseroot, Leedy's (<i>Sedum integrifolium</i> ssp. <i>leedyi</i>)	T	\$8,653	\$1,242,021,805
981	Clarkia, Pismo (<i>Clarkia speciosa</i> ssp. <i>immaculata</i>)	E	\$8,611	\$1,242,030,416
982	Makou (<i>Peucedanum sandwicense</i>)	T	\$8,610	\$1,242,039,026
983	Haha (<i>Cyanea mceldowneyi</i>)	E	\$8,600	\$1,242,047,626
984	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$8,520	\$1,242,056,146
985	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	\$8,500	\$1,242,064,646
986	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$8,356	\$1,242,073,002
987	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$8,335	\$1,242,081,337
988	<i>Phyllostegia mollis</i> (=Sci name)	E	\$8,300	\$1,242,089,637
989	`Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$8,200	\$1,242,097,837
989	Pauoa (<i>Ctenitis squamigera</i>)	E	\$8,200	\$1,242,106,037
990	Bluecurls, Hidden Lake (<i>Trichostema austromontanum</i> ssp. <i>compactum</i>)	T	\$8,113	\$1,242,114,150
991	Lo`ulu (<i>Pritchardia viscosa</i>)	E	\$8,100	\$1,242,122,250
991	`Oha wai (<i>Clermontia samuelii</i>)	E	\$8,100	\$1,242,130,350
992	Spurge, telephus (<i>Euphorbia telephioides</i>)	T	\$8,055	\$1,242,138,405
993	Jewelflower, Tiburon (<i>Streptanthus niger</i>)	E	\$8,029	\$1,242,146,434
994	<i>Gouania meyenii</i> (=Sci name)	E	\$7,900	\$1,242,154,334
994	Na`ena`e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>)	E	\$7,900	\$1,242,162,234
995	Turtle, yellow-blotched map (<i>Graptemys flavimaculata</i>)	T	\$7,800	\$1,242,170,034
995	Aupaka (<i>Isodendron laurifolium</i>)	E	\$7,800	\$1,242,177,834
996	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$7,700	\$1,242,185,534
997	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$7,670	\$1,242,193,204
998	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$7,600	\$1,242,200,804
999	Boxwood, Vahl's (<i>Buxus vahlII</i>)	E	\$7,500	\$1,242,208,304
999	Penny-cress, Kneeland Prairie (<i>Thlaspi californicum</i>)	E	\$7,500	\$1,242,215,804
999	Na`ena`e (<i>Dubautia pauciflora</i>)	E	\$7,500	\$1,242,223,304
1000	Milk-vetch, coastal dunes (<i>Astragalus tener</i> var. <i>titi</i>)	E	\$7,497	\$1,242,230,801
1001	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>)	E	\$7,491	\$1,242,238,292
1002	Nani wai`ale`ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	\$7,410	\$1,242,245,702
1003	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$7,320	\$1,242,253,022
1004	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>)	E	\$7,307	\$1,242,260,329
1004	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	\$7,307	\$1,242,267,636
1004	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>)	E	\$7,307	\$1,242,274,943
1004	Phacelia, island (<i>Phacelia insularis</i> ssp. <i>insularis</i>)	E	\$7,307	\$1,242,282,250
1004	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>)	E	\$7,307	\$1,242,289,557
1004	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>)	E	\$7,307	\$1,242,296,864
1004	Malacothrix, island (<i>Malacothrix squalida</i>)	E	\$7,307	\$1,242,304,171
1005	Na`ena`e (<i>Dubautia latifolia</i>)	E	\$7,300	\$1,242,311,471
1005	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$7,300	\$1,242,318,771
1005	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$7,300	\$1,242,326,071
1006	<i>Viola helenae</i> (=Sci name)	E	\$7,200	\$1,242,333,271
1006	<i>Lysimachia lydgatei</i> (=Sci name)	E	\$7,200	\$1,242,340,471
1007	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$7,197	\$1,242,347,668
1008	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$7,191	\$1,242,354,859
1009	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>)	E	\$7,162	\$1,242,362,021
1010	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$7,143	\$1,242,369,164
1011	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	\$7,021	\$1,242,376,185
1012	Darter, vermilion (<i>Etheostoma chermocki</i>)	E	\$7,000	\$1,242,383,185
1012	Amphipod, Kauai cave (<i>Spelaorchestia koloana</i>)	E	\$7,000	\$1,242,390,185
1012	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$7,000	\$1,242,397,185
1012	Nehe (<i>Lipochaeta waimeaensis</i>)	E	\$7,000	\$1,242,404,185
1013	Kula wahine noho (<i>Isodendron pyrifolium</i>)	E	\$6,910	\$1,242,411,095
1014	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$6,900	\$1,242,417,995
1014	Wawae`iole (<i>Huperzia mannii</i>)	E	\$6,900	\$1,242,424,895
1015	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$6,835	\$1,242,431,730

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1016	Ha'i wale (<i>Cyrtandra munroi</i>)	E	\$6,800	\$1,242,438,530
1017	Alani (<i>Melicope haupuensis</i>)	E	\$6,700	\$1,242,445,230
1017	<i>Remya kauaiensis</i> (=Sci name)	E	\$6,700	\$1,242,451,930
1018	Checker-mallow, pedate (<i>Sidalcea pedata</i>)	E	\$6,685	\$1,242,458,615
1019	Guajon (<i>Eleutherodactylus cooki</i>)	T	\$6,662	\$1,242,465,277
1020	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	\$6,605	\$1,242,471,882
1021	<i>Lysimachia maxima</i> (=Sci name)	E	\$6,600	\$1,242,478,482
1022	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$6,564	\$1,242,485,046
1023	Sunflower, San Mateo woolly (<i>Eriophyllum latilobum</i>)	E	\$6,523	\$1,242,491,569
1024	<i>Cordia bellonis</i> (=Sci name)	E	\$6,500	\$1,242,498,069
1025	Kamakahala (<i>Labordia triflora</i>)	E	\$6,400	\$1,242,504,469
1025	<i>Silene alexandri</i> (=Sci name)	E	\$6,400	\$1,242,510,869
1026	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$6,332	\$1,242,517,201
1027	`O'u (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$6,300	\$1,242,523,501
1027	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$6,300	\$1,242,529,801
1027	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i> (=Sci name)	E	\$6,300	\$1,242,536,101
1028	Pomace fly, [unnamed] (<i>Drosophila heteroneura</i>)	E	\$6,141	\$1,242,542,242
1029	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>)	E	\$6,100	\$1,242,548,342
1030	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	\$6,054	\$1,242,554,396
1031	Haha (<i>Cyanea procera</i>)	E	\$6,000	\$1,242,560,396
1032	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$5,900	\$1,242,566,296
1032	<i>Stenogyne bifida</i> (=Sci name)	E	\$5,900	\$1,242,572,196
1032	<i>Diellia falcata</i> (=Sci name)	E	\$5,900	\$1,242,578,096
1033	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	\$5,800	\$1,242,583,896
1034	Haha (<i>Cyanea pinnatifida</i>)	E	\$5,700	\$1,242,589,596
1034	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$5,700	\$1,242,595,296
1034	<i>Phyllostegia hispida</i> (=Sci name)	E	\$5,700	\$1,242,600,996
1035	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$5,658	\$1,242,606,654
1036	<i>Schiedea hookeri</i> (=Sci name)	E	\$5,600	\$1,242,612,254
1036	<i>Chamaesyce halemanui</i> (=Sci name)	E	\$5,600	\$1,242,617,854
1036	<i>Lobelia monostachya</i> (=Sci name)	E	\$5,600	\$1,242,623,454
1036	<i>Diellia unisora</i> (=Sci name)	E	\$5,600	\$1,242,629,054
1037	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$5,500	\$1,242,634,554
1037	<i>Schoepfia arenaria</i> (=Sci name)	T	\$5,500	\$1,242,640,054
1037	<i>Auerodendron pauciflorum</i> (=Sci name)	E	\$5,500	\$1,242,645,554
1038	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>)	E	\$5,496	\$1,242,651,050
1039	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	\$5,450	\$1,242,656,500
1040	Lupine, clover (<i>Lupinus tidestromii</i>)	E	\$5,335	\$1,242,661,835
1041	Kopa (<i>Hedyotis schlechtendahlana</i> var. <i>remyi</i>)	E	\$5,310	\$1,242,667,145
1042	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$5,300	\$1,242,672,445
1043	Rocks nail, painted (<i>Leptoxis taeniata</i>)	T	\$5,200	\$1,242,677,645
1043	Awiwi (<i>Hedyotis cookiana</i>)	E	\$5,200	\$1,242,682,845
1043	<i>Hesperomannia lydgatei</i> (=Sci name)	E	\$5,200	\$1,242,688,045
1043	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	\$5,200	\$1,242,693,245
1044	Stonecrop, Lake County (<i>Parvisedum leiocarpum</i>)	E	\$5,162	\$1,242,698,407
1045	Woundfin (<i>Plagopterus argentissimus</i>) - Gila R. drainage, AZ, NM	EXPN	\$5,100	\$1,242,703,507
1045	Milk-vetch, heliotrope (<i>Astragalus montii</i>)	T	\$5,100	\$1,242,708,607
1045	<i>Silene perlmanii</i> (=Sci name)	E	\$5,100	\$1,242,713,707
1046	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$5,053	\$1,242,718,760
1047	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$5,028	\$1,242,723,788
1048	<i>Daphnopsis hellerana</i> (=Sci name)	E	\$5,000	\$1,242,728,788
1048	<i>Gesneria pauciflora</i> (=Sci name)	T	\$5,000	\$1,242,733,788
1048	Haha (<i>Cyanea asarifolia</i>)	E	\$5,000	\$1,242,738,788
1049	Manzanita, Del Mar (<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>)	E	\$4,980	\$1,242,743,768
1050	Koki'o, Cooke's (<i>Kokia cooki</i>)	E	\$4,810	\$1,242,748,578
1051	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>)	E	\$4,800	\$1,242,753,378
1051	Alani (<i>Melicope quadrangularis</i>)	E	\$4,800	\$1,242,758,178
1051	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$4,800	\$1,242,762,978
1052	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$4,748	\$1,242,767,726
1053	Thistle, Loch Lomond coyote (<i>Eryngium constancei</i>)	E	\$4,703	\$1,242,772,429
1054	<i>Lysimachia filifolia</i> (=Sci name)	E	\$4,700	\$1,242,777,129

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1054	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$4,700	\$1,242,781,829
1054	<i>Diellia pallida</i> (=Sci name)	E	\$4,700	\$1,242,786,529
1055	Thistle, Chorro Creek bog (<i>Cirsium fontinale</i> var. <i>obispoense</i>)	E	\$4,677	\$1,242,791,206
1056	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	\$4,641	\$1,242,795,847
1057	Kohe malama malama o kanaloa (<i>Kanaloa kahoowaleensis</i>)	E	\$4,610	\$1,242,800,457
1058	Campion, fringed (<i>Silene polypetala</i>)	E	\$4,600	\$1,242,805,057
1058	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>)	E	\$4,600	\$1,242,809,657
1059	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>)	E	\$4,526	\$1,242,814,183
1060	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$4,500	\$1,242,818,683
1060	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	\$4,500	\$1,242,823,183
1060	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$4,500	\$1,242,827,683
1060	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	\$4,500	\$1,242,832,183
1060	<i>Cyanea</i> (=Rollandia) <i>crispa</i> (=Sci name)	E	\$4,500	\$1,242,836,683
1060	Ha'iwale (<i>Cyrtandra polyantha</i>)	E	\$4,500	\$1,242,841,183
1060	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$4,500	\$1,242,845,683
1060	<i>Tetramolopium remyi</i> (=Sci name)	E	\$4,500	\$1,242,850,183
1060	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$4,500	\$1,242,854,683
1060	Haha (<i>Cyanea truncata</i>)	E	\$4,500	\$1,242,859,183
1060	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$4,500	\$1,242,863,683
1061	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$4,411	\$1,242,868,094
1062	Haha (<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>)	E	\$4,400	\$1,242,872,494
1062	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$4,400	\$1,242,876,894
1063	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$4,310	\$1,242,881,204
1063	Bluegrass, Mann's (<i>Poa mannii</i>)	E	\$4,310	\$1,242,885,514
1064	<i>Gouania hillebrandii</i> (=Sci name)	E	\$4,300	\$1,242,889,814
1064	<i>Schiedea helleri</i> (=Sci name)	E	\$4,300	\$1,242,894,114
1064	<i>Stenogyne campanulata</i> (=Sci name)	E	\$4,300	\$1,242,898,414
1065	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	\$4,200	\$1,242,902,614
1065	<i>Mariscus pennatiformis</i> (=Sci name)	E	\$4,200	\$1,242,906,814
1066	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$4,150	\$1,242,910,964
1067	Seal, Caribbean monk (<i>Monachus tropicalis</i>)	E	\$4,100	\$1,242,915,064
1067	<i>Phyllostegia knudsenii</i> (=Sci name)	E	\$4,100	\$1,242,919,164
1067	Nehe (<i>Lipochaeta micrantha</i>)	E	\$4,100	\$1,242,923,264
1067	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$4,100	\$1,242,927,364
1068	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$4,066	\$1,242,931,430
1069	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>)	E	\$4,034	\$1,242,935,464
1070	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$4,000	\$1,242,939,464
1070	Blue-star, Kearney's (<i>Amsonia kearneyana</i>)	E	\$4,000	\$1,242,943,464
1070	Cactus, Cochise pincushion (<i>Coryphantha robbinsorum</i>)	T	\$4,000	\$1,242,947,464
1070	<i>Phyllostegia waimeae</i> (=Sci name)	E	\$4,000	\$1,242,951,464
1070	<i>Phyllostegia wawrana</i> (=Sci name)	E	\$4,000	\$1,242,955,464
1070	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$4,000	\$1,242,959,464
1071	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$3,913	\$1,242,963,377
1072	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) - Entire Range; Except where listed as EXPN	E	\$3,850	\$1,242,967,227
1073	Holei (<i>Ochrosia kilaueaensis</i>)	E	\$3,810	\$1,242,971,037
1074	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>)	E	\$3,800	\$1,242,974,837
1074	Iagu, Hayun (=Guam), Tronkon guafi (Rota) (<i>Serianthes nelsonii</i>)	E	\$3,800	\$1,242,978,637
1074	Haha (<i>Cyanea undulata</i>)	E	\$3,800	\$1,242,982,437
1074	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$3,800	\$1,242,986,237
1074	<i>Nesogenes rotensis</i> (=Sci name)	E	\$3,800	\$1,242,990,037
1075	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$3,737	\$1,242,993,774
1076	Laulihilihi (<i>Schiedea stellarioides</i>)	E	\$3,710	\$1,242,997,484
1077	<i>Amaranthus brownii</i> (=Sci name)	E	\$3,700	\$1,243,001,184
1077	`Akoko (<i>Chamaesyce deppeana</i>)	E	\$3,700	\$1,243,004,884
1077	<i>Viola lanaiensis</i> (=Sci name)	E	\$3,700	\$1,243,008,584
1077	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$3,700	\$1,243,012,284
1078	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$3,600	\$1,243,015,884
1078	Polygala, tiny (<i>Polygala smallii</i>)	E	\$3,600	\$1,243,019,484
1079	Navarretia, few-flowered (<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. <i>pauciflora</i>))	E	\$3,556	\$1,243,023,040
1080	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	\$3,500	\$1,243,026,540
1080	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$3,500	\$1,243,030,040

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1081	Combsshell, southern (<i>Epioblasma penita</i>)	E	\$3,400	\$1,243,033,440
1081	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$3,400	\$1,243,036,840
1081	Haha (<i>Cyanea remyi</i>)	E	\$3,400	\$1,243,040,240
1082	Pigtoe, shiny (<i>Fusconaia cor</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,362	\$1,243,043,602
1083	Alani (<i>Melicope munroi</i>)	E	\$3,300	\$1,243,046,902
1083	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	\$3,300	\$1,243,050,202
1083	Ha'iwale (<i>Cyrtandra limahuliensis</i>)	T	\$3,300	\$1,243,053,502
1084	Seal, Mediterranean monk (<i>Monachus monachus</i>)	E	\$3,256	\$1,243,056,758
1085	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notatior</i>)	E	\$3,245	\$1,243,060,003
1086	<i>Trematolobelia singularis</i> (=Sci name)	E	\$3,200	\$1,243,063,203
1087	<i>Schiedea sarmentosa</i> (=Sci name)	E	\$3,100	\$1,243,066,303
1087	Alani (<i>Melicope reflexa</i>)	E	\$3,100	\$1,243,069,403
1087	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i> (=Sci name)	E	\$3,100	\$1,243,072,503
1087	<i>Osmoxylon mariannense</i> (=Sci name)	E	\$3,100	\$1,243,075,603
1088	Anole, Culebra Island giant (<i>Anolis roosevelti</i>)	E	\$3,000	\$1,243,078,603
1088	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhaphae</i>)	E	\$3,000	\$1,243,081,603
1088	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$3,000	\$1,243,084,603
1088	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$3,000	\$1,243,087,603
1088	Buttercup, autumn (<i>Ranunculus aestivalis</i> (=acriformis))	E	\$3,000	\$1,243,090,603
1088	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$3,000	\$1,243,093,603
1089	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$2,911	\$1,243,096,514
1090	Shrimp, Squirrel Chimney Cave (<i>Palaemonetes cummingsi</i>)	T	\$2,800	\$1,243,099,314
1090	<i>Schiedea lydgatei</i> (=Sci name)	E	\$2,800	\$1,243,102,114
1090	Haha (<i>Cyanea mannii</i>)	E	\$2,800	\$1,243,104,914
1090	Lo'ulu (<i>Pritchardia napaliensis</i>)	E	\$2,800	\$1,243,107,714
1091	Ma'oli'oli (<i>Schiedea apokremnos</i>)	E	\$2,720	\$1,243,110,434
1092	<i>Gahnia lanaiensis</i> (=Sci name)	E	\$2,700	\$1,243,113,134
1092	<i>Mariscus fauriei</i> (=Sci name)	E	\$2,700	\$1,243,115,834
1093	Pomace fly, [unnamed] (<i>Drosophila musaphila</i>)	E	\$2,660	\$1,243,118,494
1093	Pomace fly, [unnamed] (<i>Drosophila ochrobasis</i>)	E	\$2,660	\$1,243,121,154
1094	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$2,500	\$1,243,123,654
1094	<i>Schiedea spergulina</i> var. <i>spergulina</i> (=Sci name)	T	\$2,500	\$1,243,126,154
1094	<i>Aristida chaseae</i> (=Sci name)	E	\$2,500	\$1,243,128,654
1095	Beetle, Coffin Cave mold (<i>Batrisodes texanus</i>)	E	\$2,415	\$1,243,131,069
1096	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$2,400	\$1,243,133,469
1096	Ha'iwale (<i>Cyrtandra crenata</i>)	E	\$2,400	\$1,243,135,869
1097	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>)	E	\$2,350	\$1,243,138,219
1098	Pamakani (<i>Tetramolopium capillare</i>)	E	\$2,320	\$1,243,140,539
1099	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$2,311	\$1,243,142,850
1100	Sedge, Navajo (<i>Carex specuicola</i>)	T	\$2,300	\$1,243,145,150
1101	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) -Entire; Except where EXPN	E	\$2,250	\$1,243,147,400
1101	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	\$2,250	\$1,243,149,650
1102	Buckwheat, Ione (incl. Irish Hill) (<i>Eriogonum apricum</i> (incl. var. <i>prostratum</i>))	E	\$2,229	\$1,243,151,879
1103	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$2,225	\$1,243,154,104
1104	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	\$2,200	\$1,243,156,304
1104	Monkey-flower, Michigan (<i>Mimulus glabratus</i> var. <i>michiganensis</i>)	E	\$2,200	\$1,243,158,504
1105	Baccharis, Encinitas (<i>Baccharis vanessae</i>)	T	\$2,120	\$1,243,160,624
1106	Bird's-beak, Pennell's (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>)	E	\$2,065	\$1,243,162,689
1107	Pearlymussel, birdwing (<i>Conradilla caelata</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$2,028	\$1,243,164,717
1107	Pearlymussel, dromedary (<i>Dromus dromas</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$2,028	\$1,243,166,745
1108	Palo de nigua (<i>Cornutia obovata</i>)	E	\$2,000	\$1,243,168,745
1108	Bariaco (<i>Trichilia triacantha</i>)	E	\$2,000	\$1,243,170,745
1108	Walnut (=Nogal), West Indian (<i>Juglans jamaicensis</i>)	E	\$2,000	\$1,243,172,745
1109	Pentachaeta, white-rayed (<i>Pentachaeta bellidiflora</i>)	E	\$1,935	\$1,243,174,680
1110	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$1,800	\$1,243,176,480
1110	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	\$1,800	\$1,243,178,280
1111	Clover, Monterey (<i>Trifolium trichocalyx</i>)	E	\$1,772	\$1,243,180,052
1112	Pomace fly, [unnamed] (<i>Drosophila aglaia</i>)	E	\$1,760	\$1,243,181,812
1112	Pomace fly, [unnamed] (<i>Drosophila obatai</i>)	E	\$1,760	\$1,243,183,572

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1112	Pomace fly, [unnamed] (<i>Drosophila tarphytrichia</i>)	E	\$1,760	\$1,243,185,332
1112	Pomace fly, [unnamed] (<i>Drosophila hemipeza</i>)	E	\$1,760	\$1,243,187,092
1113	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$1,698	\$1,243,188,790
1114	Pomace fly, [unnamed] (<i>Drosophila mulli</i>)	T	\$1,660	\$1,243,190,450
1114	Pomace fly, [unnamed] (<i>Drosophila neoclavisetae</i>)	E	\$1,660	\$1,243,192,110
1114	Pomace fly, [unnamed] (<i>Drosophila differens</i>)	E	\$1,660	\$1,243,193,770
1115	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,625	\$1,243,195,395
1116	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$1,610	\$1,243,197,005
1117	Lo'ulu (<i>Pritchardia remota</i>)	E	\$1,600	\$1,243,198,605
1118	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	\$1,574	\$1,243,200,179
1119	Liveforever, Laguna Beach (<i>Dudleya stolonifera</i>)	T	\$1,520	\$1,243,201,699
1120	Cory cactus, bunched (<i>Coryphantha ramillosa</i>)	T	\$1,500	\$1,243,203,199
1120	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$1,500	\$1,243,204,699
1120	Erubia (<i>Solanum drymophilum</i>)	E	\$1,500	\$1,243,206,199
1120	Myrcia paganii (=Sci name)	E	\$1,500	\$1,243,207,699
1120	Catesbaea melanocarpa (=Sci name)	E	\$1,500	\$1,243,209,199
1120	Tectaria estremerana (=Sci name)	E	\$1,500	\$1,243,210,699
1121	Clarkia, Vine Hill (<i>Clarkia imbricata</i>)	E	\$1,491	\$1,243,212,190
1122	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$1,378	\$1,243,213,568
1123	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$1,324	\$1,243,214,892
1124	Snail, noonday (<i>Mesodon clarki nantahala</i>)	T	\$1,250	\$1,243,216,142
1125	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>)	T	\$1,228	\$1,243,217,370
1126	Salamander, San Marcos (<i>Eurycea nana</i>) - Spring Lake and nearby habitats immediately downstream of the dam forming Spring Lake	T	\$1,225	\$1,243,218,595
1127	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$1,200	\$1,243,219,795
1127	Alani (<i>Melicope saint-johnii</i>)	E	\$1,200	\$1,243,220,995
1127	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$1,200	\$1,243,222,195
1127	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$1,200	\$1,243,223,395
1128	Beetle, Helotes mold (<i>Batrissodes venyivi</i>)	E	\$1,085	\$1,243,224,480
1129	Amphipod, Hay's Spring (<i>Stygobromus hayi</i>)	E	\$1,058	\$1,243,225,538
1130	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$1,005	\$1,243,226,543
1131	Coqui, golden (<i>Eleutherodactylus jasperii</i>)	T	\$1,000	\$1,243,227,543
1131	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$1,000	\$1,243,228,543
1131	Rocksnaail, round (<i>Leptoxis ampla</i>)	T	\$1,000	\$1,243,229,543
1131	Capa rosa (<i>Callicarpa ampla</i>)	E	\$1,000	\$1,243,230,543
1131	Chamaecrista glandulosa var. mirabilis (=Sci name)	E	\$1,000	\$1,243,231,543
1131	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$1,000	\$1,243,232,543
1131	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$1,000	\$1,243,233,543
1131	Holly, Cook's (<i>Ilex cookii</i>)	E	\$1,000	\$1,243,234,543
1131	Lepanthes eltoroensis (=Sci name)	E	\$1,000	\$1,243,235,543
1131	Mitracarpus maxwelliae (=Sci name)	E	\$1,000	\$1,243,236,543
1131	Mitracarpus polycladus (=Sci name)	E	\$1,000	\$1,243,237,543
1131	Palo colorado (<i>Ternstroemia luquillensis</i>)	E	\$1,000	\$1,243,238,543
1131	Prickly-ash, St. Thomas (<i>Zanthoxylum thomasianum</i>)	E	\$1,000	\$1,243,239,543
1131	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$1,000	\$1,243,240,543
1131	Lyonia truncata var. proctorii (=Sci name)	E	\$1,000	\$1,243,241,543
1131	Vernonia proctorii (=Sci name)	E	\$1,000	\$1,243,242,543
1131	Ilex sintenisii (=Sci name)	E	\$1,000	\$1,243,243,543
1131	Fern, Elfin tree (<i>Cyathea dryopteroides</i>)	E	\$1,000	\$1,243,244,543
1131	Thelypteris inabonensis (=Sci name)	E	\$1,000	\$1,243,245,543
1131	Thelypteris verecunda (=Sci name)	E	\$1,000	\$1,243,246,543
1131	Thelypteris yaucoensis (=Sci name)	E	\$1,000	\$1,243,247,543
1132	Larkspur, yellow (<i>Delphinium luteum</i>)	E	\$918	\$1,243,248,461
1133	Bladderpod, lyrate (<i>Lesquerella lyrata</i>)	T	\$900	\$1,243,249,361
1133	Palo de ramon (<i>Banara vanderbiltii</i>)	E	\$900	\$1,243,250,261
1133	Calyptranthes thomasiana (=Sci name)	E	\$900	\$1,243,251,161
1133	Ternstroemia subsessilis (=Sci name)	E	\$900	\$1,243,252,061
1133	Cranichis ricartii (=Sci name)	E	\$900	\$1,243,252,961
1133	Adiantum vivessii (=Sci name)	E	\$900	\$1,243,253,861
1133	Elaphoglossum serpens (=Sci name)	E	\$900	\$1,243,254,761
1133	Polystichum calderonense (=Sci name)	E	\$900	\$1,243,255,661

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1134	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	\$800	\$1,243,256,461
1135	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$769	\$1,243,257,230
1136	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$765	\$1,243,257,995
1137	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$700	\$1,243,258,695
1137	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	\$700	\$1,243,259,395
1137	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	\$700	\$1,243,260,095
1137	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$700	\$1,243,260,795
1137	Fern, Alabama streak-sorus (<i>Thelypteris pilosa</i> var. <i>alabamensis</i>)	T	\$700	\$1,243,261,495
1138	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>)	E	\$600	\$1,243,262,095
1138	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$600	\$1,243,262,695
1139	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>)	E	\$500	\$1,243,263,195
1139	`O'o, Kauai (honeyeater) (<i>Moho braccatus</i>)	E	\$500	\$1,243,263,695
1139	Creeper, Molokai (<i>Paroreomyza flammea</i>)	E	\$500	\$1,243,264,195
1139	Crow, white-necked (<i>Corvus leucognaphalus</i>)	E	\$500	\$1,243,264,695
1139	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Holston River, VA, TN	EXPN	\$500	\$1,243,265,195
1139	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$500	\$1,243,265,695
1140	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	\$481	\$1,243,266,176
1141	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - AL; Free-Flowing Reach of the Tenn. R. below Wilson Dam, Colbert and Lauderdale Co.	EXPN	\$350	\$1,243,266,526
1142	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>)	E	\$300	\$1,243,266,826
1143	Creeper, Oahu (<i>Paroreomyza maculata</i>)	E	\$200	\$1,243,267,026
1143	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$200	\$1,243,267,226
1143	Thornmint, San Mateo (<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>)	E	\$200	\$1,243,267,426
1143	Cypress, Gowen (<i>Cupressus goveniana</i> ssp. <i>goveniana</i>)	T	\$200	\$1,243,267,626
1144	Seal, Saimaa (<i>Phoca hispida saimensis</i>)	E	\$120	\$1,243,267,746
1145	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>)	E	\$75	\$1,243,267,821