TABLE 3. REPORTED LAND ACQUISITION EXPENDITURES FOR FY 2007 FOR ENDANGERED AND THREATENEDSPECIES

| Rank | Species (50 CFR Part 17) | Status | FWS Total | Other Fed | Fed Total | States Total | Species Total |
|------|---|--------|--------------|--------------|--------------|-----------------|------------------|
| | Mammals | | | | | | |
| 88 | Bat, gray (Myotis grisescens) | E | \$40,000 | \$0 | \$40,000 | \$0 | \$40,000 |
| 22 | Bat, Indiana (<i>Myotis sodalis</i>) | Е | \$900,900 | \$201,995 | \$1,102,895 | \$795,000 | \$1,897,895 |
| 94 | Bat, Ozark big-eared (Corynorhinus (=Plecotus) townsendii ingens) | Е | \$0 | \$0 | \$0 | \$17,700 | \$17,700 |
| 31 | Bear, grizzly (<i>Ursus arctos horribilis</i>) lower 48 States, except where listed as an experimental population or delisted | Т | \$0 | \$0 | \$0 | \$1,000,000 | \$1,000,000 |
| 5 | Bear, Louisiana black (Ursus americanus luteolus) | Т | \$4,589,000 | \$837,000 | \$5,426,000 | \$0 | \$5,426,000 |
| 83 | Deer, key (Odocoileus virginianus clavium) | E | \$58,300 | \$0 | \$58,300 | \$0 | \$58,300 |
| 27 | Fox, San Joaquin kit (Vulpes macrotis mutica) | Е | \$0 | \$1,369,477 | \$1,369,477 | \$0 | \$1,369,477 |
| 76 | Jaguar (Panthera onca) | E | \$103,200 | \$0 | \$103,200 | \$0 | \$103,200 |
| 76 | Jaguarundi, Gulf Coast (Herpailurus (=Felis) yagouaroundi cacomitli) | E | \$103,200 | \$0 | \$103,200 | \$0 | \$103,200 |
| 93 | Kangaroo rat, Fresno (Dipodomys nitratoides exilis) | E | \$0 | \$20,000 | \$20,000 | \$0 | \$20,000 |
| 32 | Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>) | E | \$0 | \$868,477 | \$868,477 | \$0 | \$868,477 |
| 17 | Lynx, Canada (<i>Lynx canadensis</i>) lower 48 States DPS | Т | \$0 | \$0 | \$0 | \$2,000,000 | \$2,000,000 |
| 79 | Mouse, Alabama beach (Peromyscus polionotus ammobates) | Е | \$87,400 | \$0 | \$87,400 | \$0 | \$87,400 |
| 68 | Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) Colorado | Т | \$0 | \$0 | \$0 | \$147,142 | \$147,142 |
| 76 | Ocelot (Leopardus (=Felis) pardalis) | E | \$103,200 | \$0 | \$103,200 | \$0 | \$103,200 |
| 83 | Rabbit, Lower Keys marsh (Sylvilagus palustris hefneri) | E | \$58,300 | \$0 | \$58,300 | \$0 | \$58,300 |
| 52 | Rabbit, riparian brush (Sylvilagus bachmani riparius) | E | \$0 | \$300,000 | \$300,000 | \$0 | \$300,000 |
| 67 | Rice rat (<i>Oryzomys palustris natator</i>) lower FL Keys | Е | \$173,300 | \$0 | \$173,300 | \$0 | \$173,300 |
| 41 | Sea-lion, Steller (<i>Eumetopias jubatus</i>) eastern pop. | Т | \$570,000 | \$0 | \$570,000 | \$0 | \$570,000 |
| 43 | Shrew, Buena Vista Lake ornate (Sorex ornatus relictus) | E | \$0 | \$548,000 | \$548,000 | \$0 | \$548,000 |
| 59 | Squirrel, Delmarva Peninsula fox (<i>Sciurus</i> niger cinereus) Entire, except Sussex Co., DE | Е | \$267,500 | \$0 | \$267,500 | \$0 | \$267,500 |
| 72 | Squirrel, Virginia northern flying (<i>Glaucomys</i> sabrinus fuscus) | Е | \$120,000 | \$0 | \$120,000 | \$0 | \$120,000 |
| 89 | Whale, bowhead (Balaena mysticetus) | E | \$37,300 | \$0 | \$37,300 | \$0 | \$37,300 |
| 96 | Whale, finback (Balaenoptera physalus) | E | \$17,000 | \$0 | \$17,000 | \$0 | \$17,000 |
| 96 | Whale, gray (<i>Eschrichtius robustus</i>) W Pacific Ocean | E | \$17,000 | \$0 | \$17,000 | \$0 | \$17,000 |
| 96 | Whale, humpback (Megaptera novaeangliae) | E | \$17,000 | \$0 | \$17,000 | \$0 | \$17,000 |
| 96 | Whale, Sei (Balaenoptera borealis) | E | \$17,000 | \$0 | \$17,000 | \$0 | \$17,000 |

| Rank | Species (50 CFR Part 17) | Status | FWS Total | Other Fed | Fed Total | States Total | Species Total |
|------|--|--------|--------------|--------------|--------------|-----------------|------------------|
| 15 | Wolf, gray (<i>Canis lupus</i>), Lower 48 States, except where delisted and EXPN; Mexico. | E | \$200,000 | \$0 | \$200,000 | \$2,000,000 | \$2,200,000 |
| 81 | Wolf, red (<i>Canis rufus</i>) except where EXPN | E | \$82,500 | \$0 | \$82,500 | \$0 | \$82,500 |
| 64 | Woodrat, riparian (=San Joaquin Valley) (Neotoma fuscipes riparia) | E | \$0 | \$200,000 | \$200,000 | \$0 | \$200,000 |
| | Mammals Subtotal | | \$7,562,100 | \$4,344,949 | \$11,907,049 | \$5,959,842 | \$17,866,891 |
| | | | | | | | |
| | Birds | | | | | | |
| 95 | Crane, whooping (<i>Grus americana</i>) U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming) | EXPN | \$0 | \$17,300 | \$17,300 | \$0 | \$17,300 |
| 9 | Eagle, bald (Haliaeetus leucocephalus) lower 48 States | DM | \$0 | \$1,153,912 | \$1,153,912 | \$2,112,000 | \$3,265,912 |
| 38 | Eider, spectacled (Somateria fischeri) | Т | \$610,300 | \$0 | \$610,300 | \$0 | \$610,300 |
| 37 | Eider, Steller's (<i>Polysticta stelleri</i>) AK breeding pop. | Т | \$627,300 | \$0 | \$627,300 | \$0 | \$627,300 |
| 76 | Falcon, northern aplomado (Falco femoralis septentrionalis) | E | \$103,200 | \$0 | \$103,200 | \$0 | \$103,200 |
| 4 | Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>) | E | \$0 | \$6,330,232 | \$6,330,232 | \$48,381 | \$6,378,613 |
| 82 | Gnatcatcher, coastal California (<i>Polioptila</i> californica californica) | Т | \$62,900 | \$0 | \$62,900 | \$0 | \$62,900 |
| 100 | Jay, Florida scrub (Aphelocoma coerulescens) | Т | \$10,900 | \$0 | \$10,900 | \$0 | \$10,900 |
| 17 | Owl, northern spotted (Strix occidentalis caurina) | Т | \$0 | \$0 | \$0 | \$2,000,000 | \$2,000,000 |
| 54 | Pelican, brown (<i>Pelecanus occidentalis</i>) except U.S. Atlantic coast, FL, AL | E | \$284,700 | \$0 | \$284,700 | \$0 | \$284,700 |
| 14 | Plover, piping (<i>Charadrius melodus</i>) except Great Lakes watershed | Т | \$2,085,500 | \$184,000 | \$2,269,500 | \$0 | \$2,269,500 |
| 55 | Stork, wood (<i>Mycteria americana</i>) AL, FL, GA, SC | E | \$80,200 | \$197,323 | \$277,523 | \$0 | \$277,523 |
| 20 | Tern, least (Sterna antillarum) interior pop. | E | \$1,774,200 | \$184,000 | \$1,958,200 | \$0 | \$1,958,200 |
| 49 | Tern, roseate (Sterna dougallii dougallii) northeast U.S. nesting pop. | E | \$440,000 | \$0 | \$440,000 | \$0 | \$440,000 |
| 72 | Vireo, black-capped (Vireo atricapilla) | E | \$0 | \$120,000 | \$120,000 | \$0 | \$120,000 |
| 60 | Vireo, least Bell's (Vireo bellii pusillus) | E | \$62,900 | \$200,000 | \$262,900 | \$0 | \$262,900 |
| 50 | Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>) | E | \$103,200 | \$250,000 | \$353,200 | \$0 | \$353,200 |
| 42 | Woodpecker, red-cockaded (<i>Picoides</i> borealis) | E | \$319,000 | \$31,000 | \$350,000 | \$200,000 | \$550,000 |
| | Birds Subtotal | | \$6,564,300 | \$8,667,767 | \$15,232,067 | \$4,360,381 | \$19,592,448 |
| | Reptiles | | | | | | |
| 77 | Alligator, American (<i>Alligator</i> mississippiensis) | SAT | \$0 | \$100,000 | \$100,000 | \$0 | \$100,000 |
| 28 | Lizard, blunt-nosed leopard (Gambelia silus) | E | \$0 | \$1,290,477 | \$1,290,477 | \$0 | \$1,290,477 |
| 21 | Lizard, Coachella Valley fringe-toed (Uma | Т | \$0 | \$1,920,000 | \$1,920,000 | \$0 | \$1,920,000 |

| Rank | Species (50 CFR Part 17) | Status | FWS Total | Other Fed | Fed Total | States Total | Species Total |
|------|---|--------|--------------|--------------|--------------|-----------------|------------------|
| | inornata) | | | | | | |
| 73 | Sea turtle, green (<i>Chelonia mydas</i>) FL, Mexico nesting pops. | E | \$114,100 | \$0 | \$114,100 | \$0 | \$114,100 |
| 76 | Sea turtle, hawksbill (<i>Eretmochelys</i> imbricata) | E | \$103,200 | \$0 | \$103,200 | \$0 | \$103,200 |
| 76 | Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>) | E | \$103,200 | \$0 | \$103,200 | \$0 | \$103,200 |
| 73 | Sea turtle, leatherback (Dermochelys coriacea) | E | \$114,100 | \$0 | \$114,100 | \$0 | \$114,100 |
| 63 | Sea turtle, loggerhead (Caretta caretta) | Т | \$201,500 | \$0 | \$201,500 | \$0 | \$201,500 |
| 58 | Snake, copperbelly water (<i>Nerodia</i> erythrogaster neglecta) MI, OH, IN N of 400 N. Lat. | т | \$269,000 | \$0 | \$269,000 | \$0 | \$269,000 |
| 19 | Snake, eastern indigo (<i>Drymarchon corais</i> couperi) | т | \$69,200 | \$0 | \$69,200 | \$1,890,000 | \$1,959,200 |
| 53 | Snake, giant garter (<i>Thamnophis gigas</i>) | Т | \$0 | \$294,653 | \$294,653 | \$0 | \$294,653 |
| 23 | Tortoise, desert (<i>Gopherus agassizii</i>) outside/taken from Sonoran Desert | SAT | \$0 | \$0 | \$0 | \$1,850,000 | \$1,850,000 |
| 3 | Tortoise, desert (<i>Gopherus agassizii</i>) U.S.A., except in Sonoran Desert | Т | \$0 | \$7,710,568 | \$7,710,568 | \$0 | \$7,710,568 |
| 65 | Tortoise, gopher (<i>Gopherus polyphemus</i>) W of of Mobile/Tombigbee Rs. | т | \$0 | \$181,000 | \$181,000 | \$0 | \$181,000 |
| 44 | Turtle, bog (=Muhlenberg) (<i>Clemmys</i> muhlenbergii) northern | Т | \$0 | \$530,000 | \$530,000 | \$0 | \$530,000 |
| | Reptiles Subtotal | | \$974,300 | \$12,026,698 | \$13,000,998 | \$3,740,000 | \$16,740,998 |
| | | | | | | | |
| | Amphibians | | | | | | |
| 82 | Frog, California red-legged (<i>Rana aurora</i> draytonii) subspecies range clarified | т | \$62,900 | \$0 | \$62,900 | \$0 | \$62,900 |
| 24 | Salamander, California tiger (<i>Ambystoma</i> californiense) U.S.A. (Central CA DPS) | т | \$0 | \$1,800,000 | \$1,800,000 | \$0 | \$1,800,000 |
| 72 | Salamander, Cheat Mountain (<i>Plethodon nettingi</i>) | Т | \$120,000 | \$0 | \$120,000 | \$0 | \$120,000 |
| 57 | Toad, arroyo (=arroyo southwestern) (Bufo californicus (=microscaphus)) | E | \$62,900 | \$207,000 | \$269,900 | \$0 | \$269,900 |
| 46 | Toad, Houston (Bufo houstonensis) | E | \$0 | \$7,500 | \$7,500 | \$498,000 | \$505,500 |
| | Amphibians Subtotal | | \$245,800 | \$2,014,500 | \$2,260,300 | \$498,000 | \$2,758,300 |
| | | | | | | | |
| | Fishes | | | | | | |
| 80 | Chub, Oregon (Oregonichthys crameri) | E | \$42,000 | \$0 | \$42,000 | \$0 | \$42,000 |
| 90 | Chub, Virgin River (Gila seminuda (=robusta)) | E | \$0 | \$27,000 | \$27,000 | \$0 | \$27,000 |
| 78 | Chub, Yaqui (Gila purpurea) | E . | \$99,000 | \$0 | \$99,000 | \$0 | \$99,000 |
| 87 | Darter, goldline (<i>Percina aurolineata</i>) | T | \$40,500 | \$0 | \$40,500 | \$0 | \$40,500 |
| 97 | Gambusia, Pecos (Gambusia nobilis) | E | \$0 | \$16,500 | \$16,500 | \$0 | \$16,500 |
| 10 | Minnow, Rio Grande silvery (Hybognathus amarus) | E | \$0 | \$3,131,000 | \$3,131,000 | \$0 | \$3,131,000 |

| Rank | Species (50 CFR Part 17) | Status | FWS Total | Other Fed | Fed Total | States Total | Species Total |
|------|--|--------|--------------|--------------|--------------|-----------------|------------------|
| 51 | Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) except Salt and Verde R. drainages, AZ | E | \$0 | \$322,000 | \$322,000 | \$0 | \$322,000 |
| 97 | Pupfish, Comanche Springs (Cyprinodon elegans) | E | \$0 | \$16,500 | \$16,500 | \$0 | \$16,500 |
| 29 | Salmon, chinook (<i>Oncorhynchus (=Salmo)</i> tshawytscha) CA Central Valley spring-run | Т | \$0 | \$1,278,000 | \$1,278,000 | \$0 | \$1,278,000 |
| 93 | Salmon, chinook (<i>Oncorhynchus (=Salmo)</i> tshawytscha) CA coastal | Т | \$0 | \$20,000 | \$20,000 | \$0 | \$20,000 |
| 16 | Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) spring/summer Snake R. | Т | \$0 | \$1,827,326 | \$1,827,326 | \$200,000 | \$2,027,326 |
| 62 | Salmon, chinook (<i>Oncorhynchus (=Salmo</i>) tshawytscha) Puget Sound | Т | \$0 | \$15,650 | \$15,650 | \$200,000 | \$215,650 |
| 61 | Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) winter Sacramento R. | E | \$0 | \$255,000 | \$255,000 | \$0 | \$255,000 |
| 26 | Salmon, chinook (<i>Oncorhynchus (=Salmo)</i> tshawytscha) fall Snake R. | Т | \$0 | \$1,510,448 | \$1,510,448 | \$200,000 | \$1,710,448 |
| 34 | Salmon, chinook (<i>Oncorhynchus (=Salmo)</i> tshawytscha) lower Columbia R. | Т | \$0 | \$494,317 | \$494,317 | \$200,000 | \$694,317 |
| 7 | Salmon, chinook (<i>Oncorhynchus (=Salmo)</i> tshawytscha) spring upper Columbia R. | E | \$0 | \$3,302,260 | \$3,302,260 | \$200,000 | \$3,502,260 |
| 40 | Salmon, chinook (<i>Oncorhynchus (=Salmo)</i> tshawytscha) upper Willamette R. | Т | \$49,000 | \$497,666 | \$546,666 | \$0 | \$546,666 |
| 101 | Salmon, chum (<i>Oncorhynchus (=Salmo) keta</i>) summer-run Hood Canal | Т | \$0 | \$2,347 | \$2,347 | \$0 | \$2,347 |
| 35 | Salmon, chum (<i>Oncorhynchus (=Salmo) keta</i>) Columbia R. | Т | \$0 | \$180,089 | \$180,089 | \$500,000 | \$680,089 |
| 66 | Salmon, coho (<i>Oncorhynchus (=Salmo)</i> kisutch) Lower Columbia River | Т | \$0 | \$178,524 | \$178,524 | \$0 | \$178,524 |
| 6 | Salmon, coho (<i>Oncorhynchus (=Salmo)</i> kisutch) OR, CA pop. | Т | \$3,500 | \$4,666,000 | \$4,669,500 | \$0 | \$4,669,500 |
| 25 | Salmon, sockeye (<i>Oncorhynchus (=Salmo) nerka</i>) U.S.A. (Snake River, ID stock wherever found.) | E | \$0 | \$1,711,070 | \$1,711,070 | \$0 | \$1,711,070 |
| 87 | Shiner, Cahaba (Notropis cahabae) | E | \$40,500 | \$0 | \$40,500 | \$0 | \$40,500 |
| 39 | Shiner, Pecos bluntnose (Notropis simus pecosensis) | Т | \$0 | \$600,000 | \$600,000 | \$0 | \$600,000 |
| 86 | Springfish, Railroad Valley (<i>Crenichthys nevadae</i>) | Т | \$0 | \$47,107 | \$47,107 | \$0 | \$47,107 |
| 8 | Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) middle Columbia R. | Т | \$0 | \$2,969,102 | \$2,969,102 | \$500,000 | \$3,469,102 |
| 47 | Steelhead (Oncorhynchus (=Salmo) mykiss) lower Columbia R. | Т | \$0 | \$460,762 | \$460,762 | \$0 | \$460,762 |

| Rank | Species (50 CFR Part 17) | Status | FWS Total | Other Fed | Fed Total | States Total | Species Total |
|------|---|--------|--------------|--------------|--------------|-----------------|------------------|
| 30 | Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) Snake R. Basin | Т | \$0 | \$1,213,584 | \$1,213,584 | \$0 | \$1,213,584 |
| 13 | Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) upper Columbia R. Basin | Т | \$0 | \$1,567,443 | \$1,567,443 | \$1,000,000 | \$2,567,443 |
| 56 | Steelhead (Oncorhynchus (=Salmo) mykiss) upper Willamette R. | Т | \$49,000 | \$178,524 | \$227,524 | \$0 | \$227,524 |
| 61 | Steelhead (Oncorhynchus (=Salmo) mykiss) Central Valley CA | Т | \$0 | \$255,000 | \$255,000 | \$0 | \$255,000 |
| 45 | Sturgeon, North American green (Acipenser medirostris) U.S.A. (CA) Southern DPS | Т | \$0 | \$512,500 | \$512,500 | \$0 | \$512,500 |
| 1 | Sturgeon, pallid (Scaphirhynchus albus) | E | \$0 | \$11,276,000 | \$11,276,000 | \$0 | \$11,276,000 |
| 85 | Sucker, June (Chasmistes liorus) | E | \$0 | \$50,000 | \$50,000 | \$0 | \$50,000 |
| 11 | Sucker, Lost River (Deltistes luxatus) | E | \$2,815,000 | \$0 | \$2,815,000 | \$0 | \$2,815,000 |
| 51 | Sucker, razorback (Xyrauchen texanus) entire | E | \$0 | \$322,000 | \$322,000 | \$0 | \$322,000 |
| 11 | Sucker, shortnose (Chasmistes brevirostris) | E | \$2,815,000 | \$0 | \$2,815,000 | \$0 | \$2,815,000 |
| 78 | Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) U.S.A. only | E | \$99,000 | \$0 | \$99,000 | \$0 | \$99,000 |
| 12 | Trout, bull (Salvelinus confluentus) U.S.A., conterminous, lower 48 states | Т | \$0 | \$814,683 | \$814,683 | \$2,000,000 | \$2,814,683 |
| 90 | Woundfin (<i>Plagopterus argentissimus</i>) except Gila R. drainage, AZ, NM | Е | \$0 | \$27,000 | \$27,000 | \$0 | \$27,000 |
| | Fishes Subtotal | | \$6,052,500 | \$39,745,402 | \$45,797,902 | \$5,000,000 | \$50,797,902 |
| | | | | | | | |
| | Clams | | | | | | |
| 87 | Combshell, upland (Epioblasma metastriata) | E | \$40,500 | \$0 | \$40,500 | \$0 | \$40,500 |
| 99 | Fanshell (Cyprogenia stegaria) | E | \$13,900 | \$0 | \$13,900 | \$0 | \$13,900 |
| 87 | Kidneyshell, triangular (Ptychobranchus greenii) | E | \$40,500 | \$0 | \$40,500 | \$0 | \$40,500 |
| 71 | Pocketbook, fat (Potamilus capax) | E | \$124,000 | \$0 | \$124,000 | \$0 | \$124,000 |
| 87 | Pocketbook, finelined (Lampsilis altilis) | Т | \$40,500 | \$0 | \$40,500 | \$0 | \$40,500 |
| 69 | Spinymussel, Tar River (<i>Elliptio</i> steinstansana) | E | \$0 | \$145,500 | \$145,500 | \$0 | \$145,500 |
| | Clams Subtotal | | \$259,400 | \$145,500 | \$404,900 | \$0 | \$404,900 |
| | | | | | | | |
| | Snails | | | | | | |
| 87 | Lioplax, cylindrical (snail) (<i>Lioplax</i> cyclostomaformis) | E | \$40,500 | \$0 | \$40,500 | \$0 | \$40,500 |
| 87 | Rocksnail, round (Leptoxis ampla) | Т | \$40,500 | \$0 | \$40,500 | \$0 | \$40,500 |
| 83 | Snail, Stock Island tree (Orthalicus reses (not incl. nesodryas)) | Т | \$58,300 | \$0 | \$58,300 | \$0 | \$58,300 |
| | Snails Subtotal | | \$139,300 | \$0 | \$139,300 | \$0 | \$139,300 |
| | | | | | | | |
| | Insects | | | | | | |
| 48 | Beetle, valley elderberry longhorn (Desmocerus californicus dimorphus) | Т | \$0 | \$458,500 | \$458,500 | \$0 | \$458,500 |
| 70 | Butterfly, Mitchell's satyr (Neonympha | E | \$0 | \$0 | \$0 | \$139,000 | \$139,000 |
| | I * * * * * * * * * * * * * * * * * * * | | | · · · · · · | | · | |

| Rank | Species (50 CFR Part 17) | Status | FWS Total | Other Fed | Fed Total | States Total | Species Total |
|------|---|--------|--------------|--------------|--------------|-----------------|------------------|
| | mitchellii mitchellii) | | | | | | |
| 82 | Butterfly, Quino checkerspot (Euphydryas editha quino (=E. e. wrighti)) | E | \$62,900 | \$0 | \$62,900 | \$0 | \$62,900 |
| 74 | Tiger beetle, Salt Creek (Cicindela nevadica lincolniana) | E | \$0 | \$0 | \$0 | \$112,000 | \$112,000 |
| | Insects Subtotal | | \$62,900 | \$458,500 | \$521,400 | \$251,000 | \$772,400 |
| | | | | | | | |
| | Crustaceans | | | | | | |
| 82 | Fairy shrimp, Riverside (Streptocephalus woottoni) | E | \$62,900 | \$0 | \$62,900 | \$0 | \$62,900 |
| 82 | Fairy shrimp, San Diego (<i>Branchinecta</i> sandiegonensis) | E | \$62,900 | \$0 | \$62,900 | \$0 | \$62,900 |
| 18 | Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>) | т | \$0 | \$1,960,000 | \$1,960,000 | \$0 | \$1,960,000 |
| | Crustaceans Subtotal | | \$125,800 | \$1,960,000 | \$2,085,800 | \$0 | \$2,085,800 |
| | | | | | | | |
| | Flowering Plants | | | | | | |
| 36 | Bear-poppy, dwarf (Arctomecon humilis) | E | \$0 | \$667,000 | \$667,000 | \$0 | \$667,000 |
| 84 | Bedstraw, El Dorado (Galium californicum ssp. sierrae) | E | \$0 | \$53,000 | \$53,000 | \$0 | \$53,000 |
| 91 | Bush-clover, prairie (Lespedeza leptostachya) | Т | \$0 | \$0 | \$0 | \$25,000 | \$25,000 |
| 84 | Butterweed, Layne's (Senecio layneae) | T | \$0 | \$53,000 | \$53,000 | \$0 | \$53,000 |
| 82 | Button-celery, San Diego (<i>Eryngium</i> aristulatum var. parishii) | E | \$62,900 | \$0 | \$62,900 | \$0 | \$62,900 |
| 83 | Cactus, Key tree (Pilosocereus robinii) | E | \$58,300 | \$0 | \$58,300 | \$0 | \$58,300 |
| 84 | Checker-mallow, Keck's (Sidalcea keckii) | E | \$0 | \$53,000 | \$53,000 | \$0 | \$53,000 |
| 88 | Checker-mallow, Nelson's (Sidalcea nelsoniana) | т | \$40,000 | \$0 | \$40,000 | \$0 | \$40,000 |
| 99 | Clover, running buffalo (<i>Trifolium</i> stoloniferum) | E | \$13,900 | \$0 | \$13,900 | \$0 | \$13,900 |
| 99 | Daisy, lakeside (Hymenoxys herbacea) | T | \$13,900 | \$0 | \$13,900 | \$0 | \$13,900 |
| 88 | Desert-parsley, Bradshaw's (Lomatium bradshawii) | E | \$40,000 | \$0 | \$40,000 | \$0 | \$40,000 |
| 84 | Flannelbush, Pine Hill (Fremontodendron californicum ssp. decumbens) | E | \$0 | \$53,000 | \$53,000 | \$0 | \$53,000 |
| 98 | Grass, Colusa (Neostapfia colusana) | T | \$0 | \$15,000 | \$15,000 | \$0 | \$15,000 |
| 31 | Howellia, water (Howellia aquatilis) | Т | \$0 | \$0 | \$0 | \$1,000,000 | \$1,000,000 |
| 76 | Manioc, Walker's (Manihot walkerae) | E | \$103,200 | \$0 | \$103,200 | \$0 | \$103,200 |
| 82 | Mesa-mint, Otay (Pogogyne nudiuscula) | E | \$62,900 | \$0 | \$62,900 | \$0 | \$62,900 |
| 82 | Mesa-mint, San Diego (Pogogyne abramsii) | E | \$62,900 | \$0 | \$62,900 | \$0 | \$62,900 |
| 36 | Milk-vetch, Holmgren (Astragalus holmgreniorum) | E | \$0 | \$667,000 | \$667,000 | \$0 | \$667,000 |
| 75 | Monkshood, northern wild (Aconitum noveboracense) | Т | \$0 | \$0 | \$0 | \$110,000 | \$110,000 |
| 84 | Morning-glory, Stebbins' (Calystegia stebbinsii) | E | \$0 | \$53,000 | \$53,000 | \$0 | \$53,000 |
| 99 | Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>) | Т | \$13,900 | \$0 | \$13,900 | \$0 | \$13,900 |

| Rank | Species (50 CFR Part 17) | Status | FWS Total | Other Fed | Fed Total | States Total | Species Total |
|------|---|--------|--------------|--------------|--------------|-----------------|------------------|
| 92 | Orchid, western prairie fringed (<i>Platanthera</i> praeclara) | Т | \$21,000 | \$0 | \$21,000 | \$0 | \$21,000 |
| 82 | Orcutt grass, California (Orcuttia californica) | E | \$62,900 | \$0 | \$62,900 | \$0 | \$62,900 |
| 98 | Orcutt grass, hairy (Orcuttia pilosa) | E | \$0 | \$15,000 | \$15,000 | \$0 | \$15,000 |
| 31 | Paintbrush, golden (Castilleja levisecta) | Т | \$0 | \$0 | \$0 | \$1,000,000 | \$1,000,000 |
| 100 | Pawpaw, four-petal (Asimina tetramera) | E | \$10,900 | \$0 | \$10,900 | \$0 | \$10,900 |
| 33 | Pink, swamp (<i>Helonias bullata</i>) | Т | \$723,000 | \$0 | \$723,000 | \$0 | \$723,000 |
| 97 | Pondberry (Lindera melissifolia) | Е | \$0 | \$0 | \$0 | \$16,500 | \$16,500 |
| 88 | Potato-bean, Price's (Apios priceana) | Т | \$40,000 | \$0 | \$40,000 | \$0 | \$40,000 |
| 83 | Spurge, Garber's (Chamaesyce garberi) | Т | \$58,300 | \$0 | \$58,300 | \$0 | \$58,300 |
| 78 | Water-umbel, Huachuca (Lilaeopsis schaffneriana var. recurva) | E | \$99,000 | \$0 | \$99,000 | \$0 | \$99,000 |
| 93 | Wooly-threads, San Joaquin (Monolopia (=Lembertia) congdonii) | E | \$0 | \$20,000 | \$20,000 | \$0 | \$20,000 |
| | Flowering Plants Subtotal | | \$1,487,000 | \$1,649,000 | \$3,136,000 | \$2,151,500 | \$5,287,500 |
| | Total Land Expenditures for FY2007 | | \$23,473,400 | \$71,012,316 | \$94,485,716 | \$21,960,723 | \$116,446,439 |
| | Other ESA Expenses | | \$17,000 | \$2,840,560 | \$2,857,560 | \$6,800,000 | \$9,657,560 |
| | Total Land/Other ESA Land Expenditures for FY2007 | | \$23,473,400 | \$73,852,876 | \$97,326,276 | \$28,760,723 | \$126,086,999 |