

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2001 REPORTED  
EXPENDITURES, NOT INCLUDING LAND ACQUISITION**

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
1	Sea-lion, Steller ( <i>Eumetopias jubatus</i> )	E,T	46,782,971	46,782,971	7.22
2	Salmon, chinook spring/summer Snake R. ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	T	32,783,534	79,566,505	12.29
3	Steelhead Snake R. Basin ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	T	31,489,233	111,055,738	17.15
4	Steelhead middle Columbia R. ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	T	26,843,600	137,899,338	21.29
5	Trout, bull ( <i>Salvelinus confluentus</i> )	T	24,039,159	161,938,497	25.01
6	Salmon, coho OR, CA pop. ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> )	T	21,369,586	183,308,083	28.31
7	Salmon, chinook fall Snake R. ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	T	17,193,404	200,501,487	30.96
8	Salmon, chinook spring upper Columbia R. ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	T	16,215,000	216,716,487	33.47
9	Salmon, sockeye U.S.A. (Snake River, ID stock wherever found. ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> )	E	15,860,804	232,577,291	35.91
10	Steelhead upper Columbia R. Basin ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	E	15,701,250	248,278,541	38.34
11	Salmon, chum Columbia R. ( <i>Oncorhynchus</i> (=Salmo) <i>keta</i> )	T	14,302,704	262,581,245	40.55
12	Steelhead lower Columbia R. ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	T	13,060,400	275,641,645	42.56
13	Salmon, chinook lower Columbia R. ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	T	12,057,500	287,699,145	44.43
14	Sucker, razorback ( <i>Xyrauchen texanus</i> )	E	11,214,530	298,913,675	46.16
15	Salmon, chinook Puget Sound ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	T	11,174,300	310,087,975	47.88
16	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> )	E	9,468,430	319,556,405	49.35
17	Manatee, West Indian ( <i>Trichechus manatus</i> )	E	9,373,159	328,929,564	50.79
18	Steelhead northern CA ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	T	9,225,600	338,155,164	52.22
19	Woodpecker, red-cockaded ( <i>Picoides borealis</i> )	E	9,017,977	347,173,141	53.61
20	Eagle, bald ( <i>Haliaeetus leucocephalus</i> )	T	8,283,723	355,456,864	54.89
21	Tortoise, desert ( <i>Gopherus agassizii</i> )	T	8,066,170	363,523,034	56.14
22	Salmon, chinook upper Willamette R. ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	T	7,360,296	370,883,330	57.27
23	Flycatcher, southwestern willow ( <i>Empidonax traillii extimus</i> )	E	7,141,148	378,024,478	58.37
24	Panther, Florida ( <i>Puma</i> (=Felis) <i>concolor coryi</i> )	E	6,881,300	384,905,778	59.44
25	Salmon, chinook winter Sacramento R. ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	E	6,649,050	391,554,828	60.46
26	Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS ( <i>Salmo salar</i> )	E	6,568,995	398,123,823	61.48
27	Salmon, chinook CA Central Valley spring-run ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	T	6,322,900	404,446,723	62.46
28	Whale, right ( <i>Balaena glacialis</i> (incl. <i>australis</i> ))	E	6,036,119	410,482,842	63.39
29	Steelhead Central Valley CA ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	T	6,033,204	416,516,046	64.32
30	Minnow, Rio Grande silvery ( <i>Hybognathus amarus</i> )	E	5,935,500	422,451,546	65.24

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
31	Sea turtle, green ( <i>Chelonia mydas</i> )	E,T	5,806,290	428,257,836	66.13
32	Sea turtle, loggerhead ( <i>Caretta caretta</i> )	T	5,695,531	433,953,367	67.01
33	Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> )	E,T	5,202,856	439,156,223	67.82
34	Salmon, chinook CA coastal ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	T	5,104,000	444,260,223	68.6
35	Crane, whooping ( <i>Grus americana</i> )	E	5,098,149	449,358,372	69.39
36	Salmon, sockeye U.S.A. (Ozette Lake, WA ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> )	T	5,053,050	454,411,422	70.17
37	Salmon, coho central CA coast ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> )	T	4,700,454	459,111,876	70.9
38	Steelhead upper Willamette R. ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	T	4,605,500	463,717,376	71.61
39	Sturgeon, pallid ( <i>Scaphirhynchus albus</i> )	E	4,585,369	468,302,745	72.32
40	Sea turtle, Kemp's ridley ( <i>Lepidochelys kempii</i> )	E	4,461,620	472,764,365	73
41	Owl, northern spotted ( <i>Strix occidentalis caurina</i> )	T	4,442,627	477,206,992	73.69
42	Wolf, gray ( <i>Canis lupus</i> )	E,T	4,428,321	481,635,313	74.37
43	Sea turtle, hawksbill ( <i>Eretmochelys imbricata</i> )	E	4,396,687	486,032,000	75.05
44	Steelhead central CA coast ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	T	4,367,800	490,399,800	75.73
45	Steelhead southern CA coast ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	E	4,311,262	494,711,062	76.39
46	Salmon, chum summer-run Hood Canal ( <i>Oncorhynchus</i> (=Salmo) <i>keta</i> )	T	4,307,227	499,018,289	77.06
47	Owl, Mexican spotted ( <i>Strix occidentalis lucida</i> )	T	4,303,324	503,321,613	77.72
48	Sea turtle, leatherback ( <i>Dermochelys coriacea</i> )	E	4,260,034	507,581,647	78.38
49	Plover, piping ( <i>Charadrius melodus</i> )	E,T	4,254,503	511,836,150	79.04
50	Steelhead south central CA coast ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	T	4,232,800	516,068,950	79.69
51	Murrelet, marbled ( <i>Brachyramphus marmoratus marmoratus</i> )	T	4,209,300	520,278,250	80.34
52	Chub, humpback ( <i>Gila cypha</i> )	E	3,963,430	524,241,680	80.95
53	Sucker, Lost River ( <i>Deltistes luxatus</i> )	E	3,792,820	528,034,500	81.54
54	Bear, grizzly ( <i>Ursus arctos horribilis</i> )	T	3,747,538	531,782,038	82.12
55	Sucker, shortnose ( <i>Chasmistes brevirostris</i> )	E	3,696,391	535,478,429	82.69
56	Sturgeon, white ( <i>Acipenser transmontanus</i> )	E	3,263,400	538,741,829	83.19
57	Lynx, Canada ( <i>Lynx canadensis</i> )	T	2,957,859	541,699,688	83.65
58	Chub, bonytail ( <i>Gila elegans</i> )	E	2,805,530	544,505,218	84.08
59	Shrike, San Clemente loggerhead ( <i>Lanius ludovicianus mearnsi</i> )	E	2,559,300	547,064,518	84.48
60	Bat, Indiana ( <i>Myotis sodalis</i> )	E	2,383,433	549,447,951	84.85
61	Tern, least ( <i>Sterna antillarum</i> )	E	2,377,697	551,825,648	85.21
62	Trout, Lahontan cutthroat ( <i>Oncorhynchus clarki henshawi</i> )	T	2,334,391	554,160,039	85.57
63	Darter, Okaloosa ( <i>Etheostoma okaloosae</i> )	E	2,245,000	556,405,039	85.92
64	Seal, Hawaiian monk ( <i>Monachus schauinslandi</i> )	E	2,121,000	558,526,039	86.25
65	Vireo, black-capped ( <i>Vireo atricapilla</i> )	E	2,088,831	560,614,870	86.57
66	Plover, western snowy ( <i>Charadrius alexandrinus nivosus</i> )	T	2,067,855	562,682,725	86.89
67	Bear, Louisiana black ( <i>Ursus americanus luteolus</i> )	T	2,028,574	564,711,299	87.2
68	Ferret, black-footed ( <i>Mustela nigripes</i> )	E	2,002,928	566,714,227	87.51
69	Parrot, Puerto Rican ( <i>Amazona vittata</i> )	E	1,629,914	568,344,141	87.76
70	Pygmy-owl, cactus ferruginous ( <i>Glaucidium brasilianum cactorum</i> )	E	1,607,900	569,952,041	88.01

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
71	Warbler (=wood), golden-cheeked ( <i>Dendroica chrysoparia</i> )	E	1,553,371	571,505,412	88.25
72	Frog, California red-legged ( <i>Rana aurora draytonii</i> )	T	1,385,336	572,890,748	88.47
73	Jay, Florida scrub ( <i>Aphelocoma coerulescens</i> )	T	1,324,100	574,214,848	88.67
74	Milk-vetch, Peirson's ( <i>Astragalus magdalenae</i> var. <i>peirsonii</i> )	T	1,302,200	575,517,048	88.87
75	Spikedace ( <i>Meda fulgida</i> )	T	1,258,800	576,775,848	89.07
76	Minnow, loach ( <i>Tiaroga cobitis</i> )	T	1,203,900	577,979,748	89.25
77	Vireo, least Bell's ( <i>Vireo bellii pusillus</i> )	E	1,191,339	579,171,087	89.44
78	Tern, California least ( <i>Sterna antillarum browni</i> )	E	1,188,974	580,360,061	89.62
79	Bat, gray ( <i>Myotis grisescens</i> )	E	1,125,900	581,485,961	89.79
80	Otter, southern sea ( <i>Enhydra lutris nereis</i> )	T	1,094,200	582,580,161	89.96
81	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> )	E	1,092,600	583,672,761	90.13
82	Topminnow, Gila (incl. Yaqui) ( <i>Poeciliopsis occidentalis</i> )	E	1,061,276	584,734,037	90.3
83	Shiner, Pecos bluntnose ( <i>Notropis simus pecosensis</i> )	T	1,028,500	585,762,537	90.45
84	Splittail, Sacramento ( <i>Pogonichthys macrolepidotus</i> )	T	1,004,800	586,767,337	90.61
85	Cui-ui ( <i>Chasmistes cujus</i> )	E	987,062	587,754,399	90.76
86	Woundfin ( <i>Plagopterus argentissimus</i> )	E	973,600	588,727,999	90.91
87	Smelt, delta ( <i>Hypomesus transpacificus</i> )	T	943,200	589,671,199	91.06
88	Pronghorn, Sonoran ( <i>Antilocapra americana sonoriensis</i> )	E	941,400	590,612,599	91.2
89	Wolf, red ( <i>Canis rufus</i> )	E	919,850	591,532,449	91.35
90	Sheep, bighorn ( <i>Ovis canadensis californiana</i> )	E	912,000	592,444,449	91.49
91	Sturgeon, shortnose ( <i>Acipenser brevirostrum</i> )	E	886,050	593,330,499	91.62
92	Palila (honeycreeper) ( <i>Loxioides bailleui</i> )	E	885,450	594,215,949	91.76
93	Sturgeon, gulf ( <i>Acipenser oxyrinchus desotoi</i> )	T	837,100	595,053,049	91.89
94	Sparrow, Cape Sable seaside ( <i>Ammodramus maritimus mirabilis</i> )	E	810,750	595,863,799	92.01
95	Mouse, Preble's meadow jumping ( <i>Zapus hudsonius preblei</i> )	T	762,390	596,626,189	92.13
96	Higgins eye (pearlymussel) ( <i>Lampsilis higginsii</i> )	E	759,550	597,385,739	92.25
97	Whale, humpback ( <i>Megaptera novaeangliae</i> )	E	740,160	598,125,899	92.36
98	Chub, Virgin River ( <i>Gila seminuda</i> (=robusta))	E	715,062	598,840,961	92.47
99	Butterfly, Karner blue ( <i>Lycaeides melissa samuelis</i> )	E	653,650	599,494,611	92.57
100	Sucker, Santa Ana ( <i>Catostomus santaanae</i> )	T	647,126	600,141,737	92.67
101	Eider, Steller's ( <i>Polysticta stelleri</i> )	T	638,150	600,779,887	92.77
102	Eider, spectacled ( <i>Somateria fischeri</i> )	T	637,800	601,417,687	92.87
103	Fox, San Joaquin kit ( <i>Vulpes macrotis mutica</i> )	E	615,800	602,033,487	92.97
104	Mouse, Alabama beach ( <i>Peromyscus polionotus ammobates</i> )	E	567,000	602,600,487	93.05
105	Toad, arroyo (=arroyo southwestern) ( <i>Bufo californicus</i> (=microscaphus))	E	535,398	603,135,885	93.14
106	Albatross, short-tailed ( <i>Phoebastria</i> (=Diomedea) <i>albatrus</i> )	E	532,507	603,668,392	93.22
107	Tortoise, gopher ( <i>Gopherus polyphemus</i> )	T	518,300	604,186,692	93.3
108	Warbler (=wood), Kirtland's ( <i>Dendroica kirtlandii</i> )	E	498,900	604,685,592	93.38
109	Sturgeon, Alabama ( <i>Scaphirhynchus suttkusi</i> )	E	497,500	605,183,092	93.45
110	Pelican, brown ( <i>Pelecanus occidentalis</i> )	E	476,680	605,659,772	93.53
111	Gnatcatcher, coastal California ( <i>Poliophtila californica californica</i> )	T	470,343	606,130,115	93.6
112	Chaffseed, American ( <i>Schwalbea americana</i> )	E	464,600	606,594,715	93.67
113	Snake, eastern indigo ( <i>Drymarchon corais couperi</i> )	T	459,910	607,054,625	93.74
114	Squirrel, northern Idaho ground ( <i>Spermophilus brunneus brunneus</i> )	T	448,931	607,503,556	93.81
115	Salamander, flatwoods ( <i>Ambystoma cingulatum</i> )	T	446,350	607,949,906	93.88
116	Sucker, June ( <i>Chasmistes liorus</i> )	E	420,300	608,370,206	93.95

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
117	Stork, wood ( <i>Mycteria americana</i> )	E	420,132	608,790,338	94.01
118	Prairie dog, Utah ( <i>Cynomys parvidens</i> )	T	418,675	609,209,013	94.07
119	Shiner, Topeka ( <i>Notropis topeka</i> (=tristis))	E	396,519	609,605,532	94.14
120	Sheep, bighorn ( <i>Ovis canadensis</i> )	E	393,024	609,998,556	94.2
121	Rail, Guam ( <i>Rallus owstoni</i> )	E	389,100	610,387,656	94.26
122	Goby, tidewater ( <i>Eucyclogobius newberryi</i> )	E	387,040	610,774,696	94.32
123	Kangaroo rat, San Bernardino Merriam's ( <i>Dipodomys merriami parvus</i> )	E	375,496	611,150,192	94.37
124	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> )	T	366,670	611,516,862	94.43
125	Condor, California ( <i>Gymnogyps californianus</i> )	E	356,494	611,873,356	94.49
126	Mouse, salt marsh harvest ( <i>Reithrodontomys raviventris</i> )	E	354,415	612,227,771	94.54
127	Crow, Mariana (=aga) ( <i>Corvus kubaryi</i> )	E	354,200	612,581,971	94.6
128	Butterfly, Quino checkerspot ( <i>Euphydryas editha quino</i> (=E. e. wrighti))	E	344,692	612,926,663	94.65
129	Amaranth, seabeach ( <i>Amaranthus pumilus</i> )	T	343,272	613,269,935	94.7
130	Ladies'-tresses, Ute ( <i>Spiranthes diluvialis</i> )	T	342,220	613,612,155	94.75
131	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> )	E	338,200	613,950,355	94.81
132	Butterweed, Layne's ( <i>Senecio layneae</i> )	T	327,300	614,277,655	94.86
133	Snake, giant garter ( <i>Thamnophis gigas</i> )	T	326,400	614,604,055	94.91
134	Ceanothus, Pine Hill ( <i>Ceanothus roderickii</i> )	E	325,000	614,929,055	94.96
135	Fairy shrimp, San Diego ( <i>Branchinecta sandiegonensis</i> )	E	324,528	615,253,583	95.01
136	Lizard, Coachella Valley fringe-toed ( <i>Uma inornata</i> )	T	319,700	615,573,283	95.06
137	Trout, greenback cutthroat ( <i>Oncorhynchus clarki stomias</i> )	T	313,700	615,886,983	95.11
138	Rabbit, riparian brush ( <i>Sylvilagus bachmani riparius</i> )	E	310,200	616,197,183	95.15
139	Geocarpus minimum (=Sci name)	T	306,000	616,503,183	95.2
140	Stilt, Hawaiian ( <i>Himantopus mexicanus knudseni</i> )	E	296,196	616,799,379	95.25
141	Tern, roseate ( <i>Sterna dougallii dougallii</i> )	E,T	286,946	617,086,325	95.29
142	Rail, California clapper ( <i>Rallus longirostris obsoletus</i> )	E	284,406	617,370,731	95.34
143	Bat, Hawaiian hoary ( <i>Lasiurus cinereus semotus</i> )	E	275,268	617,645,999	95.38
144	Pupfish, desert ( <i>Cyprinodon macularius</i> )	E	269,226	617,915,225	95.42
145	Caribou, woodland ( <i>Rangifer tarandus caribou</i> )	E	267,200	618,182,425	95.46
146	Rail, Yuma clapper ( <i>Rallus longirostris yumanensis</i> )	E	267,015	618,449,440	95.5
147	Moorhen, Mariana common ( <i>Gallinula chloropus guami</i> )	E	266,908	618,716,348	95.54
148	Sunflower, Eggert's ( <i>Helianthus eggertii</i> )	T	259,100	618,975,448	95.58
149	Woodrat, riparian (=San Joaquin Valley) ( <i>Neotoma fuscipes riparia</i> )	E	254,100	619,229,548	95.62
150	Goose, Hawaiian ( <i>Branta</i> (=Nesochen) <i>sandvicensis</i> )	E	244,755	619,474,303	95.66
151	Milk-vetch, Lane Mountain ( <i>Astragalus jaegerianus</i> )	E	243,000	619,717,303	95.7
152	Beetle, American burying ( <i>Nicrophorus americanus</i> )	E	242,230	619,959,533	95.73
153	Orchid, western prairie fringed ( <i>Platanthera praeclara</i> )	T	238,454	620,197,987	95.77
154	Coneflower, smooth ( <i>Echinacea laevigata</i> )	E	237,300	620,435,287	95.81
155	Fairy shrimp, vernal pool ( <i>Branchinecta lynchi</i> )	T	233,700	620,668,987	95.84
156	Toad, Houston ( <i>Bufo houstonensis</i> )	E	228,650	620,897,637	95.88
157	Pimpleback, orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> )	E	225,900	621,123,537	95.91
158	Fritillary, Gentner's ( <i>Fritillaria gentneri</i> )	E	225,000	621,348,537	95.95
159	Blackbird, yellow-shouldered ( <i>Agelaius xanthomus</i> )	E	223,500	621,572,037	95.98
160	Snails, Oahu tree ( <i>Achatinella</i> spp.)	E	215,294	621,787,331	96.02
161	Heelsplitter, Carolina ( <i>Lasmigona decorata</i> )	E	214,500	622,001,831	96.05
162	Salamander, California tiger ( <i>Ambystoma californiense</i> )	E	209,932	622,211,763	96.08

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
163	Snail, Morro shoulderband (=Banded dune) ( <i>Helminthoglypta walkeriana</i> )	E	208,500	622,420,263	96.11
164	Seagrass, Johnson's ( <i>Halophila johnsonii</i> )	T	207,260	622,627,523	96.15
165	Butterfly, mission blue ( <i>Icaricia icarioides missionensis</i> )	E	202,900	622,830,423	96.18
166	Kangaroo rat, Morro Bay ( <i>Dipodomys heermanni morroensis</i> )	E	201,100	623,031,523	96.21
167	Swiftlet, Mariana gray ( <i>Aerodramus vanikorensis bartschi</i> )	E	200,200	623,231,723	96.24
168	Pogonia, small whorled ( <i>Isotria medeoloides</i> )	T	194,590	623,426,313	96.27
169	Bean, purple ( <i>Villosa perpurpurea</i> )	E	186,875	623,613,188	96.3
170	Kangaroo rat, Stephens' ( <i>Dipodomys stephensi</i> (incl. <i>D. cascus</i> ))	E	185,511	623,798,699	96.33
171	Gambusia, Pecos ( <i>Gambusia nobilis</i> )	E	183,700	623,982,399	96.36
172	Chub, Mohave tui ( <i>Gila bicolor mohavensis</i> )	E	181,513	624,163,912	96.38
173	Kite, Everglade snail ( <i>Rostrhamus sociabilis plumbeus</i> )	E	181,250	624,345,162	96.41
174	Bat, Virginia big-eared ( <i>Corynorhinus</i> (=Plecotus) <i>townsendii virginianus</i> )	E	171,900	624,517,062	96.44
175	Spineflower, Monterey ( <i>Chorizanthe pungens</i> var. <i>pungens</i> )	T	171,800	624,688,862	96.47
176	Megapode, Micronesian ( <i>Megapodius laperouse</i> )	E	168,600	624,857,462	96.49
177	Abalone, White ( <i>Haliotis sorenseni</i> )	E	164,000	625,021,462	96.52
178	Mucket, pink (pearlymussel) ( <i>Lampsilis abrupta</i> )	E	159,700	625,181,162	96.54
179	Sumac, Michaux's ( <i>Rhus michauxii</i> )	E	159,300	625,340,462	96.57
180	Elepaio, Oahu ( <i>Chasiempis sandwichensis ibidis</i> )	E	158,638	625,499,100	96.59
181	Butterfly, Palos Verdes blue ( <i>Glaucopsyche lygdamus palosverdesensis</i> )	E	158,100	625,657,200	96.61
182	Tarplant, Otay ( <i>Deinandra</i> (=Hemizonia) <i>conjugens</i> )	T	156,500	625,813,700	96.64
183	Bat, Mariana fruit (=Mariana flying fox) ( <i>Pteropus mariannus mariannus</i> )	E	156,100	625,969,800	96.66
184	Moth, Blackburn's sphinx ( <i>Manduca blackburni</i> )	E	152,287	626,122,087	96.69
185	Beetle, valley elderberry longhorn ( <i>Desmocerus californicus dimorphus</i> )	T	152,200	626,274,287	96.71
186	Crow, Hawaiian (=alala) ( <i>Corvus hawaiiensis</i> )	E	150,400	626,424,687	96.73
187	Trout, Gila ( <i>Oncorhynchus gilae</i> )	E	147,800	626,572,487	96.76
188	Prairie-chicken, Attwater's greater ( <i>Tympanuchus cupido attwateri</i> )	E	146,908	626,719,395	96.78
189	Salamander, Santa Cruz long-toed ( <i>Ambystoma macrodactylum croceum</i> )	E	144,200	626,863,595	96.8
190	Frankenia, Johnston's ( <i>Frankenia johnstonii</i> )	E	140,400	627,003,995	96.82
191	Spineflower, slender-horned ( <i>Dodecahema leptoceras</i> )	E	140,200	627,144,195	96.84
192	Mapleleaf, winged (mussel) ( <i>Quadrula fragosa</i> )	E	137,900	627,282,095	96.87
193	Bat, lesser long-nosed ( <i>Leptonycteris curasoae yerbabuenae</i> )	E	136,400	627,418,495	96.89
194	Wallflower, Menzies' ( <i>Erysimum menziesii</i> )	E	134,500	627,552,995	96.91
195	Petrel, Hawaiian dark-rumped ( <i>Pterodroma phaeopygia sandwichensis</i> )	E	133,251	627,686,246	96.93
196	Crocodile, American ( <i>Crocodylus acutus</i> )	E	130,537	627,816,783	96.95
197	Snail, Utah valvata ( <i>Valvata utahensis</i> )	E	129,900	627,946,683	96.97
198	Thistle, Pitcher's ( <i>Cirsium pitcheri</i> )	T	128,550	628,075,233	96.99
199	Snail, Newcomb's ( <i>Erinna newcombi</i> )	T	128,500	628,203,733	97.01
200	Shiner, Cape Fear ( <i>Notropis mekistocholas</i> )	E	127,000	628,330,733	97.03
201	Fairy shrimp, Riverside ( <i>Streptocephalus woottoni</i> )	E	125,748	628,456,481	97.05
202	Rail, light-footed clapper ( <i>Rallus longirostris levipes</i> )	E	123,972	628,580,453	97.07
203	Bladderpod, Missouri ( <i>Lesquerella filiformis</i> )	E	123,300	628,703,753	97.09
204	Mouse, Pacific pocket ( <i>Perognathus longimembris pacificus</i> )	E	121,711	628,825,464	97.1
205	Sparrow, Florida grasshopper ( <i>Ammodramus savannarum floridanus</i> )	E	121,600	628,947,064	97.12
206	Logperch, Roanoke ( <i>Percina rex</i> )	E	119,050	629,066,114	97.14
207	Amole, purple ( <i>Chlorogalum purpureum</i> )	T	117,100	629,183,214	97.16
208	Dragonfly, Hine's emerald ( <i>Somatochlora hineana</i> )	E	116,700	629,299,914	97.18



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
209	Butterfly, Oregon silverspot ( <i>Speyeria zerene hippolyta</i> )	T	115,870	629,415,784	97.2
210	Squirrel, Mount Graham red ( <i>Tamiasciurus hudsonicus grahamensis</i> )	E	114,600	629,530,384	97.21
211	Toad, Wyoming ( <i>Bufo baxteri</i> (=hemiophrys))	E	114,335	629,644,719	97.23
212	Salamander, Barton Springs ( <i>Eurycea sosorum</i> )	E	114,200	629,758,919	97.25
213	Fly, Delhi Sands flower-loving ( <i>Rhaphiomidas terminatus abdominalis</i> )	E	110,000	629,868,919	97.27
214	Pocketbook, fat ( <i>Potamilus capax</i> )	E	109,900	629,978,819	97.28
215	Loosestrife, rough-leaved ( <i>Lysimachia asperulaefolia</i> )	E	108,338	630,087,157	97.3
216	Trout, Apache ( <i>Oncorhynchus apache</i> )	T	107,500	630,194,657	97.32
217	Goldfields, Contra Costa ( <i>Lasthenia conjugens</i> )	E	107,200	630,301,857	97.33
218	Pupfish, Devils Hole ( <i>Cyprinodon diabolis</i> )	E	106,600	630,408,457	97.35
219	Manzanita, lone ( <i>Arctostaphylos myrtifolia</i> )	T	106,200	630,514,657	97.36
220	Boa, Puerto Rican ( <i>Epicrates inornatus</i> )	E	106,000	630,620,657	97.38
221	Kangaroo rat, Tipton ( <i>Dipodomys nitratoideus nitratoideus</i> )	E	102,895	630,723,552	97.4
222	Crane, Mississippi sandhill ( <i>Grus canadensis pulla</i> )	E	102,780	630,826,332	97.41
223	Kingfisher, Guam Micronesian ( <i>Halcyon cinnamomina cinnamomina</i> )	E	101,700	630,928,032	97.43
224	Quillwort, Louisiana ( <i>Isoetes louisianensis</i> )	E	101,500	631,029,532	97.44
225	Chub, spotfin ( <i>Cyprinella monacha</i> )	T	100,050	631,129,582	97.46
226	Lizard, blunt-nosed leopard ( <i>Gambelia silus</i> )	E	99,300	631,228,882	97.48
227	Moorhen, Hawaiian common ( <i>Gallinula chloropus sandvicensis</i> )	E	98,866	631,327,748	97.49
228	Coot, Hawaiian ( <i>Fulica americana alai</i> )	E	98,803	631,426,551	97.51
229	Parrotbill, Maui (honeycreeper) ( <i>Pseudonestor xanthophrys</i> )	E	97,000	631,523,551	97.52
230	Brodiaea, thread-leaved ( <i>Brodiaea filifolia</i> )	T	95,911	631,619,462	97.54
231	Stickleback, unarmored threespine ( <i>Gasterosteus aculeatus williamsoni</i> )	E	95,000	631,714,462	97.55
232	Nukupu'u (honeycreeper) ( <i>Hemignathus lucidus</i> )	E	94,000	631,808,462	97.56
233	Squirrel, Virginia northern flying ( <i>Glaucomys sabrinus fuscus</i> )	E	93,000	631,901,462	97.58
234	Pupfish, Ash Meadows Amargosa ( <i>Cyprinodon nevadensis mionectes</i> )	E	92,400	631,993,862	97.59
234	Water-umbel, Huachuca ( <i>Lilaeopsis schaffneriana</i> var. <i>recurva</i> )	E	92,400	632,086,262	97.61
236	Kangaroo rat, Fresno ( <i>Dipodomys nitratoideus exilis</i> )	E	90,800	632,177,062	97.62
237	Deer, Columbian white-tailed ( <i>Odocoileus virginianus leucurus</i> )	E	90,578	632,267,640	97.64
238	Duck, Hawaiian (=koloa) ( <i>Anas wyvilliana</i> )	E	89,730	632,357,370	97.65
239	Turtle, flattened musk ( <i>Sternotherus depressus</i> )	T	89,300	632,446,670	97.66
240	Pigeon, Puerto Rican plain ( <i>Columba inornata wetmorei</i> )	E	88,500	632,535,170	97.68
241	Howellia, water ( <i>Howellia aquatilis</i> )	T	86,300	632,621,470	97.69
242	Gilia, Monterey ( <i>Gilia tenuiflora</i> ssp. <i>arenaria</i> )	E	86,100	632,707,570	97.7
243	Cactus, Pima pineapple ( <i>Coryphantha scheeri</i> var. <i>robustispina</i> )	E	85,700	632,793,270	97.72
244	Butterfly, Smith's blue ( <i>Euphilotes enoptes smithi</i> )	E	85,500	632,878,770	97.73
245	Tadpole shrimp, vernal pool ( <i>Lepidurus packardii</i> )	E	85,200	632,963,970	97.74
246	Woolly-star, Santa Ana River ( <i>Eriastrum densifolium</i> ssp. <i>sanctorum</i> )	E	85,000	633,048,970	97.76
247	Bat, Ozark big-eared ( <i>Corynorhinus</i> (=Plecotus) <i>townsendii ingens</i> )	E	84,700	633,133,670	97.77
248	Ambersnail, Kanab ( <i>Oxyloma haydeni kanabensis</i> )	E	83,100	633,216,770	97.78
249	Shiner, Arkansas River ( <i>Notropis girardi</i> )	T	82,880	633,299,650	97.79
250	Chub, Pahrnagat roundtail ( <i>Gila robusta jordanii</i> )	E	81,662	633,381,312	97.81
251	Four-o'clock, MacFarlane's ( <i>Mirabilis macfarlanei</i> )	T	81,300	633,462,612	97.82
252	Ocelot ( <i>Leopardus</i> (=Felis) <i>pardalis</i> )	E	81,150	633,543,762	97.83
253	Clubshell ( <i>Pleurobema clava</i> )	E	81,100	633,624,862	97.85
254	Bat, Mexican long-nosed ( <i>Leptonycteris nivalis</i> )	E	79,700	633,704,562	97.86

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
255	Amphipod, Kauai cave ( <i>Spelaeorchestia koloana</i> )	E	79,200	633,783,762	97.87
256	Po'ouli (honeycreeper) ( <i>Melamprosops phaeosoma</i> )	E	78,650	633,862,412	97.88
257	Ziziphus, Florida ( <i>Ziziphus celata</i> )	E	77,100	633,939,512	97.89
258	Warbler, nightingale reed (old world warbler) ( <i>Acrocephalus luscini</i> )	E	75,900	634,015,412	97.91
259	Grasshopper, Zayante band-winged ( <i>Trimerotropis infantilis</i> )	E	74,700	634,090,112	97.92
260	Dace, Moapa ( <i>Moapa coriacea</i> )	E	74,162	634,164,274	97.93
261	Chub, Oregon ( <i>Oregonichthys crameri</i> )	E	72,850	634,237,124	97.94
262	Towhee, Inyo California ( <i>Pipilo crissalis eremophilus</i> )	T	72,100	634,309,224	97.95
263	Checker-mallow, pedate ( <i>Sidalcea pedata</i> )	E	72,000	634,381,224	97.96
264	Spider, Kauai cave wolf or pe'e pe'e maka 'ole ( <i>Adelocosa anops</i> )	E	71,200	634,452,424	97.97
265	Pocketbook, finelined ( <i>Lampsilis altilis</i> )	T	69,800	634,522,224	97.98
266	Popcornflower, rough ( <i>Plagiobothrys hirtus</i> )	E	69,700	634,591,924	97.99
267	Thelypody, Howell's spectacular ( <i>Thelypodium howellii spectabilis</i> )	T	69,000	634,660,924	98.01
268	Wedgemussel, dwarf ( <i>Alasmidonta heterodon</i> )	E	68,720	634,729,644	98.02
269	Kangaroo rat, giant ( <i>Dipodomys ingens</i> )	E	66,400	634,796,044	98.03
270	Duck, Laysan ( <i>Anas laysanensis</i> )	E	66,230	634,862,274	98.04
271	Spinedace, White River ( <i>Lepidomeda albivallis</i> )	E	65,858	634,928,132	98.05
272	Morning-glory, Stebbins' ( <i>Calystegia stebbinsii</i> )	E	65,400	634,993,532	98.06
273	Jacquemontia, beach ( <i>Jacquemontia reclinata</i> )	E	65,260	635,058,792	98.07
274	Monardella, willow ( <i>Monardella linoides ssp. viminea</i> )	E	65,229	635,124,021	98.08
275	Akepa, Maui (honeycreeper) ( <i>Loxops coccineus ochraceus</i> )	E	64,400	635,188,421	98.09
275	Cactus, Chisos Mountain hedgehog ( <i>Echinocereus chisoensis var. chisoensis</i> )	T	64,400	635,252,821	98.1
277	Checker-mallow, Keck's ( <i>Sidalcea keckii</i> )	E	63,800	635,316,621	98.11
278	Darter, fountain ( <i>Etheostoma fonticola</i> )	E	62,800	635,379,421	98.12
279	Cavefish, Ozark ( <i>Amblyopsis rosae</i> )	T	62,600	635,442,021	98.13
279	Penny-cress, Kneeland Prairie ( <i>Thlaspi californicum</i> )	E	62,600	635,504,621	98.14
281	Spineflower, Robust (incl. Scotts Valley) ( <i>Chorizanthe robusta (incl. vars. robusta and hartwegii)</i> )	E	62,200	635,566,821	98.14
282	Bear-poppy, dwarf ( <i>Arctomecon humilis</i> )	E	60,900	635,627,721	98.15
283	Ground beetle, [unnamed] ( <i>Rhadine infernalis</i> )	E	60,000	635,687,721	98.16
283	Ground beetle, [unnamed] ( <i>Rhadine exilis</i> )	E	60,000	635,747,721	98.17
283	Meshweaver, Madla's Cave ( <i>Cicurina madla</i> )	E	60,000	635,807,721	98.18
286	Hypericum, highlands scrub ( <i>Hypericum cumulicola</i> )	E	59,100	635,866,821	98.19
287	Shrimp, Alabama cave ( <i>Palaemonias alabamiae</i> )	E	59,000	635,925,821	98.2
288	Thrush, small Kauai (=puaiohi) ( <i>Myadestes palmeri</i> )	E	58,800	635,984,621	98.21
289	Sucker, Modoc ( <i>Catostomus microps</i> )	E	58,700	636,043,321	98.22
289	Wild-rice, Texas ( <i>Zizania texana</i> )	E	58,700	636,102,021	98.23
291	Dace, Ash Meadows speckled ( <i>Rhinichthys osculus nevadensis</i> )	E	58,462	636,160,483	98.24
292	Darter, duskytail ( <i>Etheostoma percnurum</i> )	E	57,850	636,218,333	98.25
293	Ko'oko'olau ( <i>Bidens micrantha ssp. kalealaha</i> )	E	57,820	636,276,153	98.25
294	Madtom, Neosho ( <i>Noturus placidus</i> )	T	57,300	636,333,453	98.26
295	Barberry, Nevin's ( <i>Berberis nevinii</i> )	E	57,200	636,390,653	98.27
296	Lupine, clover ( <i>Lupinus tidestromii</i> )	E	57,000	636,447,653	98.28
297	Rabbit, Lower Keys marsh ( <i>Sylvilagus palustris hefneri</i> )	E	56,100	636,503,753	98.29
297	Riffleshell, northern ( <i>Epioblasma torulosa rangiana</i> )	E	56,100	636,559,853	98.3
299	Bankclimber, purple (mussel) ( <i>Elliptioideus sloatianus</i> )	T	55,700	636,615,553	98.31

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
300	Bird's-beak, salt marsh ( <i>Cordylanthus maritimus</i> ssp. <i>maritimus</i> )	E	55,500	636,671,053	98.32
301	Milk-vetch, Braunton's ( <i>Astragalus brauntonii</i> )	E	55,400	636,726,453	98.32
302	Pondberry ( <i>Lindera melissifolia</i> )	E	54,193	636,780,646	98.33
303	Daisy, Maguire ( <i>Erigeron maguirei</i> )	T	53,300	636,833,946	98.34
304	Orchid, eastern prairie fringed ( <i>Platanthera leucophaea</i> )	T	53,140	636,887,086	98.35
305	Darter, leopard ( <i>Percina pantherina</i> )	T	52,600	636,939,686	98.36
306	Bird's-beak, soft ( <i>Cordylanthus mollis</i> ssp. <i>mollis</i> )	E	52,200	636,991,886	98.37
307	Pitcher-plant, green ( <i>Sarracenia oreophila</i> )	E	52,000	637,043,886	98.37
308	Springsnail, Idaho ( <i>Fonticella idahoensis</i> )	E	51,500	637,095,386	98.38
309	Amphipod, Illinois cave ( <i>Gammarus acherondytes</i> )	E	51,300	637,146,686	98.39
310	Combshell, southern ( <i>Epioblasma penita</i> )	E	51,000	637,197,686	98.4
311	Salamander, Texas blind ( <i>Typhlomolge rathbuni</i> )	E	50,800	637,248,486	98.4
312	Clubshell, ovate ( <i>Pleurobema perovatum</i> )	E	50,600	637,299,086	98.41
313	Mouse, Perdido Key beach ( <i>Peromyscus polionotus trissyllepsis</i> )	E	50,350	637,349,436	98.42
314	Aster, decurrent false ( <i>Boltonia decurrens</i> )	T	50,230	637,399,666	98.43
315	Townsendia, Last Chance ( <i>Townsendia aprica</i> )	T	50,200	637,449,866	98.44
316	Iguana, Mona ground ( <i>Cyclura stejnegeri</i> )	T	50,000	637,499,866	98.44
316	Springfish, White River ( <i>Crenichthys baileyi baileyi</i> )	E	50,000	637,549,866	98.45
318	Chub, Owens tui ( <i>Gila bicolor snyderi</i> )	E	49,900	637,599,766	98.46
318	Elktoe, Appalachian ( <i>Alasmidonta raveneliana</i> )	E	49,900	637,649,666	98.47
318	Silversword, Mauna Loa (=Ka'u) ( <i>Argyroxiphium kauense</i> )	E	49,900	637,699,566	98.47
321	Thistle, Suisun ( <i>Cirsium hydrophilum</i> var. <i>hydrophilum</i> )	E	49,700	637,749,266	98.48
322	Salamander, Red Hills ( <i>Phaeognathus hubrichti</i> )	T	49,500	637,798,766	98.49
323	Sunflower, Schweinitz's ( <i>Helianthus schweinitzii</i> )	E	49,200	637,847,966	98.5
324	Ko'olua'ula ( <i>Abutilon menziesii</i> )	E	49,150	637,897,116	98.5
325	Harperella ( <i>Ptilimnium nodosum</i> )	E	49,140	637,946,256	98.51
326	Springsnail, Bruneau Hot ( <i>Pyrgulopsis bruneauensis</i> )	E	49,100	637,995,356	98.52
327	Snake, Lake Erie water ( <i>Nerodia sipedon insularum</i> )	T	48,600	638,043,956	98.53
328	Darter, Niangua ( <i>Etheostoma nianguae</i> )	T	48,000	638,091,956	98.53
328	Uhiuhi ( <i>Caesalpinia kavaense</i> )	E	48,000	638,139,956	98.54
330	Shiner, blue ( <i>Cyprinella caerulea</i> )	T	47,800	638,187,756	98.55
331	Wartyback, white (pearlymussel) ( <i>Plethobasus cicatricosus</i> )	E	47,771	638,235,527	98.56
332	Squirrel, Carolina northern flying ( <i>Glaucomys sabrinus coloratus</i> )	E	47,000	638,282,527	98.56
333	Salamander, Sonora tiger ( <i>Ambystoma tigrinum stebbinsi</i> )	E	46,500	638,329,027	98.57
334	Crayfish, Shasta ( <i>Pacifastacus fortis</i> )	E	46,200	638,375,227	98.58
335	Turtle, Alabama red-belly ( <i>Pseudemys alabamensis</i> )	E	46,000	638,421,227	98.59
335	Larkspur, Baker's ( <i>Delphinium bakeri</i> )	E	46,000	638,467,227	98.59
335	Spineflower, Howell's ( <i>Chorizanthe howellii</i> )	E	46,000	638,513,227	98.6
338	Bush-clover, prairie ( <i>Lespedeza leptostachya</i> )	T	45,975	638,559,202	98.61
339	Milk-vetch, Applegate's ( <i>Astragalus applegatei</i> )	E	45,700	638,604,902	98.61
340	Sparrow, San Clemente sage ( <i>Amphispiza belli clementeae</i> )	T	45,500	638,650,402	98.62
340	Darter, Cherokee ( <i>Etheostoma scotti</i> )	T	45,500	638,695,902	98.63
342	Trout, Paiute cutthroat ( <i>Oncorhynchus clarki seleniris</i> )	T	45,300	638,741,202	98.64
343	Torreya, Florida ( <i>Torreya taxifolia</i> )	E	45,100	638,786,302	98.64
344	Anaunau ( <i>Lepidium arbuscula</i> )	E	45,038	638,831,340	98.65
345	Larkspur, yellow ( <i>Delphinium luteum</i> )	E	45,000	638,876,340	98.66



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
345	Neraudia angulata (=Sci name)	E	45,000	638,921,340	98.66
347	Pigtoe, southern ( <i>Pleurobema georgianum</i> )	E	44,300	638,965,640	98.67
348	Phlox, Texas trailing ( <i>Phlox nivalis</i> ssp. <i>texensis</i> )	E	44,200	639,009,840	98.68
349	Pupfish, Comanche Springs ( <i>Cyprinodon elegans</i> )	E	43,900	639,053,740	98.68
350	Butterfly, Fender's blue ( <i>Icaricia icarioides fenderi</i> )	E	43,700	639,097,440	98.69
351	Snail, Bliss Rapids ( <i>Taylorconcha serpenticola</i> )	T	43,500	639,140,940	98.7
351	Butterfly, Mitchell's satyr ( <i>Neonympha mitchellii mitchellii</i> )	E	43,500	639,184,440	98.7
351	Kaulu ( <i>Pteralyxia kauaiensis</i> )	E	43,500	639,227,940	98.71
354	Mouse, Choctawhatchee beach ( <i>Peromyscus polionotus allophrys</i> )	E	43,105	639,271,045	98.72
355	Skipper, Laguna Mountains ( <i>Pyrgus ruralis lagunae</i> )	E	43,000	639,314,045	98.72
355	Meshweaver, Robber Baron Cave ( <i>Cicurina baronia</i> )	E	43,000	639,357,045	98.73
355	Crayfish, cave ( <i>Cambarus zophonastes</i> )	E	43,000	639,400,045	98.74
355	Fairy shrimp, longhorn ( <i>Branchinecta longiantenna</i> )	E	43,000	639,443,045	98.74
359	Clover, running buffalo ( <i>Trifolium stoloniferum</i> )	E	42,950	639,485,995	98.75
360	Snake, San Francisco garter ( <i>Thamnophis sirtalis tetrataenia</i> )	E	42,900	639,528,895	98.76
361	Snake, Concho water ( <i>Nerodia paucimaculata</i> )	T	42,700	639,571,595	98.76
362	Snail, Snake River physa ( <i>Physa natricina</i> )	E	42,600	639,614,195	98.77
363	Cactus, Sneed pincushion ( <i>Coryphantha sneedii</i> var. <i>sneedii</i> )	E	42,500	639,656,695	98.78
364	Three-ridge, fat (mussel) ( <i>Amblema neisleri</i> )	E	42,100	639,698,795	98.78
365	Silene lanceolata (=Sci name)	E	42,038	639,740,833	98.79
366	Hawk, Hawaiian (=lo) ( <i>Buteo solitarius</i> )	E	42,024	639,782,857	98.8
367	Fern, Aleutian shield ( <i>Polystichum aleuticum</i> )	E	42,000	639,824,857	98.8
368	A'e ( <i>Zanthoxylum hawaiiense</i> )	E	41,250	639,866,107	98.81
369	Spermolepis hawaiiensis (=Sci name)	E	41,200	639,907,307	98.82
370	Mehamehame ( <i>Flueggea neowawraea</i> )	E	39,988	639,947,295	98.82
371	Limpet, Banbury Springs ( <i>Lanx</i> sp.)	E	39,800	639,987,095	98.83
371	Spider, spruce-fir moss ( <i>Microhexura montivaga</i> )	E	39,800	640,026,895	98.83
373	Fanshell ( <i>Cyprogenia stegaria</i> )	E	39,700	640,066,595	98.84
374	Dace, blackside ( <i>Phoxinus cumberlandensis</i> )	T	39,550	640,106,145	98.85
375	Mucket, orangenacre ( <i>Lampsilis perovalis</i> )	T	39,300	640,145,445	98.85
376	Tiger beetle, northeastern beach ( <i>Cicindela dorsalis dorsalis</i> )	T	38,950	640,184,395	98.86
377	Darter, amber ( <i>Percina antesella</i> )	E	38,800	640,223,195	98.86
378	Madtom, yellowfin ( <i>Noturus flavipinnis</i> )	T	38,650	640,261,845	98.87
379	Beetle, Mount Hermon June ( <i>Polyphylla barbata</i> )	E	38,600	640,300,445	98.88
380	Mouse, Anastasia Island beach ( <i>Peromyscus polionotus phasma</i> )	E	38,375	640,338,820	98.88
381	Mahoe ( <i>Alectryon macrococcus</i> )	E	38,288	640,377,108	98.89
382	Skullcap, large-flowered ( <i>Scutellaria montana</i> )	E	38,100	640,415,208	98.89
383	Puma (=cougar), eastern ( <i>Puma</i> (=Felis) <i>concolor cougar</i> )	E	37,600	640,452,808	98.9
383	Moccasinshell, Alabama ( <i>Medionidus acutissimus</i> )	T	37,600	640,490,408	98.91
383	Kulu'i ( <i>Nototrichium humile</i> )	E	37,600	640,528,008	98.91
386	Lichen, rock gnome ( <i>Gymnoderma lineare</i> )	E	37,300	640,565,308	98.92
387	Rock-cress, shale barren ( <i>Arabis serotina</i> )	E	36,800	640,602,108	98.92
388	Milk-vetch, Ventura Marsh ( <i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i> )	E	36,600	640,638,708	98.93
389	Cactus, Wright fishhook ( <i>Sclerocactus wrightiae</i> )	E	36,400	640,675,108	98.93
389	Niterwort, Amargosa ( <i>Nitrophila mohavensis</i> )	E	36,400	640,711,508	98.94
391	Dawn-flower, Texas prairie ( <i>Hymenoxys texana</i> )	E	36,000	640,747,508	98.94

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
392	Jaguar ( <i>Panthera onca</i> )	E	35,945	640,783,453	98.95
393	Spiraea, Virginia ( <i>Spiraea virginiana</i> )	T	35,700	640,819,153	98.96
394	Cactus, Uinta Basin hookless ( <i>Sclerocactus glaucus</i> )	T	35,500	640,854,653	98.96
395	Bonamia menziesii (=Sci name)	E	35,150	640,889,803	98.97
396	Cavefish, Alabama ( <i>Speoplatyrhinus poulsoni</i> )	E	35,000	640,924,803	98.97
396	Gerardia, sandplain ( <i>Agalinis acuta</i> )	E	35,000	640,959,803	98.98
398	Piperia, Yadon's ( <i>Piperia yadonii</i> )	E	34,900	640,994,703	98.98
399	Harvestman, Bone Cave ( <i>Texella reyesi</i> )	E	34,350	641,029,053	98.99
400	Ma`o hau hele, (=native yellow hibiscus) ( <i>Hibiscus brackenridgei</i> )	E	34,250	641,063,303	98.99
401	Buckwheat, scrub ( <i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i> )	T	34,100	641,097,403	99
402	Honeycreeper, crested ( <i>Palmeria dolei</i> )	E	33,731	641,131,134	99
403	Kidneyshell, triangular ( <i>Ptychobranhus greeni</i> )	E	33,600	641,164,734	99.01
404	Harvestman, Bee Creek Cave ( <i>Texella reddeni</i> )	E	33,350	641,198,084	99.01
405	Madtom, pygmy ( <i>Noturus stanauli</i> )	E	33,100	641,231,184	99.02
405	Bonamia, Florida ( <i>Bonamia grandiflora</i> )	T	33,100	641,264,284	99.02
405	Beargrass, Britton's ( <i>Nolina brittoniana</i> )	E	33,100	641,297,384	99.03
405	Lupine, scrub ( <i>Lupinus aridorum</i> )	E	33,100	641,330,484	99.03
409	Clubshell, southern ( <i>Pleurobema decisum</i> )	E	33,000	641,363,484	99.04
410	Madtom, smoky ( <i>Noturus baileyi</i> )	E	32,850	641,396,334	99.05
411	Butterfly plant, Colorado ( <i>Gaura neomexicana</i> var. <i>coloradensis</i> )	T	32,835	641,429,169	99.05
412	Nohoanu ( <i>Geranium multiflorum</i> )	E	32,781	641,461,950	99.06
413	Spineflower, Ben Lomond ( <i>Chorizanthe pungens</i> var. <i>hartwegiana</i> )	E	32,700	641,494,650	99.06
414	`Aiea ( <i>Nothocestrum breviflorum</i> )	E	32,554	641,527,204	99.07
415	Cactus, Tobusch fishhook ( <i>Ancistrocactus tobuschii</i> )	E	32,360	641,559,564	99.07
416	Caracara, Audubon's crested ( <i>Polyborus plancus auduboni</i> )	T	32,000	641,591,564	99.08
417	Kuahiwi laukahi ( <i>Plantago princeps</i> )	E	31,838	641,623,402	99.08
418	Cactus, Brady pincushion ( <i>Pediocactus bradyi</i> )	E	31,800	641,655,202	99.09
418	Prairie-clover, leafy ( <i>Dalea foliosa</i> )	E	31,800	641,687,002	99.09
420	Aster, Florida golden ( <i>Chrysopsis floridana</i> )	E	31,700	641,718,702	99.09
421	Logperch, Conasauga ( <i>Percina jenkinsi</i> )	E	31,600	641,750,302	99.1
422	Joint-vetch, sensitive ( <i>Aeschynomene virginica</i> )	T	31,400	641,781,702	99.1
423	Buckwheat, steamboat ( <i>Eriogonum ovalifolium</i> var. <i>williamsiae</i> )	E	31,200	641,812,902	99.11
424	Spinedace, Big Spring ( <i>Lepidomeda mollispinis pratensis</i> )	T	31,100	641,844,002	99.11
425	Darter, snail ( <i>Percina tanasi</i> )	T	31,000	641,875,002	99.12
425	Darter, boulder ( <i>Etheostoma wapiti</i> )	E	31,000	641,906,002	99.12
425	Tarplant, Santa Cruz ( <i>Holocarpha macradenia</i> )	T	31,000	641,937,002	99.13
428	Checkermallow, Wenatchee Mountains ( <i>Sidalcea oregana</i> var. <i>calva</i> )	E	30,900	641,967,902	99.13
429	Lupine, Kincaid's ( <i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i> ))	T	30,500	641,998,402	99.14
430	Mouse, southeastern beach ( <i>Peromyscus polionotus niveiventris</i> )	T	30,300	642,028,702	99.14
431	Butterfly, bay checkerspot ( <i>Euphydryas editha bayensis</i> )	T	30,200	642,058,902	99.15
432	Butterwort, Godfrey's ( <i>Pinguicula ionantha</i> )	T	30,100	642,089,002	99.15
433	`Ohe`ohe ( <i>Tetraplasandra gymnocarpa</i> )	E	29,638	642,118,640	99.16
434	Pigtoe, heavy ( <i>Pleurobema taitianum</i> )	E	29,300	642,147,940	99.16
435	Alani ( <i>Melicope ovalis</i> )	E	29,250	642,177,190	99.17
435	Schiedea haleakalensis (=Sci name)	E	29,250	642,206,440	99.17

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
437	Button-celery, San Diego ( <i>Eryngium aristulatum</i> var. <i>parishii</i> )	E	29,127	642,235,567	99.17
438	Catspaw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> )	E	29,100	642,264,667	99.18
439	Paintbrush, golden ( <i>Castilleja levisecta</i> )	T	29,090	642,293,757	99.18
440	Navarretia, spreading ( <i>Navarretia fossalis</i> )	T	29,027	642,322,784	99.19
441	Boa, Virgin Islands tree ( <i>Epicrates monensis granti</i> )	E	29,000	642,351,784	99.19
441	Sucker, Warner ( <i>Catostomus warnerensis</i> )	T	29,000	642,380,784	99.2
441	Crayfish, cave ( <i>Cambarus aculabrum</i> )	E	29,000	642,409,784	99.2
444	Penstemon, blowout ( <i>Penstemon haydenii</i> )	E	28,687	642,438,471	99.21
445	Mesa-mint, San Diego ( <i>Pogogyne abramsii</i> )	E	28,616	642,467,087	99.21
446	Diellia falcata (=Sci name)	E	28,600	642,495,687	99.21
447	Layia, beach ( <i>Layia carnosa</i> )	E	28,500	642,524,187	99.22
448	Rock-cress, McDonald's ( <i>Arabis mcdonaldiana</i> )	E	28,000	642,552,187	99.22
448	Pamakani ( <i>Viola chamissoniana</i> ssp. <i>chamissoniana</i> )	E	28,000	642,580,187	99.23
448	Oxytheca, cushenbury ( <i>Oxytheca parishii</i> var. <i>goodmaniana</i> )	E	28,000	642,608,187	99.23
451	Dropwort, Canby's ( <i>Oxypolis canbyi</i> )	E	27,900	642,636,087	99.24
452	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> )	E	27,841	642,663,928	99.24
453	Pink, swamp ( <i>Helonias bullata</i> )	T	27,150	642,691,078	99.25
454	Whale, sperm ( <i>Physeter catodon</i> (=macrocephalus))	E	27,000	642,718,078	99.25
454	Pigtoe, dark ( <i>Pleurobema furvum</i> )	E	27,000	642,745,078	99.25
454	Bladderpod, Spring Creek ( <i>Lesquerella perforata</i> )	E	27,000	642,772,078	99.26
457	Daisy, Willamette ( <i>Erigeron decumbens</i> var. <i>decumbens</i> )	E	26,750	642,798,828	99.26
458	Popolo ku mai ( <i>Solanum incompletum</i> )	E	26,650	642,825,478	99.27
459	Mussel, oyster ( <i>Epioblasma capsaeformis</i> )	E	26,566	642,852,044	99.27
460	Birds-in-a-nest, white ( <i>Macbridea alba</i> )	T	26,100	642,878,144	99.27
461	Riffleshell, tan ( <i>Epioblasma florentina walkeri</i> (=E. <i>walkeri</i> ))	E	26,066	642,904,210	99.28
462	Wireweed ( <i>Polygonella basiramia</i> )	E	26,000	642,930,210	99.28
462	Pennyroyal, Todsens's ( <i>Hedeoma todsenii</i> )	E	26,000	642,956,210	99.29
464	Kamanomano ( <i>Cenchrus agrimonioides</i> )	E	25,438	642,981,648	99.29
465	`Akoko ( <i>Euphorbia haeleeleana</i> )	E	25,338	643,006,986	99.29
466	Trout, Little Kern golden ( <i>Oncorhynchus aguabonita whitei</i> )	T	25,200	643,032,186	99.3
467	Pearlymussel, littlewing ( <i>Pegias fabula</i> )	E	25,166	643,057,352	99.3
468	Whale, bowhead ( <i>Balaena mysticetus</i> )	E	25,000	643,082,352	99.31
468	Bladderpod, white ( <i>Lesquerella pallida</i> )	E	25,000	643,107,352	99.31
470	Monarch, Tinian (old world flycatcher) ( <i>Monarcha takatsukasae</i> )	T	24,600	643,131,952	99.31
470	Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> )	E	24,600	643,156,552	99.32
470	Pearlymussel, dromedary ( <i>Dromus dromas</i> )	E	24,600	643,181,152	99.32
473	Oha ( <i>Delissea subcordata</i> )	E	24,538	643,205,690	99.32
474	Na'ena'e ( <i>Dubautia herbstobatae</i> )	E	24,176	643,229,866	99.33
475	Haha ( <i>Cyanea superba</i> )	E	24,138	643,254,004	99.33
476	Whale, finback ( <i>Balaenoptera physalus</i> )	E	24,084	643,278,088	99.34
477	Lily, Western ( <i>Lilium occidentale</i> )	E	24,070	643,302,158	99.34
478	`Akoko ( <i>Chamaesyce celastroides</i> var. <i>kaenana</i> )	E	24,038	643,326,196	99.34
479	Rattlesnake, New Mexican ridge-nosed ( <i>Crotalus willardi obscurus</i> )	T	24,000	643,350,196	99.35
479	Phlox, Yreka ( <i>Phlox hirsuta</i> )	E	24,000	643,374,196	99.35
481	Alsinidendron obovatum (=Sci name)	E	23,838	643,398,034	99.35
482	Ladies'-tresses, Navasota ( <i>Spiranthes parksii</i> )	E	23,800	643,421,834	99.36

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
483	Ha'i wale ( <i>Cyrtandra dentata</i> )	E	23,638	643,445,472	99.36
484	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> )	E	23,566	643,469,038	99.37
485	Spiny mussel, Tar River ( <i>Elliptio steinstansana</i> )	E	23,500	643,492,538	99.37
486	Schiedea hookeri (=Sci name)	E	23,338	643,515,876	99.37
486	Hedyotis degeneri (=Sci name)	E	23,338	643,539,214	99.38
486	Tetramolopium filiforme (=Sci name)	E	23,338	643,562,552	99.38
486	Nehe ( <i>Lipochaeta tenuifolia</i> )	E	23,338	643,585,890	99.38
486	Lo'ulu ( <i>Pritchardia kaalae</i> )	E	23,338	643,609,228	99.39
486	Sanicula mariversa (=Sci name)	E	23,338	643,632,566	99.39
486	Pauoa ( <i>Ctenitis squamigera</i> )	E	23,338	643,655,904	99.39
493	Turtle, ringed map ( <i>Graptemys oculifera</i> )	T	23,300	643,679,204	99.4
493	Shrimp, Kentucky cave ( <i>Palaemonias ganteri</i> )	E	23,300	643,702,504	99.4
495	Milkweed, Mead's ( <i>Asclepias meadii</i> )	T	23,250	643,725,754	99.4
496	Thistle, Chorro Creek bog ( <i>Cirsium fontinale</i> var. <i>obispoense</i> )	E	23,200	643,748,954	99.41
496	Lobelia niihauensis (=Sci name)	E	23,200	643,772,154	99.41
498	Daisy, Parish's ( <i>Erigeron parishii</i> )	T	23,000	643,795,154	99.42
498	Jewelflower, California ( <i>Caulanthus californicus</i> )	E	23,000	643,818,154	99.42
500	Butterfly, Saint Francis' satyr ( <i>Neonympha mitchellii francisci</i> )	E	22,900	643,841,054	99.42
500	Schiedea nuttallii (=Sci name)	E	22,900	643,863,954	99.43
502	Dogweed, ashy ( <i>Thymophylla tephroleuca</i> )	E	22,800	643,886,754	99.43
503	Hedyotis parvula (=Sci name)	E	22,500	643,909,254	99.43
503	Kiponapona ( <i>Phyllostegia racemosa</i> )	E	22,500	643,931,754	99.44
505	Manzanita, Del Mar ( <i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i> )	E	22,424	643,954,178	99.44
506	Milkweed, Welsh's ( <i>Asclepias welshii</i> )	T	22,300	643,976,478	99.44
507	Plum, scrub ( <i>Prunus geniculata</i> )	E	22,100	643,998,578	99.45
508	Woodpecker, ivory-billed ( <i>Campephilus principalis</i> )	E	22,000	644,020,578	99.45
508	Snail, tulotoma ( <i>Tulotoma magnifica</i> )	E	22,000	644,042,578	99.45
510	Goldfields, Burke's ( <i>Lasthenia burkei</i> )	E	21,800	644,064,378	99.46
511	Snake, copperbelly water ( <i>Nerodia erythrogaster neglecta</i> )	T	21,600	644,085,978	99.46
511	Bladderpod, Zapata ( <i>Lesquerella thamnophila</i> )	E	21,600	644,107,578	99.46
513	Whipsnake (=striped racer), Alameda ( <i>Masticophis lateralis euryxanthus</i> )	T	21,500	644,129,078	99.47
514	Hala pepe ( <i>Pleomele hawaiiensis</i> )	E	21,200	644,150,278	99.47
515	Goldenrod, Short's ( <i>Solidago shortii</i> )	E	21,100	644,171,378	99.47
515	Cactus, Winkler ( <i>Pediocactus winkleri</i> )	T	21,100	644,192,478	99.48
517	Amphipod, Hay's Spring ( <i>Stygobromus hayi</i> )	E	21,000	644,213,478	99.48
517	Buckwheat, cushenbury ( <i>Eriogonum ovalifolium</i> var. <i>vineum</i> )	E	21,000	644,234,478	99.48
517	Meadowfoam, Sebastopol ( <i>Limnanthes vinculans</i> )	E	21,000	644,255,478	99.49
517	Asplenium fragile var. <i>insulare</i> (=Sci name)	E	21,000	644,276,478	99.49
521	Amphipod, Peck's cave ( <i>Stygobromus</i> (=Stygones) <i>pecki</i> )	E	20,700	644,297,178	99.49
522	Pearly mussel, birdwing ( <i>Conradilla caelata</i> )	E	20,400	644,317,578	99.5
523	Darter, goldline ( <i>Percina aurolineata</i> )	T	20,300	644,337,878	99.5
524	Honohono ( <i>Haplostachys haplostachya</i> )	E	20,200	644,358,078	99.5
525	Akiapola'au (honeycreeper) ( <i>Hemignathus munroi</i> )	E	20,131	644,378,209	99.51
526	Sunshine, Sonoma ( <i>Blennosperma bakeri</i> )	E	20,100	644,398,309	99.51
527	Hawk, Puerto Rican broad-winged ( <i>Buteo platypterus brunnescens</i> )	E	20,000	644,418,309	99.51
527	Meshweaver, Government Canyon Bat Cave ( <i>Cicurina vespera</i> )	E	20,000	644,438,309	99.51

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
527	Milk-vetch, Cushenbury ( <i>Astragalus albens</i> )	E	20,000	644,458,309	99.52
530	Po'e ( <i>Portulaca sclerocarpa</i> )	E	19,600	644,477,909	99.52
531	Orcutt grass, California ( <i>Orcuttia californica</i> )	E	19,516	644,497,425	99.52
532	Snail, Iowa Pleistocene ( <i>Discus macclintocki</i> )	E	19,500	644,516,925	99.53
533	Coneflower, Tennessee purple ( <i>Echinacea tennesseensis</i> )	E	19,300	644,536,225	99.53
534	Avens, spreading ( <i>Geum radiatum</i> )	E	19,100	644,555,325	99.53
535	Kio'ele ( <i>Hedyotis coriacea</i> )	E	19,000	644,574,325	99.54
536	Neraudia ovata (=Sci name)	E	18,800	644,593,125	99.54
537	Tetramolopium arenarium (=Sci name)	E	18,700	644,611,825	99.54
538	Pearlymussel, Curtis ( <i>Epioblasma florentina curtisii</i> )	E	18,500	644,630,325	99.54
539	Creeper, Hawaii ( <i>Oreomystis mana</i> )	E	18,400	644,648,725	99.55
539	Spiny mussel, James ( <i>Pleurobema collina</i> )	E	18,400	644,667,125	99.55
541	Moccasins shell, Coosa ( <i>Medionidus parvulus</i> )	E	18,300	644,685,425	99.55
541	Stenogyne angustifolia var. angustifolia (=Sci name)	E	18,300	644,703,725	99.56
541	Silene hawaiiensis (=Sci name)	T	18,300	644,722,025	99.56
544	Spinedace, Little Colorado ( <i>Lepidomeda vittata</i> )	T	18,200	644,740,225	99.56
545	Potato-bean, Price's ( <i>Apios priceana</i> )	T	18,100	644,758,325	99.56
545	Beauty, Harper's ( <i>Harperocallis flava</i> )	E	18,100	644,776,425	99.57
545	Milk-vetch, Shivwitz ( <i>Astragalus ampullarioides</i> )	E	18,100	644,794,525	99.57
548	Jaguarundi, Gulf Coast ( <i>Herpailurus</i> (=Felis) <i>yagouaroundi cacomitli</i> )	E	17,950	644,812,475	99.57
549	Akepa, Hawaii (honeycreeper) ( <i>Loxops coccineus coccineus</i> )	E	17,800	644,830,275	99.58
550	Blossom, tubercled (pearly mussel) ( <i>Epioblasma torulosa torulosa</i> )	E	17,500	644,847,775	99.58
551	Shiner, Cahaba ( <i>Notropis cahabae</i> )	E	17,300	644,865,075	99.58
552	Butterfly, Uncompahgre fritillary ( <i>Boloria acrocneuma</i> )	E	17,100	644,882,175	99.58
553	Woodland-star, San Clemente Island ( <i>Lithophragma maximum</i> )	E	17,000	644,899,175	99.59
553	Rockcress, Santa Cruz Island ( <i>Sibara filifolia</i> )	E	17,000	644,916,175	99.59
553	Indian paintbrush, San Clemente Island ( <i>Castilleja grisea</i> )	E	17,000	644,933,175	99.59
553	Larkspur, San Clemente Island ( <i>Delphinium variegatum ssp. kinkiense</i> )	E	17,000	644,950,175	99.59
553	Broom, San Clemente Island ( <i>Lotus dendroideus ssp. traskiae</i> )	E	17,000	644,967,175	99.6
553	Bush-mallow, San Clemente Island ( <i>Malacothamnus clementinus</i> )	E	17,000	644,984,175	99.6
553	Pitcher-plant, Alabama canebrake ( <i>Sarracenia rubra alabamensis</i> )	E	17,000	645,001,175	99.6
560	Pigtoe, finereyed ( <i>Fusconaia cuneolus</i> )	E	16,800	645,017,975	99.6
561	Ring pink (mussel) ( <i>Obovaria retusa</i> )	E	16,600	645,034,575	99.61
561	Pearly mussel, cracking ( <i>Hemistena lata</i> )	E	16,600	645,051,175	99.61
563	Pigtoe, shiny ( <i>Fusconaia cor</i> )	E	16,400	645,067,575	99.61
564	Lilliput, pale (pearly mussel) ( <i>Toxolasma cylindrellus</i> )	E	16,300	645,083,875	99.61
564	Cactus, San Rafael ( <i>Pediocactus despainii</i> )	E	16,300	645,100,175	99.62
566	Mountain beaver, Point Arena ( <i>Aplodontia rufa nigra</i> )	E	16,000	645,116,175	99.62
566	Toad, Puerto Rican crested ( <i>Peltophryne lemur</i> )	T	16,000	645,132,175	99.62
566	Acornshell, southern ( <i>Epioblasma othcaloogensis</i> )	E	16,000	645,148,175	99.62
569	Ma'oli'oli ( <i>Schiedea kealiae</i> )	E	15,700	645,163,875	99.63
570	Prickly-apple, fragrant ( <i>Cereus eriophorus var. fragrans</i> )	E	15,600	645,179,475	99.63
570	Ground-plum, Guthrie's (=Pyne's) ( <i>Astragalus bibullatus</i> )	E	15,600	645,195,075	99.63
572	Pocketbook, Ouachita rock ( <i>Arkansia wheeleri</i> )	E	15,400	645,210,475	99.63
572	Nioi ( <i>Eugenia koolauensis</i> )	E	15,400	645,225,875	99.64
574	Pigtoe, rough ( <i>Pleurobema plenum</i> )	E	15,300	645,241,175	99.64



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
574	Pigtoe, flat ( <i>Pleurobema marshalli</i> )	E	15,300	645,256,475	99.64
576	Darter, slackwater ( <i>Etheostoma boschungii</i> )	T	15,200	645,271,675	99.64
577	Wawae`iole ( <i>Lycopodium</i> (=Phlegmariurus) <i>nutans</i> )	E	15,138	645,286,813	99.65
578	Dace, desert ( <i>Eremichthys acros</i> )	T	15,100	645,301,913	99.65
579	Hesperomannia arborescens (=Sci name)	E	15,038	645,316,951	99.65
580	Gambusia, Clear Creek ( <i>Gambusia heterochir</i> )	E	15,000	645,331,951	99.65
580	Milk-vetch, Fish Slough ( <i>Astragalus lentiginosus</i> var. <i>piscinensis</i> )	T	15,000	645,346,951	99.66
580	Leather flower, Morefield's ( <i>Clematis morefieldii</i> )	E	15,000	645,361,951	99.66
583	Lily, Minnesota dwarf trout ( <i>Erythronium propullans</i> )	E	14,800	645,376,751	99.66
583	Wawae`iole ( <i>Huperzia manni</i> )	E	14,800	645,391,551	99.66
585	Pupfish, Owens ( <i>Cyprinodon radiosus</i> )	E	14,700	645,406,251	99.66
585	Beetle, Comal Springs riffle ( <i>Heterelmis comalensis</i> )	E	14,700	645,420,951	99.67
585	Beetle, Comal Springs dryopid ( <i>Stygoparnus comalensis</i> )	E	14,700	645,435,651	99.67
588	Phyllostegia hirsuta (=Sci name)	E	14,638	645,450,289	99.67
588	Haha ( <i>Cyanea acuminata</i> )	E	14,638	645,464,927	99.67
588	Haha ( <i>Cyanea koolauensis</i> )	E	14,638	645,479,565	99.68
588	Pteris lidgatei (=Sci name)	E	14,638	645,494,203	99.68
592	Goose, Aleutian Canada ( <i>Branta canadensis leucopareia</i> )	T	14,500	645,508,703	99.68
593	Nanu ( <i>Gardenia manni</i> )	E	14,400	645,523,103	99.68
594	Dace, Kendall Warm Springs ( <i>Rhinichthys osculus thermalis</i> )	E	14,350	645,537,453	99.68
595	Combshell, upland ( <i>Epioblasma metastrata</i> )	E	14,300	645,551,753	99.69
595	`Oha wai ( <i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i> )	E	14,300	645,566,053	99.69
597	Lessingia, San Francisco ( <i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i> ))	E	14,200	645,580,253	99.69
598	Turtle, yellow-blotched map ( <i>Graptemys flavimaculata</i> )	T	14,000	645,594,253	99.69
598	Bladderpod, San Bernardino Mountains ( <i>Lesquerella kingii</i> ssp. <i>bernardina</i> )	E	14,000	645,608,253	99.7
600	Chub, slender ( <i>Erimystax cahnii</i> )	T	13,800	645,622,053	99.7
600	Sanicula purpurea (=Sci name)	E	13,800	645,635,853	99.7
602	Onion, Munz's ( <i>Allium munzii</i> )	E	13,600	645,649,453	99.7
603	Bluet, Roan Mountain ( <i>Hedyotis purpurea</i> var. <i>montana</i> )	E	13,500	645,662,953	99.7
604	Shearwater, Newell's Townsend's ( <i>Puffinus auricularis newelli</i> )	T	13,300	645,676,253	99.71
605	Monkeyface, Appalachian (pearlymussel) ( <i>Quadrula sparsa</i> )	E	13,100	645,689,353	99.71
606	Tiger beetle, Puritan ( <i>Cicindela puritana</i> )	T	13,000	645,702,353	99.71
606	Aster, Ruth's golden ( <i>Pityopsis ruthii</i> )	E	13,000	645,715,353	99.71
606	Heather, mountain golden ( <i>Hudsonia montana</i> )	T	13,000	645,728,353	99.71
609	Buckwheat, lone (incl. Irish Hill) ( <i>Eriogonum apricum</i> (incl. var. <i>prostratum</i> ))	E	12,800	645,741,153	99.72
610	Catspaw, white (pearlymussel) ( <i>Epioblasma obliquata perobliqua</i> )	E	12,700	645,753,853	99.72
611	Darter, bayou ( <i>Etheostoma rubrum</i> )	T	12,400	645,766,253	99.72
611	Thornmint, San Diego ( <i>Acanthomintha ilicifolia</i> )	T	12,400	645,778,653	99.72
613	Pocketbook, speckled ( <i>Lampsilis streckeri</i> )	E	12,200	645,790,853	99.72
614	Minnow, Devils River ( <i>Dionda diaboli</i> )	T	12,160	645,803,013	99.73
615	Woodrat, Key Largo ( <i>Neotoma floridana smalli</i> )	E	12,100	645,815,113	99.73
615	Mint, scrub ( <i>Dicerandra frutescens</i> )	E	12,100	645,827,213	99.73
615	Mint, Lakela's ( <i>Dicerandra immaculata</i> )	E	12,100	645,839,313	99.73
615	Manzanita, Morro ( <i>Arctostaphylos morroensis</i> )	T	12,100	645,851,413	99.73
619	Whale, Sei ( <i>Balaenoptera borealis</i> )	E	12,000	645,863,413	99.73
619	Bird's beak, palmate-bracted ( <i>Cordylanthus palmatus</i> )	E	12,000	645,875,413	99.74

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
619	Mesa-mint, Otay ( <i>Pogogyne nudiuscula</i> )	E	12,000	645,887,413	99.74
619	Milk-vetch, Holmgren ( <i>Astragalus holmgreniorum</i> )	E	12,000	645,899,413	99.74
619	Iagu, Hayun (=Guam), Tronkon guafi (Rota) ( <i>Serianthes nelsonii</i> )	E	12,000	645,911,413	99.74
624	Rabbitsfoot, rough ( <i>Quadrula cylindrica strigillata</i> )	E	11,800	645,923,213	99.74
625	Sand-verbena, large-fruited ( <i>Abronia macrocarpa</i> )	E	11,200	645,934,413	99.75
626	Geranium, Hawaiian red-flowered ( <i>Geranium arboreum</i> )	E	10,881	645,945,294	99.75
627	Mountain balm, Indian Knob ( <i>Eriodictyon altissimum</i> )	E	10,600	645,955,894	99.75
628	Darter, Etowah ( <i>Etheostoma etowahae</i> )	E	10,500	645,966,394	99.75
628	Pentachaeta, Lyon's ( <i>Pentachaeta lyonii</i> )	E	10,500	645,976,894	99.75
630	Fatmucket, Arkansas ( <i>Lampsilis powelli</i> )	T	10,400	645,987,294	99.75
631	Milk-vetch, Sentry ( <i>Astragalus cremnophylax</i> var. <i>cremnophylax</i> )	E	10,300	645,997,594	99.76
631	Cactus, Siler pincushion ( <i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i> )	E	10,300	646,007,894	99.76
631	Sandwort, Cumberland ( <i>Arenaria cumberlandensis</i> )	E	10,300	646,018,194	99.76
634	Elktoe, Cumberland ( <i>Alasmidonta atropurpurea</i> )	E	10,266	646,028,460	99.76
635	Skullcap, Florida ( <i>Scutellaria floridana</i> )	T	10,100	646,038,560	99.76
635	Mint, longspurred ( <i>Dicerandra cornutissima</i> )	E	10,100	646,048,660	99.76
637	Vole, Hualapai Mexican ( <i>Microtus mexicanus hualpaiensis</i> )	E	10,000	646,058,660	99.77
637	Boa, Mona ( <i>Epicrates monensis monensis</i> )	T	10,000	646,068,660	99.77
637	Salamander, Cheat Mountain ( <i>Plethodon nettingi</i> )	T	10,000	646,078,660	99.77
637	Pupfish, Warm Springs ( <i>Cyprinodon nevadensis pectoralis</i> )	E	10,000	646,088,660	99.77
637	Silverside, Waccamaw ( <i>Menidia extensa</i> )	T	10,000	646,098,660	99.77
637	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> )	E	10,000	646,108,660	99.77
637	Beetle, Helotes mold ( <i>Batrissodes ventyivi</i> )	E	10,000	646,118,660	99.77
637	Skipper, Carson wandering ( <i>Pseudocopaeodes eunus obscurus</i> )	E,Em E	10,000	646,128,660	99.78
637	Meshweaver, Braken Bat Cave ( <i>Cicurina venii</i> )	E	10,000	646,138,660	99.78
637	Alopecurus, Sonoma ( <i>Alopecurus aequalis</i> var. <i>sonomensis</i> )	E	10,000	646,148,660	99.78
637	Sunflower, Pecos (=puzzle, =paradox) ( <i>Helianthus paradoxus</i> )	T	10,000	646,158,660	99.78
637	Sunburst, San Joaquin adobe ( <i>Pseudobahia peirsonii</i> )	T	10,000	646,168,660	99.78
637	Spineflower, Sonoma ( <i>Chorizanthe valida</i> )	E	10,000	646,178,660	99.78
637	Blue-star, Kearney's ( <i>Amsonia kearneyana</i> )	E	10,000	646,188,660	99.79
637	Mallow, Kern ( <i>Eremalche kernensis</i> )	E	10,000	646,198,660	99.79
637	Woolly-star, Hoover's ( <i>Eriastrum hooveri</i> )	T	10,000	646,208,660	99.79
653	Salamander, San Marcos ( <i>Eurycea nana</i> )	T	9,800	646,218,460	99.79
653	Blossom, green (pearlymussel) ( <i>Epioblasma torulosa gubernaculum</i> )	E	9,800	646,228,260	99.79
655	Rosemary, Cumberland ( <i>Conradina verticillata</i> )	T	9,700	646,237,960	99.79
656	Grass, Tennessee yellow-eyed ( <i>Xyris tennesseensis</i> )	E	9,400	646,247,360	99.79
656	Tarplant, Gaviota ( <i>Hemizonia increscens</i> ssp. <i>villosa</i> )	E	9,400	646,256,760	99.8
658	Mouse, St. Andrew beach ( <i>Peromyscus polionotus peninsularis</i> )	E	9,305	646,266,065	99.8
659	Manzanita, Presidio ( <i>Arctostaphylos hookeri</i> var. <i>ravenii</i> )	E	9,300	646,275,365	99.8
660	Alani ( <i>Melicope adscendens</i> )	E	9,250	646,284,615	99.8
661	Haha ( <i>Cyanea shipmannii</i> )	E	9,200	646,293,815	99.8
662	Milk-vetch, Jesup's ( <i>Astragalus robbinsii</i> var. <i>jesupii</i> )	E	9,100	646,302,915	99.8
662	Meadowrue, Cooley's ( <i>Thalictrum cooleyi</i> )	E	9,100	646,312,015	99.8
664	Alani ( <i>Melicope knudsenii</i> )	E	9,050	646,321,065	99.81
664	Sandalwood, Lanai (= iliahi) ( <i>Santalum freycinetianum</i> var. <i>lanaiense</i> )	E	9,050	646,330,115	99.81

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
666	Blossom, turgid (pearlymussel) ( <i>Epioblasma turgidula</i> )	E	9,000	646,339,115	99.81
666	Blossom, yellow (pearlymussel) ( <i>Epioblasma florentina florentina</i> )	E	9,000	646,348,115	99.81
666	Crayfish, Nashville ( <i>Orconectes shoupi</i> )	E	9,000	646,357,115	99.81
666	Wild-buckwheat, southern mountain ( <i>Eriogonum kennedyi</i> var. <i>austromontanum</i> )	T	9,000	646,366,115	99.81
666	Bluegrass, San Bernardino ( <i>Poa atropurpurea</i> )	E	9,000	646,375,115	99.81
666	Fern, American hart's-tongue ( <i>Asplenium scolopendrium</i> var. <i>americanum</i> )	T	9,000	646,384,115	99.82
672	Gambusia, Big Bend ( <i>Gambusia gaigei</i> )	E	8,900	646,393,015	99.82
672	`Oha wai ( <i>Clermontia lindseyana</i> )	E	8,900	646,401,915	99.82
674	`O`u (honeycreeper) ( <i>Psittirostra psittacea</i> )	E	8,800	646,410,715	99.82
674	Creeper, Oahu ( <i>Paroreomyza maculata</i> )	E	8,800	646,419,515	99.82
674	Amphianthus, little ( <i>Amphianthus pusillus</i> )	T	8,800	646,428,315	99.82
674	Cactus, Lee pincushion ( <i>Coryphantha sneedii</i> var. <i>leei</i> )	T	8,800	646,437,115	99.82
674	Bladderpod, kodachrome ( <i>Lesquerella tumulosa</i> )	E	8,800	646,445,915	99.82
674	Alani ( <i>Melicope lydgatei</i> )	E	8,800	646,454,715	99.83
680	Kauila ( <i>Colubrina oppositifolia</i> )	E	8,700	646,463,415	99.83
681	Rock-cress, Braun's ( <i>Arabis perstellata</i> )	E	8,600	646,472,015	99.83
682	Ha`iwale ( <i>Cyrtandra viridiflora</i> )	E	8,400	646,480,415	99.83
683	Haha ( <i>Cyanea humboldtiana</i> )	E	8,300	646,488,715	99.83
683	Haha ( <i>Cyanea st-johnii</i> )	E	8,300	646,497,015	99.83
683	Viola oahuensis (=Sci name)	E	8,300	646,505,315	99.83
683	Kolea ( <i>Myrsine juddii</i> )	E	8,300	646,513,615	99.84
683	`Akoko ( <i>Chamaesyce rockii</i> )	E	8,300	646,521,915	99.84
688	Campion, fringed ( <i>Silene polypetala</i> )	E	8,100	646,530,015	99.84
688	Milk-vetch, triple-ribbed ( <i>Astragalus tricarinatus</i> )	E	8,100	646,538,115	99.84
690	Pearlshell, Louisiana ( <i>Margaritifera hembeli</i> )	T	8,085	646,546,200	99.84
691	Bat, little Mariana fruit ( <i>Pteropus tokudae</i> )	E	8,000	646,554,200	99.84
691	Vole, Amargosa ( <i>Microtus californicus scirpensis</i> )	E	8,000	646,562,200	99.84
691	Paintbrush, soft-leaved ( <i>Castilleja mollis</i> )	E	8,000	646,570,200	99.84
691	Cyanea (=Rollandia) crispa (=Sci name)	E	8,000	646,578,200	99.85
691	Cactus, Kuenzler hedgehog ( <i>Echinocereus fendleri</i> var. <i>kuenzleri</i> )	E	8,000	646,586,200	99.85
691	Grass, Solano ( <i>Tuctoria mucronata</i> )	E	8,000	646,594,200	99.85
691	Goetzea, beautiful ( <i>Goetzea elegans</i> )	E	8,000	646,602,200	99.85
691	Trillium, relict ( <i>Trillium reliquum</i> )	E	8,000	646,610,200	99.85
699	Beaked-rush, Knieskern's ( <i>Rhynchospora knieskernii</i> )	T	7,550	646,617,750	99.85
700	Seal, Caribbean monk ( <i>Monachus tropicalis</i> )	E	7,500	646,625,250	99.85
700	Poolfish, Pahump ( <i>Empetrichthys latos</i> )	E	7,500	646,632,750	99.85
700	Schiedea, Diamond Head ( <i>Schiedea adamantis</i> )	E	7,500	646,640,250	99.85
703	Darter, relict ( <i>Etheostoma chienense</i> )	E	7,300	646,647,550	99.86
704	Ambrosia, south Texas ( <i>Ambrosia cheiranthifolia</i> )	E	7,250	646,654,800	99.86
704	Rush-pea, slender ( <i>Hoffmannseggia tenella</i> )	E	7,250	646,662,050	99.86
706	Lousewort, Furbish ( <i>Pedicularis furbishiae</i> )	E	7,100	646,669,150	99.86
707	Alsinidendron trinerve (=Sci name)	E	7,038	646,676,188	99.86
708	Clubshell, black ( <i>Pleurobema curtum</i> )	E	7,000	646,683,188	99.86
708	Snail, flat-spined three-toothed ( <i>Triodopsis platysayoides</i> )	T	7,000	646,690,188	99.86
708	Pitcher-plant, mountain sweet ( <i>Sarracenia rubra</i> ssp. <i>jonesii</i> )	E	7,000	646,697,188	99.86

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
711	Aupaka ( <i>Isodendron longifolium</i> )	T	6,800	646,703,988	99.86
712	`Oha wai ( <i>Clermontia samuelii</i> )	E	6,750	646,710,738	99.87
713	Kamakahala ( <i>Labordia cyrtandrae</i> )	E	6,738	646,717,476	99.87
714	Lobelia gaudichaudii ssp. koolauensis (=Sci name)	E	6,638	646,724,114	99.87
714	Ha`iwale ( <i>Cyrtandra subumbellata</i> )	E	6,638	646,730,752	99.87
716	Goldenrod, white-haired ( <i>Solidago albopilosa</i> )	T	6,500	646,737,252	99.87
716	Iris, dwarf lake ( <i>Iris lacustris</i> )	T	6,500	646,743,752	99.87
718	Heartleaf, dwarf-flowered ( <i>Hexastylis naniflora</i> )	T	6,416	646,750,168	99.87
719	`Oha wai ( <i>Clermontia pyralaria</i> )	E	6,400	646,756,568	99.87
720	Cactus, black lace ( <i>Echinocereus reichenbachii</i> var. <i>albertii</i> )	E	6,350	646,762,918	99.87
721	Phyllostegia mollis (=Sci name)	E	6,338	646,769,256	99.87
722	Shiner, palezone ( <i>Notropis albizonatus</i> )	E	6,300	646,775,556	99.88
722	Cycladenia, Jones ( <i>Cycladenia jonesii</i> (=humilis))	T	6,300	646,781,856	99.88
724	Lobelia oahuensis (=Sci name)	E	6,200	646,788,056	99.88
725	Cliff-rose, Arizona ( <i>Purshia</i> (=Cowania) <i>subintegra</i> )	E	6,100	646,794,156	99.88
726	Nightjar, Puerto Rican ( <i>Caprimulgus noctitherus</i> )	E	6,000	646,800,156	99.88
726	Pupfish, Leon Springs ( <i>Cyprinodon bovinus</i> )	E	6,000	646,806,156	99.88
726	Darter, bluemark (=jewel) ( <i>Etheostoma</i> /)	E	6,000	646,812,156	99.88
726	Pigtoe, Cumberland ( <i>Pleurobema gibberum</i> )	E	6,000	646,818,156	99.88
726	Snail, painted snake coiled forest ( <i>Anguispira picta</i> )	T	6,000	646,824,156	99.88
726	Grass, Colusa ( <i>Neostapfia colusana</i> )	T	6,000	646,830,156	99.88
726	Boxwood, Vahl's ( <i>Buxus vahlii</i> )	E	6,000	646,836,156	99.89
726	Thistle, Sacramento Mountains ( <i>Cirsium vinaceum</i> )	T	6,000	646,842,156	99.89
726	Palo de nigua ( <i>Cornutia obovata</i> )	E	6,000	646,848,156	99.89
726	Mallow, Peter's Mountain ( <i>Iliamna corei</i> )	E	6,000	646,854,156	99.89
726	Palo de rosa ( <i>Ottoschulzia rhodoxylon</i> )	E	6,000	646,860,156	99.89
726	Cobana negra ( <i>Stahlia monosperma</i> )	T	6,000	646,866,156	99.89
726	Schoepfia arenaria (=Sci name)	T	6,000	646,872,156	99.89
726	Ladies'-tresses, Canelo Hills ( <i>Spiranthes delitescens</i> )	E	6,000	646,878,156	99.89
740	Monkshood, northern wild ( <i>Aconitum noveboracense</i> )	T	5,600	646,883,756	99.89
741	Arrowhead, bunched ( <i>Sagittaria fasciculata</i> )	E	5,500	646,889,256	99.89
741	Opuhe ( <i>Urera kaalae</i> )	E	5,500	646,894,756	99.89
741	Cactus, Bakersfield ( <i>Opuntia treleasei</i> )	E	5,500	646,900,256	99.9
744	Palo de jazmin ( <i>Styrax portoricensis</i> )	E	5,400	646,905,656	99.9
745	Bladderpod, Dudley Bluffs ( <i>Lesquerella congesta</i> )	T	5,300	646,910,956	99.9
746	Springfish, Hiko White River ( <i>Crenichthys baileyi grandis</i> )	E	5,200	646,916,156	99.9
746	Cactus, star ( <i>Astrophytum asterias</i> )	E	5,200	646,921,356	99.9
746	Clarkia, Presidio ( <i>Clarkia franciscana</i> )	E	5,200	646,926,556	99.9
746	Ayenia, Texas ( <i>Ayenia limitaris</i> )	E	5,200	646,931,756	99.9
750	Butterfly, Schaus swallowtail ( <i>Heraclides aristodemus ponceanus</i> )	E	5,142	646,936,898	99.9
751	Vole, Florida salt marsh ( <i>Microtus pennsylvanicus dukecampbelli</i> )	E	5,100	646,941,998	99.9
751	Manioc, Walker's ( <i>Manihot walkerae</i> )	E	5,100	646,947,098	99.9
751	`Ahinahina ( <i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i> )	E	5,100	646,952,198	99.9
751	Walnut, West Indian or nogal ( <i>Juglans jamaicensis</i> )	E	5,100	646,957,298	99.9
751	Kuahiwi laukahi ( <i>Plantago hawaiiensis</i> )	E	5,100	646,962,398	99.9
756	Shrimp, California freshwater ( <i>Syncaris pacifica</i> )	E	5,050	646,967,448	99.91

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
757	Sculpin, pygmy ( <i>Cottus paulus</i> (=pygmaeus))	T	5,000	646,972,448	99.91
757	Paintbrush, ash-grey ( <i>Castilleja cinerea</i> )	T	5,000	646,977,448	99.91
757	Leather flower, Alabama ( <i>Clematis socialis</i> )	E	5,000	646,982,448	99.91
757	Twinpod, Dudley Bluffs ( <i>Physaria obcordata</i> )	T	5,000	646,987,448	99.91
757	Catesbaea melanocarpa (=Sci name)	E	5,000	646,992,448	99.91
757	Wooly-threads, San Joaquin ( <i>Monolopia</i> (=Lembertia) congdonii)	E	5,000	646,997,448	99.91
763	Clarkia, Springville ( <i>Clarkia springvillensis</i> )	T	4,900	647,002,348	99.91
764	Koki'o ( <i>Kokia drynarioides</i> )	E	4,800	647,007,148	99.91
764	Cactus, Mesa Verde ( <i>Sclerocactus mesae-verdae</i> )	T	4,800	647,011,948	99.91
766	Pigtoe, oval ( <i>Pleurobema pyriforme</i> )	E	4,600	647,016,548	99.91
767	Bittercress, small-anthered ( <i>Cardamine micranthera</i> )	E	4,500	647,021,048	99.91
768	Curlew, Eskimo ( <i>Numenius borealis</i> )	E	4,450	647,025,498	99.91
769	Milk-vetch, coastal dunes ( <i>Astragalus tener</i> var. <i>titii</i> )	E	4,400	647,029,898	99.92
769	Potentilla, Hickman's ( <i>Potentilla hickmanii</i> )	E	4,400	647,034,298	99.92
769	Clover, Monterey ( <i>Trifolium trichocalyx</i> )	E	4,400	647,038,698	99.92
772	Blazingstar, Heller's ( <i>Liatris helleri</i> )	T	4,220	647,042,918	99.92
773	Lizard, Island night ( <i>Xantusia riversiana</i> )	T	4,200	647,047,118	99.92
773	Isopod, Socorro ( <i>Thermosphaeroma thermophilus</i> )	E	4,200	647,051,318	99.92
773	Liliwai ( <i>Acaena exigua</i> )	E	4,200	647,055,518	99.92
776	Bobwhite, masked (quail) ( <i>Colinus virginianus ridgwayi</i> )	E	4,100	647,059,618	99.92
776	Rattleweed, hairy ( <i>Baptisia arachnifera</i> )	E	4,100	647,063,718	99.92
776	Cladonia, Florida perforate ( <i>Cladonia perforata</i> )	E	4,100	647,067,818	99.92
779	Snake, Atlantic salt marsh ( <i>Nerodia clarkii taeniata</i> )	T	4,000	647,071,818	99.92
779	Guajon ( <i>Eleutherodactylus cooki</i> )	T	4,000	647,075,818	99.92
779	Chub, Sonora ( <i>Gila ditaenia</i> )	T	4,000	647,079,818	99.92
779	Stirrupshell ( <i>Quadrula stapes</i> )	E	4,000	647,083,818	99.92
779	Marstonia, royal (snail) ( <i>Pyrgulopsis ogmorhappe</i> )	E	4,000	647,087,818	99.92
779	Sandwort, Bear Valley ( <i>Arenaria ursina</i> )	T	4,000	647,091,818	99.92
779	Phacelia, island ( <i>Phacelia insularis</i> ssp. <i>insularis</i> )	E	4,000	647,095,818	99.93
779	`Akoko, Ewa Plains ( <i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i> )	E	4,000	647,099,818	99.93
779	Calyptanthus thomasiana (=Sci name)	E	4,000	647,103,818	99.93
779	Manaca, palma de ( <i>Calyptronoma rivalis</i> )	T	4,000	647,107,818	99.93
779	Uvillo ( <i>Eugenia haematocarpa</i> )	E	4,000	647,111,818	99.93
779	Higo, chumbo ( <i>Harrisia portoricensis</i> )	T	4,000	647,115,818	99.93
779	Erubia ( <i>Solanum drymophilum</i> )	E	4,000	647,119,818	99.93
779	Eugenia woodburyana (=Sci name)	E	4,000	647,123,818	99.93
793	Vetch, Hawaiian ( <i>Vicia menziesii</i> )	E	3,900	647,127,718	99.93
794	Lizard, St. Croix ground ( <i>Ameiva polops</i> )	E	3,800	647,131,518	99.93
794	Cactus, Nichol's Turk's head ( <i>Echinocactus horizonthalonius</i> var. <i>nicholii</i> )	E	3,800	647,135,318	99.93
796	Bulrush, Northeastern ( <i>Scirpus ancistrochaetus</i> )	E	3,500	647,138,818	99.93
797	Skink, sand ( <i>Neoseps reynoldsi</i> )	T	3,400	647,142,218	99.93
797	Cactus, Peebles Navajo ( <i>Pediocactus peeblesianus peeblesianus</i> )	E	3,400	647,145,618	99.93
799	Beetle, Kretschmarr Cave mold ( <i>Texamaurops reddelli</i> )	E	3,350	647,148,968	99.93
799	Beetle, Tooth Cave ground ( <i>Rhadine persephone</i> )	E	3,350	647,152,318	99.93
801	Milk-vetch, heliotrope ( <i>Astragalus montii</i> )	T	3,300	647,155,618	99.93
801	Wild-buckwheat, clay-loving ( <i>Eriogonum pelinophilum</i> )	E	3,300	647,158,918	99.94



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
803	Spurge, deltoid ( <i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i> )	E	3,200	647,162,118	99.94
803	Haha ( <i>Cyanea stictophylla</i> )	E	3,200	647,165,318	99.94
803	Milkpea, Small's ( <i>Galactia smallii</i> )	E	3,200	647,168,518	99.94
806	Jaguarundi, Sinaloa ( <i>Herpailurus</i> (=Felis) <i>yagouaroundi tolteca</i> )	E	3,100	647,171,618	99.94
806	Rice rat ( <i>Oryzomys palustris natator</i> )	E	3,100	647,174,718	99.94
806	Skink, bluetail mole ( <i>Eumeces egregius lividus</i> )	T	3,100	647,177,818	99.94
806	Owl's-clover, fleshy ( <i>Castilleja campestris</i> ssp. <i>succulenta</i> )	T	3,100	647,180,918	99.94
806	Whitlow-wort, papery ( <i>Paronychia chartacea</i> )	T	3,100	647,184,018	99.94
806	Polygala, tiny ( <i>Polygala smallii</i> )	E	3,100	647,187,118	99.94
812	Hawk, Puerto Rican sharp-shinned ( <i>Accipiter striatus venator</i> )	E	3,000	647,190,118	99.94
812	Salamander, desert slender ( <i>Batrachoseps aridus</i> )	E	3,000	647,193,118	99.94
812	Coqui, golden ( <i>Eleutherodactylus jasperii</i> )	T	3,000	647,196,118	99.94
812	Chub, Hutton tui ( <i>Gila bicolor</i> ssp.)	T	3,000	647,199,118	99.94
812	Chub, Yaqui ( <i>Gila purpurea</i> )	E	3,000	647,202,118	99.94
812	Springfish, Railroad Valley ( <i>Crenichthys nevadae</i> )	T	3,000	647,205,118	99.94
812	Heelsplitter, Alabama (=inflated) ( <i>Potamilus inflatus</i> )	T	3,000	647,208,118	99.94
812	Snail, Chittanooga ovate amber ( <i>Succinea chittengoensis</i> )	T	3,000	647,211,118	99.94
812	Snail, Stock Island tree ( <i>Orthalicus reses</i> (not incl. <i>nesodryas</i> ))	T	3,000	647,214,118	99.94
812	Beetle, Coffin Cave mold ( <i>Batrissodes texanus</i> )	E	3,000	647,217,118	99.94
812	Sunburst, Hartweg's golden ( <i>Pseudobahia bahiifolia</i> )	E	3,000	647,220,118	99.94
812	Wild-buckwheat, gypsum ( <i>Eriogonum gypsophilum</i> )	T	3,000	647,223,118	99.94
812	Evening-primrose, Antioch Dunes ( <i>Oenothera deltoides</i> ssp. <i>howellii</i> )	E	3,000	647,226,118	99.95
812	Wire-lettuce, Malheur ( <i>Stephanomeria malheurensis</i> )	E	3,000	647,229,118	99.95
812	Pelos del diablo ( <i>Aristida portoricensis</i> )	E	3,000	647,232,118	99.95
812	Palo de ramon ( <i>Banara vanderbiltii</i> )	E	3,000	647,235,118	99.95
812	Capa rosa ( <i>Callicarpa ampla</i> )	E	3,000	647,238,118	99.95
812	Chamaecrista glandulosa var. <i>mirabilis</i> (=Sci name)	E	3,000	647,241,118	99.95
812	Cordia bellonis (=Sci name)	E	3,000	647,244,118	99.95
812	Daphnopsis hellerana (=Sci name)	E	3,000	647,247,118	99.95
812	Mitracarpus maxwelliae (=Sci name)	E	3,000	647,250,118	99.95
812	Mitracarpus polycladus (=Sci name)	E	3,000	647,253,118	99.95
812	Peperomia, Wheeler's ( <i>Peperomia wheeleri</i> )	E	3,000	647,256,118	99.95
812	Chupacallos ( <i>Pleodendron macranthum</i> )	E	3,000	647,259,118	99.95
812	Palo colorado ( <i>Ternstroemia luquillensis</i> )	E	3,000	647,262,118	99.95
812	Ternstroemia subsessilis (=Sci name)	E	3,000	647,265,118	99.95
812	Bariaco ( <i>Trichilia triacantha</i> )	E	3,000	647,268,118	99.95
812	Prickly-ash, St. Thomas ( <i>Zanthoxylum thomasianum</i> )	E	3,000	647,271,118	99.95
812	Myrcia paganii (=Sci name)	E	3,000	647,274,118	99.95
812	Aristida chaseae (=Sci name)	E	3,000	647,277,118	99.95
812	Auerodendron pauciflorum (=Sci name)	E	3,000	647,280,118	99.95
812	Leptocereus grantianus (=Sci name)	E	3,000	647,283,118	99.95
812	Phyllostegia velutina (=Sci name)	E	3,000	647,286,118	99.95
812	Irisette, white ( <i>Sisyrinchium dichotomum</i> )	E	3,000	647,289,118	99.96
812	Vernonia proctorii (=Sci name)	E	3,000	647,292,118	99.96
812	Ilex sintenisii (=Sci name)	E	3,000	647,295,118	99.96
812	Fern, Elfin tree ( <i>Cyathea dryopteroides</i> )	E	3,000	647,298,118	99.96

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
812	<i>Adiantum viviparum</i> (=Sci name)	E	3,000	647,301,118	99.96
812	<i>Elaphoglossum serpens</i> (=Sci name)	E	3,000	647,304,118	99.96
812	<i>Polystichum calderonense</i> (=Sci name)	E	3,000	647,307,118	99.96
812	<i>Tectaria estremerana</i> (=Sci name)	E	3,000	647,310,118	99.96
812	<i>Thelypteris inabonensis</i> (=Sci name)	E	3,000	647,313,118	99.96
812	<i>Thelypteris verucunda</i> (=Sci name)	E	3,000	647,316,118	99.96
812	<i>Thelypteris yaucoensis</i> (=Sci name)	E	3,000	647,319,118	99.96
856	Crownbeard, big-leaved ( <i>Verbesina dissita</i> )	T	2,900	647,322,018	99.96
857	Broadbill, Guam ( <i>Myiagra freycineti</i> )	E	2,800	647,324,818	99.96
857	Manzanita, Santa Rosa Island ( <i>Arctostaphylos confertiflora</i> )	E	2,800	647,327,618	99.96
857	Hau kuahiwi ( <i>Hibiscadelphus hualalaiensis</i> )	E	2,800	647,330,418	99.96
857	Barberry, Truckee ( <i>Berberis</i> (=Mahonia) <i>sonnei</i> )	E	2,800	647,333,218	99.96
861	Pocketbook, shinyrayed ( <i>Lampsilis subangulata</i> )	E	2,700	647,335,918	99.96
862	Mallard, Mariana ( <i>Anas oustaleti</i> )	E	2,600	647,338,518	99.96
862	Moccasinshell, Gulf ( <i>Medionidus penicillatus</i> )	E	2,600	647,341,118	99.96
862	Kauai hau kuahiwi ( <i>Hibiscadelphus distans</i> )	E	2,600	647,343,718	99.96
865	Dwarf-flax, Marin ( <i>Hesperolinon congestum</i> )	T	2,500	647,346,218	99.96
865	Button, Mohr's Barbara ( <i>Marshallia mohrii</i> )	T	2,500	647,348,718	99.96
865	Evening-primrose, Eureka Valley ( <i>Oenothera avita</i> ssp. <i>eurekensis</i> )	E	2,500	647,351,218	99.96
865	Grass, Eureka Dune ( <i>Swallenia alexandrae</i> )	E	2,500	647,353,718	99.97
865	Trillium, persistent ( <i>Trillium persistens</i> )	E	2,500	647,356,218	99.97
865	Locoweed, Fassett's ( <i>Oxytropis campestris</i> var. <i>chartacea</i> )	T	2,500	647,358,718	99.97
865	Goldenrod, Houghton's ( <i>Solidago houghtonii</i> )	T	2,500	647,361,218	99.97
865	Quillwort, black spored ( <i>Isoetes melanospora</i> )	E	2,500	647,363,718	99.97
873	Cactus, Arizona hedgehog ( <i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i> )	E	2,400	647,366,118	99.97
873	Ridge-cress, Barneby ( <i>Lepidium barnebyanum</i> )	E	2,400	647,368,518	99.97
873	Buttercup, autumn ( <i>Ranunculus aestivalis</i> (=acrifolius))	E	2,400	647,370,918	99.97
876	Pseudoscorpion, Tooth Cave ( <i>Tartarocreagris texana</i> )	E	2,350	647,373,268	99.97
877	Hau kuahiwi ( <i>Hibiscadelphus giffardianus</i> )	E	2,300	647,375,568	99.97
877	Cactus, Knowlton ( <i>Pediocactus knowltonii</i> )	E	2,300	647,377,868	99.97
877	Ischaemum, Hilo ( <i>Ischaemum byrone</i> )	E	2,300	647,380,168	99.97
880	Spurge, Garber's ( <i>Chamaesyce garberi</i> )	T	2,260	647,382,428	99.97
880	Lead-plant, Crenulate ( <i>Amorpha crenulata</i> )	E	2,260	647,384,688	99.97
882	Alani ( <i>Melicope zahlbruckneri</i> )	E	2,200	647,386,888	99.97
882	Haha ( <i>Cyanea hamatiflora carlsonii</i> )	E	2,200	647,389,088	99.97
884	Poppy-mallow, Texas ( <i>Callirhoe scabriuscula</i> )	E	2,140	647,391,228	99.97
885	Heau ( <i>Exocarpos luteolus</i> )	E	2,138	647,393,366	99.97
886	Deer, key ( <i>Odocoileus virginianus clavium</i> )	E	2,100	647,395,466	99.97
886	Mouse, Key Largo cotton ( <i>Peromyscus gossypinus allapaticola</i> )	E	2,100	647,397,566	99.97
886	Pawpaw, four-petal ( <i>Asimina tetramera</i> )	E	2,100	647,399,666	99.97
886	Rosemary, short-leaved ( <i>Conradina brevifolia</i> )	E	2,100	647,401,766	99.97
886	Blazingstar, scrub ( <i>Liatris ohlingerae</i> )	E	2,100	647,403,866	99.97
886	Cactus, Key tree ( <i>Pilosocereus robinii</i> )	E	2,100	647,405,966	99.97
886	Milk-vetch, Coachella Valley ( <i>Astragalus lentiginosus</i> var. <i>coachellae</i> )	E	2,100	647,408,066	99.97
886	Fringe-tree, pygmy ( <i>Chionanthus pygmaeus</i> )	E	2,100	647,410,166	99.97
886	Pigeon wings ( <i>Clitoria fragrans</i> )	T	2,100	647,412,266	99.97

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
886	Gourd, Okeechobee ( <i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i> )	E	2,100	647,414,366	99.97
886	Haha ( <i>Cyanea platyphylla</i> )	E	2,100	647,416,466	99.97
886	Pawpaw, beautiful ( <i>Deeringothamnus pulchellus</i> )	E	2,100	647,418,566	99.98
886	Snakeroot ( <i>Eryngium cuneifolium</i> )	E	2,100	647,420,666	99.98
886	Warea, wide-leaf ( <i>Warea amplexifolia</i> )	E	2,100	647,422,766	99.98
886	Mustard, Carter's ( <i>Warea carteri</i> )	E	2,100	647,424,866	99.98
886	Mint, Garrett's ( <i>Dicerandra christmanii</i> )	E	2,100	647,426,966	99.98
886	Harebells, Avon Park ( <i>Crotalaria avonensis</i> )	E	2,100	647,429,066	99.98
886	Phyllostegia mannii (=Sci name)	E	2,100	647,431,166	99.98
904	Lampmussel, Alabama ( <i>Lampsilis virescens</i> )	E	2,000	647,433,166	99.98
904	Butterfly, Lange's metalmark ( <i>Apodemia mormo langei</i> )	E	2,000	647,435,166	99.98
904	Beetle, delta green ground ( <i>Elaphrus viridis</i> )	T	2,000	647,437,166	99.98
904	Orcutt grass, slender ( <i>Orcuttia tenuis</i> )	T	2,000	647,439,166	99.98
904	Taraxacum, California ( <i>Taraxacum californicum</i> )	E	2,000	647,441,166	99.98
904	Phacelia, clay ( <i>Phacelia argillacea</i> )	E	2,000	647,443,166	99.98
904	Polygala, Lewton's ( <i>Polygala lewtonii</i> )	E	2,000	647,445,166	99.98
904	Sandlace ( <i>Polygonella myriophylla</i> )	E	2,000	647,447,166	99.98
904	Pondweed, Little Aguja (=Creek) ( <i>Potamogeton clystocarpus</i> )	E	2,000	647,449,166	99.98
904	Gooseberry, Miccosukee ( <i>Ribes echinellum</i> )	T	2,000	647,451,166	99.98
904	Higuero de sierra ( <i>Crescentia portoricensis</i> )	E	2,000	647,453,166	99.98
904	Cat's-eye, Terlingua Creek ( <i>Cryptantha crassipes</i> )	E	2,000	647,455,166	99.98
904	Holly, Cook's ( <i>Ilex cookii</i> )	E	2,000	647,457,166	99.98
904	Lepanthes eltoroensis (=Sci name)	E	2,000	647,459,166	99.98
904	Mustard, slender-petaled ( <i>Thelypodium stenopetalum</i> )	E	2,000	647,461,166	99.98
904	Gesneria pauciflora (=Sci name)	T	2,000	647,463,166	99.98
904	Cranichis ricartii (=Sci name)	E	2,000	647,465,166	99.98
921	Primrose, Maguire ( <i>Primula maguirei</i> )	T	1,800	647,466,966	99.98
922	Thistle, La Graciosa ( <i>Cirsium loncholepis</i> )	E	1,600	647,468,566	99.98
922	Rush-rose, island ( <i>Helianthemum greenei</i> )	T	1,600	647,470,166	99.98
922	Aupaka ( <i>Isodendron laurifolium</i> )	E	1,600	647,471,766	99.98
922	Cory cactus, bunched ( <i>Coryphantha ramillosa</i> )	T	1,600	647,473,366	99.98
922	Cactus, Lloyd's Mariposa ( <i>Echinomastus mariposensis</i> )	T	1,600	647,474,966	99.98
922	Alani ( <i>Melicope ballouii</i> )	E	1,600	647,476,566	99.98
928	Spineflower, Orcutt's ( <i>Chorizanthe orcuttiana</i> )	E	1,500	647,478,066	99.98
928	Desert-parsley, Bradshaw's ( <i>Lomatium bradshawii</i> )	E	1,500	647,479,566	99.98
928	Quillwort, mat-forming ( <i>Isoetes tegetiformans</i> )	E	1,500	647,481,066	99.98
931	Groundsel, San Francisco Peaks ( <i>Senecio franciscanus</i> )	T	1,400	647,482,466	99.98
931	Agave, Arizona ( <i>Agave arizonica</i> )	E	1,400	647,483,866	99.99
933	Chub, Chihuahua ( <i>Gila nigrescens</i> )	T	1,300	647,485,166	99.99
933	Kolea ( <i>Myrsine linearifolia</i> )	T	1,300	647,486,466	99.99
933	Schiedea membranacea (=Sci name)	E	1,300	647,487,766	99.99
933	Koki'o ( <i>Kokia kauaiensis</i> )	E	1,300	647,489,066	99.99
933	Nehe ( <i>Lipochaeta fauriei</i> )	E	1,300	647,490,366	99.99
933	Alani ( <i>Melicope pallida</i> )	E	1,300	647,491,666	99.99
933	Remya kauaiensis (=Sci name)	E	1,300	647,492,966	99.99
933	Iliau, dwarf ( <i>Wilkesia hobdyi</i> )	E	1,300	647,494,266	99.99

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
933	Nehe ( <i>Lipochaeta waimeaensis</i> )	E	1,300	647,495,566	99.99
933	Alsinidendron viscosum (=Sci name)	E	1,300	647,496,866	99.99
933	Kuawawaenohu ( <i>Alsinidendron lychnoides</i> )	E	1,300	647,498,166	99.99
944	Reed-mustard, shrubby ( <i>Schoenocrambe suffrutescens</i> )	E	1,200	647,499,366	99.99
944	Monkey-flower, Michigan ( <i>Mimulus glabratus</i> var. <i>michiganensis</i> )	E	1,200	647,500,566	99.99
944	Reed-mustard, Barneby ( <i>Schoenocrambe barnebyi</i> )	E	1,200	647,501,766	99.99
944	Lo`ulu ( <i>Pritchardia affinis</i> )	E	1,200	647,502,966	99.99
944	`Anunu ( <i>Sicyos alba</i> )	E	1,200	647,504,166	99.99
949	Catfish, Yaqui ( <i>Ictalurus pricei</i> )	T	1,100	647,505,266	99.99
949	Pinkroot, gentian ( <i>Spigelia gentianoides</i> )	E	1,100	647,506,366	99.99
951	Whale, blue ( <i>Balaenoptera musculus</i> )	E	1,000	647,507,366	99.99
951	Finch, Laysan (honeycreeper) ( <i>Telespyza cantans</i> )	E	1,000	647,508,366	99.99
951	Anole, Culebra Island giant ( <i>Anolis roosevelti</i> )	E	1,000	647,509,366	99.99
951	Gecko, Monito ( <i>Sphaerodactylus micropithecus</i> )	E	1,000	647,510,366	99.99
951	Chub, Borax Lake ( <i>Gila boraxobius</i> )	E	1,000	647,511,366	99.99
951	Dace, Fosskett speckled ( <i>Rhinichthys osculus</i> ssp.)	T	1,000	647,512,366	99.99
951	Dace, Independence Valley speckled ( <i>Rhinichthys osculus lethoporus</i> )	E	1,000	647,513,366	99.99
951	Snail, noonday ( <i>Mesodon clarki nantahala</i> )	T	1,000	647,514,366	99.99
951	Moth, Kern primrose sphinx ( <i>Euproseperinus euterpe</i> )	T	1,000	647,515,366	99.99
951	Beetle, Hungerford's crawling water ( <i>Brychius hungerfordi</i> )	E	1,000	647,516,366	99.99
951	Spider, Tooth Cave ( <i>Neoleptoneta myopica</i> )	E	1,000	647,517,366	99.99
951	Spider, Government Canyon Bat Cave ( <i>Neoleptoneta microps</i> )	E	1,000	647,518,366	99.99
951	Rock-cress, Hoffmann's ( <i>Arabis hoffmannii</i> )	E	1,000	647,519,366	99.99
951	Flannelbush, Pine Hill ( <i>Fremontodendron californicum</i> ssp. <i>decumbens</i> )	E	1,000	647,520,366	99.99
951	Bedstraw, island ( <i>Galium buxifolium</i> )	E	1,000	647,521,366	99.99
951	Gilia, Hoffmann's slender-flowered ( <i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i> )	E	1,000	647,522,366	99.99
951	Orcutt grass, hairy ( <i>Orcuttia pilosa</i> )	E	1,000	647,523,366	99.99
951	Phyllostegia parviflora (=Sci name)	E	1,000	647,524,366	99.99
951	Orcutt grass, San Joaquin ( <i>Orcuttia inaequalis</i> )	T	1,000	647,525,366	99.99
951	Checker-mallow, Nelson's ( <i>Sidalcea nelsoniana</i> )	T	1,000	647,526,366	99.99
951	Tuctoria, Greene's ( <i>Tuctoria greenei</i> )	E	1,000	647,527,366	99.99
951	Sandwort, Marsh ( <i>Arenaria paludicola</i> )	E	1,000	647,528,366	99.99
951	Malacothrix, Santa Cruz Island ( <i>Malacothrix indecora</i> )	E	1,000	647,529,366	99.99
951	Watercress, Gambel's ( <i>Rorippa gambellii</i> )	E	1,000	647,530,366	99.99
951	Ihi`ihi ( <i>Marsilea villosa</i> )	E	1,000	647,531,366	99.99
951	Fern, Alabama streak-sorus ( <i>Thelypteris pilosa</i> var. <i>alabamensis</i> )	T	1,000	647,532,366	99.99
977	Shiner, beautiful ( <i>Cyprinella formosa</i> )	T	900	647,533,266	99.99
977	Fiddleneck, large-flowered ( <i>Amsinckia grandiflora</i> )	E	900	647,534,166	99.99
977	Gardenia (=Na`u), Hawaiian ( <i>Gardenia brighamii</i> )	E	900	647,535,066	99.99
977	Ohai ( <i>Sesbania tomentosa</i> )	E	900	647,535,966	99.99
977	Meadowfoam, Butte County ( <i>Limnanthes floccosa</i> ssp. <i>californica</i> )	E	900	647,536,866	99.99
982	Darter, watercress ( <i>Etheostoma nuchale</i> )	E	890	647,537,756	99.99
983	Salamander, Shenandoah ( <i>Plethodon shenandoah</i> )	E	800	647,538,556	99.99
983	Haha ( <i>Cyanea grimesiana</i> ssp. <i>obatae</i> )	E	800	647,539,356	99.99
983	Awii ( <i>Centaurium sebaeoides</i> )	E	800	647,540,156	99.99
986	Phyllostegia knudsenii (=Sci name)	E	700	647,540,856	99.99

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
986	<i>Hesperomannia arbuscula</i> (=Sci name)	E	700	647,541,556	99.99
986	Koki'o, Cooke's ( <i>Kokia cookei</i> )	E	700	647,542,256	99.99
986	<i>Schiedea kaalae</i> (=Sci name)	E	700	647,542,956	99.99
986	Chaff-flower, round-leaved ( <i>Achyranthes splendens</i> var. <i>rotundata</i> )	E	700	647,543,656	99.99
986	Seablite, California ( <i>Suaeda californica</i> )	E	700	647,544,356	99.99
992	Springsnail, Alamosa ( <i>Tryonia alamosae</i> )	E	600	647,544,956	99.99
992	Baccharis, Encinitas ( <i>Baccharis vanessae</i> )	T	600	647,545,556	99.99
992	<i>Platanthera holochila</i> (=Sci name)	E	600	647,546,156	99.99
992	Hau kuahiwi ( <i>Hibiscadelphus woodii</i> )	E	600	647,546,756	99.99
992	Haha ( <i>Cyanea longiflora</i> )	E	600	647,547,356	100
997	Rocksail, round ( <i>Leptoxis ampla</i> )	T	500	647,547,856	100
997	Butterfly, lotis blue ( <i>Lycaeides argyrognomon lotis</i> )	E	500	647,548,356	100
997	Isopod, Madison Cave ( <i>Antrolana lira</i> )	T	500	647,548,856	100
997	Isopod, Lee County cave ( <i>Lirceus usdagalun</i> )	E	500	647,549,356	100
997	Barberry, island ( <i>Berberis pinnata</i> ssp. <i>insularis</i> )	E	500	647,549,856	100
997	Dudleya, Santa Cruz Island ( <i>Dudleya nesiotica</i> )	T	500	647,550,356	100
997	Bush-mallow, Santa Cruz Island ( <i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i> )	E	500	647,550,856	100
997	Birch, Virginia round-leaf ( <i>Betula uber</i> )	T	500	647,551,356	100
997	Thistle, fountain ( <i>Cirsium fontinale</i> var. <i>fontinale</i> )	E	500	647,551,856	100
997	Ha'iwale ( <i>Cyrtandra polyantha</i> )	E	500	647,552,356	100
997	Liveforever, Santa Barbara Island ( <i>Dudleya traskiae</i> )	E	500	647,552,856	100
997	Mustard, Penland alpine fen ( <i>Eutrema penlandii</i> )	T	500	647,553,356	100
997	Panicgrass, Carter's ( <i>Panicum fauriei</i> var. <i>carteri</i> )	E	500	647,553,856	100
997	`Aiakeakua, popolo ( <i>Solanum sandwicense</i> )	E	500	647,554,356	100
997	Thornmint, San Mateo ( <i>Acanthomintha obovata</i> ssp. <i>duttonii</i> )	E	500	647,554,856	100
997	Paintbrush, Tiburon ( <i>Castilleja affinis</i> ssp. <i>neglecta</i> )	E	500	647,555,356	100
997	Fringepod, Santa Cruz Island ( <i>Thysanocarpus conchuliferus</i> )	E	500	647,555,856	100
997	Sneezeweed, Virginia ( <i>Helenium virginicum</i> )	T	500	647,556,356	100
997	Sunflower, San Mateo woolly ( <i>Eriophyllum latilobum</i> )	E	500	647,556,856	100
997	Haha ( <i>Cyanea truncata</i> )	E	500	647,557,356	100
997	<i>Silene perlmannii</i> (=Sci name)	E	500	647,557,856	100
997	Malacothrix, island ( <i>Malacothrix squalida</i> )	E	500	647,558,356	100
1019	Milk-vetch, Deseret ( <i>Astragalus desereticus</i> )	T	400	647,558,756	100
1019	`Akoko ( <i>Chamaesyce deppeana</i> )	E	400	647,559,156	100
1019	Tetramolopium lepidotum ssp. lepidotum (=Sci name)	E	400	647,559,556	100
1019	Ha'iwale ( <i>Cyrtandra crenata</i> )	E	400	647,559,956	100
1019	<i>Lobelia monostachya</i> (=Sci name)	E	400	647,560,356	100
1019	Haha ( <i>Cyanea glabra</i> )	E	400	647,560,756	100
1019	`Akoko ( <i>Chamaesyce herbstii</i> )	E	400	647,561,156	100
1026	<i>Achyranthes mutica</i> (=Sci name)	E	300	647,561,456	100
1026	<i>Delissea undulata</i> (=Sci name)	E	300	647,561,756	100
1026	Dudleya, Conejo ( <i>Dudleya abramsii</i> ssp. <i>parva</i> )	T	300	647,562,056	100
1026	Alani ( <i>Melicope saint-johnii</i> )	E	300	647,562,356	100
1026	Milk-vetch, Mancos ( <i>Astragalus humillimus</i> )	E	300	647,562,656	100
1026	Milk-vetch, Osterhout ( <i>Astragalus osterhoutii</i> )	E	300	647,562,956	100



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
1026	`Oha wai ( <i>Clermontia peleana</i> )	E	300	647,563,256	100
1026	Haha ( <i>Cyanea grimesiana</i> ssp. <i>grimesiana</i> )	E	300	647,563,556	100
1026	Gouania vitifolia (=Sci name)	E	300	647,563,856	100
1026	Phacelia, North Park ( <i>Phacelia formosula</i> )	E	300	647,564,156	100
1026	Mariscus pennatifolius (=Sci name)	E	300	647,564,456	100
1026	Holei ( <i>Ochrosia kilaueaensis</i> )	E	300	647,564,756	100
1026	Lo`ulu ( <i>Pritchardia schattaueri</i> )	E	300	647,565,056	100
1026	Beardtongue, Penland ( <i>Penstemon penlandii</i> )	E	300	647,565,356	100
1026	Haha ( <i>Cyanea copelandii</i> ssp. <i>copelandii</i> )	E	300	647,565,656	100
1026	Pu`uka`a ( <i>Cyperus trachysanthos</i> )	E	300	647,565,956	100
1026	Ha`iwale ( <i>Cyrtandra tintinnabula</i> )	E	300	647,566,256	100
1026	Phyllostegia warshaueri (=Sci name)	E	300	647,566,556	100
1026	Trematolobelia singularis (=Sci name)	E	300	647,566,856	100
1026	A`e ( <i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i> )	E	300	647,567,156	100
1026	Phyllostegia kaalaensis (=Sci name)	E	300	647,567,456	100
1026	Diellia, asplenium-leaved ( <i>Diellia erecta</i> )	E	300	647,567,756	100
1026	Diplazium molokaiense (=Sci name)	E	300	647,568,056	100
1049	Springsnail, Socorro ( <i>Pyrgulopsis neomexicana</i> )	E	200	647,568,256	100
1049	Amaranthus brownii (=Sci name)	E	200	647,568,456	100
1049	`Oha wai ( <i>Clermontia drepanomorpha</i> )	E	200	647,568,656	100
1049	Oha ( <i>Delissea rivularis</i> )	E	200	647,568,856	100
1049	Love grass, Fosberg's ( <i>Eragrostis fosbergii</i> )	E	200	647,569,056	100
1049	Kamakahala ( <i>Labordia triflora</i> )	E	200	647,569,256	100
1049	Lau `ehu ( <i>Panicum niihauense</i> )	E	200	647,569,456	100
1049	Wahane ( <i>Pritchardia aylmer-robinsonii</i> )	E	200	647,569,656	100
1049	Abutilon eremitopetalum (=Sci name)	E	200	647,569,856	100
1049	Sedge, Navajo ( <i>Carex specuicola</i> )	T	200	647,570,056	100
1049	Delissea rhytidosperra (=Sci name)	E	200	647,570,256	100
1049	Gahnia lanaiensis (=Sci name)	E	200	647,570,456	100
1049	Awii ( <i>Hedyotis cookiana</i> )	E	200	647,570,656	100
1049	Hibiscus, Clay's ( <i>Hibiscus clayi</i> )	E	200	647,570,856	100
1049	Kula wahine noho ( <i>Isodendron pyrifolium</i> )	E	200	647,571,056	100
1049	Lipochaeta venosa (=Sci name)	E	200	647,571,256	100
1049	Alani ( <i>Melicope haupuensis</i> )	E	200	647,571,456	100
1049	Alani ( <i>Melicope mucronulata</i> )	E	200	647,571,656	100
1049	Alani ( <i>Melicope quadrangularis</i> )	E	200	647,571,856	100
1049	Phyllostegia glabra var. lanaiensis (=Sci name)	E	200	647,572,056	100
1049	Lo`ulu ( <i>Pritchardia munroi</i> )	E	200	647,572,256	100
1049	Remya, Maui ( <i>Remya mauiensis</i> )	E	200	647,572,456	100
1049	Stenogyne kanehoana (=Sci name)	E	200	647,572,656	100
1049	Tetramolopium remyi (=Sci name)	E	200	647,572,856	100
1049	Vigna o-wahuensis (=Sci name)	E	200	647,573,056	100
1049	Haha ( <i>Cyanea pinnatifida</i> )	E	200	647,573,256	100
1049	Ha`iwale ( <i>Cyrtandra giffardii</i> )	E	200	647,573,456	100
1049	Ha`iwale ( <i>Cyrtandra munroi</i> )	E	200	647,573,656	100
1049	Aupaka ( <i>Isodendron hosakae</i> )	E	200	647,573,856	100

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
1049	Kamakahala ( <i>Labordia lydgatei</i> )	E	200	647,574,056	100
1049	Xylosma crenatum (=Sci name)	E	200	647,574,256	100
1049	Haha ( <i>Cyanea macrostegia</i> ssp. <i>gibsonii</i> )	E	200	647,574,456	100
1049	`Oha wai ( <i>Clermontia oblongifolia</i> ssp. <i>brevipes</i> )	E	200	647,574,656	100
1049	Haha ( <i>Cyanea asarifolia</i> )	E	200	647,574,856	100
1049	Haha ( <i>Cyanea dunbarii</i> )	E	200	647,575,056	100
1049	Haha ( <i>Cyanea procera</i> )	E	200	647,575,256	100
1049	Haha ( <i>Cyanea undulata</i> )	E	200	647,575,456	100
1049	Kopa ( <i>Hedyotis schlechtendahlia</i> var. <i>remyi</i> )	E	200	647,575,656	100
1049	Lysimachia maxima (=Sci name)	E	200	647,575,856	100
1049	Mariscus fauriei (=Sci name)	E	200	647,576,056	100
1049	Phyllostegia waimeae (=Sci name)	E	200	647,576,256	100
1049	Lo`ulu ( <i>Pritchardia viscosa</i> )	E	200	647,576,456	100
1049	Schiedea kauaiensis (=Sci name)	E	200	647,576,656	100
1049	Reed-mustard, clay ( <i>Schoenocrambe argillacea</i> )	T	200	647,576,856	100
1049	Stenogyne bifida (=Sci name)	E	200	647,577,056	100
1049	Stenogyne campanulata (=Sci name)	E	200	647,577,256	100
1049	Kamakahala ( <i>Labordia tinifolia</i> var. <i>wahiawaensis</i> )	E	200	647,577,456	100
1049	Haha ( <i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i> )	E	200	647,577,656	100
1049	Kohe malama malama o kanaloa ( <i>Kanaloa kahoolawensis</i> )	E	200	647,577,856	100
1049	Fern, pendant kihi ( <i>Adenophorus periens</i> )	E	200	647,578,056	100
1099	Snowbells, Texas ( <i>Styrax texanus</i> )	E	160	647,578,216	100
1100	Gambusia, San Marcos ( <i>Gambusia georgei</i> )	E	100	647,578,316	100
1100	Moccasinshell, Ochlockonee ( <i>Medionidus simpsonianus</i> )	E	100	647,578,416	100
1100	Slabshell, Chipola ( <i>Elliptio chipolaensis</i> )	T	100	647,578,516	100
1100	Butterfly, El Segundo blue ( <i>Euphilotes battoides allyni</i> )	E	100	647,578,616	100
1100	Shrimp, Squirrel Chimney Cave ( <i>Palaemonetes cummingi</i> )	T	100	647,578,716	100
1100	Bellflower, Brooksville ( <i>Campanula robinsiae</i> )	E	100	647,578,816	100
1100	Gouania hillebrandii (=Sci name)	E	100	647,578,916	100
1100	Water-willow, Cooley's ( <i>Justicia cooley</i> )	E	100	647,579,016	100
1100	Makou ( <i>Peucedanum sandwicense</i> )	T	100	647,579,116	100
1100	Rhododendron, Chapman ( <i>Rhododendron chapmanii</i> )	E	100	647,579,216	100
1100	Naupaka, dwarf ( <i>Scaevola coriacea</i> )	E	100	647,579,316	100
1100	Pawpaw, Rugel's ( <i>Deeringothamnus rugelii</i> )	E	100	647,579,416	100
1100	Spurge, telephus ( <i>Euphorbia telephioides</i> )	T	100	647,579,516	100
1100	Daisy, lakeside ( <i>Hymenoxys herbacea</i> )	T	100	647,579,616	100
1100	Rosemary, Etonia ( <i>Conradina etonia</i> )	E	100	647,579,716	100
1115	Seal, Guadalupe fur ( <i>Arctocephalus townsendi</i> )	T	0	647,579,716	100
1115	Puma (=mountain lion) ( <i>Puma</i> (=Felis)concolor (all subsp. except coryi))	SAT	0	647,579,716	100
1115	Bear, American black ( <i>Ursus americanus</i> )	SAT	0	647,579,716	100
1115	Akialoa, Kauai (honeycreeper) ( <i>Hemignathus procerus</i> )	E	0	647,579,716	100
1115	Finch, Nihoa (honeycreeper) ( <i>Telespyza ultima</i> )	E	0	647,579,716	100
1115	Millerbird, Nihoa (old world warbler) ( <i>Acrocephalus familiaris kingi</i> )	E	0	647,579,716	100
1115	`O`o, Kauai (honeyeater) ( <i>Moho braccatus</i> )	E	0	647,579,716	100
1115	Cahow ( <i>Pterodroma cahow</i> )	E	0	647,579,716	100
1115	Warbler (=wood), Bachman's ( <i>Vermivora bachmani</i> )	E	0	647,579,716	100

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
1115	Thrush, large Kauai (=kamao) ( <i>Myadestes myadestinus</i> )	E	0	647,579,716	100
1115	Thrush, Molokai ( <i>Myadestes lanaiensis rutha</i> )	E	0	647,579,716	100
1115	Creeper, Molokai ( <i>Paroreomyza flammea</i> )	E	0	647,579,716	100
1115	White-eye, bridled ( <i>Zosterops conspicillatus conspicillatus</i> )	E	0	647,579,716	100
1115	Crow, white-necked ( <i>Corvus leucognaphalus</i> )	E	0	647,579,716	100
1115	Alligator, American ( <i>Alligator mississippiensis</i> )	SAT	0	647,579,716	100
1115	Cooter (=turtle), northern redbelly (=Plymouth) ( <i>Pseudemys rubriventris bangsi</i> )	E	0	647,579,716	100
1115	Darter, Maryland ( <i>Etheostoma sellare</i> )	E	0	647,579,716	100
1115	Madtom, Scioto ( <i>Noturus trautmani</i> )	E	0	647,579,716	100
1115	Dace, Clover Valley speckled ( <i>Rhinichthys osculus oligoporus</i> )	E	0	647,579,716	100
1115	Shagreen, Magazine Mountain ( <i>Mesodon magazinensis</i> )	T	0	647,579,716	100
1115	Snail, Virginia fringed mountain ( <i>Polygyriscus virginianus</i> )	E	0	647,579,716	100
1115	Snail, armored ( <i>Pyrgulopsis (=Marstonia) pachyta</i> )	E	0	647,579,716	100
1115	Elimia, lacy (snail) ( <i>Elimia crenatella</i> )	T	0	647,579,716	100
1115	Lioplax, cylindrical (snail) ( <i>Lioplax cyclostomaformis</i> )	E	0	647,579,716	100
1115	Pebblesnail, flat ( <i>Lepyrium showalteri</i> )	E	0	647,579,716	100
1115	Rocksnaail, painted ( <i>Leptoxis taeniata</i> )	T	0	647,579,716	100
1115	Rocksnaail, plicate ( <i>Leptoxis plicata</i> )	E	0	647,579,716	100
1115	Campeloma, slender ( <i>Campeloma decampi</i> )	E	0	647,579,716	100
1115	Butterfly, Myrtle's silverspot ( <i>Speyeria zerene myrtleae</i> )	E	0	647,579,716	100
1115	Butterfly, San Bruno elfin ( <i>Callophrys mossii bayensis</i> )	E	0	647,579,716	100
1115	Butterfly, callippe silverspot ( <i>Speyeria callippe callippe</i> )	E	0	647,579,716	100
1115	Skipper, Pawnee montane ( <i>Hesperia leonardus montana</i> )	T	0	647,579,716	100
1115	Naucorid, Ash Meadows ( <i>Ambrysus amargosus</i> )	T	0	647,579,716	100
1115	Butterfly, Behren's silverspot ( <i>Speyeria zerene behrensi</i> )	E	0	647,579,716	100
1115	Harvestman, Cokendolpher Cave ( <i>Texella cokendolpheri</i> )	E	0	647,579,716	100
1115	Fairy shrimp, Conservancy ( <i>Branchinecta conservatio</i> )	E	0	647,579,716	100
1115	Manzanita, pallid ( <i>Arctostaphylos pallida</i> )	T	0	647,579,716	100
1115	Milk-vetch, Clara Hunt's ( <i>Astragalus clarianus</i> )	E	0	647,579,716	100
1115	Brodiaea, Chinese Camp ( <i>Brodiaea pallida</i> )	T	0	647,579,716	100
1115	Pussypaws, Mariposa ( <i>Calyptridium pulchellum</i> )	T	0	647,579,716	100
1115	Sedge, white ( <i>Carex albida</i> )	E	0	647,579,716	100
1115	Mountain-mahogany, Catalina Island ( <i>Cercocarpus traskiae</i> )	E	0	647,579,716	100
1115	Spurge, Hoover's ( <i>Chamaesyce hooveri</i> )	T	0	647,579,716	100
1115	Clarkia, Vine Hill ( <i>Clarkia imbricata</i> )	E	0	647,579,716	100
1115	Dudleya, marcescent ( <i>Dudleya cymosa ssp. marcescens</i> )	T	0	647,579,716	100
1115	Liveforever, Laguna Beach ( <i>Dudleya stolonifera</i> )	T	0	647,579,716	100
1115	Yerba santa, Lompoc ( <i>Eriodictyon capitatum</i> )	E	0	647,579,716	100
1115	Bedstraw, El Dorado ( <i>Galium californicum ssp. sierrae</i> )	E	0	647,579,716	100
1115	Lily, Pitkin Marsh ( <i>Lilium pardalinum ssp. pitkinense</i> )	E	0	647,579,716	100
1115	Lupine, Nipomo Mesa ( <i>Lupinus nipomensis</i> )	E	0	647,579,716	100
1115	Navarretia, few-flowered ( <i>Navarretia leucocephala ssp. pauciflora (=N. pauciflora)</i> )	E	0	647,579,716	100
1115	Navarretia, many-flowered ( <i>Navarretia leucocephala ssp. plieantha</i> )	E	0	647,579,716	100
1115	Stonecrop, Lake County ( <i>Parvisedum leiocarpum</i> )	E	0	647,579,716	100
1115	Allocarya, Calistoga ( <i>Plagiobothrys strictus</i> )	E	0	647,579,716	100

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
1115	Bluegrass, Napa ( <i>Poa napensis</i> )	E	0	647,579,716	100
1115	Lo`ulu ( <i>Pritchardia remota</i> )	E	0	647,579,716	100
1115	Schiedea sarmentosa (=Sci name)	E	0	647,579,716	100
1115	Schiedea verticillata (=Sci name)	E	0	647,579,716	100
1115	Checker-mallow, Kenwood Marsh ( <i>Sidalcea oregana ssp. valida</i> )	E	0	647,579,716	100
1115	Abutilon sandwicense (=Sci name)	E	0	647,579,716	100
1115	Poppy, Sacramento prickly ( <i>Argemone pleiacantha ssp. pinnatisecta</i> )	E	0	647,579,716	100
1115	`Ahinahina ( <i>Argyroxiphium sandwicense ssp. macrocephalum</i> )	T	0	647,579,716	100
1115	Milk-vetch, Ash meadows ( <i>Astragalus phoenix</i> )	T	0	647,579,716	100
1115	Ko`oko`olau ( <i>Bidens wiebkei</i> )	E	0	647,579,716	100
1115	Olulu ( <i>Brighamia insignis</i> )	E	0	647,579,716	100
1115	Pua `ala ( <i>Brighamia rockii</i> )	E	0	647,579,716	100
1115	Mariposa lily, Tiburon ( <i>Calochortus tiburonensis</i> )	T	0	647,579,716	100
1115	`Awikiwiki ( <i>Canavalia molokaiensis</i> )	E	0	647,579,716	100
1115	Ceanothus, coyote ( <i>Ceanothus ferrisae</i> )	E	0	647,579,716	100
1115	Centaury, spring-loving ( <i>Centaurium namophilum</i> )	T	0	647,579,716	100
1115	Chamaesyce halemanui (=Sci name)	E	0	647,579,716	100
1115	Clarkia, Pismo ( <i>Clarkia speciosa ssp. immaculata</i> )	E	0	647,579,716	100
1115	Rosemary, Apalachicola ( <i>Conradina glabra</i> )	E	0	647,579,716	100
1115	Cactus, Nellie cory ( <i>Coryphantha minima</i> )	E	0	647,579,716	100
1115	Haha ( <i>Cyanea mceldowneyi</i> )	E	0	647,579,716	100
1115	Na`ena`e ( <i>Dubautia latifolia</i> )	E	0	647,579,716	100
1115	Pitaya, Davis' green ( <i>Echinocereus viridiflorus var. davisii</i> )	E	0	647,579,716	100
1115	Fleabane, Zuni ( <i>Erigeron rhizomatus</i> )	T	0	647,579,716	100
1115	Wallflower, Contra Costa ( <i>Erysimum capitatum var. angustatum</i> )	E	0	647,579,716	100
1115	Gouania meyenii (=Sci name)	E	0	647,579,716	100
1115	Pilo ( <i>Hedyotis mannii</i> )	E	0	647,579,716	100
1115	Hedyotis, Na Pali beach ( <i>Hedyotis st.-johnii</i> )	E	0	647,579,716	100
1115	Hesperomannia lydgatei (=Sci name)	E	0	647,579,716	100
1115	Koki`o ke`oke`o ( <i>Hibiscus waimeae ssp. hanneriae</i> )	E	0	647,579,716	100
1115	Ivesia, Ash Meadows ( <i>Ivesia kingii var. eremica</i> )	T	0	647,579,716	100
1115	Bladderpod, lyrata ( <i>Lesquerella lyrata</i> )	T	0	647,579,716	100
1115	Nehe ( <i>Lipochaeta lobata var. leptophylla</i> )	E	0	647,579,716	100
1115	Alani ( <i>Melicope munroi</i> )	E	0	647,579,716	100
1115	Alani ( <i>Melicope reflexa</i> )	E	0	647,579,716	100
1115	Blazingstar, Ash Meadows ( <i>Mentzelia leucophylla</i> )	T	0	647,579,716	100
1115	Munroidendron racemosum (=Sci name)	E	0	647,579,716	100
1115	Neraudia sericea (=Sci name)	E	0	647,579,716	100
1115	`Aiea ( <i>Nothocestrum peltatum</i> )	E	0	647,579,716	100
1115	Orcutt grass, Sacramento ( <i>Orcuttia viscida</i> )	E	0	647,579,716	100
1115	Bluegrass, Hawaiian ( <i>Poa sandwicensis</i> )	E	0	647,579,716	100
1115	Cinquefoil, Robbins' ( <i>Potentilla robbinsiana</i> )	E	0	647,579,716	100
1115	Oak, Hinckley ( <i>Quercus hinckleyi</i> )	T	0	647,579,716	100
1115	Silene alexandri (=Sci name)	E	0	647,579,716	100
1115	Jewelflower, Metcalf Canyon ( <i>Streptanthus albidus ssp. albidus</i> )	E	0	647,579,716	100
1115	Jewelflower, Tiburon ( <i>Streptanthus niger</i> )	E	0	647,579,716	100

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
1115	Pamakani ( <i>Tetramolopium capillare</i> )	E	0	647,579,716	100
1115	<i>Tetramolopium rockii</i> (=Sci name)	T	0	647,579,716	100
1115	Bluecurls, Hidden Lake ( <i>Trichostema austromontanum</i> ssp. <i>compactum</i> )	T	0	647,579,716	100
1115	Clover, showy Indian ( <i>Trifolium amoenum</i> )	E	0	647,579,716	100
1115	<i>Viola helenae</i> (=Sci name)	E	0	647,579,716	100
1115	Nani wai`ale`ale ( <i>Viola kauaiensis</i> var. <i>wahiawaensis</i> )	E	0	647,579,716	100
1115	<i>Viola lanaiensis</i> (=Sci name)	E	0	647,579,716	100
1115	Evening-primrose, San Benito ( <i>Camissonia benitensis</i> )	T	0	647,579,716	100
1115	Cactus, Cochise pincushion ( <i>Coryphantha robbinsorum</i> )	T	0	647,579,716	100
1115	Sunray, Ash Meadows ( <i>Enceliopsis nudicaulis</i> var. <i>corrugata</i> )	T	0	647,579,716	100
1115	Thistle, Loch Lomond coyote ( <i>Eryngium constancei</i> )	E	0	647,579,716	100
1115	Wallflower, Ben Lomond ( <i>Erysimum teretifolium</i> )	E	0	647,579,716	100
1115	Gumplant, Ash Meadows ( <i>Grindelia fraxino-pratensis</i> )	T	0	647,579,716	100
1115	Koki`o ke`oke`o ( <i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i> )	E	0	647,579,716	100
1115	Kamakahala ( <i>Labordia tinifolia</i> var. <i>lanaiensis</i> )	E	0	647,579,716	100
1115	Nehe ( <i>Lipochaeta kamolensis</i> )	E	0	647,579,716	100
1115	Nehe ( <i>Lipochaeta micrantha</i> )	E	0	647,579,716	100
1115	<i>Lysimachia filifolia</i> (=Sci name)	E	0	647,579,716	100
1115	Pentachaeta, white-rayed ( <i>Pentachaeta bellidiflora</i> )	E	0	647,579,716	100
1115	Bluegrass, Mann's ( <i>Poa mannii</i> )	E	0	647,579,716	100
1115	<i>Poa siphonoglossa</i> (=Sci name)	E	0	647,579,716	100
1115	Goldenrod, Blue Ridge ( <i>Solidago spithamea</i> )	T	0	647,579,716	100
1115	Vervain, Red Hills ( <i>Verbena californica</i> )	T	0	647,579,716	100
1115	Bird's-beak, Pennell's ( <i>Cordylanthus tenuis</i> ssp. <i>capillaris</i> )	E	0	647,579,716	100
1115	Dudleya, Verity's ( <i>Dudleya verityi</i> )	T	0	647,579,716	100
1115	Flannelbush, Mexican ( <i>Fremontodendron mexicanum</i> )	E	0	647,579,716	100
1115	Haha ( <i>Cyanea lobata</i> )	E	0	647,579,716	100
1115	Water-plantain, Kral's ( <i>Sagittaria secundifolia</i> )	T	0	647,579,716	100
1115	Ma`oli`oli ( <i>Schiedea apokremnos</i> )	E	0	647,579,716	100
1115	<i>Schiedea helleri</i> (=Sci name)	E	0	647,579,716	100
1115	<i>Schiedea lydgatei</i> (=Sci name)	E	0	647,579,716	100
1115	<i>Schiedea spergulina</i> var. <i>leiopoda</i> (=Sci name)	E	0	647,579,716	100
1115	<i>Schiedea spergulina</i> var. <i>spergulina</i> (=Sci name)	T	0	647,579,716	100
1115	Laulihilihi ( <i>Schiedea stellarioides</i> )	E	0	647,579,716	100
1115	<i>Remya montgomeryi</i> (=Sci name)	E	0	647,579,716	100
1115	Crownscale, San Jacinto Valley ( <i>Atriplex coronata</i> var. <i>notatior</i> )	E	0	647,579,716	100
1115	`Akoko ( <i>Chamaesyce kuwaleana</i> )	E	0	647,579,716	100
1115	Haha ( <i>Cyanea mannii</i> )	E	0	647,579,716	100
1115	Haha ( <i>Cyanea recta</i> )	T	0	647,579,716	100
1115	Mapele ( <i>Cyrtandra cyaneoides</i> )	E	0	647,579,716	100
1115	Ha`iwale ( <i>Cyrtandra limahuliensis</i> )	T	0	647,579,716	100
1115	Na`ena`e ( <i>Dubautia pauciflorula</i> )	E	0	647,579,716	100
1115	Na`ena`e ( <i>Dubautia plantaginea</i> ssp. <i>humilis</i> )	E	0	647,579,716	100
1115	Dudleya, Santa Clara Valley ( <i>Dudleya setchellii</i> )	E	0	647,579,716	100
1115	<i>Ipomopsis</i> , Holy Ghost ( <i>Ipomopsis sancti-spiritus</i> )	E	0	647,579,716	100
1115	<i>Lyonia truncata</i> var. <i>proctorii</i> (=Sci name)	E	0	647,579,716	100



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
1115	<i>Lysimachia lydgatei</i> (=Sci name)	E	0	647,579,716	100
1115	<i>Phyllostegia wawrana</i> (=Sci name)	E	0	647,579,716	100
1115	Lo`ulu ( <i>Pritchardia napaliensis</i> )	E	0	647,579,716	100
1115	Roseroot, Leedy's ( <i>Sedum integrifolium</i> ssp. <i>leedyi</i> )	T	0	647,579,716	100
1115	Ceanothus, Vail Lake ( <i>Ceanothus ophiochilus</i> )	T	0	647,579,716	100
1115	Dudleyea, Santa Monica Mountains ( <i>Dudleya cymosa</i> ssp. <i>ovatifolia</i> )	T	0	647,579,716	100
1115	Haha ( <i>Cyanea remyi</i> )	E	0	647,579,716	100
1115	Haha ( <i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i> )	E	0	647,579,716	100
1115	Cypress, Santa Cruz ( <i>Cupressus abramsiana</i> )	E	0	647,579,716	100
1115	Cypress, Gowen ( <i>Cupressus goveniana</i> ssp. <i>goveniana</i> )	T	0	647,579,716	100
1115	<i>Diellia unisora</i> (=Sci name)	E	0	647,579,716	100
1115	<i>Diellia pallida</i> (=Sci name)	E	0	647,579,716	100
TOTAL				647,579,716	