

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY2011 REPORTED EXPENDITURES,  
NOT INCLUDING LAND ACQUISITION COSTS**

| Rank | Species (50 CFR Part 17)                                                                                                | Status | Species Total | Cumulative Total |
|------|-------------------------------------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 1    | Salmon, chinook ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i> ) - Sacramento River winter-run ESU          | E      | \$80,004,247  | \$80,004,247     |
| 2    | Steelhead ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i> ) - middle Columbia R.                                  | T      | \$55,883,787  | \$135,888,034    |
| 3    | Steelhead ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i> ) - Snake R. Basin                                      | T      | \$53,291,222  | \$189,179,256    |
| 4    | Salmon, chinook ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i> ) - Snake River spring/summer-run ESU        | T      | \$50,234,094  | \$239,413,350    |
| 5    | Sturgeon, pallid ( <i>Scaphirhynchus albus</i> )                                                                        | E      | \$42,361,847  | \$281,775,197    |
| 6    | Trout, bull ( <i>Salvelinus confluentus</i> ) - conterminous, lower 48 states                                           | T      | \$37,283,635  | \$319,058,832    |
| 7    | Salmon, chinook ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i> ) - Snake River fall-run ESU                 | T      | \$35,972,834  | \$355,031,666    |
| 8    | Salmon, chinook ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i> ) - Upper Columbia spring-run ESU            | E      | \$32,187,559  | \$387,219,225    |
| 9    | Steelhead ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i> ) - upper Columbia R. Basin                             | T      | \$30,835,056  | \$418,054,281    |
| 10   | Woodpecker, red-cockaded ( <i>Picoides borealis</i> )                                                                   | E      | \$26,765,332  | \$444,819,613    |
| 11   | Steelhead ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i> ) - upper Willamette R.                                 | T      | \$22,107,760  | \$466,927,373    |
| 12   | Salmon, chinook ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i> ) - Lower Columbia River ESU                 | T      | \$21,937,944  | \$488,865,317    |
| 13   | Salmon, sockeye ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i> ) - U.S.A. (Snake River, ID stock wherever found.) | E      | \$21,737,967  | \$510,603,284    |
| 14   | Salmon, chinook ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i> ) - Upper Willamette River ESU               | T      | \$18,442,841  | \$529,046,125    |
| 15   | Plover, piping ( <i>Charadrius melodus</i> ) - except Great Lakes watershed                                             | T      | \$18,108,135  | \$547,154,260    |
| 16   | Tortoise, desert ( <i>Gopherus agassizii</i> ) - U.S.A., except in Sonoran Desert                                       | T      | \$17,598,883  | \$564,753,143    |
| 17   | Bat, Indiana ( <i>Myotis sodalis</i> )                                                                                  | E      | \$15,743,465  | \$580,496,608    |
| 18   | Salmon, chinook ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i> ) - Puget Sound ESU                          | T      | \$15,591,097  | \$596,087,705    |
| 19   | Owl, northern spotted ( <i>Strix occidentalis caurina</i> )                                                             | T      | \$15,500,847  | \$611,588,552    |
| 20   | Salmon, coho ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i> ) - Southern Oregon-Northern California Coast ESU   | T      | \$15,110,159  | \$626,698,711    |
| 21   | Flycatcher, southwestern willow ( <i>Empidonax traillii extimus</i> )                                                   | E      | \$13,709,647  | \$640,408,358    |
| 22   | Sturgeon, shortnose ( <i>Acipenser brevirostrum</i> )                                                                   | E      | \$13,469,793  | \$653,878,151    |
| 23   | Steelhead ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i> ) - lower Columbia R.                                   | T      | \$13,346,951  | \$667,225,102    |
| 24   | Salmon, Atlantic ( <i>Salmo salar</i> ) - Expanded Gulf of Maine DPS                                                    | E      | \$12,659,398  | \$679,884,500    |
| 25   | Salmon, coho ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i> ) - Lower Columbia River ESU                        | T      | \$11,444,883  | \$691,329,383    |
| 26   | Whale, North Atlantic Right ( <i>Eubalaena glacialis</i> )                                                              | E      | \$10,958,108  | \$702,287,491    |
| 27   | Sturgeon, white ( <i>Acipenser transmontanus</i> ) - ID, MT, Canada (B.C.), Kootenai R. system                          | E      | \$10,654,879  | \$712,942,370    |
| 28   | Minnow, Rio Grande silvery ( <i>Hybognathus amarus</i> ) - Entire, except where EXPN                                    | E      | \$10,613,863  | \$723,556,233    |
| 29   | Sucker, razorback ( <i>Xyrauchen texanus</i> ) - Entire                                                                 | E      | \$10,595,567  | \$734,151,800    |
| 30   | Salmon, chinook ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i> ) - Central Valley spring-run ESU            | T      | \$9,994,281   | \$744,146,081    |
| 31   | Salmon, chum ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>keta</i> ) - Columbia R.                                        | T      | \$9,573,118   | \$753,719,199    |
| 32   | Tern, least ( <i>Sterna antillarum</i> ) - interior pop.                                                                | E      | \$9,396,134   | \$763,115,333    |
| 33   | Steelhead ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i> ) - Central Valley CA                                   | T      | \$9,230,579   | \$772,345,912    |
| 34   | Sea turtle, loggerhead ( <i>Caretta caretta</i> )                                                                       | T      | \$9,104,266   | \$781,450,178    |
| 35   | Steelhead ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i> ) - Puget Sound DPS                                     | T      | \$9,040,155   | \$790,490,333    |
| 36   | Chub, humpback ( <i>Gila cypha</i> ) - Entire                                                                           | E      | \$9,036,639   | \$799,526,972    |
| 37   | Smelt, delta ( <i>Hypomesus transpacificus</i> )                                                                        | T      | \$8,801,018   | \$808,327,990    |
| 38   | Salmon, coho ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i> ) - Central CA Coast ESU                            | E      | \$8,009,617   | \$816,337,607    |
| 39   | Sea turtle, leatherback ( <i>Dermochelys coriacea</i> )                                                                 | E      | \$7,587,774   | \$823,925,381    |
| 40   | Bear, grizzly ( <i>Ursus arctos horribilis</i> ) - lower 48, except where EXPN or delisted                              | T      | \$7,586,563   | \$831,511,944    |
| 41   | Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) - western pop.                                                          | E      | \$7,156,704   | \$838,668,648    |
| 42   | Steelhead ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i> ) - central CA coast                                    | T      | \$6,856,803   | \$845,525,451    |
| 43   | Murrelet, marbled ( <i>Brachyramphus marmoratus</i> ) - CA, OR, WA                                                      | T      | \$6,854,013   | \$852,379,464    |
| 44   | Salmon, coho ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i> ) - Oregon Coast ESU                                | T      | \$6,820,495   | \$859,199,959    |
| 45   | Sea turtle, Kemp's ridley ( <i>Lepidochelys kempii</i> )                                                                | E      | \$6,664,434   | \$865,864,393    |
| 46   | Chub, bonytail ( <i>Gila elegans</i> ) - Entire                                                                         | E      | \$6,589,126   | \$872,453,519    |
| 47   | Owl, Mexican spotted ( <i>Strix occidentalis lucida</i> )                                                               | T      | \$6,579,778   | \$879,033,297    |
| 48   | Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) - eastern pop.                                                          | T      | \$6,515,216   | \$885,548,513    |
| 49   | Whale, humpback ( <i>Megaptera novaeangliae</i> )                                                                       | E      | \$6,025,645   | \$891,574,158    |
| 50   | Sea turtle, hawksbill ( <i>Eretmochelys imbricata</i> )                                                                 | E      | \$5,999,532   | \$897,573,690    |
| 51   | Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) - except Salt and Verde R. drainages, AZ              | E      | \$5,942,724   | \$903,516,414    |
| 52   | Manatee, West Indian ( <i>Trichechus manatus</i> )                                                                      | E      | \$5,851,959   | \$909,368,373    |

| Rank | Species (50 CFR Part 17)                                                                                                                                                                                                                                                                     | Status | Species Total | Cumulative Total |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 53   | Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> ) - Ozette Lake, WA                                                                                                                                                                                                              | T      | \$5,765,246   | \$915,133,619    |
| 54   | Salmon, chum ( <i>Oncorhynchus</i> (=Salmo) <i>keta</i> ) - summer-run Hood Canal                                                                                                                                                                                                            | T      | \$5,670,660   | \$920,804,279    |
| 55   | Trout, Lahontan cutthroat ( <i>Oncorhynchus clarki henshawi</i> )                                                                                                                                                                                                                            | T      | \$5,635,926   | \$926,440,205    |
| 56   | Sea turtle, green ( <i>Chelonia mydas</i> ) - except where endangered                                                                                                                                                                                                                        | T      | \$5,309,962   | \$931,750,167    |
| 57   | Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - northern CA                                                                                                                                                                                                                       | T      | \$5,071,909   | \$936,822,076    |
| 58   | Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - CA coastal                                                                                                                                                                                                             | T      | \$4,988,639   | \$941,810,715    |
| 59   | Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - southern CA coast                                                                                                                                                                                                                 | E      | \$4,879,067   | \$946,689,782    |
| 60   | Bear, Louisiana black ( <i>Ursus americanus luteolus</i> )                                                                                                                                                                                                                                   | T      | \$4,681,456   | \$951,371,238    |
| 61   | Lynx, Canada ( <i>Lynx canadensis</i> ) - Contiguous U.S. DPS                                                                                                                                                                                                                                | T      | \$4,650,834   | \$956,022,072    |
| 62   | Frog, California red-legged ( <i>Rana draytonii</i> ) - Entire                                                                                                                                                                                                                               | T      | \$4,487,346   | \$960,509,418    |
| 63   | Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - south central CA coast                                                                                                                                                                                                            | T      | \$4,472,609   | \$964,982,027    |
| 64   | Warbler (=wood), golden-cheeked ( <i>Dendroica chrysoparia</i> )                                                                                                                                                                                                                             | E      | \$4,471,850   | \$969,453,877    |
| 65   | Sturgeon, North American green ( <i>Acipenser medirostris</i> ) - CA Southern Distinct Population Segment                                                                                                                                                                                    | T      | \$4,453,145   | \$973,907,022    |
| 66   | Plover, western snowy ( <i>Charadrius alexandrinus nivosus</i> ) - Pacific coastal pop.                                                                                                                                                                                                      | T      | \$4,449,551   | \$978,356,573    |
| 67   | Whale, sperm ( <i>Physeter catodon</i> (=macrocephalus))                                                                                                                                                                                                                                     | E      | \$4,262,227   | \$982,618,800    |
| 68   | Vireo, least Bell's ( <i>Vireo bellii pusillus</i> )                                                                                                                                                                                                                                         | E      | \$4,127,989   | \$986,746,789    |
| 69   | Fairy shrimp, vernal pool ( <i>Branchinecta lynchi</i> )                                                                                                                                                                                                                                     | T      | \$4,096,344   | \$990,843,133    |
| 70   | Bear, polar ( <i>Ursus maritimus</i> )                                                                                                                                                                                                                                                       | T      | \$3,913,013   | \$994,756,146    |
| 71   | Seal, Hawaiian monk ( <i>Monachus schauinslandi</i> )                                                                                                                                                                                                                                        | E      | \$3,791,999   | \$998,548,145    |
| 72   | Wolf, gray ( <i>Canis lupus</i> ) - All of AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT and WV; those portions of AZ, NM, and TX not included in EXPN; and portions of IA, IN, IL, ND, OH, OR, SD, UT, and WA. Mexico. | E      | \$3,791,792   | \$1,002,339,937  |
| 73   | Salamander, California tiger ( <i>Ambystoma californiense</i> ) - Central CA DPS                                                                                                                                                                                                             | T      | \$3,756,372   | \$1,006,096,309  |
| 74   | Whale, bowhead ( <i>Balaena mysticetus</i> )                                                                                                                                                                                                                                                 | E      | \$3,481,326   | \$1,009,577,635  |
| 75   | Whale, blue ( <i>Balaenoptera musculus</i> )                                                                                                                                                                                                                                                 | E      | \$3,400,703   | \$1,012,978,338  |
| 76   | Sucker, Lost River ( <i>Deltistes luxatus</i> )                                                                                                                                                                                                                                              | E      | \$3,291,101   | \$1,016,269,439  |
| 77   | Sucker, shortnose ( <i>Chasmistes brevirostris</i> )                                                                                                                                                                                                                                         | E      | \$3,281,897   | \$1,019,551,336  |
| 78   | Whale, Beluga ( <i>Delphinapterus leucas</i> ) - Cook Inlet DPS                                                                                                                                                                                                                              | E      | \$3,280,880   | \$1,022,832,216  |
| 79   | Whale, Sei ( <i>Balaenoptera borealis</i> )                                                                                                                                                                                                                                                  | E      | \$3,170,385   | \$1,026,002,601  |
| 80   | Mouse, Perdido Key beach ( <i>Peromyscus polionotus trissyllepsis</i> )                                                                                                                                                                                                                      | E      | \$3,156,728   | \$1,029,159,329  |
| 81   | Whale, finback ( <i>Balaenoptera physalus</i> )                                                                                                                                                                                                                                              | E      | \$2,994,645   | \$1,032,153,974  |
| 82   | Gnatcatcher, coastal California ( <i>Poliopitila californica californica</i> )                                                                                                                                                                                                               | T      | \$2,930,214   | \$1,035,084,188  |
| 83   | Rail, Yuma clapper ( <i>Rallus longirostris yumanensis</i> ) - U.S.A. only                                                                                                                                                                                                                   | E      | \$2,830,316   | \$1,037,914,504  |
| 84   | Tadpole shrimp, vernal pool ( <i>Lepidurus packardii</i> )                                                                                                                                                                                                                                   | E      | \$2,768,590   | \$1,040,683,094  |
| 85   | Whale, North Pacific Right ( <i>Eubalaena japonica</i> ) - Entire                                                                                                                                                                                                                            | E      | \$2,762,940   | \$1,043,446,034  |
| 86   | Beetle, valley elderberry longhorn ( <i>Desmocerus californicus dimorphus</i> )                                                                                                                                                                                                              | T      | \$2,647,174   | \$1,046,093,208  |
| 87   | scrub-jay, Florida ( <i>Aphelocoma coerulescens</i> )                                                                                                                                                                                                                                        | T      | \$2,588,613   | \$1,048,681,821  |
| 88   | Sucker, Santa Ana ( <i>Catostomus santaanae</i> ) - 3 CA river basins                                                                                                                                                                                                                        | T      | \$2,574,476   | \$1,051,256,297  |
| 89   | Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) - northern                                                                                                                                                                                                                         | T      | \$2,545,988   | \$1,053,802,285  |
| 90   | Shrike, San Clemente loggerhead ( <i>Lanius ludovicianus mearnsi</i> )                                                                                                                                                                                                                       | E      | \$2,527,458   | \$1,056,329,743  |
| 91   | Tern, California least ( <i>Sterna antillarum browni</i> )                                                                                                                                                                                                                                   | E      | \$2,370,553   | \$1,058,700,296  |
| 92   | Panther, Florida (Puma (=Felis) concolor coryi)                                                                                                                                                                                                                                              | E      | \$2,289,299   | \$1,060,989,595  |
| 93   | Ferret, black-footed ( <i>Mustela nigripes</i> ) - entire, except where EXPN                                                                                                                                                                                                                 | E      | \$2,284,964   | \$1,063,274,559  |
| 94   | Tiger beetle, Puritan ( <i>Cicindela puritana</i> )                                                                                                                                                                                                                                          | T      | \$2,229,631   | \$1,065,504,190  |
| 95   | Palila (honeycreeper) ( <i>Loxioides bailleui</i> )                                                                                                                                                                                                                                          | E      | \$2,203,987   | \$1,067,708,177  |
| 96   | Pocketbook, Ouachita rock ( <i>Arkansia wheeleri</i> )                                                                                                                                                                                                                                       | E      | \$2,170,960   | \$1,069,879,137  |
| 97   | Wolf, gray ( <i>Canis lupus</i> ) - WY, ID, MT                                                                                                                                                                                                                                               | EXPN   | \$2,167,805   | \$1,072,046,942  |
| 98   | Stork, wood ( <i>Mycteria americana</i> ) - AL, FL, GA, SC                                                                                                                                                                                                                                   | E      | \$2,163,706   | \$1,074,210,648  |
| 99   | Wolf, gray ( <i>Canis lupus</i> ) - MN                                                                                                                                                                                                                                                       | T      | \$2,160,100   | \$1,076,370,748  |
| 100  | Prairie dog, Utah ( <i>Cynomys parvidens</i> )                                                                                                                                                                                                                                               | T      | \$2,158,509   | \$1,078,529,257  |
| 101  | Wolf, gray ( <i>Canis lupus</i> ) - Mexican gray wolf, EXPN population                                                                                                                                                                                                                       | EXPN   | \$2,144,099   | \$1,080,673,356  |
| 102  | Crane, whooping ( <i>Grus americana</i> ) - except where EXPN                                                                                                                                                                                                                                | E      | \$2,018,997   | \$1,082,692,353  |
| 103  | Whale, killer ( <i>Orcinus orca</i> ) - Southern Resident DPS                                                                                                                                                                                                                                | E      | \$1,955,150   | \$1,084,647,503  |
| 104  | Condor, California ( <i>Gymnogyps californianus</i> ) - Entire, except where EXPN                                                                                                                                                                                                            | E      | \$1,930,919   | \$1,086,578,422  |
| 105  | Sturgeon, gulf ( <i>Acipenser oxyrinchus desotoi</i> )                                                                                                                                                                                                                                       | T      | \$1,922,861   | \$1,088,501,283  |
| 106  | Sea turtle, green ( <i>Chelonia mydas</i> ) - FL, Mexico nesting pops.                                                                                                                                                                                                                       | E      | \$1,920,717   | \$1,090,422,000  |
| 107  | Snake, giant garter ( <i>Thamnophis gigas</i> )                                                                                                                                                                                                                                              | T      | \$1,860,390   | \$1,092,282,390  |
| 108  | Rail, light-footed clapper ( <i>Rallus longirostris levipes</i> ) - U.S.A. only                                                                                                                                                                                                              | E      | \$1,812,036   | \$1,094,094,426  |
| 109  | Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) - except where endangered                                                                                                                                                                                                          | T      | \$1,765,497   | \$1,095,859,923  |
| 110  | Coral, staghorn ( <i>Acropora cervicornis</i> )                                                                                                                                                                                                                                              | T      | \$1,687,873   | \$1,097,547,796  |
| 111  | Parrot, Puerto Rican ( <i>Amazona vittata</i> )                                                                                                                                                                                                                                              | E      | \$1,629,500   | \$1,099,177,296  |
| 112  | Eider, spectacled ( <i>Somateria fischeri</i> )                                                                                                                                                                                                                                              | T      | \$1,624,543   | \$1,100,801,839  |

| Rank | Species (50 CFR Part 17)                                                                                                                        | Status | Species Total | Cumulative Total |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 113  | Coral, elkhorn ( <i>Acropora palmata</i> )                                                                                                      | T      | \$1,620,149   | \$1,102,421,988  |
| 114  | Milk-vetch, Holmgren ( <i>Astragalus holmgreniorum</i> )                                                                                        | E      | \$1,557,075   | \$1,103,979,063  |
| 115  | Bear-poppy, Dwarf ( <i>Arctomecon humilis</i> )                                                                                                 | E      | \$1,551,000   | \$1,105,530,063  |
| 116  | Butterfly, Karner blue ( <i>Lycaeides melissa samuelis</i> )                                                                                    | E      | \$1,534,478   | \$1,107,064,541  |
| 117  | Warbler, Kirtland's ( <i>Dendroica kirtlandii</i> )                                                                                             | E      | \$1,496,614   | \$1,108,561,155  |
| 118  | Beetle, American burying ( <i>Nicrophorus americanus</i> )                                                                                      | E      | \$1,489,166   | \$1,110,050,321  |
| 119  | Eider, Steller's ( <i>Polysticta stelleri</i> ) - AK breeding pop.                                                                              | T      | \$1,467,593   | \$1,111,517,914  |
| 120  | Kite, Everglade snail ( <i>Rostrhamus sociabilis plumbeus</i> ) - FL pop.                                                                       | E      | \$1,437,717   | \$1,112,955,631  |
| 121  | Sawfish, smalltooth ( <i>Pristis pectinata</i> )                                                                                                | E      | \$1,423,833   | \$1,114,379,464  |
| 122  | Snake, eastern indigo ( <i>Drymarchon corais couperi</i> )                                                                                      | T      | \$1,368,341   | \$1,115,747,805  |
| 123  | Mouse, salt marsh harvest ( <i>Reithrodontomys raviventris</i> )                                                                                | E      | \$1,366,130   | \$1,117,113,935  |
| 124  | Clover, showy Indian ( <i>Trifolium amoenum</i> )                                                                                               | E      | \$1,346,100   | \$1,118,460,035  |
| 125  | Fox, San Joaquin kit ( <i>Vulpes macrotis mutica</i> )                                                                                          | E      | \$1,341,390   | \$1,119,801,425  |
| 126  | Bat, gray ( <i>Myotis grisescens</i> )                                                                                                          | E      | \$1,336,681   | \$1,121,138,106  |
| 127  | Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> ) - except where EXPN                                                        | E      | \$1,295,229   | \$1,122,433,335  |
| 128  | Otter, southern sea ( <i>Enhydra lutris nereis</i> ) - except where EXPN                                                                        | T      | \$1,241,943   | \$1,123,675,278  |
| 129  | Mucket, pink (pearlymussel) ( <i>Lampsilis abrupta</i> )                                                                                        | E      | \$1,180,916   | \$1,124,856,194  |
| 130  | Tortoise, gopher ( <i>Gopherus polyphemus</i> ) - W of of Mobile/Tombigbee Rs.                                                                  | T      | \$1,149,655   | \$1,126,005,849  |
| 131  | Sucker, June ( <i>Chasmistes liorus</i> )                                                                                                       | E      | \$1,149,000   | \$1,127,154,849  |
| 132  | Trout, Apache ( <i>Oncorhynchus apache</i> )                                                                                                    | T      | \$1,146,436   | \$1,128,301,285  |
| 133  | Abalone, Black ( <i>Haliotis cracherodii</i> )                                                                                                  | E      | \$1,112,864   | \$1,129,414,149  |
| 134  | Goose, Hawaiian ( <i>Branta</i> (=Nesochen) <i>sandvicensis</i> )                                                                               | E      | \$1,103,876   | \$1,130,518,025  |
| 135  | Snails, Oahu tree ( <i>Achatinella</i> spp.)                                                                                                    | E      | \$1,081,522   | \$1,131,599,547  |
| 136  | Trout, Gila ( <i>Oncorhynchus gilae</i> )                                                                                                       | T      | \$1,073,130   | \$1,132,672,677  |
| 137  | Pronghorn, Sonoran ( <i>Antilocapra americana sonoriensis</i> ) - Entire                                                                        | E      | \$1,056,770   | \$1,133,729,447  |
| 138  | Shiner, Pecos bluntnose ( <i>Notropis simus pecosensis</i> )                                                                                    | T      | \$1,054,262   | \$1,134,783,709  |
| 139  | Peppergrass, Slickspot ( <i>Lepidium papilliferum</i> )                                                                                         | T      | \$1,045,487   | \$1,135,829,196  |
| 140  | Cui-ui ( <i>Chasmistes cujus</i> )                                                                                                              | E      | \$1,025,614   | \$1,136,854,810  |
| 141  | Abalone, white ( <i>Haliotis sorenseni</i> ) - North America (West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico) | E      | \$1,025,051   | \$1,137,879,861  |
| 142  | Frog, mountain yellow-legged ( <i>Rana muscosa</i> ) - southern California DPS                                                                  | E      | \$1,023,848   | \$1,138,903,709  |
| 143  | Rail, California clapper ( <i>Rallus longirostris obsoletus</i> )                                                                               | E      | \$1,011,890   | \$1,139,915,599  |
| 144  | Eulachon, Pacific ( <i>Thaleichthys pacificus</i> ) - Southern DPS                                                                              | T      | \$1,007,420   | \$1,140,923,019  |
| 145  | Dace, Moapa ( <i>Moapa coriacea</i> )                                                                                                           | E      | \$991,671     | \$1,141,914,690  |
| 146  | Bat, Hawaiian hoary ( <i>Lasiurus cinereus semotus</i> )                                                                                        | E      | \$984,790     | \$1,142,899,480  |
| 147  | Shiner, Topeka ( <i>Notropis topeka</i> (=tristis))                                                                                             | E      | \$983,110     | \$1,143,882,590  |
| 148  | Eagle, bald ( <i>Haliaeetus leucocephalus</i> ) - Sonoran Desert DPS                                                                            | T      | \$975,279     | \$1,144,857,869  |
| 149  | Higgins eye (pearlymussel) ( <i>Lampsilis higginsii</i> )                                                                                       | E      | \$940,115     | \$1,145,797,984  |
| 150  | Jaguarundi, Gulf Coast ( <i>Herpailurus</i> (=Felis) <i>yagouaroundi cacomitli</i> )                                                            | E      | \$907,675     | \$1,146,705,659  |
| 151  | Wolf, red ( <i>Canis rufus</i> ) - portions of NC and TN                                                                                        | EXPN   | \$906,450     | \$1,147,612,109  |
| 152  | Salamander, California tiger ( <i>Ambystoma californiense</i> ) - CA - Sonoma County                                                            | E      | \$899,100     | \$1,148,511,209  |
| 153  | Mapleleaf, winged ( <i>Quadrula fragosa</i> ) - Entire; except where EXPN                                                                       | E      | \$895,983     | \$1,149,407,192  |
| 154  | Crow, Mariana (=aga) ( <i>Corvus kubaryi</i> )                                                                                                  | E      | \$895,195     | \$1,150,302,387  |
| 155  | Toad, arroyo (=arroyo southwestern) ( <i>Bufo californicus</i> (=microscaphus))                                                                 | E      | \$877,448     | \$1,151,179,835  |
| 156  | Seagrass, Johnson's ( <i>Halophila johnsonii</i> )                                                                                              | T      | \$876,596     | \$1,152,056,431  |
| 157  | Whipsnake (=striped racer), Alameda ( <i>Masticophis lateralis euryxanthus</i> )                                                                | T      | \$875,360     | \$1,152,931,791  |
| 158  | Rabbit, riparian brush ( <i>Sylvilagus bachmani riparius</i> )                                                                                  | E      | \$868,130     | \$1,153,799,921  |
| 159  | Crow, Hawaiian (=alala) ( <i>Corvus hawaiiensis</i> )                                                                                           | E      | \$846,453     | \$1,154,646,374  |
| 160  | Tiger beetle, northeastern beach ( <i>Cicindela dorsalis dorsalis</i> )                                                                         | T      | \$842,241     | \$1,155,488,615  |
| 161  | Butterfly, Fender's blue ( <i>Icaricia icarioides fenderi</i> )                                                                                 | E      | \$836,782     | \$1,156,325,397  |
| 162  | Lupine, Kincaid's ( <i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i> ))                                      | T      | \$824,176     | \$1,157,149,573  |
| 163  | Bat, Mariana fruit (=Mariana flying fox) ( <i>Pteropus mariannus mariannus</i> ) - Entire                                                       | T      | \$806,960     | \$1,157,956,533  |
| 164  | Vireo, black-capped ( <i>Vireo atricapilla</i> )                                                                                                | E      | \$806,060     | \$1,158,762,593  |
| 165  | Goby, tidewater ( <i>Eucyclogobius newberryi</i> ) - Entire                                                                                     | E      | \$799,322     | \$1,159,561,915  |
| 166  | Crane, whooping ( <i>Grus americana</i> ) - AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV                          | EXPN   | \$797,783     | \$1,160,359,698  |
| 167  | Darter, boulder ( <i>Etheostoma wapiti</i> )                                                                                                    | E      | \$792,200     | \$1,161,151,898  |
| 168  | Chub, Virgin River ( <i>Gila seminuda</i> (=robusta))                                                                                           | E      | \$778,517     | \$1,161,930,415  |
| 169  | Caracara, Audubon's crested ( <i>Polyborus plancus audubonii</i> ) - FL pop.                                                                    | T      | \$759,009     | \$1,162,689,424  |
| 170  | Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) - Mexican nesting pop.                                                                | E      | \$752,454     | \$1,163,441,878  |
| 171  | Trout, Little Kern golden ( <i>Oncorhynchus aguabonita whitei</i> )                                                                             | T      | \$734,500     | \$1,164,176,378  |
| 172  | Pearlymussel, birdwing ( <i>Lemiox rimosus</i> ) - Entire; Except where EXPN                                                                    | E      | \$731,933     | \$1,164,908,311  |
| 173  | Frog, Chiricahua leopard ( <i>Rana chiricahuensis</i> )                                                                                         | T      | \$724,235     | \$1,165,632,546  |
| 174  | Pearlymussel, cracking ( <i>Hemistena lata</i> ) - Entire; Except where EXPN                                                                    | E      | \$715,813     | \$1,166,348,359  |

| Rank | Species (50 CFR Part 17)                                                                                                | Status | Species Total | Cumulative Total |
|------|-------------------------------------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 175  | Woundfin ( <i>Plagopterus argentissimus</i> ) - except Gila R. drainage, AZ, NM                                         | E      | \$706,625     | \$1,167,054,984  |
| 176  | Plover, piping ( <i>Charadrius melodus</i> ) - Great Lakes watershed                                                    | E      | \$704,903     | \$1,167,759,887  |
| 177  | Shearwater, Newell's Townsend's ( <i>Puffinus auricularis newelli</i> )                                                 | T      | \$697,616     | \$1,168,457,503  |
| 178  | Petrel, Hawaiian dark-rumped ( <i>Pterodroma phaeopygia sandwichensis</i> )                                             | E      | \$696,258     | \$1,169,153,761  |
| 179  | Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> ) - Entire; Except where EXPN                        | E      | \$692,941     | \$1,169,846,702  |
| 180  | Ocelot ( <i>Leopardus (=Felis) pardalis</i> )                                                                           | E      | \$689,469     | \$1,170,536,171  |
| 181  | Rabbit, pygmy ( <i>Brachylagus idahoensis</i> ) - Columbia Basin DPS                                                    | E      | \$672,400     | \$1,171,208,571  |
| 182  | Paintbrush, golden ( <i>Castilleja levisecta</i> )                                                                      | T      | \$660,754     | \$1,171,869,325  |
| 183  | Pigtoe, finereyed ( <i>Fusconaia cuneolus</i> ) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL | EXPN   | \$657,000     | \$1,172,526,325  |
| 184  | Pigtoe, shiny ( <i>Fusconaia cor</i> ) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL          | EXPN   | \$638,000     | \$1,173,164,325  |
| 185  | Darter, fountain ( <i>Etheostoma fonticola</i> )                                                                        | E      | \$637,926     | \$1,173,802,251  |
| 186  | Darter, Okaloosa ( <i>Etheostoma okaloosae</i> )                                                                        | E      | \$633,000     | \$1,174,435,251  |
| 187  | Wedgemussel, dwarf ( <i>Alasmodonta heterodon</i> )                                                                     | E      | \$632,345     | \$1,175,067,596  |
| 188  | Logperch, Roanoke ( <i>Percina rex</i> )                                                                                | E      | \$620,218     | \$1,175,687,814  |
| 189  | Butterfly, Oregon silverspot ( <i>Speyeria zerene hippolyta</i> )                                                       | T      | \$600,735     | \$1,176,288,549  |
| 190  | Chub, Oregon ( <i>Oregonichthys crameri</i> )                                                                           | T      | \$596,044     | \$1,176,884,593  |
| 191  | Spikedace ( <i>Meda fulgida</i> )                                                                                       | T      | \$591,135     | \$1,177,475,728  |
| 192  | Minnow, loach ( <i>Tiaroga cobitis</i> )                                                                                | T      | \$589,458     | \$1,178,065,186  |
| 193  | Lizard, blunt-nosed leopard ( <i>Gambelia silus</i> )                                                                   | E      | \$583,596     | \$1,178,648,782  |
| 194  | Mouse, Pacific pocket ( <i>Perognathus longimembris pacificus</i> )                                                     | E      | \$552,162     | \$1,179,200,944  |
| 195  | Salamander, California tiger ( <i>Ambystoma californiense</i> ) - CA - Santa Barbara County                             | E      | \$547,202     | \$1,179,748,146  |
| 196  | Pupfish, Devils Hole ( <i>Cyprinodon diabolis</i> )                                                                     | E      | \$538,926     | \$1,180,287,072  |
| 197  | Otter, Northern Sea ( <i>Enhydra lutris kenyoni</i> ) - southwest Alaska DPS                                            | T      | \$535,869     | \$1,180,822,941  |
| 198  | Elktoe, Appalachian ( <i>Alasmodonta raveneliana</i> )                                                                  | E      | \$534,008     | \$1,181,356,949  |
| 199  | Fanshell ( <i>Cyprogenia stegaria</i> )                                                                                 | E      | \$526,240     | \$1,181,883,189  |
| 200  | Whale, gray ( <i>Eschrichtius robustus</i> ) - W Pacific Ocean                                                          | E      | \$516,483     | \$1,182,399,672  |
| 201  | Topminnow, Gila (incl. Yaqui) ( <i>Poeciliopsis occidentalis</i> ) - U.S.A. only                                        | E      | \$513,789     | \$1,182,913,461  |
| 202  | Condor, California ( <i>Gymnogyps californianus</i> ) - specific portions of AZ, NV and UT                              | EXPN   | \$496,785     | \$1,183,410,246  |
| 203  | Navarretia, spreading ( <i>Navarretia fossalis</i> )                                                                    | T      | \$491,803     | \$1,183,902,049  |
| 204  | Kangaroo rat, Stephens' ( <i>Dipodomys stephensi</i> (incl. <i>D. cascus</i> ))                                         | E      | \$488,544     | \$1,184,390,593  |
| 205  | Monardella, willow ( <i>Monardella viminea</i> )                                                                        | E      | \$487,334     | \$1,184,877,927  |
| 206  | Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) - southern                                                    | SAT    | \$480,573     | \$1,185,358,500  |
| 207  | Caribou, woodland ( <i>Rangifer tarandus caribou</i> ) - Selkirk Mountain population                                    | E      | \$477,918     | \$1,185,836,418  |
| 208  | Catchfly, Spalding's ( <i>Silene spaldingii</i> )                                                                       | T      | \$474,834     | \$1,186,311,252  |
| 209  | Chub, Gila ( <i>Gila intermedia</i> )                                                                                   | E      | \$472,264     | \$1,186,783,516  |
| 210  | Towhee, Inyo California ( <i>Pipilo crissalis eremophilus</i> )                                                         | T      | \$472,133     | \$1,187,255,649  |
| 211  | Sparrow, Florida grasshopper ( <i>Ammodramus savannarum floridanus</i> )                                                | E      | \$470,130     | \$1,187,725,779  |
| 212  | Alligator, American ( <i>Alligator mississippiensis</i> )                                                               | SAT    | \$462,588     | \$1,188,188,367  |
| 213  | Duck, Hawaiian (=koloa) ( <i>Anas wyvilliana</i> )                                                                      | E      | \$459,809     | \$1,188,648,176  |
| 214  | Squirrel, northern Idaho ground ( <i>Spermophilus brunneus brunneus</i> )                                               | T      | \$457,935     | \$1,189,106,111  |
| 215  | Ladies'-tresses, Ute ( <i>Spiranthes diluvialis</i> )                                                                   | T      | \$456,778     | \$1,189,562,889  |
| 216  | Albatross, short-tailed ( <i>Phoebastria (=Diomedea) albatrus</i> )                                                     | E      | \$453,157     | \$1,190,016,046  |
| 217  | Crane, Mississippi sandhill ( <i>Grus canadensis pulla</i> )                                                            | E      | \$450,346     | \$1,190,466,392  |
| 218  | Fritillary, Gentner's ( <i>Fritillaria gentneri</i> )                                                                   | E      | \$450,006     | \$1,190,916,398  |
| 219  | Stilt, Hawaiian ( <i>Himantopus mexicanus knudseni</i> )                                                                | E      | \$445,450     | \$1,191,361,848  |
| 220  | Darter, Niangua ( <i>Etheostoma nianguae</i> )                                                                          | T      | \$442,300     | \$1,191,804,148  |
| 221  | Wolf, Mexican gray ( <i>Canis lupus baileyi</i> ) - portions of AZ, NM and TX                                           | EXPN   | \$441,849     | \$1,192,245,997  |
| 222  | Dragonfly, Hine's emerald ( <i>Somatochlora hineana</i> )                                                               | E      | \$441,738     | \$1,192,687,735  |
| 223  | Pupfish, desert ( <i>Cyprinodon macularius</i> )                                                                        | E      | \$439,275     | \$1,193,127,010  |
| 224  | Wolf, red ( <i>Canis rufus</i> ) - except where EXPN                                                                    | E      | \$439,100     | \$1,193,566,110  |
| 225  | Rhododendron, Chapman ( <i>Rhododendron chapmanii</i> )                                                                 | E      | \$438,500     | \$1,194,004,610  |
| 226  | Butterwort, Godfrey's ( <i>Pinguicula ionantha</i> )                                                                    | T      | \$437,595     | \$1,194,442,205  |
| 227  | Sparrow, Cape Sable seaside ( <i>Ammodramus maritimus mirabilis</i> )                                                   | E      | \$435,595     | \$1,194,877,800  |
| 228  | Darter, Etowah ( <i>Etheostoma etowahae</i> )                                                                           | E      | \$434,300     | \$1,195,312,100  |
| 229  | Howellia, water ( <i>Howellia aquatilis</i> )                                                                           | T      | \$425,498     | \$1,195,737,598  |
| 230  | Spurge, telephus ( <i>Euphorbia telephoides</i> )                                                                       | T      | \$421,782     | \$1,196,159,380  |
| 231  | Mouse, Preble's meadow jumping ( <i>Zapus hudsonius preblei</i> ) - U.S.A., north-central CO                            | T      | \$420,042     | \$1,196,579,422  |
| 232  | Toad, Houston ( <i>Bufo houstonensis</i> )                                                                              | E      | \$420,041     | \$1,196,999,463  |
| 233  | Kangaroo rat, Tipton ( <i>Dipodomys nitratoideus nitratoideus</i> )                                                     | E      | \$419,230     | \$1,197,418,693  |
| 234  | Fairy shrimp, San Diego ( <i>Branchinecta sandiegonensis</i> )                                                          | E      | \$415,542     | \$1,197,834,235  |

| Rank | Species (50 CFR Part 17)                                                                                     | Status | Species Total | Cumulative Total |
|------|--------------------------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 235  | Sheep, Sierra Nevada bighorn ( <i>Ovis canadensis sierrae</i> ) - Sierra Nevada                              | E      | \$411,100     | \$1,198,245,335  |
| 236  | Darter, Cherokee ( <i>Etheostoma scotti</i> )                                                                | T      | \$407,950     | \$1,198,653,285  |
| 237  | Tern, roseate ( <i>Sterna dougallii dougallii</i> ) - northeast U.S. nesting pop.                            | E      | \$394,937     | \$1,199,048,222  |
| 238  | Checker-mallow, Nelson's ( <i>Sidalcea nelsoniana</i> )                                                      | T      | \$376,649     | \$1,199,424,871  |
| 239  | Butterfly, El Segundo blue ( <i>Euphilotes battoides allyni</i> )                                            | E      | \$375,240     | \$1,199,800,111  |
| 240  | Fairy shrimp, Riverside ( <i>Streptocephalus woottoni</i> )                                                  | E      | \$374,799     | \$1,200,174,910  |
| 241  | Rail, Guam ( <i>Rallus owstoni</i> ) - except Rota                                                           | E      | \$372,577     | \$1,200,547,487  |
| 242  | Fox, Santa Rosa Island ( <i>Urocyon littoralis santarosae</i> )                                              | E      | \$363,670     | \$1,200,911,157  |
| 243  | Moorhen, Hawaiian common ( <i>Gallinula chloropus sandvicensis</i> )                                         | E      | \$359,461     | \$1,201,270,618  |
| 244  | Amaranth, seabeach ( <i>Amaranthus pumilus</i> )                                                             | T      | \$357,540     | \$1,201,628,158  |
| 245  | Crocodile, American ( <i>Crocodylus acutus</i> ) - FL pop.                                                   | T      | \$354,086     | \$1,201,982,244  |
| 246  | Kangaroo rat, giant ( <i>Dipodomys ingens</i> )                                                              | E      | \$352,170     | \$1,202,334,414  |
| 247  | Orchid, western prairie fringed ( <i>Platanthera praeclara</i> )                                             | T      | \$346,059     | \$1,202,680,473  |
| 248  | Spiny mussel, James ( <i>Pleurobema collina</i> )                                                            | E      | \$344,853     | \$1,203,025,326  |
| 249  | Snail, Bliss Rapids ( <i>Taylorconcha serpenticola</i> )                                                     | T      | \$343,140     | \$1,203,368,466  |
| 250  | Wolf, gray ( <i>Canis lupus</i> ) - WY, EXPN population                                                      | EXPN   | \$342,134     | \$1,203,710,600  |
| 251  | Loosestrife, rough-leaved ( <i>Lysimachia asperulaefolia</i> )                                               | E      | \$341,865     | \$1,204,052,465  |
| 252  | Pondberry ( <i>Lindera melissifolia</i> )                                                                    | E      | \$339,745     | \$1,204,392,210  |
| 253  | Coot, Hawaiian ( <i>Fulica americana alai</i> )                                                              | E      | \$319,318     | \$1,204,711,528  |
| 254  | Rockfish, Canary ( <i>Sebastes pinniger</i> ) - Puget Sound–Georgia Basin DPS                                | T      | \$318,519     | \$1,205,030,047  |
| 254  | Rockfish, Yelloweye ( <i>Sebastes ruberrimus</i> ) - Puget Sound–Georgia Basin DPS                           | T      | \$318,519     | \$1,205,348,566  |
| 255  | Bocaccio ( <i>Sebastes paucispinis</i> ) - Puget Sound–Georgia Basin DPS                                     | E      | \$315,613     | \$1,205,664,179  |
| 256  | Salamander, Reticulated flatwoods ( <i>Ambystoma bishopi</i> )                                               | E      | \$313,972     | \$1,205,978,151  |
| 257  | Trout, Greenback Cutthroat ( <i>Oncorhynchus clarki stomias</i> )                                            | T      | \$313,165     | \$1,206,291,316  |
| 258  | Wild-rice, Texas ( <i>Zizania texana</i> )                                                                   | E      | \$306,970     | \$1,206,598,286  |
| 259  | <i>Asplenium fragile</i> var. <i>insulare</i>                                                                | E      | \$302,481     | \$1,206,900,767  |
| 260  | Heelsplitter, Carolina ( <i>Lasmigona decorata</i> )                                                         | E      | \$300,296     | \$1,207,201,063  |
| 261  | Madtom, Neosho ( <i>Noturus placidus</i> )                                                                   | T      | \$298,332     | \$1,207,499,395  |
| 262  | Minnow, Rio Grande silvery ( <i>Hybognathus amarus</i> ) - Rio Grande, from Little Box Canyon to Amistad Dam | EXPN   | \$290,435     | \$1,207,789,830  |
| 263  | Heartleaf, dwarf-flowered ( <i>Hexastylis naniflora</i> )                                                    | T      | \$289,445     | \$1,208,079,275  |
| 264  | Snail, Snake River physa ( <i>Physa natricina</i> )                                                          | E      | \$289,324     | \$1,208,368,599  |
| 265  | Sheep, Peninsular bighorn ( <i>Ovis canadensis nelsoni</i> ) - Peninsular CA pop.                            | E      | \$289,000     | \$1,208,657,599  |
| 266  | Ferret, black-footed ( <i>Mustela nigripes</i> ) - portions of AZ, CO, MT, SD, UT, WY                        | EXPN   | \$283,748     | \$1,208,941,347  |
| 267  | Dace, blackside ( <i>Phoxinusumberlandensis</i> )                                                            | T      | \$281,028     | \$1,209,222,375  |
| 268  | Swiftlet, Mariana gray ( <i>Aerodramus vanikorensis bartschi</i> )                                           | E      | \$279,225     | \$1,209,501,600  |
| 269  | Phlox, Texas trailing ( <i>Phlox nivalis</i> ssp. <i>texasensis</i> )                                        | E      | \$278,015     | \$1,209,779,615  |
| 270  | Sucker, Warner ( <i>Catostomus warnerensis</i> )                                                             | T      | \$277,149     | \$1,210,056,764  |
| 271  | <i>Vigna o-wahuensis</i>                                                                                     | E      | \$273,647     | \$1,210,330,411  |
| 272  | Stickleback, unarmored threespine ( <i>Gasterosteus aculeatus williamsoni</i> )                              | E      | \$273,117     | \$1,210,603,528  |
| 273  | Bat, Virginia big-eared ( <i>Corynorhinus</i> (= <i>Plecotus</i> ) <i>townsendii virginianus</i> )           | E      | \$271,281     | \$1,210,874,809  |
| 274  | Clubshell ( <i>Pleurobema clava</i> ) - Entire; Except where EXPN                                            | E      | \$271,194     | \$1,211,146,003  |
| 275  | Frog, dusky gopher ( <i>Rana sevosa</i> ) - Entire                                                           | E      | \$269,382     | \$1,211,415,385  |
| 276  | Deer, Columbian white-tailed ( <i>Odocoileus virginianus leucurus</i> ) - Columbia River DPS                 | E      | \$265,234     | \$1,211,680,619  |
| 277  | Ground beetle, [unnamed] ( <i>Rhadine infernalis</i> )                                                       | E      | \$262,600     | \$1,211,943,219  |
| 277  | Ground beetle, [unnamed] ( <i>Rhadine exilis</i> )                                                           | E      | \$262,600     | \$1,212,205,819  |
| 278  | Chub, spotfin ( <i>Erimonax monachus</i> ) - Entire                                                          | T      | \$261,777     | \$1,212,467,596  |
| 279  | Sumac, Michaux's ( <i>Rhus michauxii</i> )                                                                   | E      | \$261,146     | \$1,212,728,742  |
| 280  | Mouse, southeastern beach ( <i>Peromyscus polionotus niveiventris</i> )                                      | T      | \$260,598     | \$1,212,989,340  |
| 281  | Po'e ( <i>Portulaca sclerocarpa</i> )                                                                        | E      | \$259,831     | \$1,213,249,171  |
| 282  | Clover, running buffalo ( <i>Trifolium stoloniferum</i> )                                                    | E      | \$259,100     | \$1,213,508,271  |
| 283  | Sparrow, San Clemente sage ( <i>Amphispiza belli clementeae</i> )                                            | T      | \$257,667     | \$1,213,765,938  |
| 284  | Tiger beetle, Salt Creek ( <i>Cicindela nevadica lincolniiana</i> )                                          | E      | \$257,246     | \$1,214,023,184  |
| 285  | Pink, swamp ( <i>Helonias bullata</i> )                                                                      | T      | \$256,185     | \$1,214,279,369  |
| 286  | Moth, Blackburn's sphinx ( <i>Manduca blackburni</i> )                                                       | E      | \$255,861     | \$1,214,535,230  |
| 287  | <i>Nerodia ovata</i>                                                                                         | E      | \$255,626     | \$1,214,790,856  |
| 288  | Jaguar ( <i>Panthera onca</i> ) -                                                                            | E      | \$255,055     | \$1,215,045,911  |
| 289  | Salamander, Shenandoah ( <i>Plethodon shenandoah</i> )                                                       | E      | \$254,431     | \$1,215,300,342  |
| 290  | Ladies'-tresses, Navasota ( <i>Spiranthes parksii</i> )                                                      | E      | \$250,680     | \$1,215,551,022  |
| 291  | Lily, Western ( <i>Lilium occidentale</i> )                                                                  | E      | \$248,900     | \$1,215,799,922  |
| 292  | Bat, lesser long-nosed ( <i>Leptonycteris curasoae yerbabuenae</i> )                                         | E      | \$244,031     | \$1,216,043,953  |
| 293  | Pigeon, Puerto Rican plain ( <i>Columba inornata wetmorei</i> )                                              | E      | \$244,000     | \$1,216,287,953  |
| 294  | Chub, Mohave tui ( <i>Gila bicolor mohavensis</i> )                                                          | E      | \$242,840     | \$1,216,530,793  |

| Rank | Species (50 CFR Part 17)                                                            | Status | Species Total | Cumulative Total |
|------|-------------------------------------------------------------------------------------|--------|---------------|------------------|
| 295  | <i>Spermolepis hawaiiensis</i>                                                      | E      | \$242,548     | \$1,216,773,341  |
| 296  | Kangaroo rat, San Bernardino Merriam's ( <i>Dipodomys merriami parvus</i> )         | E      | \$241,682     | \$1,217,015,023  |
| 297  | <i>Silene lanceolata</i>                                                            | E      | \$240,887     | \$1,217,255,910  |
| 298  | Springsnail, Bruneau Hot ( <i>Pyrgulopsis bruneauensis</i> )                        | E      | \$240,578     | \$1,217,496,488  |
| 299  | <i>Lipochaeta venosa</i>                                                            | E      | \$240,146     | \$1,217,736,634  |
| 300  | Owl's-clover, fleshy ( <i>Castilleja campestris</i> ssp. <i>succulenta</i> )        | T      | \$240,100     | \$1,217,976,734  |
| 301  | Honohono ( <i>Haplostachys haplostachya</i> )                                       | E      | \$239,738     | \$1,218,216,472  |
| 301  | <i>Stenogyne angustifolia angustifolia</i>                                          | E      | \$239,738     | \$1,218,456,210  |
| 302  | Popolo ku mai ( <i>Solanum incompletum</i> )                                        | E      | \$239,677     | \$1,218,695,887  |
| 302  | A'e ( <i>Zanthoxylum hawaiiense</i> )                                               | E      | \$239,677     | \$1,218,935,564  |
| 303  | Daisy, Willamette ( <i>Erigeron decumbens</i> var. <i>decumbens</i> )               | E      | \$239,659     | \$1,219,175,223  |
| 304  | Deer, key ( <i>Odocoileus virginianus clavium</i> )                                 | E      | \$239,192     | \$1,219,414,415  |
| 305  | Kio'ele ( <i>Hedyotis coriacea</i> )                                                | E      | \$238,956     | \$1,219,653,371  |
| 306  | Aupaka ( <i>Isodendron hosakae</i> )                                                | E      | \$238,516     | \$1,219,891,887  |
| 307  | Seal, Guadalupe fur ( <i>Arctocephalus townsendi</i> )                              | T      | \$238,131     | \$1,220,130,018  |
| 308  | Toad, Wyoming ( <i>Bufo baxteri</i> (= <i>hemiphrys</i> ))                          | E      | \$237,785     | \$1,220,367,803  |
| 309  | <i>Tetramolopium arenarium</i>                                                      | E      | \$236,924     | \$1,220,604,727  |
| 310  | <i>Silene hawaiiensis</i>                                                           | T      | \$235,824     | \$1,220,840,551  |
| 311  | Spiraea, Virginia ( <i>Spiraea virginiana</i> )                                     | T      | \$235,525     | \$1,221,076,076  |
| 312  | Dudleya, Santa Clara Valley ( <i>Dudleya setchellii</i> )                           | E      | \$233,500     | \$1,221,309,576  |
| 313  | Salamander, San Marcos ( <i>Eurycea nana</i> )                                      | T      | \$232,499     | \$1,221,542,075  |
| 314  | Wallflower, Contra Costa ( <i>Erysimum capitatum</i> var. <i>angustatum</i> )       | E      | \$231,500     | \$1,221,773,575  |
| 315  | Meshweaver, Madla's Cave ( <i>Cicurina madla</i> )                                  | E      | \$231,100     | \$1,222,004,675  |
| 316  | Salamander, frosted flatwoods ( <i>Ambystoma cingulatum</i> )                       | T      | \$230,167     | \$1,222,234,842  |
| 317  | Three-ridge, fat (mussel) ( <i>Amblyma neislerii</i> )                              | E      | \$229,139     | \$1,222,463,981  |
| 318  | Pogonia, small whorled ( <i>Isotria medeoloides</i> )                               | T      | \$228,303     | \$1,222,692,284  |
| 319  | Kingfisher, Guam Micronesian ( <i>Halcyon cinnamomina cinnamomina</i> )             | E      | \$225,477     | \$1,222,917,761  |
| 320  | Brodiaea, thread-leaved ( <i>Brodiaea filifolia</i> )                               | T      | \$223,806     | \$1,223,141,567  |
| 321  | Pupfish, Warm Springs ( <i>Cyprinodon nevadensis pectoralis</i> )                   | E      | \$222,119     | \$1,223,363,686  |
| 322  | Woolly-star, Santa Ana River ( <i>Eriastrum densifolium</i> ssp. <i>sanctorum</i> ) | E      | \$221,966     | \$1,223,585,652  |
| 323  | Warbler, nightingale reed (old world warbler) ( <i>Acrocephalus luscini</i> )       | E      | \$221,549     | \$1,223,807,201  |
| 324  | Butterfly, Palos Verdes blue ( <i>Glaucopsyche lygdamus palosverdesensis</i> )      | E      | \$220,200     | \$1,224,027,401  |
| 325  | Bean, purple ( <i>Villosa perpurpurea</i> )                                         | E      | \$217,166     | \$1,224,244,567  |
| 326  | Elepaio, Oahu ( <i>Chasiempis sandwichensis ibidis</i> )                            | E      | \$215,960     | \$1,224,460,527  |
| 327  | Snake, San Francisco garter ( <i>Thamnophis sirtalis tetrataenia</i> )              | E      | \$215,002     | \$1,224,675,529  |
| 328  | Dace, Ash Meadows speckled ( <i>Rhinichthys osculus nevadensis</i> )                | E      | \$214,226     | \$1,224,889,755  |
| 329  | Lomatium, Cook's ( <i>Lomatium cookii</i> )                                         | E      | \$212,879     | \$1,225,102,634  |
| 330  | Spineflower, slender-horned ( <i>Dodecahema leptoceras</i> )                        | E      | \$212,715     | \$1,225,315,349  |
| 331  | Centaury, spring-loving ( <i>Centaureum namophilum</i> )                            | T      | \$212,078     | \$1,225,527,427  |
| 332  | Tarplant, Gaviota ( <i>Deinandra increscens</i> ssp. <i>villosa</i> )               | E      | \$209,095     | \$1,225,736,522  |
| 333  | Harvestman, Cokendolpher Cave ( <i>Texella cokendolpheri</i> )                      | E      | \$204,900     | \$1,225,941,422  |
| 334  | Spider, Government Canyon Bat Cave ( <i>Neoleptoneta microps</i> )                  | E      | \$204,700     | \$1,226,146,122  |
| 334  | Meshweaver, Government Canyon Bat Cave ( <i>Cicurina vespera</i> )                  | E      | \$204,700     | \$1,226,350,822  |
| 335  | Limpet, Banbury Springs ( <i>Lanx</i> sp.)                                          | E      | \$203,174     | \$1,226,553,996  |
| 336  | Meshweaver, Robber Baron Cave ( <i>Cicurina baronia</i> )                           | E      | \$203,100     | \$1,226,757,096  |
| 337  | Beetle, Helotes mold ( <i>Batrissodes ventyivi</i> )                                | E      | \$202,600     | \$1,226,959,696  |
| 338  | Bear, American black ( <i>Ursus americanus</i> ) - County range of LA b.bear        | SAT    | \$202,436     | \$1,227,162,132  |
| 339  | Coneflower, smooth ( <i>Echinacea laevigata</i> )                                   | E      | \$202,235     | \$1,227,364,367  |
| 340  | Meshweaver, Braken Bat Cave ( <i>Cicurina venii</i> )                               | E      | \$200,900     | \$1,227,565,267  |
| 341  | Tuctoria, Greene's ( <i>Tuctoria greenei</i> )                                      | E      | \$200,600     | \$1,227,765,867  |
| 342  | Pocketbook, shinyrayed ( <i>Lampsilis subangulata</i> )                             | E      | \$199,583     | \$1,227,965,450  |
| 343  | Butterfly, Lange's metalmark ( <i>Apodemia mormo langei</i> )                       | E      | \$199,250     | \$1,228,164,700  |
| 344  | Mouse, Choctawhatchee beach ( <i>Peromyscus polionotus allophrys</i> )              | E      | \$197,931     | \$1,228,362,631  |
| 345  | Mouse, St. Andrew beach ( <i>Peromyscus polionotus peninsularis</i> )               | E      | \$196,323     | \$1,228,558,954  |
| 346  | Four-o'clock, MacFarlane's ( <i>Mirabilis macfarlanei</i> )                         | T      | \$196,132     | \$1,228,755,086  |
| 347  | Minnow, Devils River ( <i>Dionda diaboli</i> )                                      | T      | \$194,851     | \$1,228,949,937  |
| 348  | Springfish, Railroad Valley ( <i>Crenichthys nevadae</i> )                          | T      | \$193,943     | \$1,229,143,880  |
| 349  | Fairy shrimp, Conservancy ( <i>Branchinecta conservatio</i> )                       | E      | \$192,762     | \$1,229,336,642  |
| 350  | Pupfish, Ash Meadows Amargosa ( <i>Cyprinodon nevadensis mionectes</i> )            | E      | \$191,619     | \$1,229,528,261  |
| 351  | Orcutt grass, San Joaquin ( <i>Orcuttia inaequalis</i> )                            | T      | \$190,900     | \$1,229,719,161  |
| 352  | Thrush, small Kauai (=puaiohi) ( <i>Myadestes palmeri</i> )                         | E      | \$190,729     | \$1,229,909,890  |
| 353  | Bird's-beak, soft ( <i>Cordylanthus mollis</i> ssp. <i>mollis</i> )                 | E      | \$189,400     | \$1,230,099,290  |
| 354  | Fox, San Miguel Island ( <i>Urocyon littoralis littoralis</i> )                     | E      | \$188,170     | \$1,230,287,460  |

| Rank | Species (50 CFR Part 17)                                                                           | Status | Species Total | Cumulative Total |
|------|----------------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 355  | Desert-parsley, Bradshaw's ( <i>Lomatium bradshawii</i> )                                          | E      | \$187,988     | \$1,230,475,448  |
| 356  | Riffleshell, northern ( <i>Epioblasma torulosa rangiana</i> )                                      | E      | \$185,418     | \$1,230,660,866  |
| 357  | Beaked-rush, Knieskern's ( <i>Rhynchospora knieskernii</i> )                                       | T      | \$184,356     | \$1,230,845,222  |
| 358  | Squirrel, Virginia northern flying ( <i>Glaucomys sabrinus fuscus</i> )                            | E      | \$183,767     | \$1,231,028,989  |
| 359  | Cavefish, Ozark ( <i>Amblyopsis rosae</i> )                                                        | T      | \$180,850     | \$1,231,209,839  |
| 360  | Pocketbook, fat ( <i>Potamilus capax</i> )                                                         | E      | \$179,582     | \$1,231,389,421  |
| 361  | Thistle, Pitcher's ( <i>Cirsium pitcheri</i> )                                                     | T      | \$178,036     | \$1,231,567,457  |
| 362  | Orchid, eastern prairie fringed ( <i>Platanthera leucophaea</i> )                                  | T      | \$177,748     | \$1,231,745,205  |
| 363  | Darter, leopard ( <i>Percina pantherina</i> )                                                      | T      | \$172,570     | \$1,231,917,775  |
| 364  | Hawk, Hawaiian (=lo) ( <i>Buteo solitarius</i> )                                                   | E      | \$168,682     | \$1,232,086,457  |
| 365  | Butterfly, Quino checkerspot ( <i>Euphydryas editha quino</i> (=E. e. wrightii))                   | E      | \$167,642     | \$1,232,254,099  |
| 366  | Parrotbill, Maui (honeycreeper) ( <i>Pseudonestor xanthophrys</i> )                                | E      | \$167,604     | \$1,232,421,703  |
| 367  | Shiner, Arkansas River ( <i>Notropis girardi</i> ) - Arkansas R. Basin                             | T      | \$167,414     | \$1,232,589,117  |
| 368  | Ma'o hau hele, (=native yellow hibiscus) ( <i>Hibiscus brackenridgei</i> )                         | E      | \$167,282     | \$1,232,756,399  |
| 369  | Elktoe, Cumberland ( <i>Alasmidonta atropurpurea</i> )                                             | E      | \$166,761     | \$1,232,923,160  |
| 370  | Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) - DE-Sussex Co.                 | EXPN   | \$165,986     | \$1,233,089,146  |
| 371  | Cactus, Key tree ( <i>Pilosocereus robinii</i> )                                                   | E      | \$164,690     | \$1,233,253,836  |
| 372  | Gerardia, sandplain ( <i>Agalinis acuta</i> )                                                      | E      | \$164,639     | \$1,233,418,475  |
| 373  | Bankclimber, purple (mussel) ( <i>Elliptioideus sloatianus</i> )                                   | T      | \$163,572     | \$1,233,582,047  |
| 374  | Mountain beaver, Point Arena ( <i>Aplodontia rufa nigra</i> )                                      | E      | \$163,490     | \$1,233,745,537  |
| 375  | Shrew, Buena Vista Lake ornate ( <i>Sorex ornatus relictus</i> )                                   | E      | \$161,300     | \$1,233,906,837  |
| 376  | Cactus, Colorado hookless ( <i>Sclerocactus glaucus</i> )                                          | T      | \$161,207     | \$1,234,068,044  |
| 377  | Orcutt grass, hairy ( <i>Orcuttia pilosa</i> )                                                     | E      | \$161,100     | \$1,234,229,144  |
| 378  | Layia, beach ( <i>Layia carnosa</i> )                                                              | E      | \$160,240     | \$1,234,389,384  |
| 379  | Mouse, Alabama beach ( <i>Peromyscus polionotus ammobates</i> )                                    | E      | \$159,384     | \$1,234,548,768  |
| 380  | Rosemary, Cumberland ( <i>Conradina verticillata</i> )                                             | T      | \$159,261     | \$1,234,708,029  |
| 381  | Blackbird, yellow-shouldered ( <i>Agelaius xanthomus</i> )                                         | E      | \$159,000     | \$1,234,867,029  |
| 382  | Akepa, Maui (honeycreeper) ( <i>Loxops coccineus ochraceus</i> )                                   | E      | \$158,943     | \$1,235,025,972  |
| 383  | Bat, Ozark big-eared ( <i>Corynorhinus</i> (=Plecotus) townsendii ingens)                          | E      | \$157,950     | \$1,235,183,922  |
| 384  | Kuahiwi laukahi ( <i>Plantago princeps</i> )                                                       | E      | \$157,728     | \$1,235,341,650  |
| 385  | Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) - Entire, except Sussex Co., DE | E      | \$157,424     | \$1,235,499,074  |
| 386  | Salamander, Barton Springs ( <i>Eurycea sosorum</i> )                                              | E      | \$156,302     | \$1,235,655,376  |
| 387  | Darter, bluemask (=jewel) ( <i>Etheostoma</i> sp.)                                                 | E      | \$154,200     | \$1,235,809,576  |
| 388  | Dace, desert ( <i>Eremichthys acros</i> )                                                          | T      | \$153,600     | \$1,235,963,176  |
| 389  | Chub, Pahrnagat roundtail ( <i>Gila robusta jordani</i> )                                          | E      | \$152,734     | \$1,236,115,910  |
| 390  | Butterfly, mission blue ( <i>Icaricia icarioides missionensis</i> )                                | E      | \$152,100     | \$1,236,268,010  |
| 391  | Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) - Entire; Except where EXPN               | E      | \$151,518     | \$1,236,419,528  |
| 392  | Aster, Ruth's golden ( <i>Pityopsis ruthii</i> )                                                   | E      | \$149,500     | \$1,236,569,028  |
| 393  | Seal, Caribbean monk ( <i>Monachus tropicalis</i> )                                                | E      | \$149,293     | \$1,236,718,321  |
| 394  | Beetle, Hungerford's crawling water ( <i>Brychius hungerfordi</i> )                                | E      | \$148,864     | \$1,236,867,185  |
| 395  | Cactus, Wright fishhook ( <i>Sclerocactus wrightiae</i> )                                          | E      | \$148,600     | \$1,237,015,785  |
| 396  | Butterfly plant, Colorado ( <i>Gaura neomexicana</i> var. <i>coloradensis</i> )                    | T      | \$148,429     | \$1,237,164,214  |
| 397  | Gumplant, Ash Meadows ( <i>Grindelia fraxino-pratensis</i> )                                       | T      | \$148,078     | \$1,237,312,292  |
| 398  | Rockcress, Santa Cruz Island ( <i>Sibara filifolia</i> )                                           | E      | \$146,565     | \$1,237,458,857  |
| 399  | Pigtoe, oval ( <i>Pleurobema pyriforme</i> )                                                       | E      | \$143,673     | \$1,237,602,530  |
| 400  | Torreya, Florida ( <i>Torreya taxifolia</i> )                                                      | E      | \$143,200     | \$1,237,745,730  |
| 401  | Spinymussel, Tar River ( <i>Elliptio steinstansana</i> ) -                                         | E      | \$142,790     | \$1,237,888,520  |
| 402  | Salamander, Texas blind ( <i>Typhlomolge rathbuni</i> )                                            | E      | \$142,499     | \$1,238,031,019  |
| 403  | Mouse, Anastasia Island beach ( <i>Peromyscus polionotus phasma</i> )                              | E      | \$142,336     | \$1,238,173,355  |
| 404  | Beetle, Comal Springs riffle ( <i>Heterelmis comalensis</i> )                                      | E      | \$142,199     | \$1,238,315,554  |
| 405  | Butterfly, Mitchell's satyr ( <i>Neonympha mitchellii mitchellii</i> )                             | E      | \$141,270     | \$1,238,456,824  |
| 406  | Mussel, scaleshell ( <i>Leptodea leptodon</i> )                                                    | E      | \$140,171     | \$1,238,596,995  |
| 407  | Riffleshell, tan ( <i>Epioblasma florentina walkeri</i> (=E. walkeri))                             | E      | \$139,527     | \$1,238,736,522  |
| 408  | Goldfields, Contra Costa ( <i>Lasthenia conjugens</i> )                                            | E      | \$139,236     | \$1,238,875,758  |
| 409  | Indian paintbrush, San Clemente Island ( <i>Castilleja grisea</i> )                                | E      | \$139,065     | \$1,239,014,823  |
| 409  | Broom, San Clemente Island ( <i>Lotus dendroideus</i> ssp. <i>traskiae</i> )                       | E      | \$139,065     | \$1,239,153,888  |
| 409  | Bush-mallow, San Clemente Island ( <i>Malacothamnus clementinus</i> )                              | E      | \$139,065     | \$1,239,292,953  |
| 410  | Kangaroo rat, Morro Bay ( <i>Dipodomys heermanni morroensis</i> )                                  | E      | \$136,670     | \$1,239,429,623  |
| 411  | Nukupu'u (honeycreeper) ( <i>Hemignathus lucidus</i> )                                             | E      | \$136,443     | \$1,239,566,066  |
| 412  | Butterfly, Saint Francis' satyr ( <i>Neonympha mitchellii francisci</i> )                          | E      | \$136,210     | \$1,239,702,276  |
| 413  | Squirrel, Carolina northern flying ( <i>Glaucomys sabrinus coloratus</i> )                         | E      | \$135,099     | \$1,239,837,375  |
| 414  | Phacelia, DeBeque ( <i>Phacelia submutica</i> )                                                    | T      | \$134,366     | \$1,239,971,741  |

| Rank | Species (50 CFR Part 17)                                                             | Status | Species Total | Cumulative Total |
|------|--------------------------------------------------------------------------------------|--------|---------------|------------------|
| 415  | Ma`oli`oli ( <i>Schiedea kealiae</i> )                                               | E      | \$133,198     | \$1,240,104,939  |
| 416  | Po`ouli (honeycreeper) ( <i>Melamprosops phaeosoma</i> )                             | E      | \$132,043     | \$1,240,236,982  |
| 417  | Pearlshell, Louisiana ( <i>Margaritifera hembeli</i> )                               | T      | \$131,400     | \$1,240,368,382  |
| 418  | Evening-primrose, Antioch Dunes ( <i>Oenothera deltoides</i> ssp. <i>howellii</i> )  | E      | \$131,000     | \$1,240,499,382  |
| 419  | Dropwort, Canby's ( <i>Oxypolis canbyi</i> )                                         | E      | \$128,800     | \$1,240,628,182  |
| 420  | Mehamehame ( <i>Flueggea neowawraea</i> )                                            | E      | \$128,629     | \$1,240,756,811  |
| 421  | Skink, sand ( <i>Neoseps reynoldsi</i> )                                             | T      | \$126,529     | \$1,240,883,340  |
| 422  | Hawk, Puerto Rican sharp-shinned ( <i>Accipiter striatus venator</i> )               | E      | \$126,500     | \$1,241,009,840  |
| 423  | <i>Schiedea nuttallii</i>                                                            | E      | \$126,042     | \$1,241,135,882  |
| 424  | Dawn-flower, Texas prairie ( <i>Hymenoxys texana</i> )                               | E      | \$125,898     | \$1,241,261,780  |
| 425  | `Oha wai ( <i>Clermontia peleana</i> )                                               | E      | \$125,197     | \$1,241,386,977  |
| 426  | Turtle, Alabama red-belly ( <i>Pseudemys alabamensis</i> )                           | E      | \$124,759     | \$1,241,511,736  |
| 427  | Mahoe ( <i>Alectryon macrococcus</i> )                                               | E      | \$124,513     | \$1,241,636,249  |
| 428  | Trout, Paiute cutthroat ( <i>Oncorhynchus clarki seleniris</i> )                     | T      | \$123,500     | \$1,241,759,749  |
| 429  | Polygala, Lewton's ( <i>Polygala lewtonii</i> )                                      | E      | \$123,250     | \$1,241,882,999  |
| 430  | <i>Gouania vitifolia</i>                                                             | E      | \$123,061     | \$1,242,006,060  |
| 431  | Pimpleback, orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> )             | E      | \$122,522     | \$1,242,128,582  |
| 432  | Woodland-star, San Clemente Island ( <i>Lithophragma maximum</i> )                   | E      | \$122,065     | \$1,242,250,647  |
| 432  | Larkspur, San Clemente Island ( <i>Delphinium variegatum</i> ssp. <i>kinkiense</i> ) | E      | \$122,065     | \$1,242,372,712  |
| 433  | Milkweed, Mead's ( <i>Asclepias meadii</i> )                                         | T      | \$120,111     | \$1,242,492,823  |
| 434  | Sunflower, Schweinitz's ( <i>Helianthus schweinitzii</i> )                           | E      | \$120,102     | \$1,242,612,925  |
| 435  | Isopod, Madison Cave ( <i>Antrolana lira</i> )                                       | T      | \$119,857     | \$1,242,732,782  |
| 436  | Woodrat, Key Largo ( <i>Neotoma floridana smalli</i> )                               | E      | \$117,165     | \$1,242,849,947  |
| 437  | Prairie-clover, leafy ( <i>Dalea foliosa</i> )                                       | E      | \$117,116     | \$1,242,967,063  |
| 438  | Onion, Munz's ( <i>Allium munzii</i> )                                               | E      | \$115,500     | \$1,243,082,563  |
| 439  | Prairie-chicken, Attwater's greater ( <i>Tympanuchus cupido attwateri</i> )          | E      | \$115,330     | \$1,243,197,893  |
| 440  | Pupfish, Comanche Springs ( <i>Cyprinodon elegans</i> )                              | E      | \$114,070     | \$1,243,311,963  |
| 441  | Beetle, Coffin Cave mold ( <i>Batrissodes texanus</i> )                              | E      | \$113,500     | \$1,243,425,463  |
| 442  | Lizard, Island night ( <i>Xantusia riversiana</i> )                                  | T      | \$113,284     | \$1,243,538,747  |
| 443  | Amphipod, Peck's cave ( <i>Stygobromus</i> (= <i>Stygonectes</i> ) <i>pecki</i> )    | E      | \$113,150     | \$1,243,651,897  |
| 444  | Duck, Laysan ( <i>Anas laysanensis</i> )                                             | E      | \$112,817     | \$1,243,764,714  |
| 445  | Bison, wood ( <i>Bison bison athabasca</i> )                                         | E      | \$112,749     | \$1,243,877,463  |
| 446  | Kulu`i ( <i>Nototrichium humile</i> )                                                | E      | \$112,615     | \$1,243,990,078  |
| 447  | <i>Hesperomannia arbuscula</i>                                                       | E      | \$112,513     | \$1,244,102,591  |
| 448  | Oha ( <i>Delissea subcordata</i> )                                                   | E      | \$112,100     | \$1,244,214,691  |
| 449  | Shrimp, California freshwater ( <i>Syncaris pacifica</i> )                           | E      | \$111,800     | \$1,244,326,491  |
| 450  | Spinedace, Little Colorado ( <i>Lepidomeda vittata</i> )                             | T      | \$111,192     | \$1,244,437,683  |
| 451  | <i>Phyllostegia kaalaensis</i>                                                       | E      | \$110,192     | \$1,244,547,875  |
| 452  | Kamanomano ( <i>Cenchrus agrimonoides</i> )                                          | E      | \$110,111     | \$1,244,657,986  |
| 453  | Amole, purple ( <i>Chlorogalum purpureum</i> )                                       | T      | \$110,000     | \$1,244,767,986  |
| 453  | Crownscale, San Jacinto Valley ( <i>Atriplex coronata</i> var. <i>notatior</i> )     | E      | \$110,000     | \$1,244,877,986  |
| 454  | Chaffseed, American ( <i>Schwalbea americana</i> )                                   | E      | \$109,900     | \$1,244,987,886  |
| 455  | Pocketbook, finelined ( <i>Lampsilis altilis</i> )                                   | T      | \$109,862     | \$1,245,097,748  |
| 456  | Poppy, Sacramento prickly ( <i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i> )   | E      | \$109,670     | \$1,245,207,418  |
| 457  | <i>Alsiniidendron obovatum</i>                                                       | E      | \$109,198     | \$1,245,316,616  |
| 457  | `Akoko ( <i>Chamaesyce celastroides</i> var. <i>kaenana</i> )                        | E      | \$109,198     | \$1,245,425,814  |
| 457  | <i>Neraudia angulata</i>                                                             | E      | \$109,198     | \$1,245,535,012  |
| 458  | Snake, copperbelly water ( <i>Nerodia erythrogaster neglecta</i> ) - IN, MI, OH      | T      | \$108,476     | \$1,245,643,488  |
| 459  | Rock-cress, McDonald's ( <i>Arabis macdonaldiana</i> )                               | E      | \$108,306     | \$1,245,751,794  |
| 460  | Ha`iwale ( <i>Cyrtandra dentata</i> )                                                | E      | \$107,790     | \$1,245,859,584  |
| 461  | Haha ( <i>Cyanea superba</i> )                                                       | E      | \$107,698     | \$1,245,967,282  |
| 461  | <i>Hedyotis degeneri</i>                                                             | E      | \$107,698     | \$1,246,074,980  |
| 461  | <i>Tetramolopium filiforme</i>                                                       | E      | \$107,698     | \$1,246,182,678  |
| 462  | <i>Hedyotis parvula</i>                                                              | E      | \$107,290     | \$1,246,289,968  |
| 462  | Haha ( <i>Cyanea grimesiana</i> ssp. <i>obatae</i> )                                 | E      | \$107,290     | \$1,246,397,258  |
| 462  | `Akoko ( <i>Chamaesyce herbstii</i> )                                                | E      | \$107,290     | \$1,246,504,548  |
| 462  | Haha ( <i>Cyanea longiflora</i> )                                                    | E      | \$107,290     | \$1,246,611,838  |
| 463  | Watercress, Gambel's ( <i>Rorippa gambellii</i> )                                    | E      | \$107,261     | \$1,246,719,099  |
| 464  | Pamakani ( <i>Viola chamissoniana</i> ssp. <i>chamissoniana</i> )                    | E      | \$107,198     | \$1,246,826,297  |
| 464  | Na`ena`e ( <i>Dubautia herbstobatae</i> )                                            | E      | \$107,198     | \$1,246,933,495  |
| 465  | <i>Lobelia oahuensis</i>                                                             | E      | \$106,198     | \$1,247,039,693  |
| 465  | Nehe ( <i>Lipochaeta tenuifolia</i> )                                                | E      | \$106,198     | \$1,247,145,891  |
| 465  | <i>Sanicula mariversa</i>                                                            | E      | \$106,198     | \$1,247,252,089  |



| Rank | Species (50 CFR Part 17)                                                                                                | Status | Species Total | Cumulative Total |
|------|-------------------------------------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 466  | Quillwort, Louisiana ( <i>Isoetes louisianensis</i> )                                                                   | E      | \$105,501     | \$1,247,357,590  |
| 467  | Lo`ulu ( <i>Pritchardia kaalae</i> )                                                                                    | E      | \$105,327     | \$1,247,462,917  |
| 468  | Beetle, Comal Springs dryopid ( <i>Stygoparnus comalensis</i> )                                                         | E      | \$104,850     | \$1,247,567,767  |
| 469  | Bat, Mexican long-nosed ( <i>Leptonycteris nivalis</i> )                                                                | E      | \$104,500     | \$1,247,672,267  |
| 470  | Wallflower, Ben Lomond ( <i>Erysimum teretifolium</i> )                                                                 | E      | \$104,000     | \$1,247,776,267  |
| 471  | Moccasinshell, Gulf ( <i>Medionidus penicillatus</i> )                                                                  | E      | \$103,283     | \$1,247,879,550  |
| 472  | Orcutt grass, slender ( <i>Orcuttia tenuis</i> )                                                                        | T      | \$103,055     | \$1,247,982,605  |
| 473  | Slabshell, Chipola ( <i>Elliptio chipolaensis</i> )                                                                     | T      | \$102,709     | \$1,248,085,314  |
| 474  | Pearlymussel, dromedary ( <i>Dromus dromas</i> ) – Entire; Except where EXPN                                            | E      | \$102,476     | \$1,248,187,790  |
| 475  | Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) – Entire; Except where EXPN                                           | E      | \$102,354     | \$1,248,290,144  |
| 476  | Buckwheat, cushionbury ( <i>Eriogonum ovalifolium</i> var. <i>vineum</i> )                                              | E      | \$102,200     | \$1,248,392,344  |
| 477  | Snail, Morro shoulderband (=Banded dune) ( <i>Helminthoglypta walkeriana</i> )                                          | E      | \$100,000     | \$1,248,492,344  |
| 478  | Bear, grizzly ( <i>Ursus arctos horribilis</i> ) – EXPN portions of ID and MT                                           | EXPN   | \$99,600      | \$1,248,591,944  |
| 479  | Cactus, Mesa Verde ( <i>Sclerocactus mesae-verdae</i> )                                                                 | T      | \$99,532      | \$1,248,691,476  |
| 480  | Iris, dwarf lake ( <i>Iris lacustris</i> )                                                                              | T      | \$98,536      | \$1,248,790,012  |
| 481  | Tortoise, desert ( <i>Gopherus agassizii</i> ) - outside/taken from Sonoran Desert                                      | SAT    | \$98,520      | \$1,248,888,532  |
| 482  | Thelypody, Howell's spectacular ( <i>Thelypodium howellii spectabilis</i> )                                             | T      | \$98,400      | \$1,248,986,932  |
| 483  | Cactus, Arizona hedgehog ( <i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i> )                                 | E      | \$98,095      | \$1,249,085,027  |
| 484  | Skipper, Carson wandering ( <i>Pseudocopaodes eunus obscurus</i> )                                                      | E      | \$97,350      | \$1,249,182,377  |
| 485  | Hala pepe ( <i>Pleomele hawaiiensis</i> )                                                                               | E      | \$97,204      | \$1,249,279,581  |
| 486  | Bulrush, Northeastern ( <i>Scirpus ancistrochaetus</i> )                                                                | E      | \$96,426      | \$1,249,376,007  |
| 487  | Cladonia, Florida perforate ( <i>Cladonia perforata</i> )                                                               | E      | \$94,740      | \$1,249,470,747  |
| 488  | Sunray, Ash Meadows ( <i>Enceliopsis nudicaulis</i> var. <i>corrugata</i> )                                             | T      | \$94,578      | \$1,249,565,325  |
| 489  | Cactus, Kuenzler hedgehog ( <i>Echinocereus fendleri</i> var. <i>kuenzleri</i> )                                        | E      | \$94,000      | \$1,249,659,325  |
| 490  | Harperella ( <i>Ptilimnium nodosum</i> )                                                                                | E      | \$93,626      | \$1,249,752,951  |
| 491  | Honeycreeper, crested ( <i>Palmeria dolei</i> )                                                                         | E      | \$93,175      | \$1,249,846,126  |
| 492  | Akikiki ( <i>Oreomystis bairdi</i> )                                                                                    | E      | \$92,800      | \$1,249,938,926  |
| 493  | Pupfish, Owens ( <i>Cyprinodon radiosus</i> )                                                                           | E      | \$91,500      | \$1,250,030,426  |
| 494  | Megapode, Micronesian ( <i>Megapodius laperouse</i> )                                                                   | E      | \$91,244      | \$1,250,121,670  |
| 495  | Uhiuhi ( <i>Caesalpinia kavaense</i> )                                                                                  | E      | \$91,079      | \$1,250,212,749  |
| 496  | popcornflower, rough ( <i>Plagiobothrys hirtus</i> )                                                                    | E      | \$90,850      | \$1,250,303,599  |
| 497  | Vole, Amargosa ( <i>Microtus californicus scirpensis</i> )                                                              | E      | \$90,170      | \$1,250,393,769  |
| 498  | Rattlesnake, New Mexican ridge-nosed ( <i>Crotalus willardi obscurus</i> )                                              | T      | \$89,950      | \$1,250,483,719  |
| 499  | Akekee ( <i>Loxops caeruleirostris</i> )                                                                                | E      | \$89,800      | \$1,250,573,519  |
| 500  | Thistle, Suisun ( <i>Cirsium hydrophilum</i> var. <i>hydrophilum</i> )                                                  | E      | \$89,400      | \$1,250,662,919  |
| 501  | Ring pink (mussel) ( <i>Obovaria retusa</i> )                                                                           | E      | \$88,772      | \$1,250,751,691  |
| 502  | Pussypaws, Mariposa ( <i>Calyptidium pulchellum</i> )                                                                   | T      | \$88,500      | \$1,250,840,191  |
| 503  | Ambersnail, Kanab ( <i>Oxyloma haydeni kanabensis</i> )                                                                 | E      | \$87,967      | \$1,250,928,158  |
| 504  | Buckwheat, scrub ( <i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i> )                                            | T      | \$87,750      | \$1,251,015,908  |
| 505  | Sandwort, Marsh ( <i>Arenaria paludicola</i> )                                                                          | E      | \$87,395      | \$1,251,103,303  |
| 506  | Rock cress, shale barren ( <i>Arabis serotina</i> )                                                                     | E      | \$86,549      | \$1,251,189,852  |
| 507  | Monkey-flower, Michigan ( <i>Mimulus michiganensis</i> )                                                                | E      | \$86,464      | \$1,251,276,316  |
| 508  | Darter, duskytail ( <i>Etheostoma percnurum</i> ) - Entire                                                              | E      | \$86,427      | \$1,251,362,743  |
| 509  | Purple cat's paw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> ) – Entire; Except where EXPN | E      | \$86,131      | \$1,251,448,874  |
| 510  | Shiner, beautiful ( <i>Cyprinella formosa</i> )                                                                         | T      | \$85,870      | \$1,251,534,744  |
| 511  | Piperia, Yadon's ( <i>Piperia yadonii</i> )                                                                             | E      | \$85,300      | \$1,251,620,044  |
| 512  | Ziziphus, Florida ( <i>Ziziphus celata</i> )                                                                            | E      | \$85,250      | \$1,251,705,294  |
| 513  | Butterfly, bay checkerspot ( <i>Euphydryas editha bayensis</i> )                                                        | T      | \$84,600      | \$1,251,789,894  |
| 514  | Butterfly, Smith's blue ( <i>Euphilotes enoptes smithi</i> )                                                            | E      | \$84,000      | \$1,251,873,894  |
| 515  | Cactus, Pima pineapple ( <i>Coryphantha scheeri</i> var. <i>robustispina</i> )                                          | E      | \$83,770      | \$1,251,957,664  |
| 516  | Wallflower, Menzies' ( <i>Erysimum menziesii</i> )                                                                      | E      | \$83,700      | \$1,252,041,364  |
| 517  | Evening-primrose, San Benito ( <i>Camissonia benitensis</i> )                                                           | T      | \$83,000      | \$1,252,124,364  |
| 518  | Koki'o ( <i>Kokia drynarioides</i> )                                                                                    | E      | \$82,852      | \$1,252,207,216  |
| 519  | Crayfish, Shasta ( <i>Pacifastacus fortis</i> )                                                                         | E      | \$82,730      | \$1,252,289,946  |
| 520  | Kamakahala ( <i>Labordia cyrtandrae</i> )                                                                               | E      | \$81,472      | \$1,252,371,418  |
| 521  | <i>Hesperomannia arborescens</i>                                                                                        | E      | \$80,887      | \$1,252,452,305  |
| 522  | Lupine, scrub ( <i>Lupinus aridorum</i> )                                                                               | E      | \$80,750      | \$1,252,533,055  |
| 523  | Penstemon, blowout ( <i>Penstemon haydenii</i> )                                                                        | E      | \$80,446      | \$1,252,613,501  |
| 524  | Pearlymussel, littlewing ( <i>Pegias fabula</i> )                                                                       | E      | \$80,327      | \$1,252,693,828  |
| 525  | Stickseed, showy ( <i>Hackelia venusta</i> )                                                                            | E      | \$79,152      | \$1,252,772,980  |
| 526  | Moorhen, Mariana common ( <i>Gallinula chloropus guami</i> )                                                            | E      | \$78,744      | \$1,252,851,724  |
| 527  | Beetle, Mount Hermon June ( <i>Polyphylla barbata</i> )                                                                 | E      | \$78,600      | \$1,252,930,324  |

| Rank | Species (50 CFR Part 17)                                                                    | Status | Species Total | Cumulative Total |
|------|---------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 528  | Bush-clover, prairie ( <i>Lespedeza leptostachya</i> )                                      | T      | \$77,741      | \$1,253,008,065  |
| 529  | Pentachaeta, Lyon's ( <i>Pentachaeta lyonii</i> )                                           | E      | \$77,500      | \$1,253,085,565  |
| 529  | Evening-primrose, Eureka Valley ( <i>Oenothera avita</i> ssp. <i>eurekensis</i> )           | E      | \$77,500      | \$1,253,163,065  |
| 530  | Opuhe ( <i>Urera kaalae</i> )                                                               | E      | \$76,972      | \$1,253,240,037  |
| 531  | Phlox, Yreka ( <i>Phlox hirsuta</i> )                                                       | E      | \$76,800      | \$1,253,316,837  |
| 532  | Meadowfoam, large-flowered woolly ( <i>Limnanthes floccosa</i> ssp. <i>grandiflora</i> )    | E      | \$76,673      | \$1,253,393,510  |
| 533  | Grass, Eureka Dune ( <i>Swallenia alexandrae</i> )                                          | E      | \$76,500      | \$1,253,470,010  |
| 534  | Water-umbel, Huachuca ( <i>Lilaeopsis schaffneriana</i> var. <i>recurva</i> )               | E      | \$75,825      | \$1,253,545,835  |
| 535  | Fatmucket, Arkansas ( <i>Lampsilis powellii</i> )                                           | T      | \$75,700      | \$1,253,621,535  |
| 536  | Sucker, Modoc ( <i>Catostomus microps</i> )                                                 | E      | \$75,286      | \$1,253,696,821  |
| 537  | Bush-mallow, Santa Cruz Island ( <i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i> ) | E      | \$74,777      | \$1,253,771,598  |
| 538  | Cactus, San Rafael ( <i>Pediocactus despainii</i> )                                         | E      | \$74,132      | \$1,253,845,730  |
| 539  | Poolfish, Pahrump ( <i>Empetrichthys latos</i> )                                            | E      | \$73,826      | \$1,253,919,556  |
| 540  | ^Aiea ( <i>Nothocestrum breviflorum</i> )                                                   | E      | \$73,760      | \$1,253,993,316  |
| 541  | Fairy shrimp, longhorn ( <i>Branchinecta longiantenna</i> )                                 | E      | \$72,440      | \$1,254,065,756  |
| 542  | Bladderpod, white ( <i>Lesquerella pallida</i> )                                            | E      | \$72,400      | \$1,254,138,156  |
| 543  | Aster, decurrent false ( <i>Boltonia decurrens</i> )                                        | T      | \$72,264      | \$1,254,210,420  |
| 544  | Salamander, Cheat Mountain ( <i>Plethodon nettingi</i> )                                    | T      | \$72,200      | \$1,254,282,620  |
| 545  | Nanu ( <i>Gardenia mannii</i> )                                                             | E      | \$72,070      | \$1,254,354,690  |
| 546  | Squirrel, Mount Graham red ( <i>Tamiasciurus hudsonicus grahamensis</i> )                   | E      | \$71,950      | \$1,254,426,640  |
| 547  | <i>Abutilon sandwicense</i>                                                                 | E      | \$71,726      | \$1,254,498,366  |
| 548  | <i>Phyllostegia hirsuta</i>                                                                 | E      | \$71,472      | \$1,254,569,838  |
| 549  | <i>Sanicula purpurea</i>                                                                    | E      | \$71,387      | \$1,254,641,225  |
| 550  | Geranium, Hawaiian red-flowered ( <i>Geranium arboreum</i> )                                | E      | \$70,805      | \$1,254,712,030  |
| 551  | Lousewort, Furbish ( <i>Pedicularis furbishiae</i> )                                        | E      | \$70,602      | \$1,254,782,632  |
| 552  | Thistle, La Graciosa ( <i>Cirsium loncholepis</i> )                                         | E      | \$70,571      | \$1,254,853,203  |
| 553  | Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> ) - SW population        | EXPN   | \$70,460      | \$1,254,923,663  |
| 554  | Haha ( <i>Cyanea koolauensis</i> )                                                          | E      | \$70,226      | \$1,254,993,889  |
| 555  | Dwarf-flax, Marin ( <i>Hesperolinon congestum</i> )                                         | T      | \$69,500      | \$1,255,063,389  |
| 556  | Sunflower, Pecos (=puzzle, =paradox) ( <i>Helianthus paradoxus</i> )                        | T      | \$69,400      | \$1,255,132,789  |
| 557  | Haha ( <i>Cyanea st.-johnii</i> )                                                           | E      | \$69,380      | \$1,255,202,169  |
| 558  | <i>Stenogyne kanehoana</i>                                                                  | E      | \$69,128      | \$1,255,271,297  |
| 559  | <i>Pteris lidgatei</i>                                                                      | E      | \$69,124      | \$1,255,340,421  |
| 560  | <i>Phyllostegia mollis</i>                                                                  | E      | \$68,818      | \$1,255,409,239  |
| 561  | Bonamia, Florida ( <i>Bonamia grandiflora</i> )                                             | T      | \$68,550      | \$1,255,477,789  |
| 562  | Jewelflower, California ( <i>Caulanthus californicus</i> )                                  | E      | \$68,500      | \$1,255,546,289  |
| 563  | Clubshell, southern ( <i>Pleurobema decisum</i> )                                           | E      | \$68,081      | \$1,255,614,370  |
| 564  | Nioi ( <i>Eugenia koolauensis</i> )                                                         | E      | \$67,979      | \$1,255,682,349  |
| 565  | Bird's-beak, salt marsh ( <i>Cordylanthus maritimus</i> ssp. <i>maritimus</i> )             | E      | \$67,900      | \$1,255,750,249  |
| 566  | <i>Alsiniidendron trinerve</i>                                                              | E      | \$67,726      | \$1,255,817,975  |
| 566  | Wawae'iole ( <i>Lycopodium</i> (=Phlegmariurus) <i>nutans</i> )                             | E      | \$67,726      | \$1,255,885,701  |
| 567  | Alani ( <i>Melicope zahlbruckneri</i> )                                                     | E      | \$67,681      | \$1,255,953,382  |
| 568  | tui chub, Owens ( <i>Gila bicolor</i> ssp. <i>snyderi</i> )                                 | E      | \$67,500      | \$1,256,020,882  |
| 569  | <i>Phyllostegia hispida</i>                                                                 | E      | \$67,498      | \$1,256,088,380  |
| 570  | Pigtoe, rough ( <i>Pleurobema plenum</i> )                                                  | E      | \$67,497      | \$1,256,155,877  |
| 571  | Akepa, Hawaii (honeycreeper) ( <i>Loxops coccineus coccineus</i> )                          | E      | \$66,944      | \$1,256,222,821  |
| 572  | beardtongue, Parachute ( <i>Penstemon debilis</i> )                                         | T      | \$66,730      | \$1,256,289,551  |
| 573  | Haha ( <i>Cyanea acuminata</i> )                                                            | E      | \$66,226      | \$1,256,355,777  |
| 574  | <i>Cyanea</i> (=Rollandia) <i>crispa</i>                                                    | E      | \$66,061      | \$1,256,421,838  |
| 575  | Wire-lettuce, Malheur ( <i>Stephanomeria malheurensis</i> )                                 | E      | \$65,750      | \$1,256,487,588  |
| 576  | <i>Viola oahuensis</i>                                                                      | E      | \$65,726      | \$1,256,553,314  |
| 577  | Creeper, Hawaii ( <i>Oreomystis mana</i> )                                                  | E      | \$65,444      | \$1,256,618,758  |
| 578  | <i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i>                                         | E      | \$65,226      | \$1,256,683,984  |
| 578  | Ha'iwale ( <i>Cyrtandra subumbellata</i> )                                                  | E      | \$65,226      | \$1,256,749,210  |
| 578  | Alani ( <i>Melicope lydgatei</i> )                                                          | E      | \$65,226      | \$1,256,814,436  |
| 578  | ^Ohe'ohe ( <i>Tetraplasandra gymnocarpa</i> )                                               | E      | \$65,226      | \$1,256,879,662  |
| 578  | Ha'iwale ( <i>Cyrtandra viridiflora</i> )                                                   | E      | \$65,226      | \$1,256,944,888  |
| 579  | Wooly-threads, San Joaquin ( <i>Monolopia</i> (=Lembertia) <i>congdonii</i> )               | E      | \$65,130      | \$1,257,010,018  |
| 580  | Wolf, gray ( <i>Canis lupus</i> ) - Western Great Lakes DPS                                 | DM     | \$65,000      | \$1,257,075,018  |
| 581  | Kolea ( <i>Myrsine juddii</i> )                                                             | E      | \$64,726      | \$1,257,139,744  |
| 582  | Pomace fly, [unnamed] ( <i>Drosophila substenoptera</i> )                                   | E      | \$64,420      | \$1,257,204,164  |
| 583  | Cactus, star ( <i>Astrophytum asterias</i> )                                                | E      | \$64,300      | \$1,257,268,464  |
| 584  | Skyrocket, Pagosa ( <i>Ipomopsis polyantha</i> )                                            | E      | \$64,000      | \$1,257,332,464  |

| Rank | Species (50 CFR Part 17)                                                                            | Status | Species Total | Cumulative Total |
|------|-----------------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 585  | Mustard, Penland alpine fen ( <i>Eutrema penlandii</i> )                                            | T      | \$63,978      | \$1,257,396,442  |
| 586  | Chub, Borax Lake ( <i>Gila boraxobius</i> )                                                         | E      | \$63,624      | \$1,257,460,066  |
| 587  | Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) - Salt and Verde R. drainages, AZ | EXPN   | \$63,278      | \$1,257,523,344  |
| 588  | Kauila ( <i>Colubrina oppositifolia</i> )                                                           | E      | \$63,020      | \$1,257,586,364  |
| 589  | Woodrat, riparian (=San Joaquin Valley) ( <i>Neotoma fuscipes riparia</i> )                         | E      | \$63,000      | \$1,257,649,364  |
| 589  | Townsendia, Last Chance ( <i>Townsendia aprica</i> )                                                | T      | \$63,000      | \$1,257,712,364  |
| 590  | Moccasinshell, Alabama ( <i>Medionidus acutissimus</i> )                                            | T      | \$62,614      | \$1,257,774,978  |
| 591  | Shiner, Cape Fear ( <i>Notropis mekistocholas</i> )                                                 | E      | \$62,560      | \$1,257,837,538  |
| 592  | Pomace fly, [unnamed] ( <i>Drosophila montgomeryi</i> )                                             | E      | \$62,420      | \$1,257,899,958  |
| 593  | Skipper, Laguna Mountains ( <i>Pyrgus ruralis lagunae</i> )                                         | E      | \$62,013      | \$1,257,961,971  |
| 594  | Fern, pendant kihi ( <i>Adenophorus periens</i> )                                                   | E      | \$61,618      | \$1,258,023,589  |
| 595  | Millerbird, Nihoa (old world warbler) ( <i>Acrocephalus familiaris kingi</i> )                      | E      | \$61,500      | \$1,258,085,089  |
| 596  | Bellflower, Brooksville ( <i>Campanula robinsiae</i> )                                              | E      | \$61,250      | \$1,258,146,339  |
| 597  | Akiapola'au (honeycreeper) ( <i>Hemignathus munroi</i> )                                            | E      | \$60,944      | \$1,258,207,283  |
| 598  | Salamander, Santa Cruz long-toed ( <i>Ambystoma macrodactylum croceum</i> )                         | E      | \$60,170      | \$1,258,267,453  |
| 599  | Skink, bluetail mole ( <i>Eumeces egregius lividus</i> )                                            | T      | \$60,035      | \$1,258,327,488  |
| 600  | cactus, Pariette ( <i>Sclerocactus brevispinus</i> )                                                | T      | \$60,000      | \$1,258,387,488  |
| 601  | Harvestman, Bone Cave ( <i>Texella reyesi</i> )                                                     | E      | \$59,500      | \$1,258,446,988  |
| 602  | Chub, Chihuahua ( <i>Gila nigrescens</i> )                                                          | T      | \$58,670      | \$1,258,505,658  |
| 603  | Niterwort, Amargosa ( <i>Nitrophila mohavensis</i> )                                                | E      | \$58,078      | \$1,258,563,736  |
| 604  | Moccasinshell, Ochlockonee ( <i>Medionidus simpsonianus</i> )                                       | E      | \$57,800      | \$1,258,621,536  |
| 605  | Rabbit, Lower Keys marsh ( <i>Sylvilagus palustris hefneri</i> )                                    | E      | \$57,071      | \$1,258,678,607  |
| 606  | Cactus, Bakersfield ( <i>Opuntia treleasei</i> )                                                    | E      | \$57,000      | \$1,258,735,607  |
| 607  | Springfish, White River ( <i>Crenichthys baileyi baileyi</i> )                                      | E      | \$56,993      | \$1,258,792,600  |
| 608  | Spinedace, Big Spring ( <i>Lepidomeda mollispinis pratensis</i> )                                   | T      | \$56,274      | \$1,258,848,874  |
| 609  | Manzanita, Del Mar ( <i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i> )                     | E      | \$55,918      | \$1,258,904,792  |
| 610  | Milk-vetch, Applegate's ( <i>Astragalus applegatei</i> )                                            | E      | \$55,350      | \$1,258,960,142  |
| 611  | Meadowfoam, Butte County ( <i>Limnanthes floccosa</i> ssp. <i>californica</i> )                     | E      | \$55,000      | \$1,259,015,142  |
| 612  | wild buckwheat, clay-loving ( <i>Eriogonum pelinophilum</i> )                                       | E      | \$54,799      | \$1,259,069,941  |
| 613  | Snake, Lake Erie water ( <i>Nerodia sipedon insularum</i> ) - subspecies range clarified            | T      | \$54,758      | \$1,259,124,699  |
| 614  | Dace, Fosskett speckled ( <i>Rhinichthys osculus</i> ssp.)                                          | T      | \$54,500      | \$1,259,179,199  |
| 615  | Haha ( <i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i> )                                          | E      | \$54,489      | \$1,259,233,688  |
| 616  | Ko'oloa'ula ( <i>Abutilon menziesii</i> )                                                           | E      | \$54,327      | \$1,259,288,015  |
| 617  | Fox, Santa Cruz Island ( <i>Urocyon littoralis santacruzae</i> )                                    | E      | \$53,500      | \$1,259,341,515  |
| 617  | Hawk, Puerto Rican broad-winged ( <i>Buteo platypterus brunnescens</i> )                            | E      | \$53,500      | \$1,259,395,015  |
| 618  | Darter, amber ( <i>Percina antesella</i> )                                                          | E      | \$53,200      | \$1,259,448,215  |
| 619  | Moccasinshell, Coosa ( <i>Medionidus parvulus</i> )                                                 | E      | \$53,173      | \$1,259,501,388  |
| 620  | Crayfish, Nashville ( <i>Orconectes shoupi</i> )                                                    | E      | \$53,161      | \$1,259,554,549  |
| 621  | Ayenia, Texas ( <i>Ayenia limitaris</i> )                                                           | E      | \$52,791      | \$1,259,607,340  |
| 622  | Ambrosia, south Texas ( <i>Ambrosia cheiranthifolia</i> )                                           | E      | \$51,991      | \$1,259,659,331  |
| 623  | Springfish, Hiko White River ( <i>Crenichthys baileyi grandis</i> )                                 | E      | \$51,693      | \$1,259,711,024  |
| 624  | Goldfields, Burke's ( <i>Lasthenia burkei</i> )                                                     | E      | \$51,550      | \$1,259,762,574  |
| 625  | Catfish, Yaqui ( <i>Ictalurus pricei</i> )                                                          | T      | \$51,300      | \$1,259,813,874  |
| 626  | Lizard, St. Croix ground ( <i>Ameiva polops</i> )                                                   | E      | \$51,100      | \$1,259,864,974  |
| 627  | Phacelia, clay ( <i>Phacelia argillacea</i> )                                                       | E      | \$51,000      | \$1,259,915,974  |
| 628  | Sunburst, San Joaquin adobe ( <i>Pseudobahia peirsonii</i> )                                        | T      | \$50,634      | \$1,259,966,608  |
| 629  | Isopod, Lee County cave ( <i>Lirceus usdagalun</i> )                                                | E      | \$50,267      | \$1,260,016,875  |
| 630  | Woodpecker, ivory-billed ( <i>Campephilus principalis</i> ) - entire                                | E      | \$50,100      | \$1,260,066,975  |
| 631  | Seablite, California ( <i>Suaeda californica</i> )                                                  | E      | \$49,900      | \$1,260,116,875  |
| 632  | Clubshell, ovate ( <i>Pleurobema perovatum</i> )                                                    | E      | \$49,809      | \$1,260,166,684  |
| 633  | Gambusia, Clear Creek ( <i>Gambusia heterochir</i> )                                                | E      | \$49,071      | \$1,260,215,755  |
| 634  | Cycladenia, Jones ( <i>Cycladenia jonesii</i> (=humilis))                                           | T      | \$48,995      | \$1,260,264,750  |
| 635  | Haha ( <i>Cyanea shipmanii</i> )                                                                    | E      | \$48,889      | \$1,260,313,639  |
| 636  | Pupfish, Leon Springs ( <i>Cyprinodon bovinus</i> )                                                 | E      | \$48,570      | \$1,260,362,209  |
| 637  | Bird's-beak, Pennell's ( <i>Cordylanthus tenuis</i> ssp. <i>capillaris</i> )                        | E      | \$48,500      | \$1,260,410,709  |
| 638  | Bladderpod, Missouri ( <i>Physaria filiformis</i> )                                                 | T      | \$48,430      | \$1,260,459,139  |
| 639  | Aster, Florida golden ( <i>Chrysopsis floridana</i> )                                               | E      | \$48,250      | \$1,260,507,389  |
| 640  | Skullcap, large-flowered ( <i>Scutellaria montana</i> )                                             | T      | \$48,000      | \$1,260,555,389  |
| 641  | Spinedace, White River ( <i>Lepidomeda albivallis</i> )                                             | E      | \$47,243      | \$1,260,602,632  |
| 642  | Gambusia, Big Bend ( <i>Gambusia gaigei</i> )                                                       | E      | \$47,100      | \$1,260,649,732  |
| 643  | Pennyroyal, Todsen's ( <i>Hedeoma todsenii</i> )                                                    | E      | \$47,000      | \$1,260,696,732  |
| 644  | `Oha wai ( <i>Clermontia lindseyana</i> )                                                           | E      | \$46,921      | \$1,260,743,653  |

| Rank | Species (50 CFR Part 17)                                                             | Status | Species Total | Cumulative Total |
|------|--------------------------------------------------------------------------------------|--------|---------------|------------------|
| 645  | Larkspur, Baker's ( <i>Delphinium bakeri</i> )                                       | E      | \$46,500      | \$1,260,790,153  |
| 646  | Potato-bean, Price's ( <i>Apios priceana</i> )                                       | T      | \$46,125      | \$1,260,836,278  |
| 647  | Snail, flat-spined three-toothed ( <i>Triodopsis platysayoides</i> )                 | T      | \$45,700      | \$1,260,881,978  |
| 648  | Boa, Puerto Rican ( <i>Epicrates inornatus</i> )                                     | E      | \$45,680      | \$1,260,927,658  |
| 649  | Mallow, Kern ( <i>Eremalche kernensis</i> )                                          | E      | \$45,630      | \$1,260,973,288  |
| 650  | Haha ( <i>Cyanea grimesiana</i> ssp. <i>grimesiana</i> )                             | E      | \$45,359      | \$1,261,018,647  |
| 651  | Mucket, orangenacre ( <i>Lampsilis perovalis</i> )                                   | T      | \$45,141      | \$1,261,063,788  |
| 652  | Butterfly, Schaus swallowtail ( <i>Heracles aristodemus ponceanus</i> )              | E      | \$45,140      | \$1,261,108,928  |
| 653  | Moth, Kern primrose sphinx ( <i>Euproserpinus euterpe</i> )                          | T      | \$44,750      | \$1,261,153,678  |
| 654  | Heau ( <i>Exocarpos luteolus</i> )                                                   | E      | \$44,542      | \$1,261,198,220  |
| 655  | Haha ( <i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i> )                             | E      | \$44,516      | \$1,261,242,736  |
| 656  | Sunshine, Sonoma ( <i>Blennosperma bakeri</i> )                                      | E      | \$44,500      | \$1,261,287,236  |
| 656  | Meadowfoam, Sebastopol ( <i>Limnanthes vinculans</i> )                               | E      | \$44,500      | \$1,261,331,736  |
| 657  | Silversword, Mauna Loa (=Ka'u) ( <i>Argyroxiphium kauense</i> )                      | E      | \$44,455      | \$1,261,376,191  |
| 658  | Darter, relict ( <i>Etheostoma chienense</i> )                                       | E      | \$44,000      | \$1,261,420,191  |
| 659  | Orcutt grass, California ( <i>Orcuttia californica</i> )                             | E      | \$43,936      | \$1,261,464,127  |
| 660  | Nohoanu ( <i>Geranium multiflorum</i> )                                              | E      | \$43,902      | \$1,261,508,029  |
| 661  | Chub, Sonora ( <i>Gila ditaenia</i> )                                                | T      | \$43,890      | \$1,261,551,919  |
| 662  | Rabbitsfoot, rough ( <i>Quadrula cylindrica strigillata</i> )                        | E      | \$43,827      | \$1,261,595,746  |
| 663  | Tarplant, Otay ( <i>Deinandra</i> (= <i>Hemizonia</i> ) <i>conjugens</i> )           | T      | \$43,254      | \$1,261,639,000  |
| 664  | Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) - except where EXPN                 | T      | \$42,666      | \$1,261,681,666  |
| 665  | Iguana, Mona ground ( <i>Cyclura cornuta stejnegeri</i> )                            | T      | \$42,500      | \$1,261,724,166  |
| 666  | Chub, Yaqui ( <i>Gila purpurea</i> )                                                 | E      | \$42,300      | \$1,261,766,466  |
| 667  | Butterweed, Layne's ( <i>Senecio layneae</i> )                                       | T      | \$42,200      | \$1,261,808,666  |
| 668  | Morning-glory, Stebbins' ( <i>Calystegia stebbinsii</i> )                            | E      | \$42,000      | \$1,261,850,666  |
| 669  | <i>Diplazium molokaiense</i>                                                         | E      | \$41,924      | \$1,261,892,590  |
| 670  | Blazingstar, Ash Meadows ( <i>Mentzelia leucophylla</i> )                            | T      | \$41,578      | \$1,261,934,168  |
| 671  | Brodiaea, Chinese Camp ( <i>Brodiaea pallida</i> )                                   | T      | \$41,330      | \$1,261,975,498  |
| 672  | Kangaroo rat, Fresno ( <i>Dipodomys nitratoides exilis</i> )                         | E      | \$41,300      | \$1,262,016,798  |
| 673  | Milkweed, Welsh's ( <i>Asclepias welshii</i> )                                       | T      | \$40,995      | \$1,262,057,793  |
| 674  | Spineflower, Monterey ( <i>Chorizanthe pungens</i> var. <i>pungens</i> )             | T      | \$40,900      | \$1,262,098,693  |
| 675  | Beauty, Harper's ( <i>Harperocallis flava</i> )                                      | E      | \$40,795      | \$1,262,139,488  |
| 676  | Ceanothus, Pine Hill ( <i>Ceanothus roderickii</i> )                                 | E      | \$40,500      | \$1,262,179,988  |
| 676  | Flannelbush, Pine Hill ( <i>Fremontodendron californicum</i> ssp. <i>decumbens</i> ) | E      | \$40,500      | \$1,262,220,488  |
| 676  | Bedstraw, El Dorado ( <i>Galium californicum</i> ssp. <i>sierrae</i> )               | E      | \$40,500      | \$1,262,260,988  |
| 677  | Arrowhead, bunched ( <i>Sagittaria fasciculata</i> )                                 | E      | \$40,331      | \$1,262,301,319  |
| 678  | Milk-vetch, Jesup's ( <i>Astragalus robbinsii</i> var. <i>jesupi</i> )               | E      | \$40,145      | \$1,262,341,464  |
| 679  | Snakeroot ( <i>Eryngium cuneifolium</i> )                                            | E      | \$40,050      | \$1,262,381,514  |
| 679  | Diellia, asplenium-leaved ( <i>Diellia erecta</i> )                                  | E      | \$40,050      | \$1,262,421,564  |
| 680  | Wild-buckwheat, gypsum ( <i>Eriogonum gypsophilum</i> )                              | T      | \$40,000      | \$1,262,461,564  |
| 681  | ^Aiea ( <i>Nothocestrum peltatum</i> )                                               | E      | \$39,788      | \$1,262,501,352  |
| 682  | Manaca, palma de ( <i>Calyptronoma rivalis</i> )                                     | T      | \$39,500      | \$1,262,540,852  |
| 683  | Trillium, relict ( <i>Trillium reliquum</i> )                                        | E      | \$39,115      | \$1,262,579,967  |
| 684  | Marstonia, royal (snail) ( <i>Pyrgulopsis ogmorhapse</i> )                           | E      | \$39,000      | \$1,262,618,967  |
| 685  | Coneflower, Tennessee purple ( <i>Echinacea tennesseensis</i> )                      | E      | \$38,511      | \$1,262,657,478  |
| 686  | Pigtoe, shiny ( <i>Fusconaia cor</i> ) - Entire; Except where EXPN                   | E      | \$37,966      | \$1,262,695,444  |
| 687  | Joint-vetch, sensitive ( <i>Aeschynomene virginica</i> )                             | T      | \$37,799      | \$1,262,733,243  |
| 688  | Haha ( <i>Cyanea glabra</i> )                                                        | E      | \$37,489      | \$1,262,770,732  |
| 689  | Dace, Clover Valley speckled ( <i>Rhinichthys osculus oligoporus</i> )               | E      | \$37,300      | \$1,262,808,032  |
| 690  | Checker-mallow, pedate ( <i>Sidalcea pedata</i> )                                    | E      | \$37,241      | \$1,262,845,273  |
| 691  | Wireweed ( <i>Polygonella basiramia</i> )                                            | E      | \$37,200      | \$1,262,882,473  |
| 692  | Thistle, Sacramento Mountains ( <i>Cirsium vinaceum</i> )                            | T      | \$37,083      | \$1,262,919,556  |
| 693  | Cactus, Sneed pincushion ( <i>Coryphantha sneedii</i> var. <i>sneedii</i> )          | E      | \$37,000      | \$1,262,956,556  |
| 694  | Pu`uka`a ( <i>Cyperus trachysanthos</i> )                                            | E      | \$36,967      | \$1,262,993,523  |
| 695  | Cactus, Uinta Basin hookless ( <i>Sclerocactus wetlandicus</i> )                     | T      | \$36,925      | \$1,263,030,448  |
| 696  | Damselfly, Pacific Hawaiian ( <i>Megalagrion pacificum</i> )                         | E      | \$36,773      | \$1,263,067,221  |
| 697  | Mustard, slender-petaled ( <i>Thelypodium stenopetalum</i> )                         | E      | \$36,741      | \$1,263,103,962  |
| 698  | Milk-vetch, Ash meadows ( <i>Astragalus phoenix</i> )                                | T      | \$36,578      | \$1,263,140,540  |
| 699  | Pigtoe, finerayed ( <i>Fusconaia cuneolus</i> ) - Entire; Except where EXPN          | E      | \$36,433      | \$1,263,176,973  |
| 700  | <i>Schiedea haleakalensis</i>                                                        | E      | \$36,413      | \$1,263,213,386  |
| 701  | Fly, Delhi Sands flower-loving ( <i>Rhaphiomidas terminatus abdominalis</i> )        | E      | \$36,250      | \$1,263,249,636  |
| 702  | Otter, southern sea ( <i>Enhydra lutris nereis</i> ) - south of Pt. Conception, CA   | EXPN   | \$35,920      | \$1,263,285,556  |
| 703  | Daisy, Parish's ( <i>Erigeron parishii</i> )                                         | T      | \$35,900      | \$1,263,321,456  |

| Rank | Species (50 CFR Part 17)                                                                                           | Status | Species Total | Cumulative Total |
|------|--------------------------------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 704  | `Oha wai ( <i>Clermontia pyrrularia</i> )                                                                          | E      | \$35,890      | \$1,263,357,346  |
| 705  | Butterfly, Uncompahgre fritillary ( <i>Boloria acrocneuma</i> )                                                    | E      | \$35,775      | \$1,263,393,121  |
| 706  | Sculpin, pygmy ( <i>Cottus paulus</i> (=pygmaeus))                                                                 | T      | \$35,473      | \$1,263,428,594  |
| 707  | Checkermallow, Wenatchee Mountains ( <i>Sidalcea oregana</i> var. <i>calva</i> )                                   | E      | \$35,435      | \$1,263,464,029  |
| 708  | Monkshood, northern wild ( <i>Aconitum noveboracense</i> )                                                         | T      | \$35,074      | \$1,263,499,103  |
| 709  | Goldenrod, Houghton's ( <i>Solidago houghtonii</i> )                                                               | T      | \$35,051      | \$1,263,534,154  |
| 710  | Oha ( <i>Delissea rivularis</i> )                                                                                  | E      | \$35,042      | \$1,263,569,196  |
| 711  | Reed-mustard, Barneby ( <i>Schoenocrambe barnebyi</i> )                                                            | E      | \$35,000      | \$1,263,604,196  |
| 712  | Kolea ( <i>Myrsine linearifolia</i> )                                                                              | T      | \$34,760      | \$1,263,638,956  |
| 713  | Button-celery, San Diego ( <i>Eryngium aristulatum</i> var. <i>parishii</i> )                                      | E      | \$34,756      | \$1,263,673,712  |
| 714  | Harebells, Avon Park ( <i>Crotalaria avonensis</i> )                                                               | E      | \$34,750      | \$1,263,708,462  |
| 715  | `Ahinahina ( <i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i> )                                          | T      | \$34,631      | \$1,263,743,093  |
| 716  | Daisy, Maguire ( <i>Erigeron maguirei</i> )                                                                        | T      | \$34,000      | \$1,263,777,093  |
| 717  | Haha ( <i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i> )                                                       | E      | \$33,989      | \$1,263,811,082  |
| 718  | Wild-buckwheat, southern mountain ( <i>Eriogonum kennedyi</i> var. <i>austromontanum</i> )                         | T      | \$33,741      | \$1,263,844,823  |
| 719  | Kuawawaenohu ( <i>Alsinidendron lychnoides</i> )                                                                   | E      | \$33,542      | \$1,263,878,365  |
| 720  | Lizard, Coachella Valley fringe-toed ( <i>Uma inornata</i> )                                                       | T      | \$33,306      | \$1,263,911,671  |
| 721  | Dogweed, ashy ( <i>Thymophylla tephroleuca</i> )                                                                   | E      | \$33,300      | \$1,263,944,971  |
| 722  | Taraxacum, California ( <i>Taraxacum californicum</i> )                                                            | E      | \$33,241      | \$1,263,978,212  |
| 723  | Alopecurus, Sonoma ( <i>Alopecurus aequalis</i> var. <i>sonomensis</i> )                                           | E      | \$33,000      | \$1,264,011,212  |
| 723  | Milk-vetch, Lane Mountain ( <i>Astragalus jaegerianus</i> )                                                        | E      | \$33,000      | \$1,264,044,212  |
| 723  | Reed-mustard, clay ( <i>Schoenocrambe argillacea</i> )                                                             | T      | \$33,000      | \$1,264,077,212  |
| 724  | White-eye, Rota bridled ( <i>Zosterops rotensis</i> )                                                              | E      | \$32,993      | \$1,264,110,205  |
| 725  | Pigeon wings ( <i>Clitoria fragrans</i> )                                                                          | T      | \$32,900      | \$1,264,143,105  |
| 726  | Damselfly, flying earwig Hawaiian ( <i>Megalagrion nesiotis</i> )                                                  | E      | \$32,773      | \$1,264,175,878  |
| 727  | Rosemary, short-leaved ( <i>Conradina brevifolia</i> )                                                             | E      | \$32,750      | \$1,264,208,628  |
| 728  | Pitcher-plant, mountain sweet ( <i>Sarracenia rubra</i> ssp. <i>jonesii</i> )                                      | E      | \$32,669      | \$1,264,241,297  |
| 729  | Haha ( <i>Cyanea recta</i> )                                                                                       | T      | \$32,542      | \$1,264,273,839  |
| 730  | Madtom, smoky ( <i>Noturus baileyi</i> ) - Entire                                                                  | E      | \$32,500      | \$1,264,306,339  |
| 731  | Platanthera holochila                                                                                              | E      | \$32,451      | \$1,264,338,790  |
| 732  | Skullcap, Florida ( <i>Scutellaria floridana</i> )                                                                 | T      | \$32,395      | \$1,264,371,185  |
| 733  | Rock-cress, Braun's ( <i>Arabis perstellata</i> )                                                                  | E      | \$32,311      | \$1,264,403,496  |
| 734  | Haha ( <i>Cyanea stictophylla</i> )                                                                                | E      | \$32,137      | \$1,264,435,633  |
| 735  | Primrose, Maguire ( <i>Primula maguirei</i> )                                                                      | T      | \$32,000      | \$1,264,467,633  |
| 736  | Tern, roseate ( <i>Sterna dougallii dougallii</i> ) - Western Hemisphere except NE U.S.                            | T      | \$31,950      | \$1,264,499,583  |
| 737  | Salamander, Red Hills ( <i>Phaeognathus huichiti</i> )                                                             | T      | \$31,896      | \$1,264,531,479  |
| 738  | Milk-vetch, Coachella Valley ( <i>Astragalus lentiginosus</i> var. <i>coachellae</i> )                             | E      | \$31,700      | \$1,264,563,179  |
| 739  | Sandlance ( <i>Polygonella myriophylla</i> )                                                                       | E      | \$31,550      | \$1,264,594,729  |
| 740  | Mapele ( <i>Cyrtandra cyaneoides</i> )                                                                             | E      | \$31,542      | \$1,264,626,271  |
| 741  | Yerba santa, Lompoc ( <i>Eriodictyon capitatum</i> )                                                               | E      | \$31,540      | \$1,264,657,811  |
| 742  | Clarkia, Vine Hill ( <i>Clarkia imbricata</i> )                                                                    | E      | \$31,500      | \$1,264,689,311  |
| 742  | Larkspur, yellow ( <i>Delphinium luteum</i> )                                                                      | E      | \$31,500      | \$1,264,720,811  |
| 742  | Mariposa lily, Tiburon ( <i>Calochortus tiburonensis</i> )                                                         | T      | \$31,500      | \$1,264,752,311  |
| 742  | Milk-vetch, Cushenbury ( <i>Astragalus albens</i> )                                                                | E      | \$31,500      | \$1,264,783,811  |
| 742  | Spineflower, Ben Lomond ( <i>Chorizanthe pungens</i> var. <i>hartwegiana</i> )                                     | E      | \$31,500      | \$1,264,815,311  |
| 743  | Plum, scrub ( <i>Prunus geniculata</i> )                                                                           | E      | \$31,050      | \$1,264,846,361  |
| 744  | Ground-plum, Guthrie's (=Pyne's) ( <i>Astragalus bibullatus</i> )                                                  | E      | \$31,011      | \$1,264,877,372  |
| 745  | Sandwort, Bear Valley ( <i>Arenaria ursina</i> )                                                                   | T      | \$30,841      | \$1,264,908,213  |
| 746  | `Oha wai ( <i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i> )                                                  | E      | \$30,742      | \$1,264,938,955  |
| 747  | Crane, whooping ( <i>Grus americana</i> ) - Southwestern Louisiana                                                 | EXPN   | \$30,500      | \$1,264,969,455  |
| 747  | Beetle, Kretschmarr Cave mold ( <i>Texamaurops reddelli</i> )                                                      | E      | \$30,500      | \$1,264,999,955  |
| 747  | Beetle, Tooth Cave ground ( <i>Rhadine persephone</i> )                                                            | E      | \$30,500      | \$1,265,030,455  |
| 747  | Harvestman, Bee Creek Cave ( <i>Texella reddelli</i> )                                                             | E      | \$30,500      | \$1,265,060,955  |
| 748  | Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) - TN - specified portions of the French Broad and Holston Rivers | EXPN   | \$30,375      | \$1,265,091,330  |
| 749  | Butterfly, Behren's silverspot ( <i>Speyeria zerene behrensii</i> )                                                | E      | \$30,340      | \$1,265,121,670  |
| 750  | Rosemary, Apalachicola ( <i>Conradina glabra</i> )                                                                 | E      | \$30,200      | \$1,265,151,870  |
| 751  | Pocketbook, speckled ( <i>Lampsilis streckeri</i> )                                                                | E      | \$30,000      | \$1,265,181,870  |
| 751  | Buckwheat, steamboat ( <i>Eriogonum ovalifolium</i> var. <i>williamsiae</i> )                                      | E      | \$30,000      | \$1,265,211,870  |
| 752  | Paintbrush, ash-grey ( <i>Castilleja cinerea</i> )                                                                 | T      | \$29,841      | \$1,265,241,711  |
| 753  | Alani ( <i>Melicope ballouii</i> )                                                                                 | E      | \$29,742      | \$1,265,271,453  |
| 754  | Liliwai ( <i>Acaena exigua</i> )                                                                                   | E      | \$29,703      | \$1,265,301,156  |
| 755  | Manzanita, pallid ( <i>Arctostaphylos pallida</i> )                                                                | T      | \$29,500      | \$1,265,330,656  |

| Rank | Species (50 CFR Part 17)                                                                                          | Status | Species Total | Cumulative Total |
|------|-------------------------------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 755  | Mint, Lakela's ( <i>Dicerandra immaculata</i> )                                                                   | E      | \$29,500      | \$1,265,360,156  |
| 756  | Ohai ( <i>Sesbania tomentosa</i> )                                                                                | E      | \$29,128      | \$1,265,389,284  |
| 757  | Haha ( <i>Cyanea mceldowneyi</i> )                                                                                | E      | \$29,096      | \$1,265,418,380  |
| 758  | Blazingstar, scrub ( <i>Liatris ohlingerae</i> )                                                                  | E      | \$29,000      | \$1,265,447,380  |
| 759  | Shrimp, Alabama cave ( <i>Palaemonias alabamiae</i> )                                                             | E      | \$28,966      | \$1,265,476,346  |
| 760  | Kula wahine noho ( <i>Isodendron pyriforme</i> )                                                                  | E      | \$28,919      | \$1,265,505,265  |
| 761  | Cactus, Winkler ( <i>Pediocactus winkleri</i> )                                                                   | T      | \$28,500      | \$1,265,533,765  |
| 762  | Bluegrass, San Bernardino ( <i>Poa atropurpurea</i> )                                                             | E      | \$28,441      | \$1,265,562,206  |
| 763  | Toad, Puerto Rican crested ( <i>Peltophryne lemur</i> )                                                           | T      | \$28,000      | \$1,265,590,206  |
| 764  | Turtle, flattened musk ( <i>Sternotherus depressus</i> ) - species range clarified                                | T      | \$27,891      | \$1,265,618,097  |
| 765  | Pigtoe, southern ( <i>Pleurobema georgianum</i> )                                                                 | E      | \$27,846      | \$1,265,645,943  |
| 766  | Warea, wide-leaf ( <i>Warea amplexifolia</i> )                                                                    | E      | \$27,750      | \$1,265,673,693  |
| 767  | Yellowhead, desert ( <i>Yermo xanthocephalus</i> )                                                                | T      | \$27,735      | \$1,265,701,428  |
| 768  | Spineflower, Sonoma ( <i>Chorizanthe valida</i> )                                                                 | E      | \$27,722      | \$1,265,729,150  |
| 769  | Butterfly, Myrtle's silverspot ( <i>Speyeria zerene myrtilae</i> )                                                | E      | \$27,500      | \$1,265,756,650  |
| 770  | Alani ( <i>Melicope degeneri</i> )                                                                                | E      | \$27,429      | \$1,265,784,079  |
| 771  | Gambusia, Pecos ( <i>Gambusia nobilis</i> )                                                                       | E      | \$27,400      | \$1,265,811,479  |
| 772  | Orcutt grass, Sacramento ( <i>Orcuttia viscida</i> )                                                              | E      | \$27,360      | \$1,265,838,839  |
| 773  | Monkeyface, Appalachian (pearlymussel) ( <i>Quadrula sparsa</i> )                                                 | E      | \$27,161      | \$1,265,866,000  |
| 774  | Beargrass, Britton's ( <i>Nolina brittoniana</i> )                                                                | E      | \$27,050      | \$1,265,893,050  |
| 775  | Pronghorn, Sonoran ( <i>Antilocapra americana sonoriensis</i> ) - AZ, Mexico                                      | EXPN   | \$26,960      | \$1,265,920,010  |
| 776  | Haiwale ( <i>Cyrtandra paliku</i> )                                                                               | E      | \$26,929      | \$1,265,946,939  |
| 777  | Salamander, Sonora tiger ( <i>Ambystoma tigrinum stebbinsi</i> )                                                  | E      | \$26,830      | \$1,265,973,769  |
| 778  | Turtle, yellow-blotched map ( <i>Graptemys flavimaculata</i> )                                                    | T      | \$26,791      | \$1,266,000,560  |
| 779  | Fiddleneck, large-flowered ( <i>Amsinckia grandiflora</i> )                                                       | E      | \$26,700      | \$1,266,027,260  |
| 780  | Pinkroot, gentian ( <i>Spigelia gentianoides</i> )                                                                | E      | \$26,673      | \$1,266,053,933  |
| 781  | Pearlymussel, birdwing ( <i>Lemiox rimosus</i> ) - TN - specified portions of the French Broad and Holston Rivers | EXPN   | \$26,600      | \$1,266,080,533  |
| 782  | <i>Phyllostegia parviflora</i>                                                                                    | E      | \$26,552      | \$1,266,107,085  |
| 783  | Paintbrush, Tiburon ( <i>Castilleja affinis</i> ssp. <i>neglecta</i> )                                            | E      | \$26,500      | \$1,266,133,585  |
| 784  | Skipper, Pawnee montane ( <i>Hesperia leonardus montana</i> )                                                     | T      | \$26,490      | \$1,266,160,075  |
| 785  | Turtle, ringed map ( <i>Graptemys oculifera</i> )                                                                 | T      | \$26,473      | \$1,266,186,548  |
| 785  | Grass, Tennessee yellow-eyed ( <i>Xyris tennesseensis</i> )                                                       | E      | \$26,473      | \$1,266,213,021  |
| 786  | Shiner, blue ( <i>Cyprinella caerulea</i> )                                                                       | T      | \$26,273      | \$1,266,239,294  |
| 787  | Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) – Entire; Except where EXPN                           | E      | \$26,261      | \$1,266,265,555  |
| 788  | Lead-plant, Crenulate ( <i>Amorpha crenulata</i> )                                                                | E      | \$26,250      | \$1,266,291,805  |
| 789  | Snail, Stock Island tree ( <i>Orthalicus reses</i> (not incl. <i>nesodryas</i> ))                                 | T      | \$26,129      | \$1,266,317,934  |
| 790  | Tiger beetle, Ohlone ( <i>Cicindela ohlone</i> )                                                                  | E      | \$26,100      | \$1,266,344,034  |
| 791  | Sturgeon, Alabama ( <i>Scaphirhynchus suttkusi</i> )                                                              | E      | \$26,062      | \$1,266,370,096  |
| 792  | Oxytheca, cushionbury ( <i>Oxytheca parishii</i> var. <i>goodmaniana</i> )                                        | E      | \$25,700      | \$1,266,395,796  |
| 793  | Darter, goldline ( <i>Percina aurolineata</i> )                                                                   | T      | \$25,696      | \$1,266,421,492  |
| 794  | Vetch, Hawaiian ( <i>Vicia menziesii</i> )                                                                        | E      | \$25,653      | \$1,266,447,145  |
| 795  | Ceanothus, coyote ( <i>Ceanothus ferrisae</i> )                                                                   | E      | \$25,500      | \$1,266,472,645  |
| 796  | <i>Bonamia menziesii</i>                                                                                          | E      | \$25,487      | \$1,266,498,132  |
| 797  | Kamakahala ( <i>Labordia lydgatei</i> )                                                                           | E      | \$25,399      | \$1,266,523,531  |
| 798  | Mouse, Key Largo cotton ( <i>Peromyscus gossypinus allapaticola</i> )                                             | E      | \$25,395      | \$1,266,548,926  |
| 799  | Reed-mustard, shrubby ( <i>Schoenocrambe suffrutescens</i> )                                                      | E      | \$25,300      | \$1,266,574,226  |
| 800  | Kidneyshell, triangular ( <i>Ptychobranhus greenii</i> )                                                          | E      | \$25,181      | \$1,266,599,407  |
| 801  | Baccharis, Encinitas ( <i>Baccharis vanessae</i> )                                                                | T      | \$25,166      | \$1,266,624,573  |
| 802  | Sneezeweed, Virginia ( <i>Helenium virginicum</i> )                                                               | T      | \$25,133      | \$1,266,649,706  |
| 803  | Clarkia, Presidio ( <i>Clarkia franciscana</i> )                                                                  | E      | \$25,000      | \$1,266,674,706  |
| 803  | Manioc, Walker's ( <i>Manihot walkerae</i> )                                                                      | E      | \$25,000      | \$1,266,699,706  |
| 804  | Curlew, Eskimo ( <i>Numenius borealis</i> )                                                                       | E      | \$24,760      | \$1,266,724,466  |
| 805  | Rush-rose, island ( <i>Helianthemum greenii</i> )                                                                 | T      | \$24,751      | \$1,266,749,217  |
| 806  | Darter, yellowcheek ( <i>Etheostoma moorei</i> )                                                                  | E      | \$24,661      | \$1,266,773,878  |
| 807  | Shrimp, Kentucky cave ( <i>Palaemonias ganteri</i> )                                                              | E      | \$24,500      | \$1,266,798,378  |
| 807  | Manzanita, Morro ( <i>Arctostaphylos morroensis</i> )                                                             | T      | \$24,500      | \$1,266,822,878  |
| 808  | Gardenia (=Na`u), Hawaiian ( <i>Gardenia brighamii</i> )                                                          | E      | \$24,431      | \$1,266,847,309  |
| 809  | <i>Geocarpon minimum</i>                                                                                          | T      | \$24,300      | \$1,266,871,609  |
| 810  | Rush-pea, slender ( <i>Hoffmannseggia tenella</i> )                                                               | E      | \$24,291      | \$1,266,895,900  |
| 811  | A`e ( <i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i> )                                                       | E      | \$24,153      | \$1,266,920,053  |
| 812  | <i>Achyranthes mutica</i>                                                                                         | E      | \$24,114      | \$1,266,944,167  |
| 813  | Penguin, African ( <i>Spheniscus demersus</i> )                                                                   | E      | \$24,000      | \$1,266,968,167  |

| Rank | Species (50 CFR Part 17)                                                               | Status | Species Total | Cumulative Total |
|------|----------------------------------------------------------------------------------------|--------|---------------|------------------|
| 813  | Lampmussel, Alabama ( <i>Lampsilis virescens</i> ) – Entire; Except where EXPN         | E      | \$24,000      | \$1,266,992,167  |
| 814  | Gooseberry, Miccosukee ( <i>Ribes echinellum</i> )                                     | T      | \$23,900      | \$1,267,016,067  |
| 815  | Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) – Entire; Except where EXPN        | E      | \$23,885      | \$1,267,039,952  |
| 816  | Madtom, smoky ( <i>Noturus baileyi</i> ) - Tellico River, TN                           | EXPN   | \$23,700      | \$1,267,063,652  |
| 817  | Silverside, Waccamaw ( <i>Menidia extensa</i> )                                        | T      | \$23,646      | \$1,267,087,298  |
| 818  | Cavesnail, Tumbling Creek ( <i>Antrobia culveri</i> )                                  | E      | \$23,550      | \$1,267,110,848  |
| 818  | Mint, scrub ( <i>Dicerandra frutescens</i> )                                           | E      | \$23,550      | \$1,267,134,398  |
| 819  | Gilia, Monterey ( <i>Gilia tenuiflora</i> ssp. <i>arenaria</i> )                       | E      | \$23,400      | \$1,267,157,798  |
| 820  | Milk-vetch, Mancos ( <i>Astragalus humillimus</i> )                                    | E      | \$23,365      | \$1,267,181,163  |
| 821  | Nani wai'ale'ale ( <i>Viola kauaiensis</i> var. <i>wahiawaensis</i> )                  | E      | \$23,181      | \$1,267,204,344  |
| 821  | <i>Tetraplasandra flynnii</i>                                                          | E      | \$23,181      | \$1,267,227,525  |
| 822  | Phacelia, North Park ( <i>Phacelia formosula</i> )                                     | E      | \$23,178      | \$1,267,250,703  |
| 823  | milkvetch, Osterhout ( <i>Astragalus osterhoutii</i> )                                 | E      | \$23,165      | \$1,267,273,868  |
| 824  | Na'ena'e ( <i>Dubautia pauciflora</i> )                                                | E      | \$23,089      | \$1,267,296,957  |
| 825  | Ivesia, Ash Meadows ( <i>Ivesia kingii</i> var. <i>eremica</i> )                       | T      | \$23,078      | \$1,267,320,035  |
| 826  | Sunflower, San Mateo woolly ( <i>Eriophyllum latilobum</i> )                           | E      | \$23,000      | \$1,267,343,035  |
| 827  | Haha ( <i>Cyanea lobata</i> )                                                          | E      | \$22,842      | \$1,267,365,877  |
| 828  | <i>Schiedea kauaiensis</i>                                                             | E      | \$22,807      | \$1,267,388,684  |
| 829  | Rock-cress, Hoffmann's ( <i>Arabis hoffmannii</i> )                                    | E      | \$22,777      | \$1,267,411,461  |
| 830  | Pauoa ( <i>Ctenitis squamigera</i> )                                                   | E      | \$22,770      | \$1,267,434,231  |
| 831  | Darter, watercress ( <i>Etheostoma nuchale</i> )                                       | E      | \$22,746      | \$1,267,456,977  |
| 832  | Schiedea, Diamond Head ( <i>Schiedea adamantis</i> )                                   | E      | \$22,681      | \$1,267,479,658  |
| 833  | Chub, slender ( <i>Erimystax cahni</i> )                                               | T      | \$22,666      | \$1,267,502,324  |
| 834  | Button, Mohr's Barbara ( <i>Marshallia mohrii</i> )                                    | T      | \$22,600      | \$1,267,524,924  |
| 835  | Birds-in-a-nest, white ( <i>Macbridea alba</i> )                                       | T      | \$22,595      | \$1,267,547,519  |
| 836  | Rocksail, plicate ( <i>Leptoxis plicata</i> )                                          | E      | \$22,473      | \$1,267,569,992  |
| 837  | Ko'oko'olau ( <i>Bidens micrantha</i> ssp. <i>kalealaha</i> )                          | E      | \$22,297      | \$1,267,592,289  |
| 838  | Haha ( <i>Cyanea procera</i> )                                                         | E      | \$22,250      | \$1,267,614,539  |
| 839  | Bladderpod, Zapata ( <i>Lesquerella thamnophila</i> )                                  | E      | \$22,200      | \$1,267,636,739  |
| 839  | Sunburst, Hartweg's golden ( <i>Pseudobahia bahiifolia</i> )                           | E      | \$22,200      | \$1,267,658,939  |
| 840  | <i>Viola helenae</i>                                                                   | E      | \$22,181      | \$1,267,681,120  |
| 841  | Pa'iniu ( <i>Astelia waialealae</i> )                                                  | E      | \$22,159      | \$1,267,703,279  |
| 842  | Butterfly, callippe silverspot ( <i>Speyeria callippe callippe</i> )                   | E      | \$22,100      | \$1,267,725,379  |
| 843  | Amphianthus, little ( <i>Amphianthus pusillus</i> )                                    | T      | \$22,083      | \$1,267,747,462  |
| 844  | Checker-mallow, Keck's ( <i>Sidalcea keckii</i> )                                      | E      | \$22,000      | \$1,267,769,462  |
| 844  | Ridge-cress, Barneby ( <i>Lepidium barnebyanum</i> )                                   | E      | \$22,000      | \$1,267,791,462  |
| 845  | <i>Phyllostegia waimeae</i>                                                            | E      | \$21,589      | \$1,267,813,051  |
| 845  | Kamakahala ( <i>Labordia tinifolia</i> var. <i>wahiawaensis</i> )                      | E      | \$21,589      | \$1,267,834,640  |
| 846  | Fern, American hart's-tongue ( <i>Asplenium scolopendrium</i> var. <i>americanum</i> ) | T      | \$21,587      | \$1,267,856,227  |
| 847  | ʻAiakeakua, popolo ( <i>Solanum sandwicense</i> )                                      | E      | \$21,552      | \$1,267,877,779  |
| 848  | Wawae'iole ( <i>Huperzia mannii</i> )                                                  | E      | \$21,473      | \$1,267,899,252  |
| 849  | Hau kuahiwi ( <i>Hibiscadelphus hualalaiensis</i> )                                    | E      | \$21,462      | \$1,267,920,714  |
| 850  | Daisy, lakeside ( <i>Hymenoxys herbacea</i> )                                          | T      | \$21,301      | \$1,267,942,015  |
| 851  | Clarkia, Springville ( <i>Clarkia springvillensis</i> )                                | T      | \$21,300      | \$1,267,963,315  |
| 852  | Mint, Garrett's ( <i>Dicerandra christmanii</i> )                                      | E      | \$21,250      | \$1,267,984,565  |
| 853  | <i>Delissea undulata</i>                                                               | E      | \$21,105      | \$1,268,005,670  |
| 854  | Snake, Atlantic salt marsh ( <i>Nerodia clarkii taeniata</i> )                         | T      | \$20,987      | \$1,268,026,657  |
| 854  | Kiponapona ( <i>Phyllostegia racemosa</i> )                                            | E      | \$20,987      | \$1,268,047,644  |
| 855  | <i>Silene alexandri</i>                                                                | E      | \$20,842      | \$1,268,068,486  |
| 856  | Paintbrush, soft-leaved ( <i>Castilleja mollis</i> )                                   | E      | \$20,777      | \$1,268,089,263  |
| 857  | <i>Phyllostegia mannii</i>                                                             | E      | \$20,750      | \$1,268,110,013  |
| 858  | Pomace fly, [unnamed] ( <i>Drosophila musaphila</i> )                                  | E      | \$20,500      | \$1,268,130,513  |
| 858  | Tarplant, Santa Cruz ( <i>Holocarpha macradenia</i> )                                  | T      | \$20,500      | \$1,268,151,013  |
| 859  | Pitcher-plant, green ( <i>Sarracenia oreophila</i> )                                   | E      | \$20,261      | \$1,268,171,274  |
| 860  | Pua`ala ( <i>Brighamia rockii</i> )                                                    | E      | \$20,250      | \$1,268,191,524  |
| 860  | <i>Viola lanaiensis</i>                                                                | E      | \$20,250      | \$1,268,211,774  |
| 860  | <i>Stenogyne bifida</i>                                                                | E      | \$20,250      | \$1,268,232,024  |
| 861  | <i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>                                   | E      | \$20,121      | \$1,268,252,145  |
| 862  | <i>Gouania meyenii</i>                                                                 | E      | \$20,052      | \$1,268,272,197  |
| 863  | Woundfin ( <i>Plagopterus argentissimus</i> ) - Gila R. drainage, AZ, NM               | EXPN   | \$20,012      | \$1,268,292,209  |
| 864  | Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) - Holston River, VA, TN               | EXPN   | \$20,000      | \$1,268,312,209  |
| 864  | Palo de rosa ( <i>Ottoschulzia rhodoxylon</i> )                                        | E      | \$20,000      | \$1,268,332,209  |
| 865  | Alani ( <i>Melicope knudsenii</i> )                                                    | E      | \$19,750      | \$1,268,351,959  |

| Rank | Species (50 CFR Part 17)                                                            | Status | Species Total | Cumulative Total |
|------|-------------------------------------------------------------------------------------|--------|---------------|------------------|
| 866  | Milk-vetch, Peirson's ( <i>Astragalus magdalenae</i> var. <i>peirsonii</i> )        | T      | \$19,700      | \$1,268,371,659  |
| 867  | <i>Schiedea membranacea</i>                                                         | E      | \$19,589      | \$1,268,391,248  |
| 868  | Darter, snail ( <i>Percina tanasi</i> )                                             | T      | \$19,575      | \$1,268,410,823  |
| 869  | Spider, Kauai cave wolf or pe'e pe'e maka 'ole ( <i>Adelocosa anops</i> )           | E      | \$19,500      | \$1,268,430,323  |
| 869  | Chupacallos ( <i>Pleodendron macranthum</i> )                                       | E      | \$19,500      | \$1,268,449,823  |
| 870  | Kamakahala ( <i>Labordia triflora</i> )                                             | E      | \$19,498      | \$1,268,469,321  |
| 871  | Lo'ulu ( <i>Pritchardia schattaueri</i> )                                           | E      | \$19,364      | \$1,268,488,685  |
| 872  | Cactus, black lace ( <i>Echinocereus reichenbachii</i> var. <i>albertii</i> )       | E      | \$19,291      | \$1,268,507,976  |
| 873  | Lau `ehu ( <i>Panicum niuhauense</i> )                                              | E      | \$19,181      | \$1,268,527,157  |
| 874  | <i>Schiedea kaalae</i>                                                              | E      | \$19,052      | \$1,268,546,209  |
| 875  | Boxwood, Vahl's ( <i>Buxus vahlii</i> )                                             | E      | \$19,000      | \$1,268,565,209  |
| 876  | <i>Diellia mannii</i>                                                               | E      | \$18,911      | \$1,268,584,120  |
| 877  | Haha ( <i>Cyanea dunbarii</i> )                                                     | E      | \$18,842      | \$1,268,602,962  |
| 878  | <i>Phyllostegia warshaueri</i>                                                      | E      | \$18,637      | \$1,268,621,599  |
| 879  | Butterfly, San Bruno elfin ( <i>Callophrys mossii bayensis</i> )                    | E      | \$18,600      | \$1,268,640,199  |
| 880  | <i>Remya montgomeryi</i>                                                            | E      | \$18,589      | \$1,268,658,788  |
| 881  | <i>Lobelia monostachya</i>                                                          | E      | \$18,552      | \$1,268,677,340  |
| 882  | Sturgeon, Shovelnose ( <i>Scaphirhynchus platyrhynchus</i> )                        | SAT    | \$18,500      | \$1,268,695,840  |
| 882  | Fly, Hawaiian picture-wing ( <i>Drosophila sharpi</i> )                             | E      | \$18,500      | \$1,268,714,340  |
| 882  | Cypress, Gowen ( <i>Cupressus goveniana</i> ssp. <i>goveniana</i> )                 | T      | \$18,500      | \$1,268,732,840  |
| 883  | `Ahinahina ( <i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i> )             | E      | \$18,415      | \$1,268,751,255  |
| 884  | `Oha wai ( <i>Clermontia samuelii</i> )                                             | E      | \$18,310      | \$1,268,769,565  |
| 885  | <i>Tetramolopium remyi</i>                                                          | E      | \$18,250      | \$1,268,787,815  |
| 885  | Alani ( <i>Melicope adscendens</i> )                                                | E      | \$18,250      | \$1,268,806,065  |
| 886  | Haha ( <i>Cyanea platyphylla</i> )                                                  | E      | \$18,114      | \$1,268,824,179  |
| 887  | Pawpaw, four-petal ( <i>Asimina tetramera</i> )                                     | E      | \$18,100      | \$1,268,842,279  |
| 888  | <i>Abutilon eremitopetalum</i>                                                      | E      | \$18,085      | \$1,268,860,364  |
| 889  | Pitcher-plant, Alabama canebrake ( <i>Sarracenia rubra alabamensis</i> )            | E      | \$18,048      | \$1,268,878,412  |
| 890  | <i>Catesbaea melanocarpa</i>                                                        | E      | \$18,000      | \$1,268,896,412  |
| 891  | Ha'iwale ( <i>Cyrtandra giffardii</i> )                                             | E      | \$17,999      | \$1,268,914,411  |
| 892  | Ha'iwale ( <i>Cyrtandra polyantha</i> )                                             | E      | \$17,960      | \$1,268,932,371  |
| 892  | Haha ( <i>Cyanea truncata</i> )                                                     | E      | \$17,960      | \$1,268,950,331  |
| 893  | Lehua makanoe ( <i>Lysimachia daphnoides</i> )                                      | E      | \$17,935      | \$1,268,968,266  |
| 894  | Alani ( <i>Melicope mucronulata</i> )                                               | E      | \$17,750      | \$1,268,986,016  |
| 894  | Haha ( <i>Cyanea macrostegia</i> ssp. <i>gibsonii</i> )                             | E      | \$17,750      | \$1,269,003,766  |
| 895  | Cliff-rose, Arizona ( <i>Purshia</i> (= <i>Cowania</i> ) <i>subintegra</i> )        | E      | \$17,695      | \$1,269,021,461  |
| 896  | `Anaunau ( <i>Lepidium arbuscula</i> )                                              | E      | \$17,682      | \$1,269,039,143  |
| 897  | Haha ( <i>Cyanea asarifolia</i> )                                                   | E      | \$17,681      | \$1,269,056,824  |
| 898  | Boa, Virgin Islands tree ( <i>Epicrates monensis granti</i> )                       | E      | \$17,680      | \$1,269,074,504  |
| 899  | Lo'ulu ( <i>Pritchardia munroi</i> )                                                | E      | \$17,589      | \$1,269,092,093  |
| 899  | <i>Xylosma crenatum</i>                                                             | E      | \$17,589      | \$1,269,109,682  |
| 900  | Cactus, Knowlton's ( <i>Pediocactus knowltonii</i> )                                | E      | \$17,585      | \$1,269,127,267  |
| 901  | Cactus, Peebles Navajo ( <i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i> ) | E      | \$17,516      | \$1,269,144,783  |
| 902  | Cactus, Brady pincushion ( <i>Pediocactus bradyi</i> )                              | E      | \$17,495      | \$1,269,162,278  |
| 903  | Naenae ( <i>Dubautia kalalauensis</i> )                                             | E      | \$17,429      | \$1,269,179,707  |
| 903  | <i>Lysimachia pendens</i>                                                           | E      | \$17,429      | \$1,269,197,136  |
| 904  | Lo'ulu ( <i>Pritchardia viscosa</i> )                                               | E      | \$17,181      | \$1,269,214,317  |
| 905  | Catspaw, white (pearlymussel) ( <i>Epioblasma obliquata perobliqua</i> )            | E      | \$17,163      | \$1,269,231,480  |
| 906  | Shiner, palezone ( <i>Notropis albizonatus</i> )                                    | E      | \$17,161      | \$1,269,248,641  |
| 907  | <i>Munroidendron racemosum</i>                                                      | E      | \$17,153      | \$1,269,265,794  |
| 908  | Leather flower, Alabama ( <i>Clematis socialis</i> )                                | E      | \$17,073      | \$1,269,282,867  |
| 909  | Jewelflower, Metcalf Canyon ( <i>Streptanthus albidus</i> ssp. <i>albidus</i> )     | E      | \$17,000      | \$1,269,299,867  |
| 910  | Aumakua, Palapalai ( <i>Dryopteris crinalis</i> var. <i>podosorus</i> )             | E      | \$16,902      | \$1,269,316,769  |
| 911  | `Anunu ( <i>Sicyos alba</i> )                                                       | E      | \$16,901      | \$1,269,333,670  |
| 912  | Chaff-flower, round-leaved ( <i>Achyranthes splendens</i> var. <i>rotundata</i> )   | E      | \$16,898      | \$1,269,350,568  |
| 913  | Alani ( <i>Melicope haupuensis</i> )                                                | E      | \$16,857      | \$1,269,367,425  |
| 914  | `Akoko ( <i>Chamaesyce rockii</i> )                                                 | E      | \$16,841      | \$1,269,384,266  |
| 915  | Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) - Tellico River, TN                | EXPN   | \$16,700      | \$1,269,400,966  |
| 915  | Darter, duskytail ( <i>Etheostoma percnurum</i> ) - Tellico River, TN               | EXPN   | \$16,700      | \$1,269,417,666  |
| 916  | Haha ( <i>Cyanea undulata</i> )                                                     | E      | \$16,589      | \$1,269,434,255  |
| 917  | Meadowrue, Cooley's ( <i>Thalictrum cooleyi</i> )                                   | E      | \$16,560      | \$1,269,450,815  |
| 918  | Snail, Newcomb's ( <i>Erinna newcombi</i> )                                         | T      | \$16,500      | \$1,269,467,315  |
| 919  | Kolea ( <i>Myrsine knudsenii</i> )                                                  | E      | \$16,429      | \$1,269,483,744  |



| Rank | Species (50 CFR Part 17)                                                                                                  | Status | Species Total | Cumulative Total |
|------|---------------------------------------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 920  | Heelsplitter, Alabama (=inflated) ( <i>Potamilus inflatus</i> )                                                           | T      | \$16,405      | \$1,269,500,149  |
| 921  | Rice rat ( <i>Oryzomys palustris natator</i> ) - lower FL Keys                                                            | E      | \$16,379      | \$1,269,516,528  |
| 922  | <i>Lysimachia iniki</i>                                                                                                   | E      | \$16,337      | \$1,269,532,865  |
| 923  | Sedge, golden ( <i>Carex lutea</i> )                                                                                      | E      | \$16,280      | \$1,269,549,145  |
| 924  | Spider, spruce-fir moss ( <i>Microhexura montivaga</i> )                                                                  | E      | \$16,267      | \$1,269,565,412  |
| 925  | Fox, Santa Catalina Island ( <i>Urocyon littoralis catalinae</i> )                                                        | E      | \$16,170      | \$1,269,581,582  |
| 926  | Lessingia, San Francisco ( <i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i> ))                                   | E      | \$16,100      | \$1,269,597,682  |
| 927  | <i>Neraudia sericea</i>                                                                                                   | E      | \$16,090      | \$1,269,613,772  |
| 928  | Ambrosia, San Diego ( <i>Ambrosia pumila</i> )                                                                            | E      | \$16,042      | \$1,269,629,814  |
| 929  | Alani ( <i>Melicope puberula</i> )                                                                                        | E      | \$15,935      | \$1,269,645,749  |
| 930  | <i>Phyllostegia renovans</i>                                                                                              | E      | \$15,929      | \$1,269,661,678  |
| 931  | Kolea ( <i>Myrsine mezii</i> )                                                                                            | E      | \$15,837      | \$1,269,677,515  |
| 932  | Sandwort, Cumberland ( <i>Arenaria cumberlandensis</i> )                                                                  | E      | \$15,761      | \$1,269,693,276  |
| 933  | Pearlymussel, Curtis ( <i>Epioblasma florentina curtisii</i> )                                                            | E      | \$15,747      | \$1,269,709,023  |
| 934  | Beardtongue, Penland ( <i>Penstemon penlandii</i> )                                                                       | E      | \$15,685      | \$1,269,724,708  |
| 935  | Haha ( <i>Cyanea pinnatifida</i> )                                                                                        | E      | \$15,650      | \$1,269,740,358  |
| 935  | <i>Silene perlmanii</i>                                                                                                   | E      | \$15,650      | \$1,269,756,008  |
| 936  | Pilo ( <i>Hedyotis mannii</i> )                                                                                           | E      | \$15,596      | \$1,269,771,604  |
| 937  | Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) - TN - specified portions of the French Broad and Holston Rivers | EXPN   | \$15,575      | \$1,269,787,179  |
| 938  | <i>Delissea rhytidosperra</i>                                                                                             | E      | \$15,527      | \$1,269,802,706  |
| 939  | Rocksnaail, painted ( <i>Leptoxis taeniata</i> )                                                                          | T      | \$15,502      | \$1,269,818,208  |
| 940  | Grass, Solano ( <i>Tuctoria mucronata</i> )                                                                               | E      | \$15,500      | \$1,269,833,708  |
| 940  | Fringe-tree, pygmy ( <i>Chionanthus pygmaeus</i> )                                                                        | E      | \$15,500      | \$1,269,849,208  |
| 941  | Milk-vetch, Ventura Marsh ( <i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i> )                                    | E      | \$15,309      | \$1,269,864,517  |
| 942  | Grasshopper, Zayante band-winged ( <i>Trimerotropis infantilis</i> )                                                      | E      | \$15,100      | \$1,269,879,617  |
| 943  | Ha'i wale ( <i>Cyrtandra munroi</i> )                                                                                     | E      | \$15,096      | \$1,269,894,713  |
| 944  | Rattleweed, hairy ( <i>Baptisia arachnifera</i> )                                                                         | E      | \$15,000      | \$1,269,909,713  |
| 944  | Frankenia, Johnston's ( <i>Frankenia johnstonii</i> )                                                                     | E      | \$15,000      | \$1,269,924,713  |
| 945  | Cockatoo, salmon-crested ( <i>Cacatua moluccensis</i> )                                                                   | T      | \$14,966      | \$1,269,939,679  |
| 946  | Naucorid, Ash Meadows ( <i>Ambrysus amargosus</i> )                                                                       | T      | \$14,926      | \$1,269,954,605  |
| 947  | Logperch, Conasauga ( <i>Percina jenkinsi</i> )                                                                           | E      | \$14,850      | \$1,269,969,455  |
| 948  | Hypericum, highlands scrub ( <i>Hypericum cumulicola</i> )                                                                | E      | \$14,750      | \$1,269,984,205  |
| 949  | Alani ( <i>Melicope ovalis</i> )                                                                                          | E      | \$14,669      | \$1,269,998,874  |
| 950  | Warbler (=wood), Bachman's ( <i>Vermivora bachmanii</i> )                                                                 | E      | \$14,650      | \$1,270,013,524  |
| 951  | Bluecurls, Hidden Lake ( <i>Trichostema austromontanum</i> ssp. <i>compactum</i> )                                        | T      | \$14,500      | \$1,270,028,024  |
| 952  | Haha ( <i>Cyanea kolekoleensis</i> )                                                                                      | E      | \$14,435      | \$1,270,042,459  |
| 953  | Whitlow-wort, papery ( <i>Paronychia chartacea</i> )                                                                      | T      | \$14,345      | \$1,270,056,804  |
| 954  | Bird's beak, palmate-bracted ( <i>Cordylanthus palmatus</i> )                                                             | E      | \$14,330      | \$1,270,071,134  |
| 955  | Acornshell, southern ( <i>Epioblasma othcaloogensis</i> )                                                                 | E      | \$14,286      | \$1,270,085,420  |
| 956  | Twinpod, Dudley Bluffs ( <i>Physaria obcordata</i> )                                                                      | T      | \$14,264      | \$1,270,099,684  |
| 957  | Darter, Maryland ( <i>Etheostoma sellare</i> )                                                                            | E      | \$14,141      | \$1,270,113,825  |
| 958  | Aupaka ( <i>Isodendron longifolium</i> )                                                                                  | T      | \$14,116      | \$1,270,127,941  |
| 959  | Blossom, tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) – Except where EXPN                             | E      | \$14,111      | \$1,270,142,052  |
| 960  | Combshell, upland ( <i>Epioblasma metastrata</i> )                                                                        | E      | \$14,096      | \$1,270,156,148  |
| 960  | Kopa ( <i>Hedyotis schlehtendahlana</i> var. <i>remyi</i> )                                                               | E      | \$14,096      | \$1,270,170,244  |
| 961  | Makou ( <i>Peucedanum sandwicense</i> )                                                                                   | T      | \$13,967      | \$1,270,184,211  |
| 962  | Alani ( <i>Melicope paniculata</i> )                                                                                      | E      | \$13,935      | \$1,270,198,146  |
| 963  | <i>Tetramolopium rockii</i>                                                                                               | T      | \$13,860      | \$1,270,212,006  |
| 964  | Kopiko ( <i>Psychotria hobdyi</i> )                                                                                       | E      | \$13,527      | \$1,270,225,533  |
| 965  | Milk-vetch, triple-ribbed ( <i>Astragalus tricarlinatus</i> )                                                             | E      | \$13,500      | \$1,270,239,033  |
| 966  | Ha'i wale ( <i>Cyrtandra tintinnabula</i> )                                                                               | E      | \$13,499      | \$1,270,252,532  |
| 967  | Cactus, Siler pincushion ( <i>Pediocactus</i> (=Echinocactus, =Utahia) <i>sileri</i> )                                    | T      | \$13,495      | \$1,270,266,027  |
| 968  | ˆOha wai ( <i>Clermontia oblongifolia</i> ssp. <i>brevipes</i> )                                                          | E      | \$13,342      | \$1,270,279,369  |
| 969  | Awiwi ( <i>Centaurium sebaeoides</i> )                                                                                    | E      | \$13,219      | \$1,270,292,588  |
| 970  | Boa, Mona ( <i>Epicrates monensis monensis</i> )                                                                          | T      | \$13,000      | \$1,270,305,588  |
| 970  | Liveforever, Santa Barbara Island ( <i>Dudleya traskiae</i> )                                                             | E      | \$13,000      | \$1,270,318,588  |
| 970  | Prickly-ash, St. Thomas ( <i>Zanthoxylum thomsonianum</i> )                                                               | E      | \$13,000      | \$1,270,331,588  |
| 971  | Campion, fringed ( <i>Silene polypetala</i> )                                                                             | E      | \$12,900      | \$1,270,344,488  |
| 972  | Grass, Colusa ( <i>Neostapfia colusana</i> )                                                                              | T      | \$12,700      | \$1,270,357,188  |
| 973  | <i>Alsinidendron viscosum</i>                                                                                             | E      | \$12,665      | \$1,270,369,853  |
| 974  | Bladderpod, Spring Creek ( <i>Lesquerella perforata</i> )                                                                 | E      | \$12,661      | \$1,270,382,514  |
| 975  | Peperomia, Wheeler's ( <i>Peperomia wheeleri</i> )                                                                        | E      | \$12,590      | \$1,270,395,104  |

| Rank | Species (50 CFR Part 17)                                                                                                 | Status | Species Total | Cumulative Total |
|------|--------------------------------------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 976  | Pearl mussel, cracking ( <i>Hemistena lata</i> ) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL | EXPN   | \$12,550      | \$1,270,407,654  |
| 977  | Goldenrod, Short's ( <i>Solidago shortii</i> )                                                                           | E      | \$12,518      | \$1,270,420,172  |
| 978  | Amphipod, Kauai cave ( <i>Spelaeorchestia koloana</i> )                                                                  | E      | \$12,500      | \$1,270,432,672  |
| 978  | Allocarya, Calistoga ( <i>Plagiobothrys strictus</i> )                                                                   | E      | \$12,500      | \$1,270,445,172  |
| 978  | Bluegrass, Napa ( <i>Poa napensis</i> )                                                                                  | E      | \$12,500      | \$1,270,457,672  |
| 978  | Chumbo, Higo ( <i>Harrisia portoricensis</i> )                                                                           | T      | \$12,500      | \$1,270,470,172  |
| 979  | Na'ena'e ( <i>Dubautia waialealae</i> )                                                                                  | E      | \$12,435      | \$1,270,482,607  |
| 980  | Kuahiwi laukahi ( <i>Plantago hawaiiensis</i> )                                                                          | E      | \$12,387      | \$1,270,494,994  |
| 981  | Ladies'-tresses, Canelo Hills ( <i>Spiranthes delitescens</i> )                                                          | E      | \$12,245      | \$1,270,507,239  |
| 982  | Lily, Minnesota dwarf trout ( <i>Erythronium propullans</i> )                                                            | E      | \$12,164      | \$1,270,519,403  |
| 983  | Aupaka ( <i>Isodendron laurifolium</i> )                                                                                 | E      | \$12,150      | \$1,270,531,553  |
| 984  | Jacquemontia, beach ( <i>Jacquemontia reclinata</i> )                                                                    | E      | \$12,050      | \$1,270,543,603  |
| 985  | Milk-vetch, Braunton's ( <i>Astragalus brauntonii</i> )                                                                  | E      | \$12,000      | \$1,270,555,603  |
| 985  | Erubia ( <i>Solanum drymophilum</i> )                                                                                    | E      | \$12,000      | \$1,270,567,603  |
| 986  | Kohe malama malama o kanalao ( <i>Kanalao kahoolawensis</i> )                                                            | E      | \$11,998      | \$1,270,579,601  |
| 987  | Milkpea, Small's ( <i>Galactia smallii</i> )                                                                             | E      | \$11,950      | \$1,270,591,551  |
| 988  | Wartyback, white (pearl mussel) ( <i>Plethobasus cicatricosus</i> )                                                      | E      | \$11,596      | \$1,270,603,147  |
| 989  | Hau kuahiwi ( <i>Hibiscadelphus giffardianus</i> )                                                                       | E      | \$11,537      | \$1,270,614,684  |
| 990  | <i>Stenogyne kealiae</i>                                                                                                 | E      | \$11,527      | \$1,270,626,211  |
| 991  | Ischaemum, Hilo ( <i>Ischaemum byrone</i> )                                                                              | E      | \$11,524      | \$1,270,637,735  |
| 992  | Dace, Kendall Warm Springs ( <i>Rhinichthys osculus thermalis</i> )                                                      | E      | \$11,504      | \$1,270,649,239  |
| 993  | <i>Calyptanthus thomasi</i>                                                                                              | E      | \$11,500      | \$1,270,660,739  |
| 994  | Nightjar, Puerto Rican ( <i>Caprimulgus noctitherus</i> )                                                                | E      | \$11,400      | \$1,270,672,139  |
| 995  | Locoweed, Fassett's ( <i>Oxytropis campestris</i> var. <i>chartacea</i> )                                                | T      | \$11,354      | \$1,270,683,493  |
| 996  | Spurge, deltoid ( <i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i> )                                                    | E      | \$11,350      | \$1,270,694,843  |
| 997  | <i>Phyllostegia velutina</i>                                                                                             | E      | \$11,277      | \$1,270,706,120  |
| 998  | Butterfly, lotis blue ( <i>Lycaeides argyrognomon lotis</i> )                                                            | E      | \$11,100      | \$1,270,717,220  |
| 999  | Birch, Virginia round-leaf ( <i>Betula uber</i> )                                                                        | T      | \$11,099      | \$1,270,728,319  |
| 1000 | Ihi`ihi ( <i>Marsilea villosa</i> )                                                                                      | E      | \$11,065      | \$1,270,739,384  |
| 1001 | Finch, Nihoa (honeycreeper) ( <i>Telespyza ultima</i> )                                                                  | E      | \$11,000      | \$1,270,750,384  |
| 1001 | Elimia, lacy (snail) ( <i>Elimia crenatella</i> )                                                                        | T      | \$11,000      | \$1,270,761,384  |
| 1001 | Thistle, fountain ( <i>Cirsium fontinale</i> var. <i>fontinale</i> )                                                     | E      | \$11,000      | \$1,270,772,384  |
| 1001 | Buttercup, autumn ( <i>Ranunculus aestivalis</i> (= <i>acrisformis</i> ))                                                | E      | \$11,000      | \$1,270,783,384  |
| 1001 | Cobana negra ( <i>Stahlia monosperma</i> )                                                                               | T      | \$11,000      | \$1,270,794,384  |
| 1001 | <i>Vernonia proctorii</i>                                                                                                | E      | \$11,000      | \$1,270,805,384  |
| 1002 | Pigtoe, heavy ( <i>Pleurobema taitianum</i> )                                                                            | E      | \$10,891      | \$1,270,816,275  |
| 1003 | Snail, Iowa Pleistocene ( <i>Discus macclintocki</i> )                                                                   | E      | \$10,864      | \$1,270,827,139  |
| 1004 | Chub, spotfin ( <i>Erimonax monachus</i> ) - Tellico River, TN                                                           | EXPN   | \$10,700      | \$1,270,837,839  |
| 1005 | `Oha wai ( <i>Clermontia drepanomorpha</i> )                                                                             | E      | \$10,685      | \$1,270,848,524  |
| 1006 | Ha`iwale ( <i>Cyrtandra limahuliensis</i> )                                                                              | T      | \$10,653      | \$1,270,859,177  |
| 1007 | Pigtoe, Georgia ( <i>Pleurobema hanleyianum</i> ) -                                                                      | E      | \$10,650      | \$1,270,869,827  |
| 1008 | <i>Lysimachia lydgatei</i>                                                                                               | E      | \$10,596      | \$1,270,880,423  |
| 1009 | <i>Leptocereus grantianus</i>                                                                                            | E      | \$10,590      | \$1,270,891,013  |
| 1010 | Puma (=cougar), eastern ( <i>Puma</i> (= <i>Felis</i> ) <i>concolor cougar</i> )                                         | E      | \$10,559      | \$1,270,901,572  |
| 1011 | Mustard, Carter's ( <i>Warea carteri</i> )                                                                               | E      | \$10,550      | \$1,270,912,122  |
| 1012 | Naupaka, dwarf ( <i>Scaevola coriacea</i> )                                                                              | E      | \$10,527      | \$1,270,922,649  |
| 1013 | Manzanita, Ione ( <i>Arctostaphylos myrtifolia</i> )                                                                     | T      | \$10,500      | \$1,270,933,149  |
| 1013 | Jewelflower, Tiburon ( <i>Streptanthus niger</i> )                                                                       | E      | \$10,500      | \$1,270,943,649  |
| 1013 | Bariaco ( <i>Trichilia triacantha</i> )                                                                                  | E      | \$10,500      | \$1,270,954,149  |
| 1013 | <i>Auerodendron pauciflorum</i>                                                                                          | E      | \$10,500      | \$1,270,964,649  |
| 1013 | <i>Eugenia woodburyana</i>                                                                                               | E      | \$10,500      | \$1,270,975,149  |
| 1014 | `Akoko ( <i>Chamaesyce remyi</i> var. <i>kauaiensis</i> )                                                                | E      | \$10,435      | \$1,270,985,584  |
| 1015 | Kopiko ( <i>Psychotria grandiflora</i> )                                                                                 | E      | \$10,429      | \$1,270,996,013  |
| 1016 | `Akoko ( <i>Euphorbia haeleeleana</i> )                                                                                  | E      | \$10,398      | \$1,271,006,411  |
| 1017 | <i>Lysimachia maxima</i>                                                                                                 | E      | \$10,342      | \$1,271,016,753  |
| 1018 | Koki`o ( <i>Kokia kauaiensis</i> )                                                                                       | E      | \$10,279      | \$1,271,027,032  |
| 1019 | <i>Keysseria</i> (= <i>Lagenifera</i> ) <i>erici</i>                                                                     | E      | \$10,270      | \$1,271,037,302  |
| 1019 | <i>Keysseria</i> (= <i>Lagenifera</i> ) <i>helenae</i>                                                                   | E      | \$10,270      | \$1,271,047,572  |
| 1020 | Fleabane, Zuni ( <i>Erigeron rhizomatus</i> )                                                                            | T      | \$10,266      | \$1,271,057,838  |
| 1021 | Nohoanu ( <i>Geranium kauaiense</i> )                                                                                    | E      | \$10,165      | \$1,271,068,003  |
| 1022 | Remya, Maui ( <i>Remya mauensis</i> )                                                                                    | E      | \$10,096      | \$1,271,078,099  |
| 1023 | Anole, Culebra Island giant ( <i>Anolis roosevelti</i> )                                                                 | E      | \$10,090      | \$1,271,088,189  |

| Rank | Species (50 CFR Part 17)                                                                                                        | Status | Species Total | Cumulative Total |
|------|---------------------------------------------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 1024 | Alani ( <i>Melicope pallida</i> )                                                                                               | E      | \$10,024      | \$1,271,098,213  |
| 1025 | Rail, Guam ( <i>Rallus owstoni</i> ) - Rota                                                                                     | EXPN   | \$10,000      | \$1,271,108,213  |
| 1025 | Goetzea, beautiful ( <i>Goetzea elegans</i> )                                                                                   | E      | \$10,000      | \$1,271,118,213  |
| 1025 | <i>Mitracarpus maxwelliae</i>                                                                                                   | E      | \$10,000      | \$1,271,128,213  |
| 1025 | <i>Mitracarpus polycladus</i>                                                                                                   | E      | \$10,000      | \$1,271,138,213  |
| 1025 | Milk-vetch, Shivwits ( <i>Astragalus ampullarioides</i> )                                                                       | E      | \$10,000      | \$1,271,148,213  |
| 1025 | Walnut (=Nogal), West Indian ( <i>Juglans jamaicensis</i> )                                                                     | E      | \$10,000      | \$1,271,158,213  |
| 1026 | Spineflower, Howell's ( <i>Chorizanthe howellii</i> )                                                                           | E      | \$9,900       | \$1,271,168,113  |
| 1027 | Lichen, rock gnome ( <i>Gymnoderma lineare</i> )                                                                                | E      | \$9,867       | \$1,271,177,980  |
| 1028 | <i>Diellia pallida</i>                                                                                                          | E      | \$9,837       | \$1,271,187,817  |
| 1029 | Snail, tulotoma ( <i>Tulotoma magnifica</i> )                                                                                   | E      | \$9,825       | \$1,271,197,642  |
| 1030 | Bladderpod, Dudley Bluffs ( <i>Lesquerella congesta</i> )                                                                       | T      | \$9,819       | \$1,271,207,461  |
| 1031 | <i>Remya kauaiensis</i>                                                                                                         | E      | \$9,779       | \$1,271,217,240  |
| 1032 | Na'ena'e ( <i>Dubautia plantaginea</i> ssp. <i>humilis</i> )                                                                    | E      | \$9,750       | \$1,271,226,990  |
| 1033 | Lo'ulu ( <i>Pritchardia affinis</i> )                                                                                           | E      | \$9,679       | \$1,271,236,669  |
| 1034 | <i>Myrcia paganii</i>                                                                                                           | E      | \$9,665       | \$1,271,246,334  |
| 1035 | Cactus, Tobusch fishhook ( <i>Ancistrocactus tobuschii</i> )                                                                    | E      | \$9,600       | \$1,271,255,934  |
| 1036 | Sandalwood, Lanai (=ilihi) ( <i>Santalum freycinerianum</i> var. <i>lanaiense</i> )                                             | E      | \$9,596       | \$1,271,265,530  |
| 1036 | <i>Mariscus pennatiformis</i>                                                                                                   | E      | \$9,596       | \$1,271,275,126  |
| 1037 | Gecko, Monito ( <i>Sphaerodactylus micropithecus</i> )                                                                          | E      | \$9,500       | \$1,271,284,626  |
| 1037 | Guajon ( <i>Eleutherodactylus cooki</i> )                                                                                       | T      | \$9,500       | \$1,271,294,126  |
| 1037 | Lilliput, pale (pearlymussel) ( <i>Toxolasma cylindrellus</i> )                                                                 | E      | \$9,500       | \$1,271,303,626  |
| 1037 | <i>Chamaecrista glandulosa</i> var. <i>mirabilis</i>                                                                            | E      | \$9,500       | \$1,271,313,126  |
| 1037 | <i>Aristida chaseae</i>                                                                                                         | E      | \$9,500       | \$1,271,322,626  |
| 1038 | Pilo kea lau li'i ( <i>Platydesma rostrata</i> )                                                                                | E      | \$9,435       | \$1,271,332,061  |
| 1039 | <i>Tetraplasandra bisattenuata</i>                                                                                              | E      | \$9,257       | \$1,271,341,318  |
| 1040 | Quillwort, black spored ( <i>Isoetes melanospora</i> )                                                                          | E      | \$9,230       | \$1,271,350,548  |
| 1041 | <i>Doryopteris angelica</i>                                                                                                     | E      | \$9,159       | \$1,271,359,707  |
| 1042 | Groundsel, San Francisco Peaks ( <i>Senecio franciscanus</i> )                                                                  | T      | \$9,150       | \$1,271,368,857  |
| 1043 | Koki'o ke'oke'o ( <i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i> )                                                         | E      | \$9,096       | \$1,271,377,953  |
| 1044 | Checker-mallow, Kenwood Marsh ( <i>Sidalcea oregana</i> ssp. <i>valida</i> )                                                    | E      | \$9,000       | \$1,271,386,953  |
| 1044 | Pelos del diablo ( <i>Aristida portoricensis</i> )                                                                              | E      | \$9,000       | \$1,271,395,953  |
| 1044 | Palo de ramon ( <i>Banara vanderbiltii</i> )                                                                                    | E      | \$9,000       | \$1,271,404,953  |
| 1044 | Palo de nigua ( <i>Cornutia obovata</i> )                                                                                       | E      | \$9,000       | \$1,271,413,953  |
| 1044 | Higuero de sierra ( <i>Crescentia portoricensis</i> )                                                                           | E      | \$9,000       | \$1,271,422,953  |
| 1044 | <i>Daphnopsis hellerana</i>                                                                                                     | E      | \$9,000       | \$1,271,431,953  |
| 1044 | <i>Lyonia truncata</i> var. <i>proctorii</i>                                                                                    | E      | \$9,000       | \$1,271,440,953  |
| 1044 | Polygonum, Scotts Valley ( <i>Polygonum hickmanii</i> )                                                                         | E      | \$9,000       | \$1,271,449,953  |
| 1045 | Snail, Chittenango ovate amber ( <i>Succinea chittenangoensis</i> )                                                             | T      | \$8,943       | \$1,271,458,896  |
| 1046 | <i>Hesperomannia lydgatei</i>                                                                                                   | E      | \$8,935       | \$1,271,467,831  |
| 1046 | Bluegrass, Mann's ( <i>Poa mannii</i> )                                                                                         | E      | \$8,935       | \$1,271,476,766  |
| 1046 | <i>Poa siphonoglossa</i>                                                                                                        | E      | \$8,935       | \$1,271,485,701  |
| 1046 | Na'ena'e ( <i>Dubautia imbricata imbricata</i> )                                                                                | E      | \$8,935       | \$1,271,494,636  |
| 1047 | Spurge, Garber's ( <i>Chamaesyce garberi</i> )                                                                                  | T      | \$8,850       | \$1,271,503,486  |
| 1048 | Hau kuahiwi ( <i>Hibiscadelphus woodii</i> )                                                                                    | E      | \$8,837       | \$1,271,512,323  |
| 1049 | Pimpleback, orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> ) - TN - portions of the French Broad and Holston Rivers | EXPN   | \$8,800       | \$1,271,521,123  |
| 1050 | Milk-vetch, Sentry ( <i>Astragalus cremnophylax</i> var. <i>cremnophylax</i> )                                                  | E      | \$8,745       | \$1,271,529,868  |
| 1050 | Koki'o ke'oke'o ( <i>Hibiscus waimeae</i> ssp. <i>hammerae</i> )                                                                | E      | \$8,745       | \$1,271,538,613  |
| 1051 | Bladderpod, San Bernardino Mountains ( <i>Lesquerella kingii</i> ssp. <i>bernardina</i> )                                       | E      | \$8,741       | \$1,271,547,354  |
| 1052 | <i>Cordia bellonis</i>                                                                                                          | E      | \$8,500       | \$1,271,555,854  |
| 1052 | <i>Schoepfia arenaria</i>                                                                                                       | T      | \$8,500       | \$1,271,564,354  |
| 1052 | Quillwort, mat-forming ( <i>Isoetes tegetiformans</i> )                                                                         | E      | \$8,500       | \$1,271,572,854  |
| 1053 | Amphipod, Illinois cave ( <i>Gammarus acherondytes</i> )                                                                        | E      | \$8,464       | \$1,271,581,318  |
| 1054 | <i>Amaranthus brownii</i>                                                                                                       | E      | \$8,435       | \$1,271,589,753  |
| 1054 | Ho'awa ( <i>Pittosporum napaliense</i> )                                                                                        | E      | \$8,435       | \$1,271,598,188  |
| 1055 | Kauai hau kuahiwi ( <i>Hibiscadelphus distans</i> )                                                                             | E      | \$8,429       | \$1,271,606,617  |
| 1055 | Hibiscus, Clay's ( <i>Hibiscus clayi</i> )                                                                                      | E      | \$8,429       | \$1,271,615,046  |
| 1055 | <i>Stenogyne campanulata</i>                                                                                                    | E      | \$8,429       | \$1,271,623,475  |
| 1056 | Olulu ( <i>Brighamia insignis</i> )                                                                                             | E      | \$8,337       | \$1,271,631,812  |
| 1057 | Rosemary, Etonia ( <i>Conradina etonia</i> )                                                                                    | E      | \$8,250       | \$1,271,640,062  |
| 1058 | Thornmint, San Diego ( <i>Acanthomintha ilicifolia</i> )                                                                        | T      | \$8,242       | \$1,271,648,304  |
| 1059 | Madtom, pygmy ( <i>Noturus stanauli</i> ) - TN - portions of the French Broad and Holston Rivers                                | EXPN   | \$8,200       | \$1,271,656,504  |

| Rank | Species (50 CFR Part 17)                                                                                                           | Status | Species Total | Cumulative Total |
|------|------------------------------------------------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 1060 | Kamakahala ( <i>Labordia pumila</i> )                                                                                              | E      | \$8,165       | \$1,271,664,669  |
| 1061 | Gourd, Okeechobee ( <i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i> )                                                   | E      | \$8,045       | \$1,271,672,714  |
| 1062 | Mallow, Peter's Mountain ( <i>Iliamna corei</i> )                                                                                  | E      | \$8,030       | \$1,271,680,744  |
| 1063 | Crow, white-necked ( <i>Corvus leucognaphalus</i> )                                                                                | E      | \$8,000       | \$1,271,688,744  |
| 1063 | Shagreen, Magazine Mountain ( <i>Mesodon magazinensis</i> )                                                                        | T      | \$8,000       | \$1,271,696,744  |
| 1063 | Cactus, Nellie cory ( <i>Coryphantha minima</i> )                                                                                  | E      | \$8,000       | \$1,271,704,744  |
| 1063 | Pitaya, Davis' green ( <i>Echinocereus viridiflorus</i> var. <i>davisii</i> )                                                      | E      | \$8,000       | \$1,271,712,744  |
| 1063 | Holly, Cook's ( <i>Ilex cookii</i> )                                                                                               | E      | \$8,000       | \$1,271,720,744  |
| 1063 | Ipomopsis, Holy Ghost ( <i>Ipomopsis sancti-spiritus</i> )                                                                         | E      | \$8,000       | \$1,271,728,744  |
| 1063 | Fern, Aleutian shield ( <i>Polystichum aleuticum</i> )                                                                             | E      | \$8,000       | \$1,271,736,744  |
| 1064 | Kaulu ( <i>Pteralyxia kauaiensis</i> )                                                                                             | E      | \$7,935       | \$1,271,744,679  |
| 1064 | Nehe ( <i>Lipochaeta micrantha</i> )                                                                                               | E      | \$7,935       | \$1,271,752,614  |
| 1065 | <i>Lysimachia filifolia</i>                                                                                                        | E      | \$7,898       | \$1,271,760,512  |
| 1066 | Alani ( <i>Melicope quadrangularis</i> )                                                                                           | E      | \$7,837       | \$1,271,768,349  |
| 1066 | <i>Phyllostegia wawrana</i>                                                                                                        | E      | \$7,837       | \$1,271,776,186  |
| 1066 | Haha ( <i>Cyanea kuhihewa</i> )                                                                                                    | E      | \$7,837       | \$1,271,784,023  |
| 1066 | <i>Schiedea attenuata</i>                                                                                                          | E      | \$7,837       | \$1,271,791,860  |
| 1066 | <i>Lysimachia scopulensis</i>                                                                                                      | E      | \$7,837       | \$1,271,799,697  |
| 1067 | Blazingstar, Heller's ( <i>Liatris helleri</i> )                                                                                   | T      | \$7,820       | \$1,271,807,517  |
| 1068 | <i>Lobelia niihauensis</i>                                                                                                         | E      | \$7,806       | \$1,271,815,323  |
| 1069 | Monkeyface, Appalachian (pearlymussel) ( <i>Quadrula sparsa</i> ) - TN - specified portions of the French Broad and Holston Rivers | EXPN   | \$7,766       | \$1,271,823,089  |
| 1070 | Spurge, Hoover's ( <i>Chamaesyce hooveri</i> )                                                                                     | T      | \$7,700       | \$1,271,830,789  |
| 1071 | Koki'o, Cooke's ( <i>Kokia cookei</i> )                                                                                            | E      | \$7,688       | \$1,271,838,477  |
| 1072 | Ha'iwale ( <i>Cyrtandra oenobarba</i> )                                                                                            | E      | \$7,665       | \$1,271,846,142  |
| 1073 | Finch, Laysan (honeycreeper) ( <i>Telespyza cantans</i> )                                                                          | E      | \$7,600       | \$1,271,853,742  |
| 1074 | Pamakani ( <i>Tetramolopium capillare</i> )                                                                                        | E      | \$7,596       | \$1,271,861,338  |
| 1074 | <i>Mariscus fauriei</i>                                                                                                            | E      | \$7,596       | \$1,271,868,934  |
| 1075 | Milk-vetch, Deseret ( <i>Astragalus desereticus</i> )                                                                              | T      | \$7,500       | \$1,271,876,434  |
| 1075 | Lupine, Nipomo Mesa ( <i>Lupinus nipomensis</i> )                                                                                  | E      | \$7,500       | \$1,271,883,934  |
| 1075 | Potentilla, Hickman's ( <i>Potentilla hickmanii</i> )                                                                              | E      | \$7,500       | \$1,271,891,434  |
| 1075 | Goldenrod, white-haired ( <i>Solidago albopilosa</i> )                                                                             | T      | \$7,500       | \$1,271,898,934  |
| 1075 | Capa rosa ( <i>Callicarpa ampla</i> )                                                                                              | E      | \$7,500       | \$1,271,906,434  |
| 1075 | Uvillo ( <i>Eugenia haematocarpa</i> )                                                                                             | E      | \$7,500       | \$1,271,913,934  |
| 1075 | <i>Ternstroemia subsessilis</i>                                                                                                    | E      | \$7,500       | \$1,271,921,434  |
| 1075 | Flannelbush, Mexican ( <i>Fremontodendron mexicanum</i> )                                                                          | E      | \$7,500       | \$1,271,928,934  |
| 1075 | Palo de jazmin ( <i>Styrax portoricensis</i> )                                                                                     | E      | \$7,500       | \$1,271,936,434  |
| 1075 | <i>Tectaria estremerana</i>                                                                                                        | E      | \$7,500       | \$1,271,943,934  |
| 1075 | <i>Thelypteris inabonensis</i>                                                                                                     | E      | \$7,500       | \$1,271,951,434  |
| 1075 | <i>Thelypteris verecunda</i>                                                                                                       | E      | \$7,500       | \$1,271,958,934  |
| 1076 | `Akoko ( <i>Chamaesyce remyi</i> var. <i>remyi</i> )                                                                               | E      | \$7,435       | \$1,271,966,369  |
| 1077 | Mesa-mint, San Diego ( <i>Pogogyne abramsii</i> )                                                                                  | E      | \$7,353       | \$1,271,973,722  |
| 1078 | Phacelia, island ( <i>Phacelia insularis</i> ssp. <i>insularis</i> )                                                               | E      | \$7,277       | \$1,271,980,999  |
| 1079 | Crane, whooping ( <i>Grus americana</i> ) - CO, ID, FL, NM, UT, and western WY                                                     | EXPN   | \$7,232       | \$1,271,988,231  |
| 1080 | Sand-verbena, large-fruited ( <i>Abronia macrocarpa</i> )                                                                          | E      | \$7,180       | \$1,271,995,411  |
| 1081 | Alani ( <i>Melicope munroi</i> )                                                                                                   | E      | \$7,096       | \$1,272,002,507  |
| 1081 | Kamakahala ( <i>Labordia tinifolia</i> var. <i>lanaiensis</i> )                                                                    | E      | \$7,096       | \$1,272,009,603  |
| 1082 | Snake, Concho water ( <i>Nerodia paucimaculata</i> )                                                                               | T      | \$7,000       | \$1,272,016,603  |
| 1082 | <i>Lepanthes eltoroensis</i>                                                                                                       | E      | \$7,000       | \$1,272,023,603  |
| 1082 | <i>Ilex sintenisii</i>                                                                                                             | E      | \$7,000       | \$1,272,030,603  |
| 1082 | Fern, Elfin tree ( <i>Cyathea dryopteroides</i> )                                                                                  | E      | \$7,000       | \$1,272,037,603  |
| 1082 | <i>Polystichum calderonense</i>                                                                                                    | E      | \$7,000       | \$1,272,044,603  |
| 1082 | <i>Thelypteris yaucoensis</i>                                                                                                      | E      | \$7,000       | \$1,272,051,603  |
| 1083 | Nehe ( <i>Lipochaeta waimeaensis</i> )                                                                                             | E      | \$6,935       | \$1,272,058,538  |
| 1083 | <i>Schiedea spergulina</i> var. <i>spergulina</i>                                                                                  | T      | \$6,935       | \$1,272,065,473  |
| 1084 | Milk-vetch, coastal dunes ( <i>Astragalus tener</i> var. <i>titi</i> )                                                             | E      | \$6,900       | \$1,272,072,373  |
| 1085 | Manzanita, Santa Rosa Island ( <i>Arctostaphylos confertiflora</i> )                                                               | E      | \$6,851       | \$1,272,079,224  |
| 1086 | Panicgrass, Carter's ( <i>Panicum fauriei</i> var. <i>carteri</i> )                                                                | E      | \$6,787       | \$1,272,086,011  |
| 1087 | Laulihilihi ( <i>Schiedea stellarioides</i> )                                                                                      | E      | \$6,687       | \$1,272,092,698  |
| 1088 | <i>Schiedea sarmentosa</i>                                                                                                         | E      | \$6,596       | \$1,272,099,294  |
| 1088 | Ko'oko'olau ( <i>Bidens wiebkei</i> )                                                                                              | E      | \$6,596       | \$1,272,105,890  |
| 1088 | `Awikiwiki ( <i>Canavalia molokaiensis</i> )                                                                                       | E      | \$6,596       | \$1,272,112,486  |
| 1088 | <i>Gouania hillebrandii</i>                                                                                                        | E      | \$6,596       | \$1,272,119,082  |

| Rank | Species (50 CFR Part 17)                                                     | Status | Species Total | Cumulative Total |
|------|------------------------------------------------------------------------------|--------|---------------|------------------|
| 1088 | Alani ( <i>Melicope reflexa</i> )                                            | E      | \$6,596       | \$1,272,125,678  |
| 1088 | <i>Schiedea lydgatei</i>                                                     | E      | \$6,596       | \$1,272,132,274  |
| 1088 | Haha ( <i>Cyanea mannii</i> )                                                | E      | \$6,596       | \$1,272,138,870  |
| 1089 | <i>Diellia unisora</i>                                                       | E      | \$6,558       | \$1,272,145,428  |
| 1090 | Coqui, golden ( <i>Eleutherodactylus jasperii</i> )                          | T      | \$6,500       | \$1,272,151,928  |
| 1090 | Chub, spotfin ( <i>Erimonax monachus</i> ) - Shoal Creek                     | EXPN   | \$6,500       | \$1,272,158,428  |
| 1090 | Snail, armored ( <i>Pyrgulopsis (=Marstonia) pachyta</i> )                   | E      | \$6,500       | \$1,272,164,928  |
| 1090 | Campelema, slender ( <i>Campelema decampi</i> )                              | E      | \$6,500       | \$1,272,171,428  |
| 1090 | <i>Gesneria pauciflora</i>                                                   | T      | \$6,500       | \$1,272,177,928  |
| 1090 | <i>Cranichis ricartii</i>                                                    | E      | \$6,500       | \$1,272,184,428  |
| 1090 | <i>Adiantum vivessii</i>                                                     | E      | \$6,500       | \$1,272,190,928  |
| 1091 | Darter, slackwater ( <i>Etheostoma boschungii</i> )                          | T      | \$6,400       | \$1,272,197,328  |
| 1092 | `Akoko ( <i>Chamaesyce deppeana</i> )                                        | E      | \$6,398       | \$1,272,203,726  |
| 1093 | <i>Schiedea helleri</i>                                                      | E      | \$6,279       | \$1,272,210,005  |
| 1093 | Lo`ulu ( <i>Pritchardia napaliensis</i> )                                    | E      | \$6,279       | \$1,272,216,284  |
| 1094 | Na`ena`e ( <i>Dubautia latifolia</i> )                                       | E      | \$6,187       | \$1,272,222,471  |
| 1095 | `Akoko, Ewa Plains ( <i>Chamaesyce skottsbergii</i> var. <i>kalaaloana</i> ) | E      | \$6,036       | \$1,272,228,507  |
| 1096 | Iliau, dwarf ( <i>Wilkesia hobbii</i> )                                      | E      | \$6,027       | \$1,272,234,534  |
| 1097 | Chub, Hutton tui ( <i>Gila bicolor</i> ssp.)                                 | T      | \$6,000       | \$1,272,240,534  |
| 1097 | <i>Elaphoglossum serpens</i>                                                 | E      | \$6,000       | \$1,272,246,534  |
| 1098 | <i>Schiedea hookeri</i>                                                      | E      | \$5,952       | \$1,272,252,486  |
| 1099 | <i>Schiedea spargulina</i> var. <i>leiopoda</i>                              | E      | \$5,935       | \$1,272,258,421  |
| 1099 | <i>Lysimachia venosa</i>                                                     | E      | \$5,935       | \$1,272,264,356  |
| 1099 | Haha ( <i>Cyanea dolichopoda</i> )                                           | E      | \$5,935       | \$1,272,270,291  |
| 1100 | Vole, Florida salt marsh ( <i>Microtus pennsylvanicus dukecampbelli</i> )    | E      | \$5,920       | \$1,272,276,211  |
| 1101 | Mint, longspurred ( <i>Dicerandra cornutissima</i> )                         | E      | \$5,850       | \$1,272,282,061  |
| 1102 | Avens, spreading ( <i>Geum radiatum</i> )                                    | E      | \$5,820       | \$1,272,287,881  |
| 1103 | Haha ( <i>Cyanea humboldtiana</i> )                                          | E      | \$5,806       | \$1,272,293,687  |
| 1103 | Alani ( <i>Melicope saint-johnii</i> )                                       | E      | \$5,806       | \$1,272,299,493  |
| 1103 | Nehe ( <i>Lipochaeta lobata</i> var. <i>leptophylla</i> )                    | E      | \$5,806       | \$1,272,305,299  |
| 1103 | <i>Trematolobelia singularis</i>                                             | E      | \$5,806       | \$1,272,311,105  |
| 1104 | Bedstraw, island ( <i>Galium buxifolium</i> )                                | E      | \$5,751       | \$1,272,316,856  |
| 1105 | Haha ( <i>Cyanea remyi</i> )                                                 | E      | \$5,687       | \$1,272,322,543  |
| 1106 | Lioplax, cylindrical (snail) ( <i>Lioplax cyclostomaformis</i> )             | E      | \$5,646       | \$1,272,328,189  |
| 1107 | Bluegrass, Hawaiian ( <i>Poa sandvicensis</i> )                              | E      | \$5,527       | \$1,272,333,716  |
| 1107 | Lo`ulu, (=Na`ena`e) ( <i>Pritchardia hardyi</i> )                            | E      | \$5,527       | \$1,272,339,243  |
| 1108 | Madtom, pygmy ( <i>Noturus stanauli</i> ) - Entire                           | E      | \$5,500       | \$1,272,344,743  |
| 1108 | Pomace fly, [unnamed] ( <i>Drosophila aglaia</i> )                           | E      | \$5,500       | \$1,272,350,243  |
| 1108 | Pseudoscorpion, Tooth Cave ( <i>Tartarocreagris texana</i> )                 | E      | \$5,500       | \$1,272,355,743  |
| 1108 | Spider, Tooth Cave ( <i>Leptoneta myopica</i> )                              | E      | \$5,500       | \$1,272,361,243  |
| 1108 | Lily, Pitkin Marsh ( <i>Lilium pardalinum</i> ssp. <i>pitkinense</i> )       | E      | \$5,500       | \$1,272,366,743  |
| 1109 | Papala ( <i>Charpentiera densiflora</i> )                                    | E      | \$5,435       | \$1,272,372,178  |
| 1109 | <i>Chamaesyce halemanui</i>                                                  | E      | \$5,435       | \$1,272,377,613  |
| 1109 | <i>Gahnia lanaiensis</i>                                                     | E      | \$5,435       | \$1,272,383,048  |
| 1109 | Nehe ( <i>Lipochaeta fauriei</i> )                                           | E      | \$5,435       | \$1,272,388,483  |
| 1109 | Kamakahala ( <i>Labordia helleri</i> )                                       | E      | \$5,435       | \$1,272,393,918  |
| 1109 | `Akoko ( <i>Chamaesyce eleanoriae</i> )                                      | E      | \$5,435       | \$1,272,399,353  |
| 1110 | Lupine, clover ( <i>Lupinus tidestromii</i> )                                | E      | \$5,400       | \$1,272,404,753  |
| 1111 | Trillium, persistent ( <i>Trillium persiciens</i> )                          | E      | \$5,300       | \$1,272,410,053  |
| 1112 | Vole, Hualapai Mexican ( <i>Microtus mexicanus hualpaiensis</i> )            | E      | \$5,210       | \$1,272,415,263  |
| 1113 | Pigtoe, Cumberland ( <i>Pleurobema gibberum</i> )                            | E      | \$5,161       | \$1,272,420,424  |
| 1114 | rosroot, Leedy's ( <i>Rhodiola integrifolia</i> ssp. <i>leedyi</i> )         | T      | \$5,087       | \$1,272,425,511  |
| 1115 | Akialoa, Kauai (honeycreeper) ( <i>Hemignathus procerus</i> )                | E      | \$5,000       | \$1,272,430,511  |
| 1115 | Darter, bayou ( <i>Etheostoma rubrum</i> )                                   | T      | \$5,000       | \$1,272,435,511  |
| 1115 | Snail, Pecos assiminea ( <i>Assiminea pecos</i> )                            | E      | \$5,000       | \$1,272,440,511  |
| 1116 | Sedge, Navajo ( <i>Carex specuicola</i> )                                    | T      | \$4,966       | \$1,272,445,477  |
| 1117 | Rocksnaail, interrupted (=Georgia) ( <i>Leptoxis foremani</i> )              | E      | \$4,950       | \$1,272,450,427  |
| 1118 | Rocksnaail, round ( <i>Leptoxis ampla</i> )                                  | T      | \$4,946       | \$1,272,455,373  |
| 1119 | <i>Phyllostegia knudsenii</i>                                                | E      | \$4,935       | \$1,272,460,308  |
| 1119 | Lo`ulu ( <i>Pritchardia remota</i> )                                         | E      | \$4,935       | \$1,272,465,243  |
| 1119 | Hedyotis, Na Pali beach ( <i>Hedyotis st.-johnii</i> )                       | E      | \$4,935       | \$1,272,470,178  |
| 1119 | <i>Phyllostegia glabra</i> var. <i>lanaiensis</i>                            | E      | \$4,935       | \$1,272,475,113  |
| 1119 | Ma`oli`oli ( <i>Schiedea apokremnos</i> )                                    | E      | \$4,935       | \$1,272,480,048  |

| Rank | Species (50 CFR Part 17)                                                                                                         | Status | Species Total | Cumulative Total |
|------|----------------------------------------------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 1119 | Haha ( <i>Cyanea copelandii</i> ssp. <i>copelandii</i> )                                                                         | E      | \$4,935       | \$1,272,484,983  |
| 1119 | Haha ( <i>Cyanea eleeleensis</i> )                                                                                               | E      | \$4,935       | \$1,272,489,918  |
| 1120 | Crayfish, cave ( <i>Cambarus aculabrum</i> )                                                                                     | E      | \$4,900       | \$1,272,494,818  |
| 1121 | Pearlymussel, cracking ( <i>Hemistena lata</i> ) - TN - portions of the French Broad and Holston Rivers                          | EXPN   | \$4,895       | \$1,272,499,713  |
| 1122 | Gilia, Hoffmann's slender-flowered ( <i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i> )                                            | E      | \$4,851       | \$1,272,504,564  |
| 1123 | Penguin, southern rockhopper ( <i>Eudyptes chrysocome</i> ) - New Zealand-Australia DPS                                          | T      | \$4,793       | \$1,272,509,357  |
| 1124 | Darter, vermilion ( <i>Etheostoma chermocki</i> )                                                                                | E      | \$4,700       | \$1,272,514,057  |
| 1125 | Creeper, Oahu ( <i>Paroreomyza maculata</i> )                                                                                    | E      | \$4,500       | \$1,272,518,557  |
| 1125 | Creeper, Molokai ( <i>Paroreomyza flammea</i> )                                                                                  | E      | \$4,500       | \$1,272,523,057  |
| 1125 | Pigtoe, dark ( <i>Pleurobema furvum</i> )                                                                                        | E      | \$4,500       | \$1,272,527,557  |
| 1125 | Leather flower, Morefield's ( <i>Clematis morefieldii</i> )                                                                      | E      | \$4,500       | \$1,272,532,057  |
| 1126 | Wahane ( <i>Pritchardia aylmer-robinsonii</i> )                                                                                  | E      | \$4,427       | \$1,272,536,484  |
| 1127 | Holei ( <i>Ochrosia kilaueensis</i> )                                                                                            | E      | \$4,335       | \$1,272,540,819  |
| 1128 | Love grass, Fosberg's ( <i>Eragrostis fosbergii</i> )                                                                            | E      | \$4,306       | \$1,272,545,125  |
| 1129 | Springsnail, Alamosa ( <i>Tryonia alamosae</i> )                                                                                 | E      | \$4,300       | \$1,272,549,425  |
| 1130 | Awikiwiki ( <i>Canavalia napaliensis</i> )                                                                                       | E      | \$4,165       | \$1,272,553,590  |
| 1131 | Hornsnail, rough ( <i>Pleurocera foremani</i> ) -                                                                                | E      | \$4,150       | \$1,272,557,740  |
| 1132 | Amphipod, Noel's ( <i>Gammarus desperatus</i> )                                                                                  | E      | \$4,100       | \$1,272,561,840  |
| 1133 | Blue-star, Kearney's ( <i>Amsonia kearneyana</i> )                                                                               | E      | \$4,095       | \$1,272,565,935  |
| 1134 | Sedge, white ( <i>Carex albida</i> )                                                                                             | E      | \$4,000       | \$1,272,569,935  |
| 1135 | Ha'i wale ( <i>Cyrtandra crenata</i> )                                                                                           | E      | \$3,935       | \$1,272,573,870  |
| 1136 | Nehe ( <i>Lipochaeta kamolensis</i> )                                                                                            | E      | \$3,826       | \$1,272,577,696  |
| 1137 | Bluet, Roan Mountain ( <i>Hedyotis purpurea</i> var. <i>montana</i> )                                                            | E      | \$3,748       | \$1,272,581,444  |
| 1138 | Naenae ( <i>Dubautia kenwoodii</i> )                                                                                             | E      | \$3,665       | \$1,272,585,109  |
| 1139 | Dace, Independence Valley speckled ( <i>Rhinichthys osculus lethoporus</i> )                                                     | E      | \$3,600       | \$1,272,588,709  |
| 1140 | Combshell, southern ( <i>Epioblasma penita</i> )                                                                                 | E      | \$3,596       | \$1,272,592,305  |
| 1141 | Akoko ( <i>Chamaesyce kuwaleana</i> )                                                                                            | E      | \$3,536       | \$1,272,595,841  |
| 1141 | <i>Diellia falcata</i>                                                                                                           | E      | \$3,536       | \$1,272,599,377  |
| 1142 | <i>Schiedea verticillata</i>                                                                                                     | E      | \$3,535       | \$1,272,602,912  |
| 1143 | Springsnail, Roswell ( <i>Pyrgulopsis roswellensis</i> )                                                                         | E      | \$3,500       | \$1,272,606,412  |
| 1143 | Pomace fly, [unnamed] ( <i>Drosophila heteroneura</i> )                                                                          | E      | \$3,500       | \$1,272,609,912  |
| 1143 | Pomace fly, [unnamed] ( <i>Drosophila mulli</i> )                                                                                | T      | \$3,500       | \$1,272,613,412  |
| 1143 | Pomace fly, [unnamed] ( <i>Drosophila neoclavisetae</i> )                                                                        | E      | \$3,500       | \$1,272,616,912  |
| 1143 | Pomace fly, [unnamed] ( <i>Drosophila obatai</i> )                                                                               | E      | \$3,500       | \$1,272,620,412  |
| 1143 | Pomace fly, [unnamed] ( <i>Drosophila tarphytrichia</i> )                                                                        | E      | \$3,500       | \$1,272,623,912  |
| 1143 | Pomace fly, [unnamed] ( <i>Drosophila hemipeza</i> )                                                                             | E      | \$3,500       | \$1,272,627,412  |
| 1143 | Pomace fly, [unnamed] ( <i>Drosophila ochrobasis</i> )                                                                           | E      | \$3,500       | \$1,272,630,912  |
| 1143 | Pomace fly, [unnamed] ( <i>Drosophila differens</i> )                                                                            | E      | \$3,500       | \$1,272,634,412  |
| 1143 | Barberry, Nevin's ( <i>Berberis nevinii</i> )                                                                                    | E      | \$3,500       | \$1,272,637,912  |
| 1143 | Cactus, Lloyd's Mariposa ( <i>Echinomastus mariposensis</i> )                                                                    | T      | \$3,500       | \$1,272,641,412  |
| 1143 | Cactus, Chisos Mountain hedgehog ( <i>Echinocereus chisoensis</i> var. <i>chisoensis</i> )                                       | T      | \$3,500       | \$1,272,644,912  |
| 1144 | Water-willow, Cooley's ( <i>Justicia cooleyi</i> )                                                                               | E      | \$3,450       | \$1,272,648,362  |
| 1145 | Springsnail, Koster's ( <i>Juturnia kosteri</i> )                                                                                | E      | \$3,400       | \$1,272,651,762  |
| 1146 | Pearlymussel, dromedary ( <i>Dromus dromas</i> ) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL         | EXPN   | \$3,390       | \$1,272,655,152  |
| 1147 | Malacothrix, Santa Cruz Island ( <i>Malacothrix indecora</i> )                                                                   | E      | \$3,325       | \$1,272,658,477  |
| 1148 | Pawpaw, beautiful ( <i>Deeringothamnus pulchellus</i> )                                                                          | E      | \$3,200       | \$1,272,661,677  |
| 1149 | Blossom, yellow (pearlymussel) ( <i>Epioblasma florentina florentina</i> ) – Entire; Except where EXPN                           | E      | \$3,161       | \$1,272,664,838  |
| 1150 | Bobwhite, masked (quail) ( <i>Colinus virginianus ridgwayi</i> )                                                                 | E      | \$3,100       | \$1,272,667,938  |
| 1151 | Thrush, large Kauai (=kamao) ( <i>Myadestes myadestinus</i> )                                                                    | E      | \$3,000       | \$1,272,670,938  |
| 1151 | Blossom, turgid (pearlymussel) ( <i>Epioblasma turgidula</i> ) – Entire; Except where listed as EXPN                             | E      | \$3,000       | \$1,272,673,938  |
| 1151 | Lampmussel, Alabama ( <i>Lampsilis virescens</i> ) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL       | EXPN   | \$3,000       | \$1,272,676,938  |
| 1151 | Combshell, Cumberlandian ( <i>Epioblasma brevicens</i> ) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL | EXPN   | \$3,000       | \$1,272,679,938  |
| 1151 | Cactus, Lee pincushion ( <i>Coryphantha sneedii</i> var. <i>leei</i> )                                                           | T      | \$3,000       | \$1,272,682,938  |
| 1151 | Pondweed, Little Aguja (=Creek) ( <i>Potamogeton clystocarpus</i> )                                                              | E      | \$3,000       | \$1,272,685,938  |
| 1151 | Milk-vetch, heliotrope ( <i>Astragalus montii</i> )                                                                              | T      | \$3,000       | \$1,272,688,938  |
| 1152 | Prickly-apple, fragrant ( <i>Cereus eriophorus</i> var. <i>fragrans</i> )                                                        | E      | \$2,950       | \$1,272,691,888  |
| 1153 | Bittercress, small-anthered ( <i>Cardamine micranthera</i> )                                                                     | E      | \$2,767       | \$1,272,694,655  |
| 1154 | Polygala, tiny ( <i>Polygala smallii</i> )                                                                                       | E      | \$2,750       | \$1,272,697,405  |

| Rank | Species (50 CFR Part 17)                                                                                                                                            | Status | Species Total | Cumulative Total |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 1155 | Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL                                           | EXPN   | \$2,700       | \$1,272,700,105  |
| 1156 | Awiiwi ( <i>Hedyotis cookiana</i> )                                                                                                                                 | E      | \$2,665       | \$1,272,702,770  |
| 1156 | Na'ena'e ( <i>Dubautia plantaginea magnifolia</i> )                                                                                                                 | E      | \$2,665       | \$1,272,705,435  |
| 1157 | Darter, Cumberland ( <i>Etheostoma susanae</i> )                                                                                                                    | E      | \$2,661       | \$1,272,708,096  |
| 1157 | Dace, Laurel ( <i>Chrosomus saylori</i> )                                                                                                                           | E      | \$2,661       | \$1,272,710,757  |
| 1158 | Isopod, Socorro ( <i>Thermosphaeroma thermophilus</i> )                                                                                                             | E      | \$2,650       | \$1,272,713,407  |
| 1159 | Blossom, green (pearlymussel) ( <i>Epioblasma torulosa gubernaculum</i> )                                                                                           | E      | \$2,600       | \$1,272,716,007  |
| 1159 | Water-plantain, Kral's ( <i>Sagittaria secundifolia</i> )                                                                                                           | T      | \$2,600       | \$1,272,718,607  |
| 1160 | Irisette, white ( <i>Sisyrinchium dichotomum</i> )                                                                                                                  | E      | \$2,596       | \$1,272,721,203  |
| 1161 | ʻOʻo, Kauai (honeyeater) ( <i>Moho braccatus</i> )                                                                                                                  | E      | \$2,500       | \$1,272,723,703  |
| 1161 | Milk-vetch, Fish Slough ( <i>Astragalus lentiginosus</i> var. <i>piscinensis</i> )                                                                                  | T      | \$2,500       | \$1,272,726,203  |
| 1161 | Iagu, Hayun (=Guam), Tronkon guafi (Rota) ( <i>Serianthes nelsonii</i> )                                                                                            | E      | \$2,500       | \$1,272,728,703  |
| 1161 | Ceanothus, Vail Lake ( <i>Ceanothus ophiophilus</i> )                                                                                                               | T      | \$2,500       | \$1,272,731,203  |
| 1162 | Barberry, island ( <i>Berberis pinnata</i> ssp. <i>insularis</i> )                                                                                                  | E      | \$2,425       | \$1,272,733,628  |
| 1163 | Dudleya, Santa Monica Mountains ( <i>Dudleya cymosa</i> ssp. <i>ovatifolia</i> )                                                                                    | T      | \$2,400       | \$1,272,736,028  |
| 1164 | Madtom, chucky ( <i>Noturus crypticus</i> )                                                                                                                         | E      | \$2,161       | \$1,272,738,189  |
| 1165 | ʻOʻu (honeycreeper) ( <i>Psittirostra psittacea</i> )                                                                                                               | E      | \$2,000       | \$1,272,740,189  |
| 1165 | Purple cat's paw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> ) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL | EXPN   | \$2,000       | \$1,272,742,189  |
| 1165 | Snail, painted snake coiled forest ( <i>Anguispira picta</i> )                                                                                                      | T      | \$2,000       | \$1,272,744,189  |
| 1165 | Crayfish, cave ( <i>Cambarus zophonastes</i> )                                                                                                                      | E      | \$2,000       | \$1,272,746,189  |
| 1165 | Snowbells, Texas ( <i>Styrax texanus</i> )                                                                                                                          | E      | \$2,000       | \$1,272,748,189  |
| 1165 | Goldenrod, Blue Ridge ( <i>Solidago spithamea</i> )                                                                                                                 | T      | \$2,000       | \$1,272,750,189  |
| 1165 | Crownbeard, big-leaved ( <i>Verbesina dissita</i> )                                                                                                                 | T      | \$2,000       | \$1,272,752,189  |
| 1165 | <i>Nesogenes rotensis</i>                                                                                                                                           | E      | \$2,000       | \$1,272,754,189  |
| 1165 | <i>Osmoxylon mariannense</i>                                                                                                                                        | E      | \$2,000       | \$1,272,756,189  |
| 1166 | White-eye, bridled ( <i>Zosterops conspicillatus conspicillatus</i> )                                                                                               | E      | \$1,900       | \$1,272,758,089  |
| 1166 | Milk-vetch, Clara Hunt's ( <i>Astragalus clarianus</i> )                                                                                                            | E      | \$1,900       | \$1,272,759,989  |
| 1166 | Spineflower, Orcutt's ( <i>Chorizanthe orcuttiana</i> )                                                                                                             | E      | \$1,900       | \$1,272,761,889  |
| 1167 | Plymouth Red-Bellied Turtle ( <i>Pseudemys rubriventris bangsi</i> )                                                                                                | E      | \$1,858       | \$1,272,763,747  |
| 1168 | Madtom, Scioto ( <i>Noturus trautmani</i> )                                                                                                                         | E      | \$1,800       | \$1,272,765,547  |
| 1168 | Spineflower, Robust (incl. Scotts Valley) ( <i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i> ))                                          | E      | \$1,800       | \$1,272,767,347  |
| 1169 | Pawpaw, Rugel's ( <i>Deeringothamnus rugelii</i> )                                                                                                                  | E      | \$1,750       | \$1,272,769,097  |
| 1170 | Shiner, Cahaba ( <i>Notropis cahabae</i> )                                                                                                                          | E      | \$1,518       | \$1,272,770,615  |
| 1171 | Snail, noonday ( <i>Mesodon clarki nantahala</i> )                                                                                                                  | T      | \$1,500       | \$1,272,772,115  |
| 1172 | Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> ) - TN - portions of the French Broad and Holston Rivers                                         | EXPN   | \$1,400       | \$1,272,773,515  |
| 1173 | Thistle, Chorro Creek bog ( <i>Cirsium fontinale</i> var. <i>obispoense</i> )                                                                                       | E      | \$1,380       | \$1,272,774,895  |
| 1174 | Springsnail, Socorro ( <i>Pyrgulopsis neomexicana</i> )                                                                                                             | E      | \$1,300       | \$1,272,776,195  |
| 1175 | Cactus, Nichol's Turk's head ( <i>Echinocactus horizionthalonius</i> var. <i>nicholii</i> )                                                                         | E      | \$1,295       | \$1,272,777,490  |
| 1175 | Cactus, Cochise pincushion ( <i>Coryphantha robbinsorum</i> )                                                                                                       | T      | \$1,295       | \$1,272,778,785  |
| 1176 | Wartyback, white (pearlymussel) ( <i>Plethobasus cicatricosus</i> ) - TN - portions of the French Broad and Holston Rivers                                          | EXPN   | \$1,150       | \$1,272,779,935  |
| 1177 | Mountain balm, Indian Knob ( <i>Eriodictyon altissimum</i> )                                                                                                        | E      | \$1,100       | \$1,272,781,035  |
| 1178 | Jaguarundi, Sinaloa ( <i>Herpailurus</i> (=Felis) <i>yagouaroundi tolteca</i> )                                                                                     | E      | \$1,000       | \$1,272,782,035  |
| 1178 | Dudleya, Conejo ( <i>Dudleya abramsii</i> ssp. <i>parva</i> )                                                                                                       | T      | \$1,000       | \$1,272,783,035  |
| 1178 | Dudleya, marcescent ( <i>Dudleya cymosa</i> ssp. <i>marcescens</i> )                                                                                                | T      | \$1,000       | \$1,272,784,035  |
| 1178 | Cory cactus, bunched ( <i>Coryphantha ramillosa</i> )                                                                                                               | T      | \$1,000       | \$1,272,785,035  |
| 1178 | Bladderpod, kodachrome ( <i>Lesquerella tumulosa</i> )                                                                                                              | E      | \$1,000       | \$1,272,786,035  |
| 1178 | Dudleya, Verity's ( <i>Dudleya verityi</i> )                                                                                                                        | T      | \$1,000       | \$1,272,787,035  |
| 1179 | Cavefish, Alabama ( <i>Speoplatyrhinus poulsoni</i> )                                                                                                               | E      | \$900         | \$1,272,787,935  |
| 1179 | Malacothrix, island ( <i>Malacothrix squalida</i> )                                                                                                                 | E      | \$900         | \$1,272,788,835  |
| 1179 | Cypress, Santa Cruz ( <i>Cupressus abramsiana</i> )                                                                                                                 | E      | \$900         | \$1,272,789,735  |
| 1180 | Pearlymussel, dromedary ( <i>Dromus dromas</i> ) - TN - portions of the French Broad and Holston Rivers                                                             | EXPN   | \$890         | \$1,272,790,625  |
| 1181 | Amphipod, Hay's Spring ( <i>Stygobromus hayi</i> )                                                                                                                  | E      | \$828         | \$1,272,791,453  |
| 1182 | Bat, little Mariana fruit ( <i>Pteropus tokudae</i> )                                                                                                               | E      | \$800         | \$1,272,792,253  |
| 1183 | Curlew, slender-billed ( <i>Numenius tenuirostris</i> )                                                                                                             | E      | \$794         | \$1,272,793,047  |
| 1183 | Courser, Jerdon's ( <i>Rhinoptilus bitorquatus</i> )                                                                                                                | E      | \$794         | \$1,272,793,841  |
| 1183 | Adjutant, greater ( <i>Leptoptilos dubius</i> )                                                                                                                     | E      | \$794         | \$1,272,794,635  |
| 1183 | Capercaillie, Cantabrian ( <i>Tetrao urogallus cantabricus</i> )                                                                                                    | E      | \$794         | \$1,272,795,429  |
| 1183 | Warbler, Eiao Polynesian ( <i>Acrocephalus percernis aquilonis</i> )                                                                                                | E      | \$794         | \$1,272,796,223  |

| Rank | Species (50 CFR Part 17)                                                                                                            | Status | Species Total | Cumulative Total |
|------|-------------------------------------------------------------------------------------------------------------------------------------|--------|---------------|------------------|
| 1184 | Snail, Virginia fringed mountain ( <i>Polygyriscus virginianus</i> )                                                                | E      | \$767         | \$1,272,796,990  |
| 1185 | Darter, rush ( <i>Etheostoma phytophilum</i> )                                                                                      | E      | \$761         | \$1,272,797,751  |
| 1186 | Pearlymussel, birdwing ( <i>Lemiox rimosus</i> ) - Tennessee River below Wilson Dam, Colbert, and Lauderdale Counties, AL           | EXPN   | \$700         | \$1,272,798,451  |
| 1186 | Heather, mountain golden ( <i>Hudsonia montana</i> )                                                                                | T      | \$700         | \$1,272,799,151  |
| 1187 | Thrush, Molokai ( <i>Myadestes lanaiensis rutha</i> )                                                                               | E      | \$600         | \$1,272,799,751  |
| 1187 | Poppy-mallow, Texas ( <i>Callirhoe scabriuscula</i> )                                                                               | E      | \$600         | \$1,272,800,351  |
| 1187 | Mesa-mint, Otay ( <i>Pogogyne nudiuscula</i> )                                                                                      | E      | \$600         | \$1,272,800,951  |
| 1188 | Chub, spotfin ( <i>Erimonax monachus</i> ) - TN - portions of the French Broad and Holston Rivers                                   | EXPN   | \$500         | \$1,272,801,451  |
| 1188 | Gambusia, San Marcos ( <i>Gambusia georgei</i> )                                                                                    | E      | \$500         | \$1,272,801,951  |
| 1188 | Oak, Hinckley ( <i>Quercus hinckleyi</i> )                                                                                          | T      | \$500         | \$1,272,802,451  |
| 1188 | Cat's-eye, Terlingua Creek ( <i>Cryptantha crassipes</i> )                                                                          | E      | \$500         | \$1,272,802,951  |
| 1189 | Pebblesnail, flat ( <i>Lepyrium showalteri</i> ) -                                                                                  | E      | \$473         | \$1,272,803,424  |
| 1190 | Whale, Southern Right ( <i>Eubalaena australis</i> )                                                                                | E      | \$400         | \$1,272,803,824  |
| 1190 | Pigtoe, rough ( <i>Pleurobema plenum</i> ) - TN - portions of the French Broad and Holston Rivers                                   | EXPN   | \$400         | \$1,272,804,224  |
| 1191 | Antwren, black hooded (black-headed) ( <i>Formicivora erythronotos</i> )                                                            | E      | \$390         | \$1,272,804,614  |
| 1192 | Clubshell ( <i>Pleurobema clava</i> ) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL                       | EXPN   | \$300         | \$1,272,804,914  |
| 1192 | Fern, Alabama streak-sorus ( <i>Thelypteris pilosa</i> var. <i>alabamensis</i> )                                                    | T      | \$300         | \$1,272,805,214  |
| 1193 | Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL | EXPN   | \$250         | \$1,272,805,464  |
| 1194 | Beetle, delta green ground ( <i>Elaphrus viridis</i> )                                                                              | T      | \$200         | \$1,272,805,664  |
| 1194 | Vervain, Red Hills ( <i>Verbena californica</i> )                                                                                   | T      | \$200         | \$1,272,805,864  |
| 1195 | Salamander, desert slender ( <i>Batrachoseps aridus</i> )                                                                           | E      | \$170         | \$1,272,806,034  |
| 1196 | Chub, slender ( <i>Erimystax cahni</i> ) - TN - portions of the French Broad and Holston Rivers                                     | EXPN   | \$100         | \$1,272,806,134  |
| 1196 | Pigtoe, finerayed ( <i>Fusconaia cuneolus</i> ) - TN - portions of the French Broad and Holston Rivers                              | EXPN   | \$100         | \$1,272,806,234  |
| 1196 | Pigtoe, shiny ( <i>Fusconaia cor</i> ) - TN - portions of the French Broad and Holston Rivers                                       | EXPN   | \$100         | \$1,272,806,334  |
| 1196 | Fanshell ( <i>Cyprogenia stegaria</i> ) - TN - portions of the French Broad and Holston Rivers                                      | EXPN   | \$100         | \$1,272,806,434  |
| 1196 | Pentachaeta, white-rayed ( <i>Pentachaeta bellidiflora</i> )                                                                        | E      | \$100         | \$1,272,806,534  |