

TABLE 3. FY 2011 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

| Group Name | Rank | Species (50 CFR 17) | Status | FWS Total | Other Fed | Federal Total | States Total | Species Total |
|------------|------|--|--------|-----------|--------------|---------------|--------------|---------------|
| Mammals | 89 | Bat, gray (<i>Myotis grisescens</i>) | E | \$79,360 | \$42,000 | \$121,360 | \$71,500 | \$192,860 |
| | 7 | Bat, Indiana (<i>Myotis sodalis</i>) | E | \$796,442 | \$8,051,500 | \$8,847,942 | \$0 | \$8,847,942 |
| | 106 | Bat, Ozark big-eared (<i>Corynorhinus</i> (= <i>Plecotus</i>) <i>townsendii ingens</i>) | E | \$0 | \$0 | \$0 | \$71,100 | \$71,100 |
| | 76 | Bear, grizzly (<i>Ursus arctos horribilis</i>) - lower 48 States, except where EXPNor delisted | T | \$0 | \$300,000 | \$300,000 | \$0 | \$300,000 |
| | 11 | Bear, Louisiana black (<i>Ursus americanus luteolus</i>) | T | \$0 | \$5,971,437 | \$5,971,437 | \$0 | \$5,971,437 |
| | 123 | Bear, polar (<i>Ursus maritimus</i>) | T | \$8,400 | \$0 | \$8,400 | \$0 | \$8,400 |
| | 119 | Deer, key (<i>Odocoileus virginianus clavium</i>) | E | \$18,714 | \$0 | \$18,714 | \$0 | \$18,714 |
| | 28 | Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>) | E | \$0 | \$2,578,400 | \$2,578,400 | \$0 | \$2,578,400 |
| | 101 | Jaguar (<i>Panthera onca</i>) | E | \$114,521 | \$0 | \$114,521 | \$0 | \$114,521 |
| | 85 | Jaguarundi, Sinaloan (<i>Herpailurus</i> (= <i>Felis</i>) <i>yagouaroundi tolteca</i>) | E | \$207,683 | \$0 | \$207,683 | \$0 | \$207,683 |
| | 58 | Kangaroo rat, giant (<i>Dipodomys ingens</i>) | E | \$0 | \$649,000 | \$649,000 | \$0 | \$649,000 |
| | 28 | Kangaroo rat, Tipton (<i>Dipodomys nitratoideus nitratoideus</i>) | E | \$0 | \$2,578,400 | \$2,578,400 | \$0 | \$2,578,400 |
| | 22 | Lynx, Canada (<i>Lynx canadensis</i>) - Contiguous U.S. DPS | T | \$0 | \$200,000 | \$200,000 | \$2,913,225 | \$3,113,225 |
| | 78 | Manatee, West Indian (<i>Trichechus manatus</i>) | E | \$50,000 | \$0 | \$50,000 | \$236,000 | \$286,000 |
| | 133 | Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>) | E | \$0 | \$1,280 | \$1,280 | \$0 | \$1,280 |
| | 108 | Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>) | E | \$66,000 | \$0 | \$66,000 | \$0 | \$66,000 |
| | 85 | Ocelot (<i>Leopardus</i> (= <i>Felis</i>) <i>pardalis</i>) | E | \$207,683 | \$0 | \$207,683 | \$0 | \$207,683 |
| | 123 | Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) - southwest Alaska DPS | T | \$8,400 | \$0 | \$8,400 | \$0 | \$8,400 |
| | 6 | Panther, Florida (<i>Puma</i> (= <i>Felis</i>) <i>concolor coryi</i>) | E | \$0 | \$13,000,000 | \$13,000,000 | \$0 | \$13,000,000 |
| | 119 | Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>) | E | \$18,714 | \$0 | \$18,714 | \$0 | \$18,714 |
| | 99 | Rabbit, pygmy (<i>Brachylagus idahoensis</i>) - Columbia Basin DPS | E | \$0 | \$0 | \$0 | \$120,000 | \$120,000 |
| | 119 | Rice rat (<i>Oryzomys palustris natator</i>) - lower FL Keys | E | \$18,714 | \$0 | \$18,714 | \$0 | \$18,714 |
| | 130 | Seal, Hawaiian monk (<i>Monachus schauinslandi</i>) | E | \$0 | \$2,158 | \$2,158 | \$0 | \$2,158 |
| | 93 | Sea-lion, Steller (<i>Eumetopias jubatus</i>) - eastern pop. | T | \$163,067 | \$0 | \$163,067 | \$0 | \$163,067 |

| Group Name | Rank | Species (50 CFR 17) | Status | FWS Total | Other Fed | Federal Total | States Total | Species Total |
|-------------------------|------|---|--------|-------------|--------------|---------------|--------------|---------------|
| | 138 | Sheep, Peninsular bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA pop. | E | \$0 | \$120 | \$120 | \$0 | \$120 |
| | 33 | Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - Entire, except Sussex Co., DE | E | \$1,990,000 | \$0 | \$1,990,000 | \$0 | \$1,990,000 |
| | 95 | Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) Sussex Co. DE | EXPN | \$0 | \$157,000 | \$157,000 | \$0 | \$157,000 |
| | 123 | Whale, blue (<i>Balaenoptera musculus</i>) | E | \$8,400 | \$0 | \$8,400 | \$0 | \$8,400 |
| | 123 | Whale, bowhead (<i>Balaena mysticetus</i>) | E | \$8,400 | \$0 | \$8,400 | \$0 | \$8,400 |
| | 123 | Whale, finback (<i>Balaenoptera physalus</i>) | E | \$8,400 | \$0 | \$8,400 | \$0 | \$8,400 |
| | 123 | Whale, gray (<i>Eschrichtius robustus</i>) - W Pacific Ocean | E | \$8,400 | \$0 | \$8,400 | \$0 | \$8,400 |
| | 123 | Whale, humpback (<i>Megaptera novaeangliae</i>) | E | \$8,400 | \$0 | \$8,400 | \$0 | \$8,400 |
| | 73 | Whale, killer (<i>Orcinus orca</i>) - Southern Resident DPS | E | \$0 | \$357,312 | \$357,312 | \$0 | \$357,312 |
| | 122 | Whale, North Atlantic Right (<i>Eubalaena glacialis</i>) | E | \$8,400 | \$2,158 | \$10,558 | \$0 | \$10,558 |
| | 125 | Whale, North Pacific Right (<i>Eubalaena japonica</i>) - Entire | E | \$0 | \$4,980 | \$4,980 | \$0 | \$4,980 |
| | 123 | Whale, Sei (<i>Balaenoptera borealis</i>) | E | \$8,400 | \$0 | \$8,400 | \$0 | \$8,400 |
| | 123 | Whale, sperm (<i>Physeter catodon</i> (=macrocephalus)) | E | \$8,400 | \$0 | \$8,400 | \$0 | \$8,400 |
| | 24 | Wolf, gray (<i>Canis lupus</i>) - AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA, Mexico. | E | \$0 | \$0 | \$0 | \$2,912,225 | \$2,912,225 |
| | 90 | Wolf, gray (<i>Canis lupus</i>) - MN | T | \$190,000 | \$0 | \$190,000 | \$0 | \$190,000 |
| Mammals subtotal | | | | \$4,004,898 | \$33,895,745 | \$37,900,643 | \$6,324,050 | \$44,224,693 |
| Birds | 123 | Albatross, short-tailed (<i>Phoebastria</i> (=Diomedea) albatrus) | E | \$8,400 | \$0 | \$8,400 | \$0 | \$8,400 |
| | 3 | Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL pop. | T | \$0 | \$15,000,000 | \$15,000,000 | \$0 | \$15,000,000 |
| | 27 | Coot, Hawaiian (<i>Fulica americana alai</i>) | E | \$2,607,165 | \$0 | \$2,607,165 | \$0 | \$2,607,165 |
| | 37 | Crane, whooping (<i>Grus americana</i>) - except where EXPN | E | \$0 | \$1,603,500 | \$1,603,500 | \$0 | \$1,603,500 |
| | 77 | Curlew, Eskimo (<i>Numenius borealis</i>) | E | \$290,194 | \$0 | \$290,194 | \$0 | \$290,194 |

| Group Name | Rank | Species (50 CFR 17) | Status | FWS Total | Other Fed | Federal Total | States Total | Species Total |
|------------|------|---|--------|-------------|--------------|---------------|--------------|---------------|
| | 27 | Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>) | E | \$2,607,165 | \$0 | \$2,607,165 | \$0 | \$2,607,165 |
| | 47 | Eagle, bald (<i>Haliaeetus leucocephalus</i>) - Sonoran Desert DPS | T | \$0 | \$1,200,000 | \$1,200,000 | \$0 | \$1,200,000 |
| | 80 | Eider, spectacled (<i>Somateria fischeri</i>) | T | \$280,567 | \$0 | \$280,567 | \$0 | \$280,567 |
| | 69 | Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop. | T | \$414,567 | \$0 | \$414,567 | \$0 | \$414,567 |
| | 85 | Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - SW population | EXPN | \$207,683 | \$0 | \$207,683 | \$0 | \$207,683 |
| | 41 | Flycatcher, southwestern willow (<i>Empidonax traillii eximius</i>) | E | \$34,117 | \$1,365,000 | \$1,399,117 | \$0 | \$1,399,117 |
| | 26 | Gnatcatcher, coastal California (<i>Poliophtila californica californica</i>) | T | \$34,117 | \$2,604,834 | \$2,638,951 | \$0 | \$2,638,951 |
| | 32 | Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) - FL pop. | E | \$0 | \$2,000,000 | \$2,000,000 | \$0 | \$2,000,000 |
| | 27 | Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>) | E | \$2,607,165 | \$0 | \$2,607,165 | \$0 | \$2,607,165 |
| | 35 | Owl, northern spotted (<i>Strix occidentalis caurina</i>) | T | \$0 | \$1,732,000 | \$1,732,000 | \$0 | \$1,732,000 |
| | 12 | Plover, piping (<i>Charadrius melodus</i>) - except Great Lakes watershed | T | \$3,669,458 | \$1,604,200 | \$5,273,658 | \$0 | \$5,273,658 |
| | 45 | Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) - Pacific coastal pop. | T | \$1,238,240 | \$0 | \$1,238,240 | \$0 | \$1,238,240 |
| | 113 | Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>) | E | \$31,500 | \$0 | \$31,500 | \$0 | \$31,500 |
| | 64 | Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) | E | \$0 | \$464,000 | \$464,000 | \$0 | \$464,000 |
| | 107 | Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) | E | \$0 | \$70,500 | \$70,500 | \$0 | \$70,500 |
| | 49 | scrub-jay, Florida (<i>Aphelocoma coerulescens</i>) | T | \$15,067 | \$1,000,000 | \$1,015,067 | \$0 | \$1,015,067 |
| | 3 | Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>) | E | \$0 | \$15,000,000 | \$15,000,000 | \$0 | \$15,000,000 |
| | 27 | Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>) | E | \$2,607,165 | \$0 | \$2,607,165 | \$0 | \$2,607,165 |
| | 1 | Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, SC | E | \$1,369,031 | \$53,000,000 | \$54,369,031 | \$0 | \$54,369,031 |
| | 16 | Tern, least (<i>Sterna antillarum</i>) - interior pop. | E | \$2,398,835 | \$1,603,500 | \$4,002,335 | \$0 | \$4,002,335 |
| | 63 | Tern, roseate (<i>Sterna dougallii dougallii</i>) - NE U.S. nesting pop. | E | \$466,000 | \$0 | \$466,000 | \$0 | \$466,000 |
| | 53 | Vireo, black-capped (<i>Vireo atricapilla</i>) | E | \$750,000 | \$0 | \$750,000 | \$0 | \$750,000 |

| Group Name | Rank | Species (50 CFR 17) | Status | FWS Total | Other Fed | Federal Total | States Total | Species Total |
|--------------------------|------|--|--------|--------------|--------------|---------------|--------------|---------------|
| | 97 | Vireo, least Bell's (<i>Vireo bellii pusillus</i>) | E | \$34,117 | \$104,000 | \$138,117 | \$0 | \$138,117 |
| | 51 | Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>) | E | \$877,767 | \$0 | \$877,767 | \$0 | \$877,767 |
| | 38 | Woodpecker, ivory-billed (<i>Campephilus principalis</i>) - entire | E | \$1,435,500 | \$0 | \$1,435,500 | \$0 | \$1,435,500 |
| | 18 | Woodpecker, red-cockaded (<i>Picoides borealis</i>) | E | \$1,527,100 | \$1,000,950 | \$2,528,050 | \$1,214,700 | \$3,742,750 |
| Birds subtotal | | | | \$25,510,920 | \$99,352,484 | \$124,863,404 | \$1,214,700 | \$126,078,104 |
| Reptiles | 13 | Alligator, American (<i>Alligator mississippiensis</i>) | SAT | \$0 | \$5,000,000 | \$5,000,000 | \$0 | \$5,000,000 |
| | 103 | Lizard, blunt-nosed leopard (<i>Gambelia silus</i>) | E | \$0 | \$100,000 | \$100,000 | \$0 | \$100,000 |
| | 121 | Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops. | E | \$13,000 | \$0 | \$13,000 | \$0 | \$13,000 |
| | 98 | Sea turtle, green (<i>Chelonia mydas</i>) - except where endangered | T | \$127,767 | \$0 | \$127,767 | \$0 | \$127,767 |
| | 83 | Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>) | E | \$220,683 | \$0 | \$220,683 | \$0 | \$220,683 |
| | 98 | Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>) | E | \$127,767 | \$0 | \$127,767 | \$0 | \$127,767 |
| | 83 | Sea turtle, leatherback (<i>Dermochelys coriacea</i>) | E | \$220,683 | \$0 | \$220,683 | \$0 | \$220,683 |
| | 75 | Sea turtle, loggerhead (<i>Caretta caretta</i>) | T | \$336,683 | \$0 | \$336,683 | \$0 | \$336,683 |
| | 131 | Skink, sand (<i>Neoseps reynoldsi</i>) | T | \$2,067 | \$0 | \$2,067 | \$0 | \$2,067 |
| | 30 | Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) - IN, MI, OH | T | \$4,325 | \$2,321,186 | \$2,325,511 | \$0 | \$2,325,511 |
| | 120 | Snake, eastern indigo (<i>Drymarchon corais couperi</i>) | T | \$15,067 | \$0 | \$15,067 | \$0 | \$15,067 |
| | 61 | Snake, giant garter (<i>Thamnophis gigas</i>) | T | \$225,000 | \$290,700 | \$515,700 | \$0 | \$515,700 |
| | 86 | Tortoise, desert (<i>Gopherus agassizii</i>) - except in Sonoran Desert | T | \$0 | \$65,000 | \$65,000 | \$140,000 | \$205,000 |
| | 60 | Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern | T | \$558,250 | \$0 | \$558,250 | \$0 | \$558,250 |
| | 21 | Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - southern | SAT | \$0 | \$3,521,000 | \$3,521,000 | \$0 | \$3,521,000 |
| Reptiles subtotal | | | | \$1,851,292 | \$11,297,886 | \$13,149,178 | \$140,000 | \$13,289,178 |
| Amphibians | 112 | Frog, California red-legged (<i>Rana draytonii</i>) - Entire | T | \$34,117 | \$0 | \$34,117 | \$0 | \$34,117 |
| | 88 | Salamander, California tiger (<i>Ambystoma californiense</i>) - Central CA DPS | T | \$0 | \$200,000 | \$200,000 | \$0 | \$200,000 |

| Group Name | Rank | Species (50 CFR 17) | Status | FWS Total | Other Fed | Federal Total | States Total | Species Total |
|----------------------------|------|--|--------|-------------|-------------|---------------|--------------|---------------|
| | 17 | Salamander, Cheat Mountain (<i>Plethodon nettingi</i>) | T | \$3,777,345 | \$0 | \$3,777,345 | \$0 | \$3,777,345 |
| | 102 | Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus</i> (=microscaphus)) | E | \$34,117 | \$75,000 | \$109,117 | \$0 | \$109,117 |
| Amphibians subtotal | | | | \$3,845,579 | \$275,000 | \$4,120,579 | \$0 | \$4,120,579 |
| Fishes | 110 | Cavefish, Ozark (<i>Amblyopsis rosae</i>) | T | \$0 | \$40,000 | \$40,000 | \$0 | \$40,000 |
| | 82 | Chub, bonytail (<i>Gila elegans</i>) - entire | E | \$0 | \$223,000 | \$223,000 | \$0 | \$223,000 |
| | 52 | Chub, Gila (<i>Gila intermedia</i>) | E | \$0 | \$0 | \$0 | \$767,000 | \$767,000 |
| | 8 | Chub, Oregon (<i>Oregonichthys crameri</i>) | T | \$0 | \$7,200,337 | \$7,200,337 | \$0 | \$7,200,337 |
| | 101 | Chub, Yaqui (<i>Gila purpurea</i>) | E | \$114,521 | \$0 | \$114,521 | \$0 | \$114,521 |
| | 104 | Darter, goldline (<i>Percina aurolineata</i>) | T | \$85,167 | \$0 | \$85,167 | \$0 | \$85,167 |
| | 118 | Gambusia, Pecos (<i>Gambusia nobilis</i>) | E | \$0 | \$22,000 | \$22,000 | \$0 | \$22,000 |
| | 55 | Goby, tidewater (<i>Eucyclogobius newberryi</i>) | E | \$0 | \$704,000 | \$704,000 | \$0 | \$704,000 |
| | 19 | Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - Entire, except where EXPN | E | \$0 | \$3,576,000 | \$3,576,000 | \$0 | \$3,576,000 |
| | 72 | Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - except Salt and Verde R. drainages, AZ | E | \$0 | \$367,500 | \$367,500 | \$0 | \$367,500 |
| | 118 | Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>) | E | \$0 | \$22,000 | \$22,000 | \$0 | \$22,000 |
| | 52 | Pupfish, desert (<i>Cyprinodon macularius</i>) | E | \$0 | \$0 | \$0 | \$767,000 | \$767,000 |
| | 68 | Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Snake River fall-run ESU | T | \$0 | \$425,500 | \$425,500 | \$0 | \$425,500 |
| | 39 | Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Snake River spring/summer-run ESU | T | \$0 | \$1,434,951 | \$1,434,951 | \$0 | \$1,434,951 |
| | 25 | Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Sacramento River winter-run ESU | E | \$0 | \$2,664,000 | \$2,664,000 | \$0 | \$2,664,000 |
| | 91 | Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Puget Sound ESU | T | \$0 | \$0 | \$0 | \$189,000 | \$189,000 |
| | 40 | Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Lower Columbia River ESU | T | \$0 | \$1,256,247 | \$1,256,247 | \$148,333 | \$1,404,580 |
| | 10 | Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Upper Willamette River ESU | T | \$0 | \$6,963,104 | \$6,963,104 | \$0 | \$6,963,104 |

| Group Name | Rank | Species (50 CFR 17) | Status | FWS Total | Other Fed | Federal Total | States Total | Species Total |
|------------|------|---|--------|-----------|--------------|---------------|--------------|---------------|
| | 23 | Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - Upper Columbia spring-run ESU | E | \$0 | \$1,850,255 | \$1,850,255 | \$1,222,891 | \$3,073,146 |
| | 34 | Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - Central Valley spring- run ESU | T | \$25,000 | \$1,844,500 | \$1,869,500 | \$0 | \$1,869,500 |
| | 62 | Salmon, chum (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>) - Columbia R. | T | \$0 | \$0 | \$0 | \$511,315 | \$511,315 |
| | 84 | Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - Lower Columbia River ESU | T | \$0 | \$23,391 | \$23,391 | \$188,333 | \$211,724 |
| | 67 | Salmon, sockeye (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>) - Snake River, ID stock | E | \$0 | \$438,767 | \$438,767 | \$0 | \$438,767 |
| | 134 | Salmon, sockeye (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>) - Ozette Lake, WA | T | \$0 | \$1,000 | \$1,000 | \$0 | \$1,000 |
| | 104 | Shiner, Cahaba (<i>Notropis cahabae</i>) | E | \$85,167 | \$0 | \$85,167 | \$0 | \$85,167 |
| | 43 | Shiner, Pecos bluntnose (<i>Notropis simus</i> <i>pecosensis</i>) | T | \$0 | \$1,300,000 | \$1,300,000 | \$0 | \$1,300,000 |
| | 94 | Shiner, Topeka (<i>Notropis topeka</i> (= <i>tristis</i>)) | E | \$162,428 | \$0 | \$162,428 | \$0 | \$162,428 |
| | 31 | Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Central Valley CA | T | \$0 | \$2,009,000 | \$2,009,000 | \$0 | \$2,009,000 |
| | 48 | Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Snake R. Basin | T | \$0 | \$1,067,103 | \$1,067,103 | \$0 | \$1,067,103 |
| | 36 | Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - lower Columbia R. | T | \$0 | \$1,029,027 | \$1,029,027 | \$660,649 | \$1,689,676 |
| | 29 | Steelhead (<i>Oncorhyn-</i> <i>chus</i> (= <i>Salmo</i>) <i>mykiss</i>) - upper Columbia R. Basin | T | \$0 | \$466,372 | \$466,372 | \$1,962,891 | \$2,429,263 |
| | 9 | Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - upper Willamette R. | T | \$0 | \$6,969,890 | \$6,969,890 | \$0 | \$6,969,890 |
| | 4 | Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - middle Columbia R. | T | \$0 | \$13,077,051 | \$13,077,051 | \$125,000 | \$13,202,051 |
| | 57 | Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Puget Sound DPS | T | \$0 | \$0 | \$0 | \$672,750 | \$672,750 |
| | 44 | Sturgeon, North American green (<i>Acipenser medirostris</i>) - CA- Southern DPS | T | \$0 | \$1,264,000 | \$1,264,000 | \$0 | \$1,264,000 |
| | 5 | Sturgeon, pallid (<i>Scaphirhynchus albus</i>) | E | \$241,788 | \$12,867,181 | \$13,108,969 | \$0 | \$13,108,969 |

| Group Name | Rank | Species (50 CFR 17) | Status | FWS Total | Other Fed | Federal Total | States Total | Species Total |
|-------------------------|------|--|--------|-------------|--------------|---------------|--------------|---------------|
| | 100 | Sturgeon, shortnose (<i>Acipenser brevirostrum</i>) | E | \$0 | \$0 | \$0 | \$117,000 | \$117,000 |
| | 137 | Sucker, Lost River (<i>Deltistes luxatus</i>) | E | \$0 | \$300 | \$300 | \$0 | \$300 |
| | 59 | Sucker, razorback (<i>Xyrauchen texanus</i>) | E | \$0 | \$590,500 | \$590,500 | \$0 | \$590,500 |
| | 137 | Sucker, shortnose (<i>Chasmistes brevirostris</i>) | E | \$0 | \$300 | \$300 | \$0 | \$300 |
| | 50 | Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) | E | \$114,521 | \$0 | \$114,521 | \$767,000 | \$881,521 |
| | 2 | Trout, bull (<i>Salvelinus confluentus</i>) – conterminous, lower 48 states | T | \$0 | \$14,998,913 | \$14,998,913 | \$1,000,000 | \$15,998,913 |
| Fishes subtotal | | | | \$828,592 | \$84,696,189 | \$85,524,781 | \$9,099,162 | \$94,623,943 |
| Clams | 109 | Fanshell (<i>Cyprogenia stegaria</i>) | E | \$59,667 | \$0 | \$59,667 | \$0 | \$59,667 |
| | 79 | Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>) | E | \$283,000 | \$0 | \$283,000 | \$0 | \$283,000 |
| | 74 | Mapleleaf, winged (<i>Quadrula fragosa</i>) - Entire; except where EXPN | E | \$0 | \$0 | \$0 | \$350,600 | \$350,600 |
| | 70 | Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>) | E | \$59,667 | \$0 | \$59,667 | \$350,600 | \$410,267 |
| | 94 | Mussel, scaleshell (<i>Leptodea leptodon</i>) | E | \$162,428 | \$0 | \$162,428 | \$0 | \$162,428 |
| | 126 | Pocketbook, fat (<i>Potamilus capax</i>) | E | \$4,325 | \$0 | \$4,325 | \$0 | \$4,325 |
| | 42 | Wedgemussel, dwarf (<i>Alasmodonta heterodon</i>) | E | \$1,300,500 | \$0 | \$1,300,500 | \$0 | \$1,300,500 |
| Clams subtotal | | | | \$1,869,587 | \$0 | \$1,869,587 | \$701,200 | \$2,570,787 |
| Snails | 119 | Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>)) | T | \$18,714 | \$0 | \$18,714 | \$0 | \$18,714 |
| Snails subtotal | | | | \$18,714 | \$0 | \$18,714 | \$0 | \$18,714 |
| Insects | 94 | Beetle, American burying (<i>Nicrophorus americanus</i>) | E | \$162,428 | \$0 | \$162,428 | \$0 | \$162,428 |
| | 88 | Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>) | T | \$200,000 | \$0 | \$200,000 | \$0 | \$200,000 |
| | 133 | Butterfly, Behren's silverspot (<i>Speyeria zerene behrensii</i>) | E | \$0 | \$1,280 | \$1,280 | \$0 | \$1,280 |
| | 81 | Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>) | E | \$0 | \$250,000 | \$250,000 | \$0 | \$250,000 |
| | 112 | Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i>)) | E | \$34,117 | \$0 | \$34,117 | \$0 | \$34,117 |
| Insects subtotal | | | | \$396,545 | \$251,280 | \$647,825 | \$0 | \$647,825 |
| Crustaceans | 81 | Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>) | E | \$0 | \$250,000 | \$250,000 | \$0 | \$250,000 |
| | | | | | | | | |

| Group Name | Rank | Species (50 CFR 17) | Status | FWS Total | Other Fed | Federal Total | States Total | Species Total |
|-----------------------------|------|--|--------|-----------|-------------|---------------|--------------|---------------|
| | 112 | Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>) | E | \$34,117 | \$0 | \$34,117 | \$0 | \$34,117 |
| | 92 | Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>) | E | \$34,117 | \$140,834 | \$174,951 | \$0 | \$174,951 |
| | 15 | Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>) | T | \$0 | \$4,682,800 | \$4,682,800 | \$0 | \$4,682,800 |
| | 14 | Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>) | E | \$0 | \$4,732,800 | \$4,732,800 | \$0 | \$4,732,800 |
| Crustaceans subtotal | | | | \$68,234 | \$9,806,434 | \$9,874,668 | \$0 | \$9,874,668 |
| Corals | 132 | Coral, elkhorn (<i>Acropora palmata</i>) | T | \$0 | \$2,000 | \$2,000 | \$0 | \$2,000 |
| | 132 | Coral, staghorn (<i>Acropora cervicornis</i>) | T | \$0 | \$2,000 | \$2,000 | \$0 | \$2,000 |
| Corals subtotal | | | | \$0 | \$4,000 | \$4,000 | \$0 | \$4,000 |
| Flowering Plants | 65 | Amaranth, seabeach (<i>Amaranthus pumilus</i>) | T | \$450,078 | \$0 | \$450,078 | \$0 | \$450,078 |
| | 105 | Aster, decurrent false (<i>Boltonia decurrens</i>) | T | \$79,360 | \$0 | \$79,360 | \$0 | \$79,360 |
| | 114 | Beargrass, Britton's (<i>Nolina brittoniana</i>) | E | \$2,067 | \$0 | \$2,067 | \$25,000 | \$27,067 |
| | 116 | Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>) | E | \$25,000 | \$0 | \$25,000 | \$0 | \$25,000 |
| | 129 | Blazingstar, scrub (<i>Liatris ohlingerae</i>) | E | \$2,067 | \$0 | \$2,067 | \$150 | \$2,217 |
| | 115 | Bonamia, Florida (<i>Bonamia grandiflora</i>) | T | \$2,067 | \$0 | \$2,067 | \$24,500 | \$26,567 |
| | 131 | Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>) | T | \$2,067 | \$0 | \$2,067 | \$0 | \$2,067 |
| | 112 | Button-celery, San Diego (<i>Eryngium aris-tulatum</i> var. <i>parishii</i>) | E | \$34,117 | \$0 | \$34,117 | \$0 | \$34,117 |
| | 119 | Cactus, Key tree (<i>Pilosocereus robinii</i>) | E | \$18,714 | \$0 | \$18,714 | \$0 | \$18,714 |
| | 87 | Coneflower, smooth (<i>Echinacea laevigata</i>) | E | \$0 | \$0 | \$0 | \$201,273 | \$201,273 |
| | 98 | Dogweed, ashy (<i>Thymophylla tephroleuca</i>) | E | \$127,767 | \$0 | \$127,767 | \$0 | \$127,767 |
| | 98 | Frankenia, Johnston's (<i>Frankenia johnstonii</i>) | E | \$127,767 | \$0 | \$127,767 | \$0 | \$127,767 |
| | 131 | Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>) | E | \$2,067 | \$0 | \$2,067 | \$0 | \$2,067 |
| | 56 | Howellia, water (<i>Howellia aquatilis</i>) | T | \$677,000 | \$0 | \$677,000 | \$0 | \$677,000 |
| | 135 | Hypericum, highlands scrub (<i>Hypericum cumulicola</i>) | E | \$0 | \$0 | \$0 | \$700 | \$700 |
| | 66 | Iris, dwarf lake (<i>Iris lacustris</i>) | T | \$446,000 | \$0 | \$446,000 | \$0 | \$446,000 |
| | 46 | Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>) | T | \$0 | \$1,201,000 | \$1,201,000 | \$0 | \$1,201,000 |
| | 128 | Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>) | E | \$0 | \$0 | \$0 | \$2,500 | \$2,500 |
| | 81 | Lupine, Kincaid's (<i>Lupinus sulphureus</i> (= <i>oreganus</i>) ssp. <i>kincaidii</i> (= var. <i>kincaidii</i>)) | T | \$0 | \$250,000 | \$250,000 | \$0 | \$250,000 |

| Group Name | Rank | Species (50 CFR 17) | Status | FWS Total | Other Fed | Federal Total | States Total | Species Total |
|-------------------------------------|------|---|--------|-------------|-------------|---------------|--------------|---------------|
| | 131 | Lupine, scrub (<i>Lupinus aridorum</i>) | E | \$2,067 | \$0 | \$2,067 | \$0 | \$2,067 |
| | 98 | Manioc, Walker's (<i>Manihot walkerae</i>) | E | \$127,767 | \$0 | \$127,767 | \$0 | \$127,767 |
| | 112 | Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>) | E | \$34,117 | \$0 | \$34,117 | \$0 | \$34,117 |
| | 112 | Mesa-mint, San Diego (<i>Pogogyne abramsii</i>) | E | \$34,117 | \$0 | \$34,117 | \$0 | \$34,117 |
| | 42 | Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>) | E | \$1,300,500 | \$0 | \$1,300,500 | \$0 | \$1,300,500 |
| | 131 | Mint, Garrett's (<i>Dicerandra christmanii</i>) | E | \$2,067 | \$0 | \$2,067 | \$0 | \$2,067 |
| | 111 | Mint, scrub (<i>Dicerandra frutescens</i>) | E | \$0 | \$0 | \$0 | \$37,000 | \$37,000 |
| | 117 | Mustard, Carter's (<i>Warea carteri</i>) | E | \$0 | \$0 | \$0 | \$24,500 | \$24,500 |
| | 96 | Navarretia, spreading (<i>Navarretia fossalis</i>) | T | \$0 | \$140,800 | \$140,800 | \$0 | \$140,800 |
| | 54 | <i>Geocarpon minimum</i> | T | \$0 | \$0 | \$0 | \$735,500 | \$735,500 |
| | 136 | Orchid, western prairie fringed (<i>Platanthera praeclara</i>) | T | \$0 | \$500 | \$500 | \$0 | \$500 |
| | 112 | Orcutt grass, California (<i>Orcuttia californica</i>) | E | \$34,117 | \$0 | \$34,117 | \$0 | \$34,117 |
| | 88 | Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>) | T | \$0 | \$200,000 | \$200,000 | \$0 | \$200,000 |
| | 121 | Pawpaw, four-petal (<i>Asimina tetramera</i>) | E | \$13,000 | \$0 | \$13,000 | \$0 | \$13,000 |
| | 131 | Pigeon wings (<i>Clitoria fragrans</i>) | T | \$2,067 | \$0 | \$2,067 | \$0 | \$2,067 |
| | 71 | Pink, swamp (<i>Helonias bullata</i>) | T | \$400,078 | \$0 | \$400,078 | \$0 | \$400,078 |
| | 124 | Plum, scrub (<i>Prunus geniculata</i>) | E | \$2,067 | \$0 | \$2,067 | \$3,500 | \$5,567 |
| | 128 | Sandlace (<i>Polygonella myriophylla</i>) | E | \$0 | \$0 | \$0 | \$2,500 | \$2,500 |
| | 134 | Snakeroot (<i>Eryngium cuneifolium</i>) | E | \$0 | \$0 | \$0 | \$1,000 | \$1,000 |
| | 119 | Spurge, Garber's (<i>Chamaesyce garberi</i>) | T | \$18,714 | \$0 | \$18,714 | \$0 | \$18,714 |
| | 88 | Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>) | E | \$0 | \$200,000 | \$200,000 | \$0 | \$200,000 |
| | 101 | Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>) | E | \$114,521 | \$0 | \$114,521 | \$0 | \$114,521 |
| | 114 | Whitlow-wort, papery (<i>Paronychia chartacea</i>) | T | \$2,067 | \$0 | \$2,067 | \$25,000 | \$27,067 |
| | 127 | Wireweed (<i>Polygonella basiramia</i>) | E | \$2,067 | \$0 | \$2,067 | \$2,000 | \$4,067 |
| Flowering Plants subtotal | | | | \$4,085,471 | \$1,992,300 | \$6,077,771 | \$1,085,123 | \$7,162,894 |
| Conifers and Cycads | 20 | Torreya, Florida (<i>Torreya taxifolia</i>) | E | \$0 | \$0 | \$0 | \$3,557,000 | \$3,557,000 |
| Conifers and Cycads subtotal | | | | \$0 | \$0 | \$0 | \$3,557,000 | \$3,557,000 |
| Ferns and Allies | 123 | Fern, Aleutian shield (<i>Polystichum aleuticum</i>) | E | \$8,400 | \$0 | \$8,400 | \$0 | \$8,400 |
| Ferns and Allies subtotal | | | | \$8,400 | \$0 | \$8,400 | \$0 | \$8,400 |

| Group Name | Rank | Species (50 CFR 17) | Status | FWS Total | Other Fed | Federal Total | States Total | Species Total |
|----------------------------|------|--|--------|--------------|---------------|---------------|--------------|---------------|
| Lichens | 131 | Cladonia, Florida perforate (<i>Cladonia perforata</i>) | E | \$2,067 | \$0 | \$2,067 | \$0 | \$2,067 |
| Lichens subtotal | | | | \$2,067 | \$0 | \$2,067 | \$0 | \$2,067 |
| Total Land Expenditures | | | | \$42,490,299 | \$241,571,318 | \$284,061,617 | \$22,121,235 | \$306,182,852 |
| | | | | | | | | |