ANGEL CABLES

Powering India with Precision & Safety

PRODUCT CATALOG 2026

33+	8	ISI	2005
PRODUCTS	CATEGORIES	CERTIFIED	EST.

A Unit of R K Enterprises

B-70/32, DSIDC, Lawrence Road Industrial Area, Delhi - 110035

+91 9873816127 | angelcables.com

(c) 2026 Angel Cables. All rights reserved.

ARMOURED CABLE



2 Core Aluminium Armoured Cable

ARMOURED CABLE

ISI-certified 2-core aluminium armoured cable for underground power distribution and outdoor feeder lines. Steel wire armour pr...

conductor: Aluminium | cores: 2 | voltage: 1.1 kV

ISI certified (IS 1554) / Steel wire armour (SWA) / PVC outer sheath / Corrosion resistant




3.5 Core Aluminium Armoured Cable

ARMOURED CABLE

3.5-core aluminium armoured cable - the industry standard for 3-phase 4-wire distribution in industrial plants and sub-stations...

conductor: Aluminium | cores: 3.5 | voltage: 1.1 kV

ISI certified (IS 1554) / 3-phase 4-wire system / Reduced neutral conductor / Steel wire armour



4 Core Aluminium Armoured Cable

ARMOURED CABLE

4-core aluminium armoured cable for 3-phase plus full neutral power distribution. Widely used in commercial buildings, factorie...

conductor: Aluminium | cores: 4 | voltage: 1.1 kV

Full neutral conductor / ISI certified / SWA protection / Flame retardant PVC



2 Core Copper Armoured Cable

ARMOURED CABLE

Premium 2-core copper armoured cable offering superior conductivity and mechanical protection. Preferred for critical power cir...

conductor: Copper | cores: 2 | voltage: 1.1 kV

Copper conductor / Superior conductivity / ISI certified / Steel wire armour



4 Core Copper Armoured Cable


ARMOURED CABLE

4-core copper armoured cable for the most demanding power distribution applications. Used in high-rise buildings, industrial pl...

conductor: Copper | cores: 4 | voltage: 1.1 kV

Copper conductor / 4-core design / SWA armoured / PVC/XLPE insulation

ELECTRIC HOUSE WIRE




FR Single Core House Wire

ELECTRIC HOUSE WIRE

ISI-marked FR (Flame Retardant) single-core copper house wire for standard residential and commercial wiring. Pure electrolytic...

conductor: Copper | insulation: FR-PVC | voltage: 1.1 kV

ISI marked (IS 694) / Pure copper conductor / FR-PVC insulation / Self-extinguishing



FRLS Single Core House Wire

ELECTRIC HOUSE WIRE

ISI-marked FRLS (Flame Retardant Low Smoke) single-core copper house wire. Mandatory in commercial buildings, hospitals, malls ...

conductor: Copper | insulation: FRLS-PVC | voltage: 1.1 kV

ISI marked (IS 694) / Low smoke emission / Halogen-free option / NBC compliant



FR Multi-Strand Flexible House Wire

ELECTRIC HOUSE WIRE

FR multi-strand flexible copper house wire for easy installation in conduit and surface wiring. The stranded construction makes...

conductor: Stranded Copper | insulation: FR-PVC | voltage: 1.1 kV

Multi-strand copper / Easy conduit pulling / FR-PVC insulation / ISI certified



FRLS Multi-Strand Flexible House Wire

ELECTRIC HOUSE WIRE

FRLS multi-strand flexible copper house wire combining easy installation with superior fire safety. Low smoke, self-extinguishi...

conductor: Stranded Copper | insulation: FRLS-PVC | voltage: 1.1 kV

Low smoke & halogen / Multi-strand flexible / ISI marked / Commercial grade



2.5 Sq.mm FR Copper Wire (Premium)

ELECTRIC HOUSE WIRE

Our best-selling 2.5 sq mm FR copper wire - the correct size for 15A power points, AC connections and kitchen circuits as per I...

size: 2.5 sq mm | conductor: Copper | insulation: FR-PVC

ISI marked / Correct 15A circuit size / Pure copper / FR-PVC insulated

FLEXIBLE CABLE



Multi Core Control Flexible Cable

FLEXIBLE CABLE

Multi-core copper flexible cables for control and instrumentation wiring in industrial panels, CNC machines and process control...

conductor: Copper | cores: 2-24 | voltage: 1.1 kV

Fine stranded copper / Multi-core design / Oil resistant sheath / Flexible routing



Two Core Flexible Copper Cable

FLEXIBLE CABLE

Two-core flexible copper cable for domestic appliances, extension cords and light commercial equipment. Available in 0.75, 1.0 ...

conductor: Copper | cores: 2 | voltage: 300/500V

Appliance grade / PVC insulated / Easy termination / Kink resistant



Shielded Control Flexible Cable

FLEXIBLE CABLE

Shielded multi-core flexible cable with copper braid or aluminium foil screen for EMI/RFI sensitive control applications. Used ...

shielding: Copper braid | cores: 2-12 | voltage: 300/500V

Copper braid shielded / EMI/RFI protection / Drain wire included / Flexible stranded core

CCTV CABLES



RG-6 CCS CCTV Coaxial Cable

CCTV CABLES

RG-6 coaxial cable with Copper Clad Steel (CCS) inner conductor for CCTV camera installations. 75 ohm impedance ensures minimal...

impedance: 75 Ohm | conductor: CCS (Copper Clad Steel) | shield: Al foil + braid

75 ohm impedance / CCS inner conductor / Al foil + braid shield / UV resistant jacket



RG-6 Pure Copper CCTV Coaxial Cable

CCTV CABLES

RG-6 coaxial cable with pure copper inner conductor for premium CCTV and satellite TV installations. Better signal quality than...

impedance: 75 Ohm | conductor: Pure Copper / OFC | shield: Al foil + braid

Pure copper conductor / Lowest signal loss / 75 ohm impedance / HD camera compatible



1+3 CCTV Combo Cable

CCTV CABLES

1 RG-59 coaxial + 3-core power cable in a single flat jacket. Simplifies CCTV installation by carrying video signal and power s...

coax: RG-59 CCS | power_cores: 3 | power_conductor: 0.5 sq mm copper

Video + power combined / 1 coax + 3 power cores / Easy installation / Neat single cable run



1+4 CCTV Combo Cable

CCTV CABLES

1 RG-59 coaxial + 4-core power cable for CCTV systems requiring PTZ (pan-tilt-zoom) control. The 4-core power section carries v...

coax: RG-59 CCS | power_cores: 4 | power_conductor: 0.5 sq mm copper

PTZ compatible / 1 coax + 4 power cores / RS-485 control ready / Reduced cable clutter



1+6 CCTV Combo Cable

CCTV CABLES

1 RG-59 coaxial + 6-core power cable for advanced CCTV and access control integration. The 6-core section supports video, power...

coax: RG-59 CCS | power_cores: 6 | power_conductor: 0.5 sq mm copper

6 function cores / Audio & alarm support / Access control wiring / Single run convenience

COPPER WIRE



Bare Copper Wire

COPPER WIRE

High purity bare copper wire for earthing, electrical connections and conductor manufacturing. 99.9% electrolytic grade copper....

purity: 99.9% electrolytic | sizes: 0.5-50 sq mm | type: Bare / uncoated

99.9% pure copper / Excellent conductivity / Earthing applications / Round & stranded



Tinned Copper Wire

COPPER WIRE

Electrolytic copper wire with a uniform tin coating for superior corrosion resistance and solderability. Used in marine wiring,...

coating: Tin | base: Electrolytic copper | sizes: 0.5-50 sq mm

Tin coated / Corrosion resistant / Easy soldering / Marine grade



Copper Earthing Wire (EC Grade)

COPPER WIRE

EC (Electrical Conductivity) grade copper earthing wire for proper grounding of electrical installations as per IS 3043. Availa...

grade: EC (Electrical Conductivity) | sizes: 1.5-50 sq mm | type: Solid / Stranded

EC grade copper / IS 3043 compliant / Solid & stranded / Low earth resistance

SUBMERSIBLE CABLE



1.5 Sq.mm Single Phase Submersible Cable

SUBMERSIBLE CABLE

1.5 sq mm single-phase (2-core) submersible pump cable for ½ HP to 1 HP domestic borewell pumps. Special waterproof PVC insulat...

size: 1.5 sq mm | cores: 2 (single phase) | voltage: 300/500V

ISI marked / Waterproof PVC / 1/2-1 HP pump rated / Chemical resistant



2.5 Sq.mm Single Phase Submersible Cable

SUBMERSIBLE CABLE

2.5 sq mm single-phase submersible cable for 1 HP to 2 HP borewell and water well pumps. Most popular size for domestic borewel...

size: 2.5 sq mm | cores: 2 (single phase) | voltage: 300/500V

ISI marked / Most popular domestic size / 1-2 HP rating / Heavy duty jacket



4 Sq.mm Three Phase Submersible Cable

SUBMERSIBLE CABLE

4 sq mm 3-core three-phase submersible cable for 3 HP to 7.5 HP agricultural and industrial pumps. Essential for deep borewells...

size: 4 sq mm | cores: 3 (three phase) | voltage: 415V

Three-phase 3-core / 3-7.5 HP rating / Deep borewell rated / Reinforced jacket



6 Sq.mm Three Phase Submersible Cable

SUBMERSIBLE CABLE

6 sq mm 3-core three-phase submersible cable for high-capacity 7.5 HP to 15 HP pumps used in deep borewells, irrigation systems...

size: 6 sq mm | cores: 3 (three phase) | voltage: 415V

High HP rating / 7.5-15 HP capacity / Deep well 300ft+ / Extra thick insulation

CAT6 & LAN CABLES



CAT6 UTP Cable - 305mtr Box

CAT6 & LAN CABLES

CAT6 unshielded twisted pair (UTP) LAN cable in a full 305-metre pull box for network installations. Supports Gigabit Ethernet ...

standard: CAT6 / EIA-568-C.2 | conductors: 4 pairs / 23 AWG | bandwidth: 250 MHz

Gigabit Ethernet ready / 250 MHz bandwidth / 23 AWG solid copper / Full 305mtr box



CAT6 UTP Cable - 90mtr Box

CAT6 & LAN CABLES

CAT6 UTP cable in a convenient 90-metre box for smaller installations - single floors, retail shops, small offices and home net...

standard: CAT6 / EIA-568-C.2 | conductors: 4 pairs / 23 AWG | bandwidth: 250 MHz

Compact 90mtr pack / Gigabit compatible / 23 AWG copper / Easy to handle



CAT6 Outdoor Armoured LAN Cable

CAT6 & LAN CABLES

CAT6 armoured LAN cable for outdoor, underground and long-distance campus network runs. Steel wire armour provides rodent and m...

standard: CAT6 | armour: Steel wire (SWA) | jacket: UV-stabilised PE

Direct burial rated / Steel wire armour / UV-resistant PE jacket / Rodent proof



CAT5e UTP Cable - 305mtr Box

CAT6 & LAN CABLES

CAT5e UTP cable in a 305-metre box - the most economical choice for 100 Mbps Fast Ethernet and basic Gigabit networks. Suitable...

standard: CAT5e / EIA-568-B.2 | conductors: 4 pairs / 24 AWG | bandwidth: 100 MHz

Fast Ethernet ready / Budget friendly / 305mtr full box / 24 AWG copper

TELEPHONE & COMMUNICATION CABLE



TCBC Telephone Wire (Twisted Pair)

TELEPHONE & COMMUNICATION CABLE

Tinned Copper Braided Conductor (TCBC) telephone wire - the standard internal telephone wiring cable for EPABX systems, interco...

conductor: Tinned Copper | type: Twisted pair | application: EPABX, telephone extension

Twisted pair construction / Tinned copper conductor / EPABX compatible / Low crosstalk



2 Pair Telephone Cable

TELEPHONE & COMMUNICATION CABLE

2-pair (4-wire) telephone cable for single telephone line with spare pair. Used for last-mile telephone connections, door-phone...

pairs: 2 (4 wires) | conductor: 0.5mm copper | insulation: PVC colour coded

2 twisted pairs / 1 line + 1 spare / Low attenuation / Doorphone wiring



4 Pair Telephone Cable

TELEPHONE & COMMUNICATION CABLE

4-pair (8-wire) telephone cable for multi-line telephone systems and EPABX distribution. Supports up to 4 independent telephone...

pairs: 4 (8 wires) | conductor: 0.5mm copper | insulation: PVC colour coded

4 twisted pairs / EPABX distribution / 4 independent lines / Colour coded pairs



Multi Pair Telephone Cable (10 / 20 Pair)

TELEPHONE & COMMUNICATION CABLE

Multi-pair telephone distribution cable in 10-pair and 20-pair configurations for building riser cables and main distribution f...

pairs: 10 or 20 pairs | conductor: 0.5mm copper | insulation: PVC

10 or 20 pairs / Riser / backbone cable / MDF to IDF runs / Colour coded pairs