



# Lab – 2

Name : Rahul Katinni

Roll : S20200010091

# Exercise - 1 :

```
mysql> desc students;
+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+
| ID     | int  | YES  | UNI | NULL    |       |
| BRANCH | char(3) | YES  |     | NULL    |       |
| Name   | varchar(10) | YES  |     | NULL    |       |
| DOB    | date | YES  |     | NULL    |       |
| Rank   | int  | YES  |     | NULL    |       |
+-----+
5 rows in set (0.01 sec)

mysql> insert into students(ID,BRANCH,Name,DOB,"Rank") values(1002, "CSE", "Parryson", "1996-01-2", 4567);
Query OK, 1 row affected (0.02 sec)

mysql> insert into students(ID,BRANCH,Name,DOB,"Rank") values(1003, "MCH", "David.k", "1997-08-3", 9568);
Query OK, 1 row affected (0.01 sec)

mysql> insert into students(ID,BRANCH,Name,DOB,"Rank") values(1004, "ECE", "Sounth", "1995-03-20", 10000);
Query OK, 1 row affected (0.01 sec)

mysql> insert into students(ID,BRANCH,Name,DOB,"Rank") values(1005, "CSE", "Arol", "1997-2-2", 8000);
Query OK, 1 row affected (0.01 sec)

mysql> insert into students(ID,BRANCH,Name,DOB,"Rank") values(1006, "ECE", "Mounesh", "1996-03-20", 9923);
Query OK, 1 row affected (0.01 sec)

mysql> insert into students(ID,BRANCH,Name,DOB,"Rank") values(1007, "CSE", "Sananta", "1997-02-24", 7940);
Query OK, 1 row affected (0.00 sec)

mysql> select * from students;
+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+
| 1001 | ECE | Joe | 1995-06-23 | 5023 |
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | MCH | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Sounth | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Sananta | 1997-02-24 | 7940 |
+-----+
7 rows in set (0.00 sec)

mysql>
```

```
Query OK, 1 row affected (0.01 sec)

mysql> insert into students(ID,BRANCH,Name,DOB,"Rank") values(1004, "ECE", "Sounth", "1995-03-20", 10000);
Query OK, 1 row affected (0.01 sec)

mysql> insert into students(ID,BRANCH,Name,DOB,"Rank") values(1005, "CSE", "Arol", "1997-2-2", 8000);
Query OK, 1 row affected (0.01 sec)

mysql> insert into students(ID,BRANCH,Name,DOB,"Rank") values(1006, "ECE", "Mounesh", "1996-03-20", 9923);
Query OK, 1 row affected (0.01 sec)

mysql> insert into students(ID,BRANCH,Name,DOB,"Rank") values(1007, "CSE", "Sananta", "1997-02-24", 7940);
Query OK, 1 row affected (0.00 sec)

mysql> select * from students;
+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+
| 1001 | ECE | Joe | 1995-06-23 | 5023 |
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | MCH | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Sounth | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Sananta | 1997-02-24 | 7940 |
+-----+
7 rows in set (0.00 sec)

mysql> delete from students where ID = 1001;
Query OK, 1 row affected (0.01 sec)

mysql> select * from students;
+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | MCH | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Sounth | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Sananta | 1997-02-24 | 7940 |
+-----+
6 rows in set (0.00 sec)

mysql>
```

```
mysql> select * from students;
+----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+----+-----+-----+-----+
| 1001 | ECE | Joe | 1995-06-23 | 5023 |
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | MCH | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Sananta | 1997-02-24 | 7940 |
+----+-----+-----+-----+
7 rows in set (0.00 sec)

mysql> delete from students where ID = 1001;
Query OK, 1 row affected (0.01 sec)

mysql> select * from students;
+----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+----+-----+-----+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | MCH | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Sananta | 1997-02-24 | 7940 |
+----+-----+-----+-----+
6 rows in set (0.00 sec)

mysql> alter table students add IPE decimal(10,2);
Query OK, 0 rows affected (0.02 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> select * from students;
+----+-----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank | IPE |
+----+-----+-----+-----+-----+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 | NULL |
| 1003 | MCH | David.k | 1997-08-03 | 9568 | NULL |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 | NULL |
| 1005 | CSE | Arol | 1997-02-02 | 8000 | NULL |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 | NULL |
| 1007 | CSE | Sananta | 1997-02-24 | 7940 | NULL |
+----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)

mysql>
```

```
mysql> select * from students;
+----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+----+-----+-----+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | MCH | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Sananta | 1997-02-24 | 7940 |
+----+-----+-----+-----+
6 rows in set (0.00 sec)

mysql> alter table students add IPE decimal(10,2);
Query OK, 0 rows affected (0.02 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> select * from students;
+----+-----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank | IPE |
+----+-----+-----+-----+-----+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 | NULL |
| 1003 | MCH | David.k | 1997-08-03 | 9568 | NULL |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 | NULL |
| 1005 | CSE | Arol | 1997-02-02 | 8000 | NULL |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 | NULL |
| 1007 | CSE | Sananta | 1997-02-24 | 7940 | NULL |
+----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)

mysql> alter table students drop column IPE;
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> select * from students;
+----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+----+-----+-----+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | MCH | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Sananta | 1997-02-24 | 7940 |
+----+-----+-----+-----+
6 rows in set (0.00 sec)

mysql>
```

```
mysql> select * from students;
+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | MCH | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Samanta | 1997-02-24 | 7940 |
+-----+
6 rows in set (0.00 sec)

mysql> alter table students drop column IPE;
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> select * from students;
+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | MCH | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Samanta | 1997-02-24 | 7940 |
+-----+
6 rows in set (0.00 sec)

mysql> alter table students modify Name varchar(20);
Query OK, 0 rows affected (0.01 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> insert into students(ID,BRANCH,Name,DOB,'Rank') values(1008, "ECE", "John harryson", "1997-03-25", 8940);
Query OK, 1 row affected (0.00 sec)

mysql> select * from students;
+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | MCH | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Samanta | 1997-02-24 | 7940 |
| 1008 | ECE | John harryson | 1997-03-25 | 8940 |
+-----+
7 rows in set (0.00 sec)

mysql>
```

```
mysql> alter table students modify Name varchar(20);
Query OK, 0 rows affected (0.01 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> insert into students(ID,BRANCH,Name,DOB,'Rank') values(1008, "ECE", "John harryson", "1997-03-25", 8940);
Query OK, 1 row affected (0.00 sec)

mysql> select * from students;
+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | MCH | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Samanta | 1997-02-24 | 7940 |
| 1008 | ECE | John harryson | 1997-03-25 | 8940 |
+-----+
7 rows in set (0.00 sec)

mysql> insert into srudents(ID,Name,DOB,'Rank') values(1009, "Kiran", "1996-04-22",1564);
ERROR 1146 (42S02): Table 'college.srudents' doesn't exist
mysql> insert into students(ID,Name,DOB,'Rank') values(1009, "Kiran", "1996-04-22",1564);
Query OK, 1 row affected (0.01 sec)

mysql> select * from students;
+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | MCH | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Samanta | 1997-02-24 | 7940 |
| 1008 | ECE | John harryson | 1997-03-25 | 8940 |
| 1009 | NULL | Kiran | 1996-04-22 | 1564 |
+-----+
8 rows in set (0.00 sec)

mysql>
```

```
mysql> select * from students;
+-----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+-----+-----+-----+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | MCH | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Sananta | 1997-02-24 | 7940 |
| 1008 | ECE | John harrisson | 1997-03-25 | 8940 |
+-----+-----+-----+-----+-----+
7 rows in set (0.00 sec)

mysql> insert into srudents(ID,Name,DOB,"Rank") values(1009, "Kiran", "1996-04-22",1564);
ERROR 1146 (42S02): Table 'college.srudents' doesn't exist
mysql> insert into students(ID,Name,DOB,"Rank") values(1009, "Kiran", "1996-04-22",1564);
Query OK, 1 row affected (0.01 sec)

mysql> select * from students;
+-----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+-----+-----+-----+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | MCH | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Sananta | 1997-02-24 | 7940 |
| 1008 | ECE | John harrisson | 1997-03-25 | 8940 |
| 1009 | NULL | Kiran | 1996-04-22 | 1564 |
+-----+-----+-----+-----+-----+
8 rows in set (0.00 sec)

mysql> select * from students where 'Rank' < 6000;
+-----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+-----+-----+-----+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1009 | NULL | Kiran | 1996-04-22 | 1564 |
+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql>
```

```
mysql> select * from students;
+-----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+-----+-----+-----+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | MCH | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Sananta | 1997-02-24 | 7940 |
| 1008 | ECE | John harrisson | 1997-03-25 | 8940 |
| 1009 | NULL | Kiran | 1996-04-22 | 1564 |
+-----+-----+-----+-----+-----+
8 rows in set (0.00 sec)

mysql> select * from students where 'Rank' < 6000;
+-----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+-----+-----+-----+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1009 | NULL | Kiran | 1996-04-22 | 1564 |
+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> select * from students where BRANCH = "ECE" OR BRANCH = "CSE";
+-----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+-----+-----+-----+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Sananta | 1997-02-24 | 7940 |
| 1008 | ECE | John harrisson | 1997-03-25 | 8940 |
+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)

mysql> select * from students where BRANCH = "CSE" and 'Rank' < 9000;
+-----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+-----+-----+-----+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1007 | CSE | Sananta | 1997-02-24 | 7940 |
+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql>
```

```
mysql> select * from students where BRANCH = "ECE" OR BRANCH = "CSE";
+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1009 | NULL | Kiran | 1996-04-22 | 1564 |
+-----+
2 rows in set (0.00 sec)

mysql> select * from students where BRANCH = "ECE" and "CSE";
+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Samanta | 1997-02-24 | 7940 |
| 1008 | ECE | John harrisson | 1997-03-25 | 8940 |
+-----+
6 rows in set (0.00 sec)

mysql> select * from students where BRANCH = "CSE" and "Rank" < 9000;
+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1007 | CSE | Samanta | 1997-02-24 | 7940 |
+-----+
3 rows in set (0.00 sec)

mysql> select * from students where DOB between January-1996 and January-1997;
ERROR 1054 (42S22): Unknown column 'January' in 'where clause'
mysql> select * from students where DOB between "1996-01-00" and "1997-01-00";
Empty set, 16 warnings (0.00 sec)

mysql> select * from students where DOB between "1996-01-01" and "1997-01-01";
+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1009 | NULL | Kiran | 1996-04-22 | 1564 |
+-----+
3 rows in set (0.00 sec)

mysql>
```

```
mysql> select * from students where BRANCH = "CSE" and "Rank" < 9000;
+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1007 | CSE | Samanta | 1997-02-24 | 7940 |
+-----+
3 rows in set (0.00 sec)

mysql> select * from students where DOB between January-1996 and January-1997;
ERROR 1054 (42S22): Unknown column 'January' in 'where clause'
mysql> select * from students where DOB between "1996-01-00" and "1997-01-00";
Empty set, 16 warnings (0.00 sec)

mysql> select * from students where DOB between "1996-01-01" and "1997-01-01";
+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1009 | NULL | Kiran | 1996-04-22 | 1564 |
+-----+
3 rows in set (0.00 sec)

mysql> select Name from students where BRANCH != ECE or BRANCH != MCH;
ERROR 1054 (42S22): Unknown column 'ECE' in 'where clause'
mysql> select Name from students where BRANCH != "ECE" or BRANCH != "MCH";
+-----+
| Name |
+-----+
| Parryson |
| Davtd.k |
| Soumith |
| Arol |
| Mounesh |
| Samanta |
| John harrisson |
+-----+
7 rows in set (0.00 sec)

mysql>
```

```
mysql> select * from students where DOB between "1996-01-00" and "1997-01-00";
Empty set, 16 warnings (0.00 sec)

mysql> select * from students where DOB between "1996-01-01" and "1997-01-01";
+----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+----+-----+-----+-----+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1009 | NULL | Kiran | 1996-04-22 | 1564 |
+----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> select Name from students where BRANCH != ECE or BRANCH != MCH;
ERROR 1054 (42S22): Unknown column 'ECE' in 'where clause'
mysql> select Name from students where BRANCH != "ECE" or BRANCH != "MCH";
+-----+
| Name |
+-----+
| Parryson |
| David.k |
| Soumith |
| Arol |
| Mounesh |
| Sananta |
| John harryson |
+-----+
7 rows in set (0.00 sec)

mysql> select * from students where Name = "S%";
Empty set (0.00 sec)

mysql> select * from students where Name = "s%";
Empty set (0.00 sec)

mysql> select * from students where Name like "s%";
+----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+----+-----+-----+-----+-----+
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1007 | CSE | Sananta | 1997-02-24 | 7940 |
+----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql>
```

```
+----+-----+-----+-----+-----+
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1009 | NULL | Kiran | 1996-04-22 | 1564 |
+----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> select Name from students where BRANCH != ECE or BRANCH != MCH;
ERROR 1054 (42S22): Unknown column 'ECE' in 'where clause'
mysql> select Name from students where BRANCH != "ECE" or BRANCH != "MCH";
+-----+
| Name |
+-----+
| Parryson |
| David.k |
| Soumith |
| Arol |
| Mounesh |
| Sananta |
| John harryson |
+-----+
7 rows in set (0.00 sec)

mysql> select * from students where Name = "S%";
Empty set (0.00 sec)

mysql> select * from students where Name = "s%";
Empty set (0.00 sec)

mysql> select * from students where Name like "s%";
+----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+----+-----+-----+-----+-----+
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1007 | CSE | Sananta | 1997-02-24 | 7940 |
+----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> select * from students where length(Name) = 4;
+----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+----+-----+-----+-----+-----+
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
+----+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql>
```

```
mysql> select * from students where Name = "S%";
Empty set (0.00 sec)

mysql> select * from students where Name = "s%";
Empty set (0.00 sec)

mysql> select * from students where Name like "s%";
+----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+----+-----+-----+-----+-----+
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1007 | CSE | Samanta | 1997-02-24 | 7940 |
+----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> select * from students where length(Name) = 4;
+----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+----+-----+-----+-----+-----+
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
+----+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql> update students set BRANCH = "Mec" where BRANCH = "MCH";
Query OK, 1 row affected (0.01 sec)
Rows matched: 1 Changed: 1 Warnings: 0

mysql> select * from students;
+----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+----+-----+-----+-----+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | Mec | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Samanta | 1997-02-24 | 7940 |
| 1008 | ECE | John harrison | 1997-03-25 | 8940 |
| 1009 | NULL | Kiran | 1996-04-22 | 1564 |
+----+-----+-----+-----+-----+
8 rows in set (0.00 sec)

mysql>
```

```
mysql> select * from students where Name like "s%";
+----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+----+-----+-----+-----+-----+
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1007 | CSE | Samanta | 1997-02-24 | 7940 |
+----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> select * from students where length(Name) = 4;
+----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+----+-----+-----+-----+-----+
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
+----+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql> update students set BRANCH = "Mec" where BRANCH = "MCH";
Query OK, 1 row affected (0.01 sec)
Rows matched: 1 Changed: 1 Warnings: 0

mysql> select * from students;
+----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+----+-----+-----+-----+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | Mec | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Samanta | 1997-02-24 | 7940 |
| 1008 | ECE | John harrison | 1997-03-25 | 8940 |
| 1009 | NULL | Kiran | 1996-04-22 | 1564 |
+----+-----+-----+-----+-----+
8 rows in set (0.00 sec)

mysql> delete from students;
Query OK, 8 rows affected (0.02 sec)

mysql> select * from students;
Empty set (0.00 sec)

mysql>
```



```
mysql> select * from students;
+-----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+-----+-----+-----+
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql> update students set BRANCH = "Mec" where BRANCH = "MCH";
Query OK, 1 row affected (0.01 sec)
Rows matched: 1 Changed: 1 Warnings: 0

mysql> select * from students;
+-----+-----+-----+-----+-----+
| ID | BRANCH | Name | DOB | Rank |
+-----+-----+-----+-----+
| 1002 | CSE | Parryson | 1996-01-02 | 4567 |
| 1003 | Mec | David.k | 1997-08-03 | 9568 |
| 1004 | ECE | Soumith | 1995-03-20 | 10000 |
| 1005 | CSE | Arol | 1997-02-02 | 8000 |
| 1006 | ECE | Mounesh | 1996-03-20 | 9923 |
| 1007 | CSE | Samanta | 1997-02-24 | 7940 |
| 1008 | ECE | John harrison | 1997-03-25 | 8940 |
| 1009 | NULL | Kiran | 1996-04-22 | 1564 |
+-----+-----+-----+-----+
8 rows in set (0.00 sec)

mysql> delete from students;
Query OK, 8 rows affected (0.02 sec)

mysql> select * from students;
Empty set (0.00 sec)

mysql> desc students;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| ID | int | YES | UNI | NULL | |
| BRANCH | char(3) | YES | | NULL | |
| Name | varchar(20) | YES | | NULL | |
| DOB | date | YES | | NULL | |
| Rank | int | YES | | NULL | |
+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)

mysql>
```