Status	Finished
Started	Thursday, 22 October 2026, 4:22 PM
Completed	Thursday, 22 October 2026, 4:25 PM
Duration	3 mins 1 sec
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. An error is raised

b. Python Programming

c. Python ✓

d. Program

The correct answer is: Python

Question **2**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The file's read/write position

b. The encoding of the file

c. The access mode of the file

d. The buffer size for the file operations ✓

The correct answer is: The buffer size for the file operations

Question **3**
Correct
Mark 1.00 out of 1.00

Which method is used to read file line by line

a. readlines(1)
b. readline() ✓
c. line()
d. read(1)

The correct answer is: readline()

Question **4**
Correct
Mark 1.00 out of 1.00

What does the mode attribute of a file object indicate?

a. The access mode in which the file was opened ✓
b. The size of the file
c. The name of the file
d. The current position of the file cursor

The correct answer is: The access mode in which the file was opened

Question **5**
Correct
Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

a. Binary
b. Write
c. Read ✓
d. Append

The correct answer is: Read

Question **6**
Correct
Mark 1.00 out of 1.00

Which method is used to write data to a file?

a. append()
b. read()
c. insert()
d. write() ✓

The correct answer is: write()

Question **7**
Correct
Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

- a. It clears the old data and starts fresh ✓
- b. It raises an error
- c. It does nothing
- d. It appends data to the file

The correct answer is: It clears the old data and starts fresh

Question **8**
Correct
Mark 1.00 out of 1.00

f.seek(5,1) means

- a. moves the file pointer to the end of a file
- b. move the file pointer to beginning of the file
- c. move the file pointer five characters ahead from the current position ✓
- d. move the file pointer five characters behind from the current position

The correct answer is:
move the file pointer five characters ahead from the current position

Question **9**
Correct
Mark 1.00 out of 1.00

What will the read() method return if used on an empty file?

- a. An empty string ✓
- b. EOFError
- c. 0
- d. None

The correct answer is: An empty string

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

a. An error is raised

b. Hello

c. Hello, world! ✓

d. world

The correct answer is: Hello, world!

Question **11**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. The operation is ignored

b. An error is raised ✓

c. A new file is created

d. An empty file object is returned

The correct answer is: An error is raised

Question **12**

Correct

Mark 1.00 out of 1.00

What is the result of the following code?

```
with open("example.txt", "r") as f:
    data = f.read()
print(data)
```

a. Prints the first 10 characters of the file

b. Prints the entire content of the file ✓

c. Prints each line of the file

d. Prints an error message

The correct answer is: Prints the entire content of the file

Question **13**
Correct
Mark 1.00 out of 1.00

What does the following code do?

fo = open("foo.txt", "w")

a. Opens a file in binary mode
b. Creates a new file for writing ✓
c. Opens an existing file in read mode
d. Appends to an existing file

The correct answer is: Creates a new file for writing

Question **14**
Incorrect
Mark 0.00 out of 1.00

Which method is used to sets the position of a file pointer

a. fseek() ✗
b. ftell()
c. tell()
d. seek()

The correct answer is: seek()

Question **15**
Correct
Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use _____

a. outfile = open(“c:\scores.txt”, “w”)
b. outfile = open(file = “c:\\scores.txt”, “w”)
c. outfile = open(file = “c:\scores.txt”, “w”)
d. outfile = open(“c:\\scores.txt”, “w”) ✓

The correct answer is:
outfile = open(“c:\\scores.txt”, “w”)