Status	Finished
Started	Wednesday, 21 October 2026, 6:07 PM
Completed	Wednesday, 21 October 2026, 6:12 PM
Duration	5 mins 1 sec
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Incorrect

Mark 0.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. SynatxError: Different types cannot be used with sets

b. {40, 10, '10', 50, 20, 60, 30}

c. {40, 10, 50, 20, 60, 30}

d. {40, '10', 50, 20, 60, 30} ✗

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. iii

b. i,ii ✓

c. ii

d. All of the above

Question **3**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

a. Error

b. True

c. Error

d. False ✓

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. (Computer)

b. Computer

c. () ✓

d. Error

Question **5**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {0,0,9}

b. It will throw an error as there are two 0 while creating the set.

c. {9}

d. {0,9} ✓

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

- a. (1,2,3,4,5,6) ✓
- b. (1,2,3)(4,5,6)
- c. Error
- d. (1,2,3,3,2,1)

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

- a. (12)
- b. 12
- c. Error ✓
- d. (55,78,64,25)

Question **8**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

- a. (16,17,18,19) ✓
- b. Error
- c. (16,17,18)
- d. (25,19,18,17)

Question **9**
Correct
Mark 1.00 out of 1.00

Which of the following is a Python tuple?

- a. {1,3,8,9,41}
- b. [1,2,3,4]
- c. ("Wonder")
- d. (1,4,5,6,7) ✓

Question **10**
Correct
Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

- a. tupl.sort()
- b. tupl.append(2)
- c. tupl[1]=2
- d. tupl1=tupl+tupl ✓

Question **11**
Correct
Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

- a. sampleSet.discard("ECE") ✓
- b. sampleSet.delete("ECE")
- c. del.sampleSet("ECE")
- d. remove.sampleSet("ECE")

Question **12**
Correct
Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

- a. True ✓
- b. False

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. TypeError: update() doesn't allow list as a argument.

b. Name Error

c. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

d. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

Question **14**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t1 = (55, 44, 33, 22, 11)

x = [t1[i] for i in range(0, len(t1), 2)]

print(x)

a. [55, 33, 11] ✓

b. [(55,33,11)]

c. (55,33,11)

d. ([55,33,11])

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {'rec', 1, ('cse', 'ece'),True}

b. Error

c. {'rec', 1, ('cse', 'ece')} ✓

d. {'rec', True, ('cse', 'ece')}