
PATENT INTELLIGENCE PLATFORM

Level 0 - System context

System boundary includes the web application, analysis services and offline data preparation.



The researcher uses the React web interface.
Gemini calls have local fallback paths.
Internal stores appear on the next sheet.


Yourdon-DeMarco: circle = process | rectangle = external entity | parallel lines = data store | arrow = data flow

Arrows name the data being transferred. Repeated IDs refer to the same entity/store. Line jumps are unconnected crossings.

PATENT INTELLIGENCE PLATFORM

Level 1 - Application processes and data stores

MySQL is authoritative. Neo4j and FAISS are derived projections; the embedding cache contains public patent vectors only.




Yourdon-DeMarco: circle = process | rectangle = external entity | parallel lines = data store | arrow = data flow

Arrows name the data being transferred. Repeated IDs refer to the same entity/store. Line jumps are unconnected crossings.

PATENT INTELLIGENCE PLATFORM

Level 2 - Decomposition of process 3.0

Request-driven data transformations: retrieval, graph ranking, optional assessment/guidance, and read-only public exploration.



Yourdon-DeMarco: circle = process | rectangle = external entity | parallel lines = data store | arrow = data flow

Arrows name the data being transferred. Repeated IDs refer to the same entity/store. Line jumps are unconnected crossings.