

Name: Rahul Gupta

Reg No: 2547242


Class: 4 MCA B

Lab 3

Github URL: https://github.com/rahul-gupta-2004/mca_cc_2547242/tree/main

Aim: Static Website Hosting on AWS S3 Bucket

Architecture Overview:



Steps:

1. Create the website files

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
  <title>My AWS S3 Site</title>
  <link rel="stylesheet" href="style.css" />
</head>
<body>
  <header>
    <h1>Hello from S3!</h1>
    <p>This site is hosted on AWS S3 static website hosting.</p>
  </header>

  <main>
    <div class="card">
      <h2>Counter Demo</h2>
      <p>Click the button to count visits.</p>
      <button id="btn">Click me</button>
      <p>Count: <span id="count">0</span></p>
    </div>
  </main>

  <script src="script.js"></script>
</body>
</html>
```

script.js

```
let count = 0;
const btn = document.getElementById('btn');
const display = document.getElementById('count');

btn.addEventListener('click', () => {
  count++;
  display.textContent = count;
});
```

style.css

```
* { box-sizing: border-box; margin: 0; padding: 0; }

body {
  font-family: sans-serif;
  background: #f4f6f9;
  color: #333;
  display: flex;
  flex-direction: column;
  align-items: center;
  padding: 40px 16px;
  min-height: 100vh;
}

header {
  text-align: center;
  margin-bottom: 32px;
}

header h1 { font-size: 2rem; color: #232f3e; }
header p { color: #666; margin-top: 8px; }

.card {
  background: #fff;
  border-radius: 10px;
  padding: 32px;
  box-shadow: 0 2px 10px rgba(0,0,0,0.08);
  text-align: center;
  max-width: 360px;
  width: 100%;
}

.card h2 { margin-bottom: 8px; color: #232f3e; }
.card p { color: #555; margin-bottom: 16px; }


button {
  background: #ff9900;
  color: #fff;
  border: none;
  padding: 10px 28px;
  border-radius: 6px;
  font-size: 1rem;
  cursor: pointer;
  transition: background 0.2s;
}

button:hover { background: #e68900; }


#count { font-weight: bold; font-size: 1.2rem; color: #ff9900; }
```

2. Create and configure a Bucket -

Bucket Name: mca-static-website-hosting



Block all public access: Disable



3. Upload files to the S3 Bucket

The screenshot shows the Amazon S3 console interface. At the top, a green banner indicates "Upload succeeded" for the bucket "mca-static-website-hosting". Below this, the "Upload: status" section shows a summary of the upload: 3 files, 1.7 KB (100.00%) succeeded, and 0 files, 0 B (0%) failed. The "Files and folders" tab is selected, displaying a table of the uploaded files.



Name	Folder	Type	Size	Status	Error
script.js	-	application/x-javascript	195.0 B	Succeeded	-
style.css	-	text/css	940.0 B	Succeeded	-
index.html	-	text/html	617.0 B	Succeeded	-

The screenshot shows the "Objects" tab for the bucket "mca-static-website-hosting". It displays a table of the objects stored in the bucket, including their names, types, last modified dates, sizes, and storage classes.

Name	Type	Last modified	Size	Storage class
index.html	html	June 10, 2026, 11:04:57 (UTC+05:30)	617.0 B	Standard
script.js	js	June 10, 2026, 11:04:54 (UTC+05:30)	195.0 B	Standard
style.css	css	June 10, 2026, 11:04:56 (UTC+05:30)	940.0 B	Standard

4. Enable Static Website Hosting

Bucket → Properties tab → Static Website Hosting



5. Add a public bucket policy

Bucket → Permission tab → Bucket Policy

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "PublicReadGetObject",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3:::mca-static-website-hosting/*"
    }
  ]
}
```

The screenshot displays the AWS Management Console interface for the 'mca-static-website-hosting' bucket. A green notification banner at the top states 'Successfully edited bucket policy.' Below this, the 'Block all public access' toggle is set to 'Off'. The 'Bucket policy' section shows a JSON policy that grants public read access to all objects in the bucket. The 'Object Ownership' section is set to 'Bucket owner enforced'.

Amazon S3 > Buckets > mca-static-website-hosting

Successfully edited bucket policy.

Individual settings below to suit your specific storage use cases. [Learn more](#)

Block all public access

Off

► Individual Block Public Access settings for this bucket

Bucket policy Edit Delete

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "PublicReadGetObject",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3:::mca-static-website-hosting/*"
    }
  ]
}
```

Copy

Object Ownership Edit

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.


Object Ownership

Bucket owner enforced

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

6. Find website URL

Bucket → Properties → Static Website Hosting



Bucket endpoint -

<http://mca-static-website-hosting.s3-website-us-east-1.amazonaws.com/>

