1.Which attribute is used to specify the URL of an image in HTML?
a) src b) href
c) alt d) title
Answer: a) src

2.What is the purpose of the <div> tag in HTML?
a) To define a paragraph of text
b) To define a section of the web page
c) To create a line break
d) To create a hyperlink
Answer: b) To define a section of the web page

3.Which tag is used to define a list of items in HTML?
a) b)
c) d) <dt>
Answer: a)

4.What is the purpose of the <input> tag in HTML?
a) To create a hyperlink
b) To create a line break
c) To create a table
d) To create a form element
Answer: d) To create a form element

5.Which attribute is used to define the size of a heading in HTML?
a) size b) style
c) class d) id
Answer: b) style

6.Which attribute is used to specify the color of text in HTML?
a) color b) style
c) class d) id
Answer: a) color

7.Which of the following is not an input type in HTML forms?
a) Date b) Time
c) Color d) Radio
Answer: d) Radio

8.In CSS, which property is used to set the font size of an element?
a) font-family b) font-size
c) font-weight d) font-style
Answer: b) font-size

9.Which CSS property is used to set the background color of an element?
a) color b) background-color
c) font-size d) font-weight
Answer: b) background-color

10.Which of the following HTML tags is used to create a text input field in a form?
a) <select> b) <input>
c) <textarea> d) <button>
Answer: b) <input>

11.Which CSS property is used to set the text alignment within an element?
a) text-decoration b) text-align
c) text-transform d) text-indent
Answer: b) text-align

12.What does CSS stand for?
a) Computer Style Sheets b) Cascading Style Sheets
c) Colorful Style Sheets d) Creative Style Sheets
Answer: b) Cascading Style Sheets

13.Which HTML tag is used to define a hyperlink?
a) <link> b) <a>
c) <img> d)
Answer: b) <a>

14.Which of the following is not a valid value for the HTML "type" attribute of an input element?
a) text b) number
c) boolean d) range
Answer: c) boolean

15.Which CSS property is used to set the height of an element?
a) height b) width
c) padding d) margin
Answer: a) height

16.Which HTML tag is used to create an unordered list?
a) b)
c) d) <ulist>
Answer: a)

17.Which attribute is used to specify the type of input in an HTML form?
a) id b) name
c) type d) value
Answer: c) type

18.Which HTML tag is used to create a dropdown list?
a) <select> b) <option>
c) <dropdown> d) <list>
Answer: a) <select>

19.Which CSS property is used to change the background color of an element?
a) color b) font-size
c) background-color d) padding
Answer: c) background-color

20.Which CSS property is used to change the font size of an element?
a) font-size b) background-color
c) color d) padding
Answer: a) font-size