1.What is the flow of HTML elements by default?
a) Inline b) Block
c) Inline-Block d) None of the above
Answer: b) Block

2.Which CSS property is used to specify the position of an element?
a) float b) display
c) position d) clear
Answer: c) position

3.What is the difference between relative and absolute positioning?
a) Relative positioning is with respect to the parent element, while absolute positioning is with respect to the viewport.
b) Absolute positioning is with respect to the parent element, while relative positioning is with respect to the viewport.
c) Both relative and absolute positioning are with respect to the parent element.
d) There is no difference between relative and absolute positioning.
Answer: a) Relative positioning is with respect to the parent element, while absolute positioning is with respect to the viewport.

4.Which CSS property is used to change the stacking order of elements?
a) position b) float
c) z-index d) display
Answer: c) z-index

5.Which display property value is used to make an element appear as an inline-level block container?
a) inline b) block
c) inline-block d) none
Answer: c) inline-block

6.Which display property value is used to make an element appear as a block-level element but with the layout of an inline-level element?
a) inline b) block
c) inline-block d) none
Answer: a) inline

7.What is the CSS property used to move an element to the left or right?
a) position b) display
c) float d) clear
Answer: c) float

8.Which CSS property is used to clear the floated elements?
a) position b) display
c) float d) clear
Answer: d) clear

9.Which CSS property is used to specify the minimum height of an element?
a) min-height b) max-height
c) height d) width
Answer: a) min-height

10.Which CSS property is used to specify the maximum height of an element?
a) min-height b) max-height
c) height d) width
Answer: b) max-height

11.Which CSS property is used to specify the minimum width of an element?
a) min-width b) max-width
c) width d) height
Answer: a) min-width

12.Which CSS property is used to specify the maximum width of an element?
a) min-width b) max-width
c) width d) height
Answer: b) max-width

13.Which CSS property is used to create rounded corners for an element?
a) border b) border-radius
c) margin d) padding
Answer: b) border-radius

14.Which CSS property is used to specify the padding of an element?
a) margin b) padding
c) border d) width
Answer: b) padding

15.Which CSS property is used to specify the margin of an element?
a) margin b) padding
c) border d) width
Answer: a) margin

16.Which CSS property is used to collapse the top and bottom margins of two elements into a single margin?
a) margin-top b) margin-bottom
c) margin-left d) margin-right
Answer: b) margin-bottom

17.Which CSS property is used to collapse the left and right margins of two elements into a single margin?
a) margin-top b) margin-bottom
c) margin-left d) margin-right
Answer: d) margin-right

18.Which of the following position values is not a part of the CSS positioning property?
a) absolute b) static
c) fixed d) relative
Answer: b) static

19.Which CSS property can be used to set the stacking order of positioned elements?
a) z-index b) position
c) display d) float
Answer: a) z-index

20.What is the default value of the position property?
a) relative b) static
c) absolute d) fixed
Answer: b) static