
(a) maze, route model (bcnv11)
base: reaches 97%, chooses optimally 94%
null arm τ = 11.0 (expert 10)
richer goal moved: slope +22 / written +25, reliability 0.96
poorer goal moved: slope -23 / written -26, reliability 0.96
cos(axis_0, axis_1) = -0.98
(b) ore field in the engine, route model (cxnv15c)
base: reaches 91%, chooses optimally 97%
null arm τ = 10.7 (expert 10)
richer goal moved: slope +23 / written +22, reliability 0.79
poorer goal moved: slope -24 / written -19, reliability 0.79
cos(axis_0, axis_1) = -0.98
(c) crafting, warm start (cxcraft15.s1t)
base: reaches 97%, chooses optimally 88%
null arm τ = 11.9 (expert 12)
richer goal moved: slope +23 / written +23, reliability 0.59
poorer goal moved: slope -24 / written -23, reliability 0.59
cos(axis_0, axis_1) = -0.86
(d) crafting, from scratch (cxcraft15t.s1)
base: reaches 96%, chooses optimally 90%
null arm τ = 12.1 (expert 12)
richer goal moved: slope +23 / written +22, reliability 0.58
threshold τ: extra actions the policy spends for the richer goal
30
20
10
0
−10
−0.4
−0.2
0.0
0.2
0.4
change in the swept goal's value
richer goal's value moved
poorer goal's value moved
fine-tuned at that value
written along the axis, arm held out
expert's exchange rate