➢ Download Organic group using Drush command : **drush dl og**

➢ Enable drush using command : **drush –y en og**

Above command will also download dependant module like entityreference and ctools

```
C:\xampp\htdocs\dd\drupal-7.34>drush dl og
Project og (7.x-2.7) downloaded to sites/all/modules/og.          [success]

Project og contains 7 modules: og_ui, og_register, og_field_access, og_example,
og_context, og_access, og.

C:\xampp\htdocs\dd\drupal-7.34>drush -y en og
The following projects have unmet dependencies:                   [ok]

og requires entityreference, entity
Would you like to download them? (y/n): y
Project entityreference (7.x-1.1) downloaded to                   [success]

sites/all/modules/entityreference.
Project entityreference contains 2 modules: entityreference_behavior_example, en
tityreference.
Project entity (7.x-1.5) downloaded to sites/all/modules/entity.  [success]

Project entity contains 2 modules: entity, entity_token.
The following projects have unmet dependencies:                   [ok]

og requires ctools
Would you like to download them? (y/n): y
Project ctools (7.x-1.5) downloaded to sites/all/modules/ctools.  [success]

Project ctools contains 10 modules: views_content, term_depth, stylizer, page_ma
nager, ctools_plugin_example, ctools_custom_content, ctools_ajax_sample, ctools_
access_ruleset, bulk_export, ctools.
The following extensions will be enabled: og, ctools, entityreference, entity
Do you really want to continue? (y/n): y
ctools was enabled successfully.                                  [ok]

entity was enabled successfully.                                  [ok]

entityreference was enabled successfully.                         [ok]

og was enabled successfully.                                      [ok]

og defines the following permissions: administer group

C:\xampp\htdocs\dd\drupal-7.34>
```

➢ Also enable two more modules Organic Group Context and Organic group UI :

drush -y en og_context og_ui

➢ Create a drupal user using drush command **: drush ucrt user1 --mail="someone@example.com" --password="user1"**

➢ Let's create content type from **Structure >> Add content type**

    o Give name "**campaign office**"

   o In vertical tab click on "**Organic Group**" and tick checkbox "**Group**"

individual content types can have different fields, behaviors, and permissions assigned to them.

Name *

campaign office

Machine name: campaign_office_ [Edit]

The human-readable name of this content type. This text will be displayed as part of the list on the *Add new content* page. It is recommended that this na
numbers, and spaces. This name must be unique.

Description

Describe this content type. The text will be displayed on the *Add new content* page.

Submission form settings   Title
Publishing options   Published , Promoted to front page
Display settings   Display author and date information.
Comment settings   Open, Threading , 50 comments per page
Menu settings
Organic groups

Specify how OG should treat content of this type. Content may behave as a group, as group conte

☑ Group

    Set the content type to be a group, that content will be associated with, and will have group members.

☐ Group content

    Set the content type to be a group content, that can be associated with groups.
    There are no group bundles defined.

➢ Add content from **content >> Add content >>campaign office**

  o Name: **headquarters**

  o Body : **All happens**

  o From vertical menu click on Menu settings and tick checkbox "provide a menu link**"**

Home » Add content

Create campaign office

Title *
headquarters

Body (Edit summary)
All happens

Text format Filtered HTML ▾
- Web page addresses and e-mail addresses turn into links automatically.
- Allowed HTML tags: <a> <em> <strong> <cite> <blockquote> <code>   <dl> <dt> <dd>
- Lines and paragraphs break automatically.

Menu settings
headquarters

☑ Provide a menu link

Revision information
No revision

Menu link title
headquarters

➢ Go to browser(as a guest user) click on "headquarter" then click on "Request group membership"

➢ This page will be redirected to login page. Enter user information which we have created earlier

Are you sure you want to join the group *headquarters*?

Request message

Please add me

This is the text a user may send to the group administrators.

Join   Cancel

➢   Once the request is submitted to join the group it will need approval from administrator.

➢   Now From **administrator login**, Click on "**headquater**" menu tab and click on **group** tab to view list of people in group.

➢ Click on "**people**"

➢ List of people in "**headquater**" group

➢   Update the status of group membership for user1 request

➢   **Add user** to group manually

➢ Check Pemission

➢ Check Roles

Home » headquarter

headquarter ⚙

VIEW   EDIT   **GROUP**

▶ **Add people**
Add group members.

▶ **People**
Manage the group members.

▶ **Permissions (read-only)**
View the group permissions.

▶ **Roles (read-only)**
View the group roles.