

SkillNuron AI API

1.0.0

OAS 3.1

/openapi.json

AI-powered Skill Gap Analyzer and Career Path Recommender

Authorize



Auth



POST

/api/auth/sync Sync User



Synchronize user metadata with PostgreSQL after Supabase authentication

Parameters

Cancel

No parameters

Request body required

application/json



Edit Value | Schema

```
{
  "name": "string",
  "user_type": "string"
}
```

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json ▾ Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json ▾ Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string",	No links

Code	Description	Links
	<pre>"type": "string", "input": "string", "ctx": {} }]</pre>	

GET

/api/auth/me

Get Me



Return authenticated current user profile

Parameters

Cancel

No parameters

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links

GET

/api/auth/users

Get All Users



Protected endpoint — only accessible to recruiters

Parameters

Cancel

No parameters

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links

Resume

POST

/api/resume/analyze

Analyze Resume Endpoint



Upload a PDF or TXT resume and get full AI analysis.

Parameters

Cancel

Reset

No parameters

Request body

required

multipart/form-data

file * required

string

Choose File

No file chosen

target_role
string

target_role

☐ Send empty value

job_description
string

job_description

☐ Send empty value

Execute

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json



Controls Accept header.

Example Value | Schema

```
"string"
```

Code	Description	Links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

POST

/api/resume/analyze-text

Analyze Resume From Text



Analyze resume from pasted plain text — fallback when PDF fails

Parameters

Cancel

No parameters

Request body required

application/json

Edit Value

Schema

```
{
  "resume_text": "string",
  "target_role": "",
  "job_description": ""
}
```

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string",	No links

Code	Description	Links
	<pre>"type": "string", "input": "string", "ctx": {} }]</pre>	

GET

/api/resume/download/{resume_path}

Download Resume



Get a temporary signed URL to re-download a stored resume

Parameters

Cancel

Name	Description
resume_path * required string (path)	resume_path

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json ▼ Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type	No links

Code	Description	Links
application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>		

Profile

GET

/api/profile/catalog

Get Frontend Catalog



Single source for all dropdown/select data used across the frontend (cities, roles, application statuses, education options, skill buckets).

Parameters

Cancel

No parameters

Execute

Responses

Code	Description	Links
200	Successful Response	No links
	Media type	
	application/json	
	Controls Accept header.	
	Example Value Schema	

Code	Description	Links
	<pre>"string"</pre>	

GET

/api/profile/info/{user_id} Get Profile



Get full profile info for a user

Parameters

Cancel

Name	Description
user_id * required string (path)	user_id

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>"string"</pre>	No links
422	Validation Error Media type application/json	No links

Code

Description

Links

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

POST

/api/profile/info/update Update Profile



Create or update user profile info

Parameters

Cancel

No parameters

Request body required

application/json

Edit Value | Schema

```
{
  "education": "",
  "education_status": "",
  "graduation_year": "",
  "current_status": "",
  "target_roles": [],
  "primary_role": "",
  "location": "",
  "phone": "",
  "linkedin": "",
  "github": ""
}
```

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json ▾ Controls Accept header. Example Value Schema <pre>"string"</pre>	No links
422	Validation Error Media type application/json ▾ Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

GET

/api/profile/skill-suggestions Get Skill Suggestions



Return predefined skill suggestions for autocomplete

Parameters

Cancel

No parameters

Execute

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json ▼

Controls Accept header.

Example Value | Schema

```
"string"
```

POST

/api/profile/skills/save Save Skills



Save user skills — one unique skill with one proficiency per user. Category is auto-classified server-side when not explicitly provided.

Parameters

Cancel

No parameters

Request body **required**

application/json ▼

Edit Value | Schema

```
{
  "skills": [
    {
      "additionalProp1": {}
    }
  ]
}
```

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string",	No links

Code	Description	Links
	<pre>"type": "string", "input": "string", "context": {} }]</pre>	

GET

/api/profile/skills/{user_id} Get Skills



Get saved skills for a user, including bucket classification. Only the owning user or a recruiter may view another user's skills — "me"/empty resolves to the caller, anything else is checked strictly.

Parameters

Cancel

Name	Description
user_id * required string (path)	user_id

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type	No links

Code	Description	Links
application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>		

GET

/api/profile/dashboard

Get Dashboard



One-call summary for the jobseeker home screen: skill count, latest resume score, application count, and profile completeness %.

Parameters

Cancel

No parameters

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links

Code	Description	Links

POST

/api/profile/resume/save

Save Resume Analysis



Save resume analysis result for authenticated user

Parameters

Cancel

No parameters

Request body required

application/json

Edit Value | Schema

```
{
  "overall_score": 0,
  "analysis_json": {
    "additionalProp1": {}
  },
  "resume_path": "string",
  "filename": "string"
}
```

Execute

Responses

Code	Description	Links
200	Successful Response	No links

Media type

Code	Description	Links
	application/json Controls Accept header. Example Value Schema "string"	
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

GET

/api/profile/resume/history/{user_id}

Get Resume History



Get all past resume analyses for a user

Parameters

Cancel

Name	Description
user_id string (path)	user_id

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

POST

/api/profile/skill-gap Get Skill Gap



Analyze skill gap between user skills and target role

Parameters

Cancel

No parameters

Request body **required**

application/json



Edit Value | Schema

```
{
  "user_skills": [
    "string"
  ],
  "target_role": "string"
}
```

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json	No links

Code

Description

Links

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

POST

/api/profile/career-path Get Career Path



Get AI-powered career path recommendations

Parameters

Cancel

No parameters

Request body required

application/json

Edit Value | Schema

```
{
  "user_skills": [
    "string"
  ],
  "experience_years": 0,
  "target_role": "string"
}
```

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

Jobs



GET

/api/jobs/ Get All Jobs



Get all job postings from PostgreSQL

Parameters

Cancel

No parameters

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json ▾ Controls Accept header. Example Value Schema <pre>"string"</pre>	No links

POST

/api/jobs/ Create Job



Create a new job posting — saves to PostgreSQL

Parameters

Cancel

No parameters

Request body **required**

application/json ▾

Edit Value | Schema

```
{
  "title": "string",
  "company": "string",
  "location": "string",
  "type": "string",
  "salary": "string",
  "required_skills": [
    "string"
  ],
  "description": "string",
  "posted_by": "string"
}
```

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string",	No links

Code	Description	Links
	<pre>"type": "string", "input": "string", "context": {} }]</pre>	

GET

/api/jobs/mine

Get My Jobs



Jobs posted by the current recruiter — filtered server-side by stable user id (posted_by_id), not by display name.

Parameters

Cancel

No parameters

Execute

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

"string"

POST

/api/jobs/polish-description

Polish Description



AI-polish a job description draft

Parameters

[Cancel](#)

No parameters

Request body required

application/json

Edit Value | Schema

```
{
  "title": "",
  "description": "string",
  "required_skills": []
}
```

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type	No links

Code	Description	Links
application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

DELETE

/api/jobs/{job_id} Delete Job



Delete a job posting from PostgreSQL

Parameters

Cancel

Name	Description
job_id * required string (path)	job_id

Execute

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Code	Description	Links
	Example Value Schema	
	<pre>"string"</pre>	
422	Validation Error	No links
	Media type application/json ▼	
	Example Value Schema	
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

POST

/api/jobs/match Match Jobs



AI-powered job matching using real jobs from PostgreSQL

Parameters

Cancel

No parameters

Request body required

application/json ▼

Edit Value

Schema

```
{
  "user_skills": [
    "string"
  ]
}
```

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string",	No links

Code	Description	Links
	<pre>"type": "string", "input": "string", "ctx": {} }]</pre>	

GET

/api/jobs/search

Search Jobs Adzuna

 ^

Search real Indian jobs from Adzuna API

Parameters

Cancel

Name	Description
keywords string (query)	software developer
location string (query)	Mumbai
results integer (query)	10

Execute

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

▼

Controls Accept header.

Example Value | Schema

Code	Description	Links
	<pre>"string"</pre>	
422	Validation Error	No links
Media type		
application/json ▾		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

Psychometric



GET	/api/psychometric/questions	Get Questions	^
Return questions with their specific options			
Parameters			Cancel
No parameters			
Execute			
Responses			

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links

POST

/api/psychometric/analyze Analyze Personality



Analyze answers and return tech career personality profile

Parameters

Cancel

No parameters

Request body required

application/json

Edit Value | Schema

```
{
  "answers": {
    "additionalProp1": "string",
    "additionalProp2": "string",
    "additionalProp3": "string"
  }
}
```


Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

Recruiter



GET

/recruiter/job/{job_id}/matches Get Candidate Matches



Parameters

Cancel

Name	Description
------	-------------

job_id * required

string
(path)

job_id

Execute

Responses

Code	Description	Links
------	-------------	-------

200	Successful Response	No links
-----	---------------------	----------

Media type

application/json



Controls Accept header.

Example Value | Schema

"string"

422	Validation Error	No links
-----	------------------	----------

Media type

application/json



Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/recruiter/dashboard Recruiter Dashboard



Parameters

Cancel

No parameters

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links

Talent Pool



GET

/recruiter/candidates Get Candidates



Parameters

Cancel

Name	Description
skill string (string null) (query)	skill

Execute

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
"string"
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/recruiter/candidate/{candidate_id} Get Candidate Profile



Parameters

Cancel

Name

Description

candidate_id * required

string
(path)

candidate_id

Execute

Responses

Code

Description

Links

200

Successful Response

No links

Media type

application/json



Controls Accept header.

Example Value | Schema

```
"string"
```

422

Validation Error

No links

Media type

application/json



Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

Applications



POST

/applications/apply/{job_id} Apply For Job



Parameters

Cancel

Name

Description

job_id * required

string

(path)

job_id

Request body

application/json



Edit Value | Schema

```
{
  "candidate_id": "string"
}
```

Execute

Responses

Code

Description

Links

200

Successful Response

No links

Media type

Code	Description	Links
	application/json Controls Accept header. Example Value Schema "string"	
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

GET

/applications/job/{job_id}

Get Job Applications



Parameters

Cancel

Name	Description
job_id * required string (path)	job_id

Execute

Responses

Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
"string"		
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }		

PATCH

/applications/{application_id}/status

Update Application Status



Parameters

Cancel

Name	Description
application_id * required string (path)	application_id

Request body required

application/json


```
{
  "status": "string"
}
```

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": [	No links

Code	Description	Links
	<pre>"string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]</pre>	

GET

/applications/my

Get My Applications



Parameters

Cancel

No parameters

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links

GET

/applications/job/{job_id}/timeseries

Get Job Application Timeseries



Parameters

Cancel

Name	Description
------	-------------

job_id * required

string
(path)

job_id

Execute

Responses

Code	Description	Links
------	-------------	-------

200	Successful Response	No links
-----	---------------------	----------

Media type

application/json



Controls Accept header.

Example Value | Schema

```
"string"
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json



Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/applications/notifications

Get Notifications



Parameters

Cancel

No parameters

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links

POST

/applications/notifications/mark-read

Mark Notifications Read



Parameters

Cancel

No parameters

Execute

Responses

Code	Description	Links
200	Successful Response Media type	No links

Code	Description	Links
	application/json Controls Accept header. Example Value Schema "string"	

Recruiter Analytics

GET	/recruiter/analytics	Recruiter Analytics	  
Parameters			Cancel
No parameters			
Execute			
Responses			
Code	Description	Links	
200	Successful Response	No links	
	Media type application/json Controls Accept header. Example Value Schema "string"		

default

GET	/ Root	 
-----	--------	---

Parameters

Cancel

No parameters

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links

GET

/health Health Check



Parameters

Cancel

No parameters

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json	No links

Code	Description	Links
	Controls Accept header.	
	Example Value Schema	
	<pre>"string"</pre>	

Schemas	
ApplicationRequest ^ Collapse all object candidate_id ^ Collapse all (string null) Any of ^ Collapse all (string null) #0 string #1 null	
Body_analyze_resume_endpoint_api_resume_analyze_post ^ Collapse all object file* string media type: application/octet-stream target_role ^ Collapse all string Default="" job_description ^ Collapse all string Default=""	
CareerPathRequest ^ Collapse all object user_skills* ^ Collapse all array<string> Items string experience_years* integer target_role* string	
HTTPValidationError ^ Collapse all object detail ^ Collapse all array<object> Items ^ Collapse all object loc* ^ Collapse all array<(string integer)>	

```
Items ^ Collapse all (string | integer)
  Any of ^ Collapse all (string | integer)
    #0 string
    #1 integer

msg* string
type* string
input any
ctx object
```

JDPolishRequest ^ Collapse all object

```
title ^ Collapse all string
  Default=""
description* string
required_skills ^ Collapse all array<string>
  Items string
  Default empty array
```

JobMatchRequest ^ Collapse all object

```
user_skills* ^ Collapse all array<string>
  Items string
```

JobPostingRequest ^ Collapse all object

```
title* string
company* string
location* string
type* string
salary* string
required_skills* ^ Collapse all array<string>
  Items string
description* string
posted_by* string
```

PsychometricRequest ^ Collapse all object

```
answers* ^ Collapse all object
  Additional properties string
```


ResumeTextRequest ^ Collapse all object

```
resume_text* string
target_role ^ Collapse all string
  Default=""
job_description ^ Collapse all string
  Default=""
```

SaveResumeAnalysisRequest ^ Collapse all object

```
overall_score* integer
analysis_json* ^ Collapse all object
  Additional properties allowed
resume_path ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
filename ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
```

SaveSkillsRequest ^ Collapse all object

```
skills* ^ Collapse all array<object>
  Items ^ Collapse all object
  Additional properties allowed
```

SkillGapRequest ^ Collapse all object

```
user_skills* ^ Collapse all array<string>
  Items string
target_role* string
```

StatusUpdateRequest ^ Collapse all object

```
status* string
```

SyncUserRequest ^ Collapse all object

```
name* string
```

`user_type* string`

UpdateProfileRequest ^ Collapse all object

`education ^ Collapse all string`

`Default=""`

`education_status ^ Collapse all string`

`Default=""`

`graduation_year ^ Collapse all string`

`Default=""`

`current_status ^ Collapse all string`

`Default=""`

`target_roles ^ Collapse all array<string>`

`Items string`

`Default empty array`

`primary_role ^ Collapse all string`

`Default=""`

`location ^ Collapse all string`

`Default=""`

`phone ^ Collapse all string`

`Default=""`

`linkedin ^ Collapse all string`

`Default=""`

`github ^ Collapse all string`

`Default=""`

ValidationError ^ Collapse all object

`loc* ^ Collapse all array<(string | integer)>`

`Items ^ Collapse all (string | integer)`

`Any of ^ Collapse all (string | integer)`

`#0 string`

`#1 integer`

`msg* string`

`type* string`

`input any`

`ctx object`