

SOP for DA Report Review UI

Step-by-step standard operating procedure for installing, running, and using the DA Automation duplicate UI for Excel report review.

UI URL

http://192.168.29.137:5190/

API URL

http://127.0.0.3:8802/

User Access

Use assigned UI credentials

Prepared On

03/08/2026 18:57:43

Excel-only validation

Checklist revision control

Data and design corrections

Latest PDF/TXT repository

Project/category/date output folders

1. Purpose and Scope

This SOP explains how to configure and run the DA Report Review UI on another Windows user system, how to validate selected Excel reports, and where to find the generated review files.

Current validation mode: The duplicate UI uses Excel files for design validation and data validation. PDF input files are not required for the current UI review run.

Current UI visibility: Source Files, Review Stages, Quality Checks, Reconciliation Evidence, Artifacts, and Agent Output are hidden in the operator UI. The visible operator flow is Agent Inputs, Checklist Workbook Editor, Correction Observations From Review Files, and Review File Repository.

2. Required Folder Layout on Another System

Before running the UI on another user system, keep the same base folder structure under `D:\AIReview`.

Folder	Purpose
<code>D:\AIReview\da_automation\DA AUTOMATION UI</code>	Duplicate UI application, server code, scripts, and SOP files.
<code>D:\AIReview\report-review-agent</code>	Review-agent code used by the UI to run Excel design/data validation.
<code>D:\AIReview\report-review-input\excel-pdf-data\checklist</code>	Default checklist workbook folder.
<code>D:\AIReview\report-review-input\excel-pdf-data\excel-reports</code>	Default Excel report folder.
<code>D:\AIReview\project</code>	Generated review file repository. The UI creates project/category/date folders here.

3. Prerequisites on Another User System

1. Install Windows-compatible **Node.js 20 or higher**.
2. Install **Python 3.10 or higher** if checklist revision scripts or agent helper scripts require Python.
3. Install Google Chrome or allow Playwright Chromium to run for PDF/SOP generation and browser automation.
4. Copy the full `D:\AIReview` project folder or restore the same folders listed in Section 2.
5. Confirm the user has read/write permission for `D:\AIReview\project` and the input folders.

```
node -v
npm -v
python --version
```

4. UI Configuration

Open `D:\AIReview\da_automation\DA AUTOMATION UI\.env` and confirm the host/port settings.

```
APP_HOST=127.0.0.3
APP_PORT=5190
APP_PREVIEW_PORT=4190

API_HOST=127.0.0.3
API_PORT=8802
```

Port note: If another system cannot use `127.0.0.3`, change both APP_HOST and API_HOST to `127.0.0.1`. If port 5190 or 8802 is already in use, choose a free port and update the matching value in `.env`.


5. Install and Run the UI

Run these commands from Command Prompt. Use two terminal windows for the server and client.

Step	Command	Expected Result
Open UI folder	<code>cd /d "D:\AIReview\da_automation\DA AUTOMATION UI"</code>	Command prompt is inside the UI project folder.
Install packages	<code>npm install</code>	<code>node_modules</code> is installed or refreshed.
Start API server	<code>npm run dev:server</code>	API starts on <code>http://127.0.0.3:8802/</code> .
Start UI client	<code>npm run dev:client</code>	Vite UI starts on <code>http://192.168.29.137:5190/</code> .
Open browser	<code>http://192.168.29.137:5190/</code>	Login screen appears.

Alternative single-command startup: run `npm run dev` from the UI folder. This starts server and client together.


6. Login and Logout



Screenshot 1: Login screen for Report & Dashboard Review.

1. Open **http://192.168.29.137:5190/**.
2. Enter the assigned username.
3. Enter the assigned password. Admin credentials are not printed in this SOP.
4. Click **Sign In**.
5. Use the username dropdown to log out. Logout returns to the login screen; the last username can remain as a hint/default, and the password stays empty.
6. Only the configured admin user can create users. Admin credentials must be shared separately through the approved internal channel.

7. Operator Flowchart



8. Select Project and Open AI Review

PHASE 5

AI Report Review and Validation

No-go: gate blockers remain

Admin

projects/project_id/phases/05-ai-review-validation/review-log.md

AGENT NAME

AI Report Review and Validation

Checklist-driven Excel design review

Selected Excel report data validation

Cross-Excel date range and value comparison

Data Critical, Design Medium, and Design Low prioritisation

Generated review file repository with view and download

Phase Guide

Work to do

Review the generated Excel finding files, quality checks, reconciliation evidence, and open issues.

Useful uploads

Generated review JSON, Markdown summaries, design matrix, data validation matrix, selected checklist, or Excel report.

Expected output

Review file summary, quality-check matrix, severity-based findings, reconciliation evidence, and correction plan.

Gate focus

High review findings must be fixed or formally accepted before testing.

CURRENT PACKET

UPCL REPORT

Select one checklist, then browse or select one or more Excel reports for data and design validation. PDF files are not required.

Run Review

10

Checklists

8

Excel files

0

Selected Excel

0

Data Critical

Design Check Matrix

OK

0

NOT OK

0

NA

0

Data Validation Check Matrix

OK

0

NOT OK

0

NA

0

Agent Inputs

PROJECT NAME

UPCL REPORT

CHECKLIST SELECTION

No file selected

Browse

D:\AIReview\report-review-input\excel-pdf-data\checklist

Browse opens this login user's system and uploads the selected checklist for this review run.

EXCEL REPORT SELECTION

No file selected

Browse

D:\AIReview\report-review-input\excel-pdf-data\excel-reports

Browse opens this login user's system and uploads the selected Excel file(s) for this review run.

Run Review

CHECKLIST EXCEL EDITOR

Checklist Workbook Editor

Rev 0.0 to 0.10, then 1.0 to 1.10

Edit the selected checklist sheet in the browser. Save creates a new checklist file revision.

CHECKLIST SELECTION

No file selected

Browse

D:\AIReview\report-review-input\excel-pdf-data\checklist

Always select latest checklist revision

When the page opens, refreshes, or a revision is saved, the newest revision for this checklist will be selected.

CHECKLIST SHEET

Refresh Sheet

Add Row

#

S.NO

Check Points

No editable rows found in the selected sheet.

Existing checklist files are kept; the edited checklist is saved as a new revision.

Save Edited Revision

Correction Observations From Review Files

0 checklist corrections

This table counts checklist correction items from the Design and Data Validation Check Matrix. Row-level reconciliation mismatch totals are not shown in this checklist correction section.

Run or refresh the review to load correction observations from the latest review files.

Review File Repository

Refresh

FOLDER

D:\AIReview\project\Rahul_Raj\UPCL REPORT

Run the review or refresh the repository to show generated files.

Screenshot 2: AI Review and Validation dashboard for the selected project.

1. Select an existing project from the left project panel or create a new project.
2. The UI opens the **AI Review and Validation** phase by default for the report review workflow.
3. Use project rename and save controls when the project display name needs correction.
4. On page refresh, the UI does not show previous run output by default. It starts blank until the user runs a new review or refreshes the repository.

9. Phase Guide

Phase Guide

Work to do	Review the generated Excel finding files, quality checks, reconciliation evidence, and open issues.
Useful uploads	Generated review JSON, Markdown summaries, design matrix, data validation matrix, selected checklist, or Excel report.
Expected output	Review-file summary, quality-check matrix, severity-based findings, reconciliation evidence, and correction plan.
Gate focus	High review findings must be fixed or formally accepted before testing.

Screenshot 3: Phase Guide shown in the AI Review and Validation workflow.

Phase Guide Row	Meaning
Work to do	Review generated Excel finding files, checklist status, correction evidence, and open issues.
Useful uploads	Generated review JSON, Markdown summaries, design matrix, data validation matrix, selected checklist, or Excel report.
Expected output	Review summary, matrix counts, correction observations, generated PDF/TXT files, and sign-off evidence.
Gate focus	High review findings must be fixed or formally accepted before testing/sign-off.

10. Agent Inputs

Agent Inputs

PROJECT NAME

UPCL REPORT

CHECKLIST SELECTION

No file selected

D:\AIReview\report-review-input\excel-pdf-data\checklist

Browse opens this login user's system and uploads the selected checklist for this review run.

EXCEL REPORT SELECTION

No file selected

D:\AIReview\report-review-input\excel-pdf-data\excel-reports

Browse opens this login user's system and uploads the selected Excel file(s) for this review run.

Run Review

Screenshot 4: Agent Inputs for project name, checklist, and Excel report selection.

Input	User Action	Important Rule
Project Name	Type the project name, for example UPCL REPORT .	This project name is written inside review files and used in the output folder path.
Checklist Selection	Select a checklist from the dropdown or use Browse .	No file is selected by default in browse mode. Select the intended checklist before running.
Excel Report Selection	Select one or multiple Excel files from dropdown/browse.	Select one file for a single report review or multiple files for same-family cross-report validation.
PDF Report Selection	No action required.	The current duplicate UI validates Excel files only. PDF report files are not required.
Run Review	Click after required selections are complete.	Each click starts a fresh review from the current selected files; old saved output is not used as validation input.

11. Report Selection Rules

- Select only related report families together. Analog reports should be validated with Analog reports.

- SAIFI/SAIDI reports should be validated with SAIFI/SAIDI reports.
- For SAIFI/SAIDI hierarchy validation, Feeder Wise is the base report. Child reports such as Circle, Division, Subdivision, Zone, and Feeder Category are checked by grouping Feeder Wise data to the matching hierarchy level.
- Unrelated families such as Analog and SAIFI/SAIDI should not be cross-compared as direct report pairs.
- If selected reports are mixed or not recognized as one family, the output is categorized under **Miscellaneous**.

12. Checklist Workbook Editor

CHECKLIST EXCEL EDITOR

Rev 0.0 to 0.10, then 1.0 to 1.10

Checklist Workbook Editor
Edit the selected checklist sheet in the browser. Save creates a new checklist file revision.

CHECKLIST SELECTION

No file selected

Browse

D:\AIReview\report-review-input\excel-pdf-data\checklist

☐ **Always select latest checklist revision**
When the page opens, refreshes, or a revision is saved, the newest revision for this checklist will be selected.

CHECKLIST SHEET

Refresh Sheet

+ Add Row

#	S.NO	Check Points
No editable rows found in the selected sheet.		

Existing checklist files are kept; the edited checklist is saved as a new revision.

Save Edited Revision

Screenshot 5: Checklist Workbook Editor with browse, latest revision option, sheet selection, and save revision.

1. Use **Checklist Selection** in the editor to browse or select the checklist workbook to edit.
 2. Enable **Always select latest checklist revision** when the newest revision should load automatically after page open, refresh, or save.
 3. Select the required sheet in **Checklist Sheet**.
 4. Click **Refresh Sheet** to reload workbook rows.
 5. Click **Add Row** to add a new checklist point.
 6. Edit the checklist point text in the grid.
 7. Click **Save Edited Revision**. A new workbook revision is created and old files are kept.
- Revision sequence follows: **Rev 0.0 to Rev 0.10, then Rev 1.0 to Rev 1.10**, continuing in the same pattern.

13. Run Review

Before clicking Run Review: Confirm the project name, checklist selection, and Excel report selection. The Run Review button remains disabled until the required selections are present.

1. Click **Run Review**.
2. Wait for the agent to finish. Large Excel workbooks or many selected files can take longer.
3. After completion, a popup appears: **Review files generated successfully**.
4. Close the popup after confirming the generated files list.
5. Review the matrix cards, correction observations, and repository files.

14. Matrix Count Cards

The cards above Agent Inputs summarize checklist-matrix status counts.

Card	Meaning
Design Check Matrix	OK, Not OK, and NA counts from design checklist validation.
Data Validation Check Matrix	OK, Not OK, and NA counts from data validation checklist rules.

Count rule: Matrix counts are checklist rule counts. They are different from row-level mismatch counts because one checklist rule can produce many detailed row mismatches.

15. Correction Observations From Review Files

⚠ Correction Observations From Review Files

0 checklist corrections

This table counts checklist correction items from the Design and Data Validation Check Matrix. Row-level reconciliation mismatch totals are not shown in this checklist correction section.

Run or refresh the review to load correction observations from the latest review files.

Screenshot 6: Correction Observations From Review Files split into Data and Design sections.

The Correction Observations block appears after the Checklist Workbook Editor. It is split into two parts:

Section	What It Shows	How To Use It
Data Correction Observations	Not OK data-validation checklist points from the latest review files.	Fix source data, hierarchy aggregation, report values, or document approved exception evidence.
Design Correction Observations	Not OK design checklist points from the latest review files.	Fix report layout, naming, header, formatting, alignment, or document approved design evidence.

Column	Meaning
Point	Sequential correction observation number shown in UI.
Checklist S.NO	Checklist serial number from the generated review matrix.
Report	Report where the checklist item is Not OK.
State	Observed status, normally Not OK for actionable rows.
Check Point	Checklist rule that failed.
Observation	Evidence extracted from generated review files.
Correction Required	Action required before approval/sign-off.

16. Output File Location

All generated review files are saved under the project repository root:

D:\AIReview\project\<Project Name>\<Report Category>\<DD-MM-YYYY HH-MM-SS>\

Report Category Folder	When It Is Used	Example
Analog Reports	Selected Excel report headers indicate Analog reports only.	D:\AIReview\project\UPCL REPORT\Analog Reports\20-07-2026 16-04-50\
Saifi Saidi Reports	Selected Excel report headers indicate SAIFI/SAIDI reports only.	D:\AIReview\project\UPCL REPORT\Saifi Saidi Reports\20-07-2026 16-04-50\
Miscellaneous	Selected files are mixed, unknown, or not one recognized family.	D:\AIReview\project\UPCL REPORT\Miscellaneous\20-07-2026 16-04-50\

Windows folder-name rule: The UI displays date/time as **dd-mm-yyyy hh:mm:ss**, but the actual timestamp folder uses hyphens in the time, for example **20-07-2026 16-04-50**, because Windows folder names cannot contain colons.

Existing generated files are kept. A new run creates a new timestamp folder; no previous review files are deleted by the UI workflow.


17. Generated Review Files

A successful run can generate the following artifacts inside the timestamp folder:

- `*-design-review.pdf` - design review PDF.
- `*-excel-data-validation.pdf` - Excel data validation PDF.
- `*.txt` - text summary for quick review.
- `*.md` - Markdown review summaries.
- `*.json` - structured review result.
- `*-design-check-matrix.xlsx` - design matrix workbook.
- `*-data-validation-check-matrix.xlsx` - data validation matrix workbook.
- `*-ui-run-summary-*.json` - UI run summary metadata.

The review files include the UI project name and the logged-in reviewer name.

18. Review File Repository



Screenshot 7: Review File Repository showing the latest generated operator files.

1. The folder row shows `D:\AIReview\project\<Project Name>`.
2. Click **Refresh** to reload files after a run.
3. The repository shows the latest generated operator files, normally the latest review PDFs and TXT summary.
4. Use the eye icon to open supported files. PDF opens in a browser tab, and TXT/Markdown can be previewed in the UI.
5. Use the download icon to download a file.

19. How to Validate the Output

#	User Check	Expected Result
1	Confirm login user.	Reviewer name in output matches the logged-in UI user.
2	Confirm project name.	Output path is under <code>D:\AIReview\project\<Project Name></code> .
3	Confirm selected checklist and Excel reports.	Selected files match the reports intended for review.
4	Check report-family category folder.	Analog, SAIFI/SAIDI, or Miscellaneous folder is created correctly based on report header names.
5	Open Correction Observations.	Data and Design observations are listed separately with actionable correction text.
6	Open generated PDF/TXT files from repository.	PDF/TXT files match the latest timestamp folder and contain the same matrix/correction details.
7	Refresh browser.	Previous output is not loaded into the UI by default. Repository can be refreshed when files need to be viewed again.

20. Troubleshooting

Issue	Action
UI does not open	Confirm <code>npm run dev:client</code> is running and open <code>http://192.168.29.137:5190/</code> .
API requests fail	Confirm <code>npm run dev:server</code> is running on <code>http://127.0.0.3:8802/</code> .
Port already used	Stop the old process or change APP_PORT/API_PORT in <code>.env</code> .
Run Review disabled	Enter project name and select checklist plus Excel report files.
Checklist editor empty	Select a checklist workbook, choose a sheet, then click Refresh Sheet .
Generated files not visible	Click Repository Refresh and verify the timestamp folder under <code>D:\AIReview\project\<Project Name></code> .
Counts appear different	Matrix cards count checklist OK/Not OK/NA rows. Correction Observations count actionable checklist correction rows. Row-level mismatch totals can be higher because one rule can produce many mismatched rows.
SAIFI/SAIDI result looks mismatched by direct report pair	Confirm Feeder Wise is selected as the base report. Child reports must be validated by grouping Feeder Wise data to Circle, Division, Subdivision, Zone, or Feeder Category level.

Prepared for the local DA Automation duplicate UI. This SOP describes the current UI behavior at `http://192.168.29.137:5190/` as of 03/08/2026 18:57:43.