

Query 1 sales_analysis x

Limit to 1000 rows

```
66 SUM(Sales) AS Total_Sales
67 FROM superstore_data
68 GROUP BY 'Customer Name'
69 ORDER BY Total_Sales DESC
70 LIMIT 10;
71 -- Duplicate Orders
72 • SELECT 'Order ID',
73 COUNT(*) AS Duplicate_Count
74 FROM superstore_data
75 GROUP BY 'Order ID'
76 HAVING COUNT(*) > 1;
77
78 -- 7.Validate results (row counts, data quality)
79 -- row counts
80 • SELECT COUNT(*)
81 FROM superstore_data;
```

Result Grid

Filter Rows: Export: Wrap Cell Content:

COUNT(*)
9694

Result grid
Form Editor

Result 21 x

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
20	12:28:13	SELECT 'Order ID', COUNT(*) AS Duplicate_Count FROM superstore_data GROUP BY 'Order ID' HAVING C...	1000 row(s) returned	0.031 sec / 0.000 sec
21	12:28:30	SELECT COUNT(*) FROM superstore_data LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec

Query 1sales_analysis

Limit to 1000 rows

66

SUM(Sales) AS Total_Sales

67

FROM superstore_data

68

GROUP BY "Customer Name"

69

ORDER BY Total_Sales DESC

70

LIMIT 10;

71

-- Duplicate Orders

72

SELECT "Order ID",

73

COUNT(*) AS Duplicate_Count

74

FROM superstore_data

75

GROUP BY "Order ID"

76

HAVING COUNT(*) > 1;

77

78

-- 7.Validate results (row counts, data quality)

79

-- row counts

80

SELECT COUNT(*)

81

FROM superstore_data;

Result Grid

Filter Rows:

Export:

Wrap Cell Contents

Fetch rows:

Order ID	Duplicate_Count
CA-2016-152156	2
US-2015-108966	2
CA-2014-115812	7
US-2015-118983	2
CA-2014-143336	3
CA-2016-137330	2
CA-2016-121755	2
US-2015-150690	6

Result 20

Read Only

Result Grid

Form Editor

Output

Action Output

#	Time	Action	Message	Duration / Fetch
19	12:27:43	SELECT "Customer Name", SUM(Sales) AS Total_Sales FROM superstore_data GROUP BY "Customer Name" ...	10 row(s) returned	0.031 sec / 0.000 sec
20	12:28:13	SELECT "Order ID", COUNT(*) AS Duplicate_Count FROM superstore_data GROUP BY "Order ID" HAVING C...	1000 row(s) returned	0.031 sec / 0.000 sec

```
Query 1 sales_analysis x
61 FROM superstore_data
62 GROUP BY Month_No
63 ORDER BY Month_No;
64 -- top customers
65 SELECT 'Customer Name',
66 SUM(Sales) AS Total_Sales
67 FROM superstore_data
68 GROUP BY 'Customer Name'
69 ORDER BY Total_Sales DESC
70 LIMIT 10;
71 -- Duplicate Orders
72 SELECT 'Order ID',
73 COUNT(*) AS Duplicate_Count
74 FROM superstore_data
75 GROUP BY 'Order ID'
76 HAVING COUNT(*) > 1;
```

Result Grid

Customer Name	Total_Sales
Sean Miller	25043.05
Tamara Chand	19017.847999999998
Raymond Buch	15117.339
Tom Ashbrook	14595.62
Adrian Barton	14355.610999999997
Sanjit Chand	14142.333999999999
Ken Lonsdale	14071.917
Hamber Jones	12873.297999999999

Result 19 x

Output

#	Time	Action	Message	Duration / Fetch
18	12:27:25	SELECT MONTH(STR_TO_DATE('Order Date','%m/%d/%Y')) AS Month_No, SUM(Sales) AS Total_Sales FR...	12 row(s) returned	0.015 sec / 0.000 sec
19	12:27:43	SELECT 'Customer Name', SUM(Sales) AS Total_Sales FROM superstore_data GROUP BY 'Customer Name' ...	10 row(s) returned	0.031 sec / 0.000 sec

Query 1sales_analysis x

Limit to 1000 rows

56

-- 6.Solve use cases (monthly trends, top customers, duplicates)

57

-- monthly trends

58

59 • SELECT MONTH(STR_TO_DATE('Order Date', '%m/%d/%Y')) AS Month_No,

60 SUM(Sales) AS Total_Sales

61 FROM superstore_data

62 GROUP BY Month_No

63 ORDER BY Month_No;

64

-- top customers

65 • SELECT 'Customer Name',

66 SUM(Sales) AS Total_Sales

67 FROM superstore_data

68 GROUP BY 'Customer Name'

69 ORDER BY Total_Sales DESC

70 LIMIT 10;

71

-- Duplicate Orders

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Month_No	Total_Sales
1	94539.34159999999
2	59012.82540000001
3	203719.26379999987
4	135387.35759999996
5	153513.30969999999
6	151039.43330000006
7	145623.85000000002
8	157642.25000000004

Result 18 x

Read Only

Result Grid

Form Editor

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 17	12:27:05	SELECT Category, SUM(Sales) AS Total_Sales FROM superstore_data GROUP BY Category ORDER BY Tot...	3 row(s) returned	0.031 sec / 0.000 sec
✓ 18	12:27:25	SELECT MONTH(STR TO DATE('Order Date', '%m/%d/%Y')) AS Month_No, SUM(Sales) AS Total_Sales FR...	12 row(s) returned	0.015 sec / 0.000 sec

```
Query 1 sales_analysis x
Limit to 1000 rows
44 SUM(Sales) AS Total_Sales
45 FROM superstore_data
46 GROUP BY 'Product Name'
47 ORDER BY Total_Sales DESC
48 LIMIT 5;
49 -- Top 3 Categories
50 • SELECT Category,
51 SUM(Sales) AS Total_Sales
52 FROM superstore_data
53 GROUP BY Category
54 ORDER BY Total_Sales DESC
55 LIMIT 3;
56
57 -- 6.Solve use cases (monthly trends, top customers, duplicates)
58 -- monthly trends
59 • SELECT MONTH(STR_TO_DATE('Order Date', '%m/%d/%y')) AS Month No,
```

Category	Total_Sales
Technology	835900.0669999964
Furniture	733046.8612999996
Office Supplies	703502.9280000031

#	Time	Action	Message	Duration / Fetch
16	12:26:42	SELECT 'Product Name', SUM(Sales) AS Total_Sales FROM superstore_data GROUP BY 'Product Name' O...	5 row(s) returned	0.031 sec / 0.000 sec
17	12:27:05	SELECT Category, SUM(Sales) AS Total_Sales FROM superstore_data GROUP BY Category ORDER BY Tot...	3 row(s) returned	0.031 sec / 0.000 sec

```
Query 1 sales_analysis x
Limit to 1000 rows
41 -- 5.Sort and limit results (top products, top categories)
42 -- Products by Sales
43 • SELECT 'Product Name',
44 SUM(Sales) AS Total_Sales
45 FROM superstore_data
46 GROUP BY 'Product Name'
47 ORDER BY Total_Sales DESC
48 LIMIT 5;
49 -- Top 3 Categories
50 • SELECT Category,
51 SUM(Sales) AS Total_Sales
52 FROM superstore_data
53 GROUP BY Category
54 ORDER BY Total_Sales DESC
55 LIMIT 3;
56
```

Product Name	Total_Sales
Canon imageCLASS 2200 Advanced Copier	61599.824
Fellowes PB500 Electric Punch Plastic Comb Bind...	27453.384
Cisco TelePresence System EX90 Videoconferen...	22636.48
HON 5400 Series Task Chairs for Big and Tall	21870.576
GBC DocuBind TL300 Electric Binding System	19823.479000000003

Result 16 x Read Only

#	Time	Action	Message	Duration / Fetch
15	12:26:22	SELECT Category, AVG(Sales) AS Avg_Sales FROM superstore_data GROUP BY Category LIMIT 0, 1000	3 row(s) returned	0.032 sec / 0.000 sec
16	12:26:42	SELECT 'Product Name', SUM(Sales) AS Total_Sales FROM superstore_data GROUP BY 'Product Name' O...	5 row(s) returned	0.031 sec / 0.000 sec

Query 1

sales_analysis

Limit to 1000 rows

30

-- Total Quantity by Category

31

• SELECT Category,

32

SUM(Quantity) AS Total_Quantity

33

FROM superstore_data

34

GROUP BY Category;

35

-- Average Sales by Category

36

• SELECT Category,

37

AVG(Sales) AS Avg_Sales

38

FROM superstore_data

39

GROUP BY Category;

40

41

-- 5.Sort and limit results (top products, top categories)

42

-- Products by Sales

43

• SELECT "Product Name",

44

SUM(Sales) AS Total_Sales

45

FROM superstore_data

Result Grid

Filter Rows:

Export:

Wrap Cell Contents

Category	Avg_Sales
Furniture	353.4459311957568
Office Supplies	121.69225531914947
Technology	454.5405475802047

Result 15

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
14	12:25:57	SELECT Category, SUM(Quantity) AS Total_Quantity FROM superstore_data GROUP BY Category LIMIT 0, 1...	3 row(s) returned	0.016 sec / 0.000 sec
15	12:26:22	SELECT Category, AVG(Sales) AS Avg_Sales FROM superstore_data GROUP BY Category LIMIT 0, 1000	3 row(s) returned	0.032 sec / 0.000 sec

```
23
24 -- 4. Use GROUP BY for aggregations (sales, quantity, averages).
25 -- Total Sales by Region
26 • SELECT Region,
27 SUM(Sales) AS Total_Sales
28 FROM superstore_data
29 GROUP BY Region;
30 -- Total Quantity by Category
31 • SELECT Category,
32 SUM(Quantity) AS Total_Quantity
33 FROM superstore_data
34 GROUP BY Category;
35 -- Average Sales by Category
36 • SELECT Category,
37 AVG(Sales) AS Avg_Sales
38 FROM superstore_data
```

Result Grid		Filter Rows:	Export:	Wrap Cell Content:
Category	Total_Quantity			
Furniture	7855			
Office Supplies	21990			
Technology	6904			

Result 14 x Read Only

Output				
Action Output				
#	Time	Action	Message	Duration / Fetch
13	12:25:36	SELECT Region, SUM(Sales) AS Total_Sales FROM superstore_data GROUP BY Region LIMIT 0, 1000	4 row(s) returned	0.016 sec / 0.000 sec
14	12:25:57	SELECT Category, SUM(Quantity) AS Total_Quantity FROM superstore_data GROUP BY Category LIMIT 0, 1...	3 row(s) returned	0.016 sec / 0.000 sec

Query 1sales_analysis

Limit to 1000 rows

10

-- 3. Apply WHERE filters (region, category, date, sales)

11

-- Region Filter

12

• SELECT *

13

FROM superstore_data

14

WHERE Region = 'West';

15

-- Category Filter

16

• SELECT *

17

FROM superstore_data

18

WHERE Category = 'Technology';

19

-- Sales Filter

20

• SELECT *

21

FROM superstore_data

22

WHERE Sales > 1000;

23

24

-- 4. Use GROUP BY for aggregations (sales, quantity, averages).

25

-- Total Sales by Region

Result Grid

Filter Rows:

Exports

Wrap Cell Contents

	Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID	Customer Name	Segment	Country	City	State	Postal Code	Region	Product ID	Category	Sub
▶	11	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West	FUR-TA-10001539	Furniture	Tabl
	25	CA-2015-106320	9/25/2015	9/30/2015	Standard Class	EB-13870	Emily Burns	Consumer	United States	Orem	Utah	84057	West	FUR-TA-10000577	Furniture	Tabl
	28	US-2015-150630	9/17/2015	9/21/2015	Standard Class	TB-21520	Tracy Blumstein	Consumer	United States	Philadelphia	Pennsylvania	19140	East	FUR-BO-10004634	Furniture	Book
	36	CA-2016-117590	12/8/2016	12/10/2016	First Class	GH-14485	Gene Hale	Corporate	United States	Richardson	Texas	75080	Central	TEC-PH-10004977	Technology	Phor
	55	CA-2016-105816	12/11/2016	12/17/2016	Standard Class	JM-15265	Janet Molinari	Corporate	United States	New York City	New York	10024	East	TEC-PH-10002447	Technology	Phor
	68	CA-2014-106376	12/5/2014	12/10/2014	Standard Class	BS-11590	Brendan Sweed	Corporate	United States	Gilbert	Arizona	85234	West	OFF-AR-10002671	Office Supplies	Art

superstore_data 12 x

Read Only

Output

• Action Output

#	Time	Action	Message	Duration / Fetch
✓ 11	12:24:52	SELECT * FROM superstore_data WHERE Category = 'Technology' LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.016 sec
✓ 12	12:25:10	SELECT * FROM superstore_data WHERE Sales > 1000 LIMIT 0, 1000	467 row(s) returned	0.000 sec / 0.016 sec

```
Query 1 sales_analysis x
Limit to 1000 rows
10 -- 3. Apply WHERE filters (region, category, date, sales)
11 -- Region Filter
12 • SELECT *
13 FROM superstore_data
14 WHERE Region = 'West';
15 -- Category Filter
16 • SELECT *
17 FROM superstore_data
18 WHERE Category = 'Technology';
19 -- Sales Filter
20 • SELECT *
21 FROM superstore_data
22 WHERE Sales > 1000;
23
24 -- 4. Use GROUP BY for aggregations (sales, quantity, averages).
25 -- Total Sales by Region
```

Result Grid		Filter Rows:		Export:		Wrap Cell Content:		Fetch rows:									Result Grid	
	Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID	Customer Name	Segment	Country	City	State	Postal Code	Region	Product ID	Category	Sub-C		
▶	8	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West	TEC-PH-10002275	Technology	Phones		
	12	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West	TEC-PH-10002023	Technology	Phones		
	20	CA-2014-143336	8/27/2014	9/1/2014	Second Class	ZD-21925	Zuschuss Donatelli	Consumer	United States	San Francisco	California	94109	West	TEC-PH-10001949	Technology	Phones		
	27	CA-2016-121755	1/16/2016	1/20/2016	Second Class	EH-13945	Eric Hoffmann	Consumer	United States	Los Angeles	California	90049	West	TEC-AC-10003027	Technology	Access		
	36	CA-2016-117590	12/8/2016	12/10/2016	First Class	GH-14485	Gene Hale	Corporate	United States	Richardson	Texas	75080	Central	TEC-PH-10004977	Technology	Phones		
	41	CA-2015-117415	12/27/2015	12/31/2015	Standard Class	SN-20710	Steve Nguyen	Home Office	United States	Houston	Texas	77041	Central	TEC-PH-10004586	Technology	Phones		

superstore_data 11 x Read Only

#	Time	Action	Message	Duration / Fetch
10	12:24:29	SELECT * FROM superstore_data WHERE Region = 'West' LIMIT 0,1000	1000 row(s) returned	0.016 sec / 0.000 sec
11	12:24:52	SELECT * FROM superstore_data WHERE Category = 'Technology' LIMIT 0,1000	1000 row(s) returned	0.016 sec / 0.016 sec

Query 1 sales_analysis x



```

10 -- 3. Apply WHERE filters (region, category, date, sales)
11 -- Region Filter
12 • SELECT *
13   FROM superstore_data
14  WHERE Region = 'West';
15 -- Category Filter
16 • SELECT *
17   FROM superstore_data
18  WHERE Category = 'Technology';
19 -- Sales Filter
20 • SELECT *
21   FROM superstore_data
22  WHERE Sales > 1000;
23
24 -- 4. Use GROUP BY for aggregations (sales, quantity, averages).
25 -- Total Sales by Region

```

Result Grid		Filter Rows:		Export:		Wrap Cell Contents:		Fetch rows:									Result Grid
	Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID	Customer Name	Segment	Country	City	State	Postal Code	Region	Product ID	Category	Sub-Category	Form Editor
▶	3	CA-2016-138688	6/12/2016	6/16/2016	Second Class	DV-13045	Darrin Van Huff	Corporate	United States	Los Angeles	California	90036	West	OFF-LA-10000240	Office Supplies	Labels	
	6	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West	FUR-FU-10001487	Furniture	Furnishings	
	7	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West	OFF-AR-10002833	Office Supplies	Art	
	8	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West	TEC-FH-10002275	Technology	Phones	
	9	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West	OFF-BI-10003910	Office Supplies	Binders	
	10	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West	OFF-AP-10002892	Office Supplies	Applicanc	

superstore_data 10 x Read Only

#	Time	Action	Message	Duration / Fetch
9	12:23:40	SELECT * FROM superstore_data LIMIT 10	10 row(s) returned	0.000 sec / 0.000 sec
10	12:24:29	SELECT * FROM superstore_data WHERE Region = 'West' LIMIT 0,1000	1000 row(s) returned	0.016 sec / 0.000 sec

Query 1sales_analysis

Limit to 1000 rows

```
1 • CREATE DATABASE superstore_db;
2 • USE superstore_db;
3   -- 2.Explore table (schema, sample data)
4 • DESCRIBE superstore_data;
5   -- sample data
6 • SELECT *
7   FROM superstore_data
8   LIMIT 10;
9
10  -- 3. Apply WHERE filters (region, category, date, sales)
11  -- Region Filter
12 • SELECT *
13   FROM superstore_data
14   WHERE Region = 'West';
15  -- Category Filter
16 • SELECT *
```

Result Grid

Filter Rows:

Export:

Wrap Cell Contents: [15](#)

Field	Type	Null	Key	Default	Extra
Row ID	int	YES		NULL	
Order ID	text	YES		NULL	
Order Date	text	YES		NULL	
Ship Date	text	YES		NULL	
Ship Mode	text	YES		NULL	
Customer ID	text	YES		NULL	
Customer Name	text	YES		NULL	
Segment	text	YES		NULL	

Result 1

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	12:20:32	DESCRIBE superstore_data	21 row(s) returned	0.000 sec / 0.000 sec