COMPLETE STEP-BY-STEP IMPLEMENTATION HANDBOOK


NEXSOCIETY: SMART AUTONOMOUS GATED COMMUNITY

From Scratch to Deployment — Architecture, Source Code Breakdown & Viva Guide

Architecture: 3-Tier Multi-Role Full Stack	**Frontend:** HTML5, CSS3, JS, Three.js	**Backend:** Node.js, Express (Port 5000)	**Database:** PostgreSQL & Firebase RTDB

1. High-Level System Architecture & Data Pipeline

NexSociety interconnects three distinct residential community actors (**Security Guard, Residents, and Executive Management**) through an asynchronous RESTful API and cloud synchronization backbone:



2. Step-by-Step Engineering Walkthrough (What, Why & How)

STEP 1: Global Theme & Viewport Lock Design System

UI FOUNDATION

1. Kya Socha (Objective):

Website standard boring white page jaisi nahi dikhni chahiye thi. Modern dark glassmorphic design system chahiye tha, aur sabse important: mobile phone par kisi bhi element se horizontal scroll (right side spill) nahi aana chahiye tha.

2. Kya Code Dala (Implementation in `style.css`):

```
/* 1. Design Tokens */
:root {
    --brand-primary: #6366f1;
    --cyan-glow: #06b6d4;
    --bg-page: #060913;
    --bg-card: rgba(15, 23, 42, 0.75);
}

/* 2. Global Viewport Lock */
html, body {
    width: 100%;
    max-width: 100vw;
    overflow-x: hidden;
    position: relative;
    box-sizing: border-box;
}
```

3. Fir Kaise Use Hua (Execution Flow):

Jab bhi koi user Galaxy, iPhone ya laptop par page open karta hai, `backdrop-filter: blur(20px)` glassmorphic texture render karta hai, aur `overflow-x: hidden` mobile viewport ko screen bounds ke andar lock rakhta hai.

STEP 2: Multi-Role Authentication & 1-Click Demo Launcher

AUTH & SESSION

1. Kya Socha (Objective):

Society ke 3 distinct stakeholders hain: Guard, Resident, aur Secretary. Presentation ke time password bar-bar type karna awkward hota hai, isliye 1-Click Demo accounts banaye.

2. Kya Code Dala (Implementation in `index.html` & `script.js`):

```
// 1. One-Click Demo Pill Click
function fillDemo(email, pass, role) {
    document.getElementById('emailInput').value = email;
    document.getElementById('passwordInput').value = pass;
    switchRole(role);
}

// 2. Authentication Submission & Role-Based Routing
async function handleLogin(e) {
    e.preventDefault();
    const email = document.getElementById('emailInput').value;
    const role = currentActiveRole;

    // Store in SessionStorage
    sessionStorage.setItem('nexUser', JSON.stringify({ email, role, name }));

    // Cloud Session Logging via Firebase
    if (window.NexFirebase) {
        await window.NexFirebase.logUserLogin(email, role, { flat: 'A-204' });
    }

    // Redirect to Authorized Dashboard
    if (role === 'security') window.location.href = 'security.html';
    else if (role === 'resident') window.location.href = 'resident.html';
    else if (role === 'admin') window.location.href = 'admin.html';
}
```

3. Fir Kaise Use Hua (Execution Flow):

User ne "Vikram (Guard)" pill click ki ➔ credentials auto-fill huye ➔ Login button dabaya ➔ Backend/Firebase par live session log hua ➔ `sessionStorage` populate hua ➔ User seedha `security.html` par land kar gaya.

STEP 3: Security Gate Terminal Console

GATE OPERATIONS

1. Kya Socha (Objective):

Guard cabin par fast delivery check-in (Zomato/Swiggy), resident ke 6-digit OTP passcode ki boom barrier verification, aur Excel/CSV log export chahiye tha.

2. Kya Code Dala (Implementation in `security.js` & `security.html`):

```
// 1. 1-Tap Delivery Check-in
function quickDeliveryCheckin(partner) {
    const entry = {
        id: 'VIS-' + Date.now(),
        name: partner + ' Partner',
        flat: 'Gate Assigned',
        time: new Date().toLocaleTimeString(),
        status: 'inside'
    };
    visitorLogs.unshift(entry);
    renderTable(); // Re-renders table smoothly
}

// 2. 6-Digit Passcode Verification
function verifyPasscode() {
    const pin = document.getElementById('passcodeInput').value;
    const pass = preapprovedList.find(p => p.pin === pin && p.status === 'active');
    if (pass) {
        pass.status = 'used';
        triggerBoomBarrierAnimation();
        showToast('Valid Passcode! Boom Barrier Opened.', '✓');
    } else {
        showToast('Invalid Passcode or Expired!', '⚠️');
    }
}

// 3. Client-Side CSV Export
function exportGateLog() {
    let csv = "ID,Name,Flat,Time,Status\n";
    visitorLogs.forEach(v => { csv += `${v.id},${v.name},${v.flat},${v.time},${v.status}\n`; }
    const link = document.createElement("a");
    link.href = encodeURI("data:text/csv;charset=utf-8," + csv);
    link.download = "NexSociety_Gate_Log.csv";
    link.click();
}
```

3. Fir Kaise Use Hua (Execution Flow):

Guard ne " 🍕 Zomato" dabaya ➔ Visitor log table mein instant entry insert ho gayi. Guest ne 6-digit PIN bataya ➔ Guard ne type kiya ➔ Backend match karke boom barrier open kar deta hai aur pass status "used" ho jata hai.

STEP 4: Resident Self-Service Portal & Intercom Simulation

RESIDENT SERVICES

1. Kya Socha (Objective):

Resident ko mehman aane se pehle 6-digit entry pass banana tha, society helpdesk par complaint lodge karni thi, aur Guard cabin ke sath simulated live intercom voice call chahiye thi.

2. Kya Code Dala (Implementation in `resident.js`):

```
// 1. Random 6-Digit OTP Generation
function createPreapproval(guestName, arrivalDate) {
    const randomPin = Math.floor(100000 + Math.random() * 900000).toString(); // e.g. 482910
    const pass = { id: 'PASS-' + Date.now(), guestName, pin: randomPin, status: 'active' };
    saveToStorage(pass);
    showPinModal(randomPin); // Pops up shareable PIN card
}

// 2. Gate 1 Intercom Simulated WebRTC Voice Call
function startIntercomCall() {
    document.getElementById('intercomModal').style.display = 'flex';
    let seconds = 0;
    setInterval(() => {
        seconds++;
        document.getElementById('callTimer').innerText =
            `00:${seconds < 10 ? '0' + seconds : seconds}`;
    }, 1000);
}
```

3. Fir Kaise Use Hua (Execution Flow):

Resident form submit karta hai ➔ `482910` screen par display hota hai jisko WhatsApp par guest ko bhejte hain. Intercom button dabate hi guard cabin call connect ho jati hai audio waveform pulse ke sath.

STEP 5: Executive Admin Desk & Broadcast Engine

SOCIETY MANAGEMENT

1. Kya Socha (Objective):

Society Secretary (Dr. S. Rao / Aatmaram Bhide) ko 120 flats ka audit, financial collections (₹4,08,000 collected vs ₹1,02,000 pending), aur circular notices broadcast karne the.

2. Kya Code Dala (Implementation in `admin.js`):

```
// 1. Real-Time Occupancy & Collection KPI Math
function updateAdminMetrics() {
    const totalUnits = 120;
    const occupied = flatsData.filter(f => f.status === 'Occupied').length; // 96
    const rate = Math.round((occupied / totalUnits) * 100); // 80%
    document.getElementById('occupancyText').innerText = `${occupied} / ${totalUnits} (${rate}
}

// 2. Broadcast Circular Notice to All Dashboards
function broadcastNotice(headline, content) {
    const notice = { id: Date.now(), headline, content, date: new Date().toLocaleDateString()
    localStorage.setItem('societyNotice', JSON.stringify(notice));
    showToast('Notice published to all residents!', '📢');
}
```

3. Fir Kaise Use Hua (Execution Flow):

Admin ne notice form fill karke "Publish Notice" dabaya ➔ Notice LocalStorage/Database mein sync hua ➔ Resident Portal kholte hi upar yellow announcement banner render ho gaya.

STEP 6: Fintech Payment Gateway Module

FINTECH CHECKOUT

1. Kya Socha (Objective):

Maintenance fees pay karne ke liye Razorpay/Stripe grade checkout experience with 3D credit card flipping animation aur GST-compliant tax receipt download chahiye tha.

2. Kya Code Dala (Implementation in `payment.js`):

```
// 1. 3D Credit Card Real-Time Formatting
cardNumberInput.addEventListener('input', (e) => {
    let raw = e.target.value.replace(/\D/g, '').substring(0, 16);
    let formatted = raw.replace(/(.{4})/g, '$1 ').trim();
    document.getElementById('cardPreviewNumber').innerText = formatted || '•••• •••• •••• ••••
});

// 2. Payment Gateway Gateway Simulation & Invoice Creation
function processPayment() {
    showSpinner();
    setTimeout(() => {
        const txnId = 'TXN-NEX-' + Math.floor(100000 + Math.random() * 900000);
        document.getElementById('receiptTxnId').innerText = txnId;
        document.getElementById('receiptStatus').innerText = 'PAID ✓';
        openModal('receiptModal'); // Displays printable tax invoice
    }, 1500);
}
```

3. Fir Kaise Use Hua (Execution Flow):

Resident ne Card number dala ➔ 3D Card par numbers live appear huye ➔ Pay Now dabaya ➔ 1.5 sec bank simulation hua ➔ `TXN-NEX-88219` generate hua aur GST invoice display ho gayi.

STEP 7: 3D Digital Twin HUD Engine

THREE.JS WEBGL

1. Kya Socha (Objective):

Society ke 3 Towers (A, B, C) aur campus ka live 3D visual visualizer chahiye tha jisme buildings par click karne par unki flat occupancy telemetry pop-up ho.

2. Kya Code Dala (Implementation in `twin.js`):

```
// 1. Three.js Scene, Camera, WebGL Canvas
const scene = new THREE.Scene();
const camera = new THREE.PerspectiveCamera(60, window.innerWidth / window.innerHeight, 0.1, 10
const renderer = new THREE.WebGLRenderer({ canvas: document.getElementById('webglCanvas'), ant

// 2. Procedural Tower Mesh
const geometry = new THREE.BoxGeometry(15, 45, 15);
const material = new THREE.MeshStandardMaterial({ color: 0x1e293b, roughness: 0.2 });
const towerA = new THREE.Mesh(geometry, material);
towerA.name = "Tower A";
scene.add(towerA);

// 3. Raycasting Click-Detection for Telemetry HUD
const raycaster = new THREE.Raycaster();
window.addEventListener('click', (e) => {
    raycaster.setFromCamera(mouse, camera);
    const hits = raycaster.intersectObjects(scene.children);
    if (hits.length > 0) {
        openTelemetryHUD(hits[0].object.name); // Opens flat telemetry
    }
});
```

3. Fir Kaise Use Hua (Execution Flow):

Canvas par 3D model render hota hai. User jab Tower A par mouse click karta hai, Raycaster us building ko identify karta hai aur screen par Tower A ke 40 flats ka live breakdown khol deta hai.

STEP 8: Backend Server Architecture (Node.js + Express)

REST API SERVER

1. Kya Socha (Objective):

Port 5000 par RESTful backend server chahiye tha jo Netlify frontend aur local clients dono se secure requests handle kar sake.

2. Kya Code Dala (Implementation in `server/server.js`):

```
const express = require("express");
const cors = require("cors");
const app = express();
const PORT = process.env.PORT || 5000;

// CORS & Private Network Access Headers
app.use(cors({ origin: "*" }));
app.use((req, res, next) => {
    res.header("Access-Control-Allow-Origin", "*");
    res.header("Access-Control-Allow-Private-Network", "true");
    next();
});

app.use(express.json());

// Mount REST Route Modules
app.use("/api/auth", require("./routes/authRoutes"));
app.use("/api/visitors", require("./routes/visitorRoutes"));
app.use("/api/complaints", require("./routes/complaintRoutes"));
app.use("/api/dues", require("./routes/duesRoutes"));

app.listen(PORT, () => console.log(`🚀 NexSociety Server live on http://localhost:${PORT}`));
```

3. Fir Kaise Use Hua (Execution Flow):

Terminal par `node server.js` chala kar server online hota hai. Frontend `fetch('/api/visitors')` bhej kar data dynamically read aur write karta hai.

STEP 9: PostgreSQL Relational Database Schema

DATABASE LAYER

1. Kya Socha (Objective):

Financial maintenance dues aur visitor security passes me relational integrity aur ACID compliance chahiye thi, isliye PostgreSQL use kiya.

2. Kya Code Dala (Implementation in `server/db/schema.sql` & `db.js`):

```
-- 1. Visitors Table
CREATE TABLE visitors (
    id VARCHAR(50) PRIMARY KEY,
    name VARCHAR(100) NOT NULL,
    flat_number VARCHAR(20) NOT NULL,
    vehicle_no VARCHAR(50) DEFAULT 'None',
    entry_time TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
    status VARCHAR(20) DEFAULT 'inside' CHECK (status IN ('inside', 'checked-out'))
);

-- 2. Pre-Approved Passes Table
CREATE TABLE preapproved_passes (
    id VARCHAR(50) PRIMARY KEY,
    guest_name VARCHAR(100) NOT NULL,
    flat_number VARCHAR(20) NOT NULL,
    pin_otp VARCHAR(10) NOT NULL,
    status VARCHAR(20) DEFAULT 'active' CHECK (status IN ('active', 'used'))
);
```

3. Fir Kaise Use Hua (Execution Flow):

Backend `pg.Pool` connection pool use karta hai. Guard jab entry karta hai, `INSERT INTO visitors...` query chalti hai aur data hard disk par safe store hota hai.

STEP 10: Firebase Cloud Sync Integration

CLOUD REALTIME SYNC

1. Kya Socha (Objective):

Agar internet se site chalayi jaye (bina local backend ke), toh live multi-device session monitoring ke liye Firebase cloud database chahiye tha.

2. Kya Code Dala (Implementation in `firebase-config.js`):

```
const firebaseConfig = {
    apiKey: "AIzaSyBKL6qY4dffpgyMLzVZjwtQ1EZZ_aHsu8s",
    authDomain: "nexsociety-b4311.firebaseapp.com",
    databaseURL: "https://nexsociety-b4311-default-rtdb.firebaseio.com",
    projectId: "nexsociety-b4311"
};

firebase.initializeApp(firebaseConfig);
const rtdb = firebase.database();

window.NexFirebase = {
    logUserLogin(email, role, details) {
        return rtdb.ref("sessions").push({
            user: email,
            role: role,
            flat: details.flat,
            timestamp: new Date().toISOString()
        });
    }
};
```

3. Fir Kaise Use Hua (Execution Flow):

Jaise hi user browser par login karta hai, uska live timestamp aur user agent Firebase console mein real-time node ke andar populate ho jata hai.

STEP 11: Netlify Hosting & Production Deployment

CI/CD DEPLOYMENT

1. Kya Socha (Objective):

Poori site ko globally live deploy karna tha taaki mobile aur desktop par kahi se bhi open ho sake.

2. Kya Code Dala (Implementation in `netlify.toml`):

```
[build]
  publish = "."

[[redirects]]
  from = "/*"
  to = "/index.html"
  status = 200
```

3. Fir Kaise Use Hua (Execution Flow):

Code ko GitHub branch `main` par push kiya. Netlify automated webhook ne code compile karke live production URL generate kar diya: **https://nexsociety-smart.netlify.app/**

3. Top Viva Questions & Examiner Ready-Made Answers

Q1: What is the high-level architecture of your project?

Answer: "Sir, NexSociety follows a modular 3-tier client-server architecture with an offline-first fallback. The frontend is built using HTML5, CSS3, JavaScript, and Three.js for 3D visualization. The backend is an asynchronous REST API built with Node.js and Express.js, connected to a PostgreSQL relational database. For cloud deployment and real-time live monitoring, we use Firebase Realtime Database and Netlify Edge CDN."

Q2: Why did you choose PostgreSQL over MongoDB?

Answer: "Sir, residential society management involves financial transactions (maintenance dues) and structured relational associations (visitors linked to flat numbers, complaints linked to towers). PostgreSQL guarantees ACID compliance, strict foreign key constraints, and numeric precision for financial ledgers, preventing dirty reads or lost updates."

Q3: How does your application handle network interruptions during a demo?

Answer: "We implemented a dual-mode offline-resilient architecture in `api.js` and `script.js`. If the local Express backend (port 5000) is unreachable, the frontend seamlessly falls back to LocalStorage and Firebase Realtime Database. The UI never crashes or displays broken errors."

Q4: How did you solve the mobile screen fitting issue without horizontal scroll?

Answer: "We applied strict global viewport bounds: `html, body { width: 100%; max-width: 100vw; overflow-x: hidden; }`. Wide multi-column tables are wrapped in `.table-responsive` containers with `overflow-x: auto` and touch momentum scrolling. Media queries at 768px and 480px dynamically convert multi-column grids into single-column responsive layouts."

Q5: How does the 3D Digital Twin work under the hood?

Answer: "The 3D Digital Twin uses the Three.js library over WebGL. It sets up a scene, camera, ambient and directional lights, and renders procedural 3D box geometries for towers and parking lots. User click interactions are detected using `THREE.Raycaster`, which projects a ray from the camera through the mouse coordinates to identify clicked building meshes."

4. 2-Minute Presentation Pitch Script (To speak in front of teachers)

"Respected Teachers & Examiners,

We present **NexSociety**, an autonomous Smart Community & Gated Security Management Platform.

Our system integrates three core stakeholders onto a unified cloud ecosystem:

1. **Security Terminal:** Enables 1-tap rapid gate passes for delivery partners (Zomato/Swiggy), visitor registration, and OTP passcode boom barrier authorization.

2. **Resident Portal:** Allows self-service 6-digit guest pass creation, maintenance dues tracking, helpdesk ticketing, and simulated gate intercom.

3. **Admin Command Desk:** Provides executive oversight of flat occupancy (80% occupied across 120 units), collection tracking, and broadcast notices.

4. **3D Digital Twin:** Built with Three.js (WebGL), allowing interactive raycasting inspection of society towers.

The backend is powered by Node.js, Express, and PostgreSQL, backed by a resilient dual-mode architecture connected to Firebase Cloud."
