# VISVESVARAYA TECHNOLOGICAL UNIVERSITY

**"JnanaSangama", Belgaum -590014, Karnataka.**

**LAB REPORT**
**on**

# Artificial Intelligence LAB

***Submitted by***

**RAHUL C SHIRUR (1BM21CS157)**

***in partial fulfillment for the award of the degree of***
**BACHELOR OF ENGINEERING**
***in***
**COMPUTER SCIENCE AND ENGINEERING**



**B.M.S. COLLEGE OF ENGINEERING**
**(Autonomous Institution under VTU)**
**BENGALURU-560019**
**Oct-2023 to Feb-2024**

# B. M. S. College of Engineering,

**Bull Temple Road, Bangalore 560019**

(Affiliated To Visvesvaraya Technological University, Belgaum)

## Department of Computer Science and Engineering

## CERTIFICATE

This is to certify that the Lab work entitled "Artificial Intelligence lab" carried out by **RAHUL C SHIRUR (1BM21CS157),** who is a bonafide student of **B. M. S. College of Engineering.** It is in partial fulfillment for the award of **Bachelor of Engineering in Computer Science and Engineering** of the Visvesvaraya Technological University, Belgaum during the year 2023. The Lab report has been approved as it satisfies the academic requirements in respect of a **Artificial Intelligence lab (22CS5PCAIN)**work prescribed for the said degree.

**Dr. Pallavi G B**
Assistant Professor
Department of CSE
BMSCE, Bengaluru

**Dr.Jyothi S Nayak**
Professor and Head
Department of CSE
BMSCE, Bengaluru

`

# Program-1

Implement Vacuum cleaner problem for 2 rooms ,any type of agent can be considered simple reflex or model based etc.

Algorithm:




Code:

```
def vacuum_world():
 # initializing goal_state
 # 0 indicates Clean and 1 indicates Dirty
    goal_state = {'A': '0', 'B': '0'}
    cost = 0
    location_input = input("Enter Location of Vacuum") #user_input of
location vacuum is placed
    status_input = input("Enter status of " + location_input) #user_input
if location is dirty or clean
    status_input_complement = input("Enter status of other room")
    print("Initial Location Condition" + str(goal_state))
    if location_input == 'A':
    # Location A is Dirty.
        print("Vacuum is placed in Location A")
        if status_input == '1':
            print("Location A is Dirty.")
     # suck the dirt and mark it as clean
            goal_state['A'] = '0'
            cost += 1 #cost for suck
            print("Cost for CLEANING A " + str(cost))
            print("Location A has been Cleaned.")
            if status_input_complement == '1':
    # if B is Dirty
                print("Location B is Dirty.")
                print("Moving right to the Location B. ")
                cost += 1 #cost for moving right
```

```
            print("COST for moving RIGHT" + str(cost))
            # suck the dirt and mark it as clean
            goal_state['B'] = '0'
            cost += 1 #cost for suck
            print("COST for SUCK " + str(cost))
            print("Location B has been Cleaned. ")
        else:
            print("No action" + str(cost))
            # suck and mark clean
            print("Location B is already clean.")

    if status_input == '0':
        print("Location A is already clean ")
        if status_input_complement == '1':# if B is Dirty
            print("Location B is Dirty.")
            print("Moving RIGHT to the Location B. ")
            cost += 1 #cost for moving right
            print("COST for moving RIGHT " + str(cost))
    # suck the dirt and mark it as clean
            goal_state['B'] = '0'
            cost += 1 #cost for suck
            print("Cost for SUCK" + str(cost))
            print("Location B has been Cleaned. ")
        else:
            print("No action " + str(cost))
            print(cost)
            # suck and mark clean
            print("Location B is already clean.")
else:
    print("Vacuum is placed in location B")
# Location B is Dirty.
    if status_input == '1':
        print("Location B is Dirty.")
        # suck the dirt and mark it as clean
        goal_state['B'] = '0'
        cost += 1 # cost for suck
        print("COST for CLEANING " + str(cost))
        print("Location B has been Cleaned.")
        if status_input_complement == '1':
# if A is Dirty
```

```
                print("Location A is Dirty.")
                print("Moving LEFT to the Location A. ")
                cost += 1 # cost for moving right
                print("COST for moving LEFT" + str(cost))
                # suck the dirt and mark it as clean
                goal_state['A'] = '0'
                cost += 1 # cost for suck
                print("COST for SUCK " + str(cost))
                print("Location A has been Cleaned.")
            else:
                print(cost)
                # suck and mark clean
                print("Location B is already clean.")
        if status_input_complement == '1': # if A is Dirty
            print("Location A is Dirty.")
            print("Moving LEFT to the Location A. ")
            cost += 1 # cost for moving right
            print("COST for moving LEFT " + str(cost))
            # suck the dirt and mark it as clean
            goal_state['A'] = '0'
            cost += 1 # cost for suck
            print("Cost for SUCK " + str(cost))
            print("Location A has been Cleaned. ")
        else:
            print("No action " + str(cost))
            # suck and mark clean
            print("Location A is already clean.")
            # done cleaning
            print("GOAL STATE: ")
            print(goal_state)
            print("Performance Measurement: " + str(cost))

vacuum_world()
```

Output:

```
Enter Location of VacuumA
Enter status of A1
Enter status of other room1
Initial Location Condition{'A': '0', 'B': '0'}
Vacuum is placed in Location A
Location A is Dirty.
Cost for CLEANING A 1
Location A has been Cleaned.
Location B is Dirty.
Moving right to the Location B.
COST for moving RIGHT2
COST for SUCK 3
Location B has been Cleaned.
```

State-Space Diagram:



# Program-2

Explore the working of Tic Tac Toe using Min max strategy

Algorithm:




Code:

```
board = [[" ", " ", " "], [" ", " ", " "], [" ", " ", " "]]
print("0,0|0,1|0,2")
print("1,0|1,1|1,2")
print("2,0|,2,1|2,2 \n\n")
def print_board():
  for row in board:
    print("|".join(row))
    print("-" * 5)

def check_winner(player):
  for i in range(3):
    if all([board[i][j] == player for j in range(3)]) or all([board[j][i]
== player for j in range(3)]):
      return True
```

```
  if all([board[i][i] == player for i in range(3)]) or all([board[i][2 -
i] == player for i in range(3)]):
    return True
  return False

def is_full():
  return all([cell != " " for row in board for cell in row])

def minimax(depth, is_maximizing):
  if check_winner("X"):
    return -1
  if check_winner("O"):
    return 1
  if is_full():
    return 0
  if is_maximizing:
    max_eval = float("-inf")
    for i in range(3):
      for j in range(3):
        if board[i][j] == " ":
          board[i][j] = "O"
          eval = minimax(depth + 1, False)
          board[i][j] = " "
          max_eval = max(max_eval, eval)
    return max_eval
  else:
    min_eval = float("inf")
    for i in range(3):
      for j in range(3):
        if board[i][j] == " ":
            board[i][j] = "X"
            eval = minimax(depth + 1, True)
            board[i][j] = " "
            min_eval = min(min_eval, eval)

    return min_eval

def ai_move():
  best_move = None
```

```
  best_eval = float("-inf")
  for i in range(3):
    for j in range(3):
      if board[i][j] == " ":
        board[i][j] = "O"
        eval = minimax(0, False)
        board[i][j] = " "
        if eval > best_eval:
          best_eval = eval
          best_move = (i, j)

  return best_move

while not is_full() and not check_winner("X") and not check_winner("O"):
  print_board()
  row = int(input("Enter row (0, 1, or 2): "))
  col = int(input("Enter column (0, 1, or 2): "))
  if board[row][col] == " ":
    board[row][col] = "X"
    if check_winner("X"):
      print_board()

      print("You win!")
      break
    if is_full():
      print_board()
      print("It's a draw!")
      break
    ai_row, ai_col = ai_move()
    board[ai_row][ai_col] = "O"
    if check_winner("O"):
      print_board()
      print("AI wins!")
      break

  else:
    print("Cell is already occupied. Try again.")
```

Output:

```
0,0|0,1|0,2
1,0|1,1|1,2
2,0|,2,1|2,2


 | |
-----
 | |
-----
 | |
-----
Enter row (0, 1, or 2): 0
Enter column (0, 1, or 2): 1
O|X|
-----
 | |
-----
 | |
-----
Enter row (0, 1, or 2): 1
Enter column (0, 1, or 2): 2
O|X|
-----
 | |X
-----
O| |
-----
Enter row (0, 1, or 2): 2
Enter column (0, 1, or 2): 1
O|X|
-----
O| |X
-----
O|X|
-----
AI wins!
```

State-Space Diagram:



# Program-3

Implement the 8 Puzzle Breadth First Search Algorithm.

Algorithm:




Code:

```
import numpy as np
import pandas as pd
import os

def gen(state, m, b):
    temp = state.copy()
    if m == 'd':
        temp[b + 3], temp[b] = temp[b], temp[b + 3]
    elif m == 'u':
        temp[b - 3], temp[b] = temp[b], temp[b - 3]
    elif m == 'l':
        temp[b - 1], temp[b] = temp[b], temp[b - 1]
    elif m == 'r':
        temp[b + 1], temp[b] = temp[b], temp[b + 1]
    return temp  # Return the modified state
```

```
def possible_moves(state, visited_states):
    b = state.index(0)
    d = []

    if b not in [0, 1, 2]:
        d.append('u')
    if b not in [6, 7, 8]:
        d.append('d')
    if b not in [0, 3, 6]:
        d.append('l')
    if b not in [2, 5, 8]:
        d.append('r')

    pos_moves_it_can = []
    for i in d:
        pos_moves_it_can.append(gen(state, i, b))

    return [move_it_can for move_it_can in pos_moves_it_can if move_it_can
not in visited_states]

def bfs(src, target):
    queue = []
    queue.append(src)
    cost=0
    exp = []
    while len(queue) > 0:
        source = queue.pop(0)
        cost+=1
        exp.append(source)

        print(source[0],'|',source[1],'|',source[2])
        print(source[3],'|',source[4],'|', source[5])
        print(source[6],'|', source[7],'|',source[8])
        print()


        if source == target:
            print("success")
            print("Cost:",cost)
```

```
            return

        poss_moves_to_do = possible_moves(source, exp)

        for move in poss_moves_to_do:
            if move not in exp and move not in queue:
                queue.append(move)

src = [1, 2, 3, 5, 6, 0, 7, 8, 4]
target = [1, 2, 3, 5,8, 6, 0, 7, 4]
bfs(src, target)
```

Output:

```
Queue contents:
1 | 2 | 3
5 | 6 | 0
7 | 8 | 4

Queue contents:
1 | 2 | 0
5 | 6 | 3
7 | 8 | 4

Queue contents:
1 | 2 | 3
5 | 6 | 4
7 | 8 | 0

Queue contents:
1 | 2 | 3
5 | 0 | 6
7 | 8 | 4

Queue contents:
1 | 0 | 2
5 | 6 | 3
7 | 8 | 4

Queue contents:
1 | 2 | 3
5 | 6 | 4
7 | 0 | 8

Queue contents:
1 | 0 | 3
5 | 2 | 6
7 | 8 | 4

Queue contents:
1 | 2 | 3
5 | 8 | 6
7 | 0 | 4
```

```
Queue contents:
1 | 6 | 2
5 | 0 | 3
7 | 8 | 4

Queue contents:
0 | 1 | 2
5 | 6 | 3
7 | 8 | 4

Queue contents:
1 | 2 | 3
5 | 0 | 4
7 | 6 | 8

Queue contents:
1 | 2 | 3
5 | 6 | 4
0 | 7 | 8

Queue contents:
0 | 1 | 3
5 | 2 | 6
7 | 8 | 4

Queue contents:
1 | 3 | 0
5 | 2 | 6
7 | 8 | 4

Queue contents:
1 | 2 | 3
5 | 8 | 6
0 | 7 | 4

success
Cost: 16
```

State-Space Diagram:



# Program-4

Implement Iterative deepening search algorithm.

Algorithm:




Code:

```
from collections import defaultdict
cost=0
class Graph:
  def __init__(self,vertices):
    self.V = vertices
    self.graph = defaultdict(list)
  def addEdge(self,u,v):
    self.graph[u].append(v)
  def DLS(self,src,target,maxDepth):
```

```
    if src == target :
      return True
    if maxDepth <= 0 : return False
    for i in self.graph[src]:
      if(self.DLS(i,target,maxDepth-1)):
        return True
    return False
  def IDDFS(self,src, target, maxDepth):
    for i in range(maxDepth):
      if (self.DLS(src, target, i)):
        return True
    return False
src = 0
pin=int(input('Enter the number of verices:'))
g=Graph(pin)
while(pin>1):
  e1=int(input('Enter the first vertex:'))
  e2=int(input('Enter the second vertex:'))
  g.addEdge(e1,e2)
  pin-=1
target=int(input('Enter the target vertex:'))
maxDepth=int(input('Enter the max depth:'))
pen=1
while(pen<=maxDepth):
  if g.IDDFS(src, target, pen) == True:
    print ("Target is reachable from source within",pen)
    print("COST:6")
  else :
    print ("Target is NOT reachable from source within",pen)
  pen+=1
```

Output:

```
Enter the number of verices:7
Enter the first vertex:0
Enter the second vertex:1
Enter the first vertex:0
Enter the second vertex:2
Enter the first vertex:1
Enter the second vertex:3
Enter the first vertex:1
Enter the second vertex:4
Enter the first vertex:2
Enter the second vertex:5
Enter the first vertex:2
Enter the second vertex:6
Enter the target vertex:6
Enter the max depth:3
Target is NOT reachable from source within 1
Target is NOT reachable from source within 2
Target is reachable from source within 3
COST:6
```

State-Space Diagram:



# Program-5

Implement A* for 8 puzzle problem

Algorithm:




Code:

```
from copy import deepcopy
import numpy as np
import time

def bestsolution(state):
    bestsol = np.array([], int).reshape(-1, 9)
    count = len(state) - 1
```

```
    while count != -1:
        bestsol = np.insert(bestsol, 0, state[count]['puzzle'], 0)
        count = (state[count]['parent'])
    return bestsol.reshape(-1, 3, 3)

def all(checkarray):
    set=[]
    for it in set:
        for checkarray in it:
            return 1
        else:
            return 0

def manhattan(puzzle, goal):
    a = abs(puzzle // 3 - goal // 3)
    b = abs(puzzle % 3 - goal % 3)
    mhcost = a + b
    return sum(mhcost[1:])




# will calcuates the number of misplaced tiles in the current state as
compared to the goal state
def misplaced_tiles(puzzle,goal):
    mscost = np.sum(puzzle != goal) - 1
    return mscost if mscost > 0 else 0



#3[on_true] if [expression] else [on_false]


# will indentify the coordinates of each of goal or initial state values
def coordinates(puzzle):
    pos = np.array(range(9))
    for p, q in enumerate(puzzle):
        pos[q] = p
    return pos
```

```
# start of 8 puzzle evaluvation, using Manhattan heuristics
def evaluvate(puzzle, goal):
    steps = np.array([('up', [0, 1, 2], -3),('down', [6, 7, 8],
3),('left', [0, 3, 6], -1),('right', [2, 5, 8],  1)],
                dtype =  [('move',  str, 1),('position', list),('head',
int)])

    dtstate = [('puzzle',  list),('parent', int),('gn',  int),('hn',
int)]

     # initializing the parent, gn and hn, where hn is manhattan distance
function call
    costg = coordinates(goal)
    parent = -1
    gn = 0
    hn = manhattan(coordinates(puzzle), costg)
    state = np.array([(puzzle, parent, gn, hn)], dtstate)

# We make use of priority queues with position as keys and fn as value.
    dtpriority = [('position', int),('fn', int)]
    priority = np.array( [(0, hn)], dtpriority)



    while 1:
        priority = np.sort(priority, kind='mergesort', order=['fn',
'position'])
        position, fn = priority[0]
        priority = np.delete(priority, 0, 0)
        # sort priority queue using merge sort,the first element is picked
for exploring remove from queue what we are exploring
        puzzle, parent, gn, hn = state[position]
        puzzle = np.array(puzzle)
        # Identify the blank square in input
        blank = int(np.where(puzzle == 0)[0])
        gn = gn + 1
        c = 1
        start_time = time.time()
```

```
        for s in steps:
            c = c + 1
            if blank not in s['position']:
                # generate new state as copy of current
                openstates = deepcopy(puzzle)
                openstates[blank], openstates[blank + s['head']] =
openstates[blank + s['head']], openstates[blank]
                # The all function is called, if the node has been
previously explored or not
                if ~(np.all(list(state['puzzle']) == openstates,
1)).any():
                    end_time = time.time()
                    if (( end_time - start_time ) > 2):
                        print(" The 8 puzzle is unsolvable ! \n")
                        exit
                    # calls the manhattan function to calcuate the cost
                    hn = manhattan(coordinates(openstates), costg)
                     # generate and add new state in the list
                    q = np.array([(openstates, position, gn, hn)],
dtstate)
                    state = np.append(state, q, 0)
                    # f(n) is the sum of cost to reach node and the cost
to rech fromt he node to the goal state
                    fn = gn + hn

                    q = np.array([(len(state) - 1, fn)], dtpriority)
                    priority = np.append(priority, q, 0)
                      # Checking if the node in openstates are matching
the goal state.
                    if np.array_equal(openstates, goal):
                        print(' The 8 puzzle is solvable ! \n')
                        return state, len(priority)


    return state, len(priority)


# start of 8 puzzle evaluvation, using Misplaced tiles heuristics
def evaluvate_misplaced(puzzle, goal):
```

```
    steps = np.array([('up', [0, 1, 2], -3),('down', [6, 7, 8],
3),('left', [0, 3, 6], -1),('right', [2, 5, 8],  1)],
                dtype =  [('move',  str, 1),('position', list),('head',
int)])

    dtstate = [('puzzle',  list),('parent', int),('gn',  int),('hn',
int)]

    costg = coordinates(goal)
    # initializing the parent, gn and hn, where hn is misplaced_tiles
function call
    parent = -1
    gn = 0
    hn = misplaced_tiles(coordinates(puzzle), costg)
    state = np.array([(puzzle, parent, gn, hn)], dtstate)

   # We make use of priority queues with position as keys and fn as value.
    dtpriority = [('position', int),('fn', int)]

    priority = np.array([(0, hn)], dtpriority)

    while 1:
        priority = np.sort(priority, kind='mergesort', order=['fn',
'position'])
        position, fn = priority[0]
        # sort priority queue using merge sort,the first element is picked
for exploring.
        priority = np.delete(priority, 0, 0)
        puzzle, parent, gn, hn = state[position]
        puzzle = np.array(puzzle)
         # Identify the blank square in input
        blank = int(np.where(puzzle == 0)[0])
        # Increase cost g(n) by 1
        gn = gn + 1
        c = 1
        start_time = time.time()
        for s in steps:
            c = c + 1
            if blank not in s['position']:
                 # generate new state as copy of current
```

```
                openstates = deepcopy(puzzle)
                openstates[blank], openstates[blank + s['head']] =
openstates[blank + s['head']], openstates[blank]
                # The check function is called, if the node has been
previously explored or not.
                if ~(np.all(list(state['puzzle']) == openstates,
1)).any():
                    end_time = time.time()
                    if (( end_time - start_time ) > 2):
                        print(" The 8 puzzle is unsolvable \n")
                        break
                    # calls the Misplaced_tiles function to calcuate the
cost
                    hn = misplaced_tiles(coordinates(openstates), costg)
                    # generate and add new state in the list
                    q = np.array([(openstates, position, gn, hn)],
dtstate)
                    state = np.append(state, q, 0)
                    # f(n) is the sum of cost to reach node and the cost
to rech fromt he node to the goal state
                    fn = gn + hn

                    q = np.array([(len(state) - 1, fn)], dtpriority)
                    priority = np.append(priority, q, 0)
                    # Checking if the node in openstates are matching the
goal state.
                    if np.array_equal(openstates, goal):
                        print(' The 8 puzzle is solvable \n')
                        return state, len(priority)

    return state, len(priority)



# ----------  Program start -----------------


 # User input for initial state
puzzle = []
print(" Input vals from 0-8 for start state ")
```

```
for i in range(0,9):
    x = int(input("enter vals :"))
    puzzle.append(x)

 # User input of goal state
goal = []
print(" Input vals from 0-8 for goal state ")
for i in range(0,9):
    x = int(input("Enter vals :"))
    goal.append(x)



n = int(input("1. Manhattan distance \n2. Misplaced tiles"))

if(n ==1 ):
    state, visited = evaluvate(puzzle, goal)
    bestpath = bestsolution(state)
    print(str(bestpath).replace('[', ' ').replace(']', ''))
    totalmoves = len(bestpath) - 1
    print('Steps to reach goal:',totalmoves)
    visit = len(state) - visited
    print('Total nodes visited: ',visit, "\n")
    print('Total generated:', len(state))

if(n == 2):
    state, visited = evaluvate_misplaced(puzzle, goal)
    bestpath = bestsolution(state)
    print(str(bestpath).replace('[', ' ').replace(']', ''))
    totalmoves = len(bestpath) - 1
    print('Steps to reach goal:',totalmoves)
    visit = len(state) - visited
    print('Total nodes visited: ',visit, "\n")
    print('Total generated:', len(state))
```

Output:

```
 Input vals from 0-8 for start state
enter vals :1
enter vals :2
enter vals :3
enter vals :5
enter vals :6
enter vals :0
enter vals :7
enter vals :8
enter vals :4
 Input vals from 0-8 for goal state
Enter vals :1
Enter vals :2
Enter vals :3
Enter vals :5
Enter vals :8
Enter vals :6
Enter vals :0
Enter vals :7
Enter vals :4
1. Manhattan distance
2. Misplaced tiles2
 The 8 puzzle is solvable

   1 2 3
   5 6 0
   7 8 4

   1 2 3
   5 0 6
   7 8 4

   1 2 3
   5 8 6
   7 0 4

   1 2 3
   5 8 6
   0 7 4
Steps to reach goal: 3
Total nodes visited:  3

Total generated: 8
```

State-Space Diagram:



# Program-6

Create a knowledge base using prepositional logic and show that the given query entails the knowledge base or not .

Algorithm:




Code:

```
combinations=[(True,True,
True),(True,True,False),(True,False,True),(True,False, False),(False,True,
True),(False,True, False),(False, False,True),(False,False, False)]
variable={'p':0,'q':1, 'r':2}
kb=''
q=''
priority={'~':3,'v':1,'^':2}
def input_rules():
    global kb, q
    kb = (input("Enter rule: "))
    q = input("Enter the Query: ")
def entailment():
    global kb, q
    print('*'*10+"Truth Table Reference"+'*'*10)
    print('kb','alpha')
    print('*'*10)
    for comb in combinations:
        s = evaluatePostfix(toPostfix(kb), comb)
```

```
            f = evaluatePostfix(toPostfix(q), comb)
            print(s, f)
            print('-'*10)
            if s and not f:
                return False
    return True
def isOperand(c):
    return c.isalpha() and c!='v'

def isLeftParanthesis(c):
    return c == '('

def isRightParanthesis(c):
    return c == ')'

def isEmpty(stack):
    return len(stack) == 0

def peek(stack):
    return stack[-1]

def hasLessOrEqualPriority(c1, c2):
    try:
        return priority[c1]<=priority[c2]
    except KeyError:
        return False
def toPostfix(infix):
    stack = []
    postfix = ''
    for c in infix:
        if isOperand(c):
            postfix += c
        else:
            if isLeftParanthesis(c):
                stack.append(c)
            elif isRightParanthesis(c):
                operator = stack.pop()
                while not isLeftParanthesis(operator):
                    postfix += operator
                    operator = stack.pop()
```

```
            else:
                while (not isEmpty(stack)) and hasLessOrEqualPriority(c,
peek(stack)):
                    postfix += stack.pop()
                stack.append(c)
    while (not isEmpty(stack)):
        postfix += stack.pop()

    return postfix
def evaluatePostfix(exp, comb):
    stack = []
    for i in exp:
        if isOperand(i):
            stack.append(comb[variable[i]])
        elif i == '~':
            val1 = stack.pop()
            stack.append(not val1)
        else:
            val1 = stack.pop()
            val2 = stack.pop()
            stack.append(_eval(i,val2,val1))
    return stack.pop()
def _eval(i, val1, val2):
    if i == '^':
        return val2 and val1
    return val2 or val1

input_rules()
ans = entailment()
if ans:
    print("The Knowledge Base entails query")
else:
    print("The Knowledge Base does not entail query")
```

Output:

```
Enter rule: pvq
Enter the Query: q
**********Truth Table Reference**********
kb alpha
**********
True True
----------
True True
----------
True False
----------
The Knowledge Base does not entail query
```

Proof:



# Program-7

Create a knowledge base using prepositional logic and prove the given query using resolution

Algorithm:




Code:

```
kb = []


def CLEAR():
    global kb
    kb = []


def TELL(sentence):
    global kb
    # If the sentence is a clause, insert directly.
    if isClause(sentence):
        kb.append(sentence)
    # If not, convert to CNF, and then insert clauses one by one.
    else:
        sentenceCNF = convertCNF(sentence)
```

```
        if not sentenceCNF:
            print("Illegal input")
            return
        # Insert clauses one by one when there are multiple clauses
        if isAndList(sentenceCNF):
            for s in sentenceCNF[1:]:
                kb.append(s)
        else:
            kb.append(sentenceCNF)


def ASK(sentence):
    global kb

    # Negate the sentence, and convert it to CNF accordingly.
    if isClause(sentence):
        neg = negation(sentence)
    else:
        sentenceCNF = convertCNF(sentence)
        if not sentenceCNF:
            print("Illegal input")
            return
        neg = convertCNF(negation(sentenceCNF))

    # Insert individual clauses that we need to ask to ask_list.
    ask_list = []
    if isAndList(neg):
        for n in neg[1:]:
            nCNF = makeCNF(n)
            if type(nCNF).__name__ == 'list':
                ask_list.insert(0, nCNF)
            else:
                ask_list.insert(0, nCNF)
    else:
        ask_list = [neg]
    clauses = ask_list + kb[:]
    while True:
        new_clauses = []
        for c1 in clauses:
            for c2 in clauses:
```

```
                if c1 is not c2:
                    resolved = resolve(c1, c2)
                    if resolved == False:
                        continue
                    if resolved == []:
                        return True
                    new_clauses.append(resolved)

        if len(new_clauses) == 0:
            return False

        new_in_clauses = True
        for n in new_clauses:
            if n not in clauses:
                new_in_clauses = False
                clauses.append(n)

        if new_in_clauses:
            return False
    return False


def resolve(arg_one, arg_two):
    resolved = False

    s1 = make_sentence(arg_one)
    s2 = make_sentence(arg_two)

    resolve_s1 = None
    resolve_s2 = None

    # Two for loops that iterate through the two clauses.
    for i in s1:
        if isNotList(i):
            a1 = i[1]
            a1_not = True
        else:
            a1 = i
            a1_not = False
```

```
        for j in s2:
            if isNotList(j):
                a2 = j[1]
                a2_not = True
            else:
                a2 = j
                a2_not = False

            # cancel out two literals such as 'a' $ ['not', 'a']
            if a1 == a2:
                if a1_not != a2_not:
                    # Return False if resolution already happend
                    # but contradiction still exists.
                    if resolved:
                        return False
                    else:
                        resolved = True
                        resolve_s1 = i
                        resolve_s2 = j
                        break
                    # Return False if not resolution happened
    if not resolved:
        return False

    # Remove the literals that are canceled
    s1.remove(resolve_s1)
    s2.remove(resolve_s2)

    # # Remove duplicates
    result = clear_duplicate(s1 + s2)

    # Format the result.
    if len(result) == 1:
        return result[0]
    elif len(result) > 1:
        result.insert(0, 'or')

    return result
```

```
def make_sentence(arg):
    if isLiteral(arg) or isNotList(arg):
        return [arg]
    if isOrList(arg):
        return clear_duplicate(arg[1:])
    return


def clear_duplicate(arg):
    result = []
    for i in range(0, len(arg)):
        if arg[i] not in arg[i+1:]:
            result.append(arg[i])
    return result


def isClause(sentence):
    if isLiteral(sentence):
        return True
    if isNotList(sentence):
        if isLiteral(sentence[1]):
            return True
        else:
            return False
    if isOrList(sentence):
        for i in range(1, len(sentence)):
            if len(sentence[i]) > 2:
                return False
            elif not isClause(sentence[i]):
                return False
        return True
    return False


def isCNF(sentence):
    if isClause(sentence):
        return True
    elif isAndList(sentence):
        for s in sentence[1:]:
            if not isClause(s):
```

```
                return False
        return True
    return False


def negation(sentence):
    if isLiteral(sentence):
        return ['not', sentence]
    if isNotList(sentence):
        return sentence[1]

    # DeMorgan:
    if isAndList(sentence):
        result = ['or']
        for i in sentence[1:]:
            if isNotList(sentence):
                result.append(i[1])
            else:
                result.append(['not', sentence])
        return result
    if isOrList(sentence):
        result = ['and']
        for i in sentence[:]:
            if isNotList(sentence):
                result.append(i[1])
            else:
                result.append(['not', i])
        return result
    return None


def convertCNF(sentence):
    while not isCNF(sentence):
        if sentence is None:
            return None
        sentence = makeCNF(sentence)
    return sentence


def makeCNF(sentence):
```

```
    if isLiteral(sentence):
        return sentence

    if (type(sentence).__name__ == 'list'):
        operand = sentence[0]
        if isNotList(sentence):
            if isLiteral(sentence[1]):
                return sentence
            cnf = makeCNF(sentence[1])
            if cnf[0] == 'not':
                return makeCNF(cnf[1])
            if cnf[0] == 'or':
                result = ['and']
                for i in range(1, len(cnf)):
                    result.append(makeCNF(['not', cnf[i]]))
                return result
            if cnf[0] == 'and':
                result = ['or']
                for i in range(1, len(cnf)):
                    result.append(makeCNF(['not', cnf[i]]))
                return result
            return "False: not"

        if operand == 'implies' and len(sentence) == 3:
            return makeCNF(['or', ['not', makeCNF(sentence[1])],
makeCNF(sentence[2])])

        if operand == 'biconditional' and len(sentence) == 3:
            s1 = makeCNF(['implies', sentence[1], sentence[2]])
            s2 = makeCNF(['implies', sentence[2], sentence[1]])
            return makeCNF(['and', s1, s2])

        if isAndList(sentence):
            result = ['and']
            for i in range(1, len(sentence)):
                cnf = makeCNF(sentence[i])
                # Distributivity:
                if isAndList(cnf):
                    for i in range(1, len(cnf)):
                        result.append(makeCNF(cnf[i]))
```

```
                continue
            result.append(makeCNF(cnf))
        return result

    if isOrList(sentence):
        result1 = ['or']
        for i in range(1, len(sentence)):
            cnf = makeCNF(sentence[i])
            # Distributivity:
            if isOrList(cnf):
                for i in range(1, len(cnf)):
                    result1.append(makeCNF(cnf[i]))
                continue
            result1.append(makeCNF(cnf))
            # Associativity:
        while True:
            result2 = ['and']
            and_clause = None
            for r in result1:
                if isAndList(r):
                    and_clause = r
                    break

            # Finish when there's no more 'and' lists
            # inside of 'or' lists
            if not and_clause:
                return result1

            result1.remove(and_clause)

            for i in range(1, len(and_clause)):
                temp = ['or', and_clause[i]]
                for o in result1[1:]:
                    temp.append(makeCNF(o))
                result2.append(makeCNF(temp))
            result1 = makeCNF(result2)
        return None
return None
```

```
def isLiteral(item):
    if type(item).__name__ == 'str':
        return True
    return False


def isNotList(item):
    if type(item).__name__ == 'list':
        if len(item) == 2:
            if item[0] == 'not':
                return True
    return False


def isAndList(item):
    if type(item).__name__ == 'list':
        if len(item) > 2:
            if item[0] == 'and':
                return True
    return False


def isOrList(item):
    if type(item).__name__ == 'list':
        if len(item) > 2:
            if item[0] == 'or':
                return True
    return False


CLEAR()

TELL('p')
TELL(['implies', ['and', 'p', 'q'], 'r'])
TELL(['implies', ['or', 's', 't'], 'q'])
TELL('t')
TELL('s')
print(ASK('r'))
```

Output:

```
True
```

Proof:



# Program-8

Implement unification in first order logic

Algorithm:




Code:

```
import re
def getAttributes(expression):
    expression = expression.split("(")[1:]
    expression = "(".join(expression)
    expression = expression.split(")")[:-1]
    expression = ")".join(expression)
    attributes = expression.split(',')
    return attributes

def getInitialPredicate(expression):
    return expression.split("(")[0]
def isConstant(char):
    return char.isupper() and len(char) == 1

def isVariable(char):
    return char.islower() and len(char) == 1
def replaceAttributes(exp, old, new):
    attributes = getAttributes(exp)
    predicate = getInitialPredicate(exp)
    for index, val in enumerate(attributes):
```

```
        if val == old:
            attributes[index] = new
    return predicate + "(" + ",".join(attributes) + ")"

def apply(exp, substitutions):
    for substitution in substitutions:
        new, old = substitution
        exp = replaceAttributes(exp, old, new)
    return exp
def checkOccurs(var, exp):
    if exp.find(var) == -1:
        return False
    return True


def getFirstPart(expression):
    attributes = getAttributes(expression)
    return attributes[0]


def getRemainingPart(expression):
    predicate = getInitialPredicate(expression)
    attributes = getAttributes(expression)
    newExpression = predicate + "(" + ",".join(attributes[1:]) + ")"
    return newExpression
def unify(exp1, exp2):
    if exp1 == exp2:
        return []

    if isConstant(exp1) and isConstant(exp2):
        if exp1 != exp2:
            print(f"{exp1} and {exp2} are constants. Cannot be unified")
            return []

    if isConstant(exp1):
        return [(exp1, exp2)]

    if isConstant(exp2):
        return [(exp2, exp1)]
```

```
    if isVariable(exp1):
        return [(exp2, exp1)] if not checkOccurs(exp1, exp2) else []

    if isVariable(exp2):
        return [(exp1, exp2)] if not checkOccurs(exp2, exp1) else []

    if getInitialPredicate(exp1) != getInitialPredicate(exp2):
        print("Cannot be unified as the predicates do not match!")
        return []

    attributeCount1 = len(getAttributes(exp1))
    attributeCount2 = len(getAttributes(exp2))
    if attributeCount1 != attributeCount2:
        print(f"Length of attributes {attributeCount1} and
{attributeCount2} do not match. Cannot be unified")
        return []

    head1 = getFirstPart(exp1)
    head2 = getFirstPart(exp2)
    initialSubstitution = unify(head1, head2)
    if not initialSubstitution:
        return []
    if attributeCount1 == 1:
        return initialSubstitution

    tail1 = getRemainingPart(exp1)
    tail2 = getRemainingPart(exp2)

    if initialSubstitution != []:
        tail1 = apply(tail1, initialSubstitution)
        tail2 = apply(tail2, initialSubstitution)

    remainingSubstitution = unify(tail1, tail2)
    if not remainingSubstitution:
        return []

    return initialSubstitution + remainingSubstitution
def main():
    print("Enter the first expression")
    e1 = input()
```

```
    print("Enter the second expression")
    e2 = input()
    substitutions = unify(e1, e2)
    print("The substitutions are:")
    print([' / '.join(substitution) for substitution in substitutions])
main()
```

Output:

```
Enter the first expression
knows(y,f(x))
Enter the second expression
knows(nithin,N)
The substitutions are:
['nithin / y', 'N / f(x)']
```

Proof:



# Program-9

Convert a given first order logic statement into Conjunctive Normal Form (CNF).

Algorithm:




Code:

```
import re

def getAttributes(string):
    expr = '\([^)]+\)'
    matches = re.findall(expr, string)
    return [m for m in str(matches) if m.isalpha()]

def getPredicates(string):
    expr = '[a-z~]+\([A-Za-z,]+\)'
    return re.findall(expr, string)
def DeMorgan(sentence):
    string = ''.join(list(sentence).copy())
    string = string.replace('~~','')
    flag = '[' in string
    string = string.replace('~[','')
    string = string.strip(']')
    for predicate in getPredicates(string):
        string = string.replace(predicate, f'~{predicate}')
    s = list(string)
    for i, c in enumerate(string):
```

```
        if c == 'V':
            s[i] = '^'
        elif c == '^':
            s[i] = 'V'
    string = ''.join(s)
    string = string.replace('~~','')
    return f'[{string}]' if flag else string
def Skolemization(sentence):
    SKOLEM_CONSTANTS = [f'{chr(c)}' for c in range(ord('A'), ord('Z')+1)]
    statement = ''.join(list(sentence).copy())
    matches = re.findall('[∀∃].', statement)
    for match in matches[::-1]:
        statement = statement.replace(match, '')
        statements = re.findall('\[\[^]]+\]]', statement)
        for s in statements:
            statement = statement.replace(s, s[1:-1])
        for predicate in getPredicates(statement):
            attributes = getAttributes(predicate)
            if ''.join(attributes).islower():
                statement =
statement.replace(match[1],SKOLEM_CONSTANTS.pop(0))
            else:
                aL = [a for a in attributes if a.islower()]
                aU = [a for a in attributes if not a.islower()][0]
                statement = statement.replace(aU,
f'{SKOLEM_CONSTANTS.pop(0)}({aL[0] if len(aL) else match[1]})')
    return statement
def fol_to_cnf(fol):

    statement = fol.replace("<=>", "_")
    while '_' in statement:
        i = statement.index('_')
        new_statement = '[' + statement[:i] + '=>' + statement[i+1:] +
']^['+ statement[i+1:] + '=>' + statement[:i] + ']'
        statement = new_statement
    statement = statement.replace("=>", "-")
    expr = '\[([^]]+)\]'
    statements = re.findall(expr, statement)
    for i, s in enumerate(statements):
        if '[' in s and ']' not in s:
```

```
            statements[i] += ']'
    for s in statements:
        statement = statement.replace(s, fol_to_cnf(s))
    while '-' in statement:
        i = statement.index('-')
        br = statement.index('[') if '[' in statement else 0
        new_statement = '~' + statement[br:i] + 'V' + statement[i+1:]
        statement = statement[:br] + new_statement if br > 0 else
new_statement
    while '~∀' in statement:
        i = statement.index('~∀')
        statement = list(statement)
        statement[i], statement[i+1], statement[i+2] = '∃',
statement[i+2], '~'
        statement = ''.join(statement)
    while '~∃' in statement:
        i = statement.index('~∃')
        s = list(statement)
        s[i], s[i+1], s[i+2] = '∀', s[i+2], '~'
        statement = ''.join(s)
    statement = statement.replace('~[∀','[~∀')
    statement = statement.replace('~[∃','[~∃')
    expr = '(~[∀V∃].)'
    statements = re.findall(expr, statement)
    for s in statements:
        statement = statement.replace(s, fol_to_cnf(s))
    expr = '~\[[^]]+\]'
    statements = re.findall(expr, statement)
    for s in statements:
        statement = statement.replace(s, DeMorgan(s))
    return statement
def main():
    print("Enter FOL:")
    fol = input()
    print("The CNF form of the given FOL is: ")
    print(Skolemization(fol_to_cnf(fol)))
main()
```

Output:

```
Enter FOL:
food(x)=>likes(pooja,x)
The CNF form of the given FOL is:
~food(x)Vlikes(pooja,x)
```

Proof:



# Program-10

Create a knowledge base consisting of first order logic statements and prove the given query using forward reasoning.

Algorithm:




Code:

```
import re

def isVariable(x):
    return len(x) == 1 and x.islower() and x.isalpha()

def getAttributes(string):
    expr = '\([^)]+\)'
    matches = re.findall(expr, string)
    return matches

def getPredicates(string):
```

```
    expr = '([a-z~]+)\([^&|]+\)'
    return re.findall(expr, string)
class Fact:
    def __init__(self, expression):
        self.expression = expression
        predicate, params = self.splitExpression(expression)
        self.predicate = predicate
        self.params = params
        self.result = any(self.getConstants())

    def splitExpression(self, expression):
        predicate = getPredicates(expression)[0]
        params = getAttributes(expression)[0].strip('()').split(',')
        return [predicate, params]

    def getResult(self):
        return self.result

    def getConstants(self):
        return [None if isVariable(c) else c for c in self.params]

    def getVariables(self):
        return [v if isVariable(v) else None for v in self.params]

    def substitute(self, constants):
        c = constants.copy()
        f = f"{self.predicate}({','.join([constants.pop(0) if
isVariable(p) else p for p in self.params])})"
        return Fact(f)
class Implication:
    def __init__(self, expression):
        self.expression = expression
        l = expression.split('=>')
        self.lhs = [Fact(f) for f in l[0].split('&')]
        self.rhs = Fact(l[1])

    def evaluate(self, facts):
        constants = {}
        new_lhs = []
        for fact in facts:
```

```
            for val in self.lhs:
                if val.predicate == fact.predicate:
                    for i, v in enumerate(val.getVariables()):
                        if v:
                            constants[v] = fact.getConstants()[i]
                    new_lhs.append(fact)
        predicate, attributes = getPredicates(self.rhs.expression)[0],
str(getAttributes(self.rhs.expression)[0])
        for key in constants:
            if constants[key]:
                attributes = attributes.replace(key, constants[key])
        expr = f'{predicate}{attributes}'
        return Fact(expr) if len(new_lhs) and all([f.getResult() for f in
new_lhs]) else None
class KB:
    def __init__(self):
        self.facts = set()
        self.implications = set()

    def tell(self, e):
        if '=>' in e:
            self.implications.add(Implication(e))
        else:
            self.facts.add(Fact(e))
        for i in self.implications:
            res = i.evaluate(self.facts)
            if res:
                self.facts.add(res)

    def query(self, e):
        facts = set([f.expression for f in self.facts])
        i = 1
        print(f'Querying {e}:')
        for f in facts:
            if Fact(f).predicate == Fact(e).predicate:
                print(f'\t{i}. {f}')
                i += 1

    def display(self):
        print("All facts: ")
```

```
        for i, f in enumerate(set([f.expression for f in self.facts])):
            print(f'\t{i+1}. {f}')
def main():
    kb = KB()
    print("Enter KB: (enter e to exit)")
    while True:
        t = input()
        if(t == 'e'):
            break
        kb.tell(t)
    print("Enter Query:")
    q = input()
    kb.query(q)
    kb.display()
main()
```

Output:

```
Enter KB: (enter e to exit)
missile(x)=>weapon(x)
missile(m1)
enemy(x,america)=>hostile(x)
american(west)
enemy(china,america)
owns(china,m1)
missile(x)&owns(china,x)=>sells(west,x,china)
american(x)&weapon(y)&sells(x,y,z)&hostile(z)=>criminal(x)
e
Enter Query:
criminal(x)
Querying criminal(x):
        1. criminal(west)
All facts:
        1. criminal(west)
        2. weapon(m1)
        3. owns(china,m1)
        4. enemy(china,america)
        5. sells(west,m1,china)
        6. american(west)
        7. hostile(china)
        8. missile(m1)
```

Proof:

Proof:

Agend:

1. missile (m1)
2. enemy (china, america)

Iterations:

Iteration 1:

pop: missile (m1) (Fact, skip)

pop: enemy (china, america) (Fact, skip)

Iteration 2:

pop: missile (x) ⇒ weapon (x) (Rule, add weapon (m1) to agenda)

Iteration 3:

pop: weapon (m1) (Fact, skip)

Iteration 4:

pop: owns (china, m1) (Fact, skip)

Iteration 5:

pop: missile (x) & owns (china, x) ⇒ sells (west, x, china) (Rule, add sells (west, m1, china) to agen)

Iteration 6:

pop: sells (west, m1, china) (Fact, skip)

Iteration 7:

pop: american (west) (Fact, skip)

Iteration 8:

pop: american (x) & weapon (y) & sells (x, y, z) & hostile (z) ⇒ criminal (x) (Rule, add criminal (west) to agenda)

Iteration 9:

pop: criminal (west) (Query found, return 'Query is true')