AI agents
The name is Bond

AI training workshop
Rahul Dave


An agent works with a model and tools

An agent uses a model and tools to do a task.

Tool results can guide its next action.

A tool can search a document, calculate a result, or change a file.


A tool returns a result



A calculator returns a number that the model can use.

Diagram: Jay Alammar and Maarten Grootendorst, from the original teaching deck

Results become the next input



The tool result joins the context.

The model can request another action.

Figure from Rahul Dave's original teaching deck, slide 51

Fixed steps and agent choices

Defined workflow	Agent
The steps follow a set order.	The model selects a next action.
Retrieve, extract, then check.	Search again when evidence is missing.

A workflow can include an agent.

The Credcore comparison task

Compare protections across three agreements.
Return a table with supporting passages.

Simplified request from a saved run. The original contracts were not rechecked.

The recorded search sequence

Reported turn	Tool purpose	Reported result
1	Find the documents	One matching entry for each filename
2 to 4	Search each document summary	Matches for the requested protections
5 to 6	Search original passages	More detailed supporting text

The source records a six-turn account, rather than the raw tool outputs.

Follow-up searches for evidence

Initial search	Find a summary of the requested protection.
Follow-up	Find original passages and related definitions.


The saved run reports follow-up searches in turns 5 and 6.

An answer needs source locations

Document	Reported section	Page
Aurora	6.05. Limitation on Restricted Payments	196
Evergreen	12.01. Amendments and Waivers	131
Flexera	11.09. Release of Guarantors	276

Source locations listed in the saved answer

A detail can remain unresolved



The answer leaves a missing amount unresolved.

A separate saved Credcore example

Screenshot from Rahul Dave's original teaching deck, slide 53

Review in the extraction workflow

Extract	The model returns an answer with source locations.
Check	A second model compares it with the source text.
Review	A person checks errors and unresolved points.

Stages described in the Credcore extraction notes

Permissions for a document agent

May proceed	Needs approval
Read approved documents	Change a document
Search approved sources	Send a message to another person
Draft a comparison	Publish the result

Example limits. The software must enforce them.

Stopping conditions

Pause when a required source is missing.

Stop after the agreed search limit.

Ask a person when sources conflict.

Define the limits before a run starts.

The next action

Context	The booking summary lists 12 May.
New result	A later addendum reports a changed date.
Decision	Choose the next action and a stopping rule.

Four minutes in pairs. The agent may read and draft. Sending needs approval.

A task with clear limits

Task	Compare the approved documents.
Tools	Read and search those documents.
Evidence	Keep passages and source locations.
Review	Return a draft for a person to check.

Next session. Choose an experiment for your own work.

Sources and further reading

Rahul Dave's teaching deck and Credcore notes

Saved Credcore comparison

Alammar and Grootendorst, Hands-On Large Language Models

Point32 agent controls

Anthropic, Building effective agents