Functional Specification Document (FSD)

Implement Client Script & UI Policy (Incident)

Document Information

• Project Title: Implement Client Script & UI Policy (Incident)

• Platform: ServiceNow

• Table: Incident

• Project Lead: Rahul

• UAT / Final Report: Dakshanraj

• UI Policy: Dinesh Kumar

• Client Scripts: Abisheknathan

1. Document Control & Revision History

1.1 Revision History

Version	Description
1.0	Initial complete project specification

1.2 Document Approvals & Sign-Off Matrix

Area	Owner
Architecture	Rahul
UI Policy	Dinesh Kumar
Client Scripts	Abisheknathan
UAT	Dakshanraj

1.3 Referenced Architectural & Governance Baselines

Project PDF specification, team objective screenshot and repository requirements.

2. Executive Summary & Project Purpose

2.1 Business Context & Problem Statement

Manual Incident data entry can create incomplete or inconsistent records.

2.2 Core Automation Objectives

Enforce mandatory/read-only rules, automate Urgency, clear dependent fields, warn on Critical Priority and prevent invalid saves/list edits.

2.3 Project Scope Boundaries

The project focuses on client-side Incident form/list controls. It does not replace ACLs or server-side validation.

3. System Overview & Technology Stack

3.1 Enterprise Platform Architecture

Incident Form/List → UI Policy + Client Scripts → Incident Record.

3.2 Technology Stack Specifications

ServiceNow Incident, UI Policies, UI Policy Actions, Client Scripts and standard g_form APIs.

4. Functional Requirements Traceability Matrix (FRTM)

ID	Requirement	Artifact
FR-01	Short description validation	onSubmit
FR-02	Subcategory clear on Category change	onChange
FR-03	Critical Priority warning	onChange
FR-04	Assignment group mandatory for High Impact	UI Policy
FR-05	Urgency read-only for High Impact	UI Policy Action
FR-06	Urgency auto-set for High Impact	onChange
FR-07	Assigned To required for High Impact	onSubmit

ID	Requirement	Artifact
FR-08	State list edit blocked	onCellEdit

5. Business Process Flows & Swimlane Diagrams

5.1 AS-IS Manual Process Flow

```
User enters fields → User remembers rules → Submit → Error/rework if invalid
```

5.2 TO-BE Client-Controlled Process Flow

```
User enters fields → Client rules respond immediately → Submit validation → Valid save
```

6. Incident Form Design & Field Specifications

6.1 Incident Table Master Metadata (incident)

Target table is Incident.

6.2 Incident Field Dictionary

Key fields: short_description, category, subcategory, impact, urgency, priority, assignment_group, assigned_to, state.

6.3 UI Policies (sys_ui_policy)

UI Policy 1: High Impact Control

Condition Impact = High; Assignment group mandatory; Urgency read-only; Reverse if false.

6.4 Client Scripts (sys_script_client)

Script 1: Incident Form Guidance (onload_incident_guidance)

Initial form guidance.

Script 2: Clear Subcategory (onchange_category_clear_subcategory)

Clears dependent value.

Script 3: Auto Set Urgency (onchange_impact_set_urgency)

Sets urgency to High.

Script 4: Critical Priority Warning (onchange_priority_critical_warning)

Displays warning.

Script 5: Incident Save Validation (onsubmit_incident_validation)

Validates Short description and Assigned To.

Script 6: State List Edit Protection (oncelledit_block_state_list_edit)

Blocks direct list State editing.

7. Client-Side Technical Specification

7.1 UI Policy Condition Configuration

Impact is 1 - High.

7.2 Action Execution Sequence Matrix

Event	Action
Impact = High	Assignment group mandatory, Urgency read-only
Impact = not High	Reverse policy actions
Category change	Clear Subcategory
Impact change to High	Set Urgency High
Priority = Critical	Warn
Submit	Validate
State list edit	Block

8. Data Dictionary & Entity Relationship Model

8.1 Entity Relationship Diagram (ERD)

Incident references sys_user and sys_user_group.

8.2 Detailed Data Dictionary

Documented in the requirements and implementation artifacts.

9. Security, Roles, and Access Control (ACL) Matrix

9.1 Role Hierarchy & Functional Definitions

Users interact with Incidents according to their assigned ServiceNow roles.

9.2 Access Control List (ACL) Matrix

Client scripts are not a security boundary; ACLs remain authoritative.

9.3 Form Control Governance

UI Policies improve data quality but should be backed by server-side rules for security-critical requirements.

10. User Guidance & Message Templates

10.1 High Impact Information

Urgency set to High for High-impact Incident.

10.2 Critical Priority Warning

Verify Impact, Urgency and Assignment Group.

10.3 Save Validation Error

Short description is mandatory.

10.4 Assigned To Error

Assigned To is mandatory for High impact incidents.

11. Error & Exception Handling Framework

11.1 Client Validation Architecture

Invalid form state returns false from onSubmit.

11.2 List Edit Protection

onCellEdit calls callback(false).

11.3 Specific Operational Exception Scenarios & Recovery Procedures

Scenario 1: Missing Short Description

Correct the field and resubmit.

Scenario 2: High Impact Without Assigned To

Select Assigned To and resubmit.

Scenario 3: State edited from list

Open the Incident form and update State there.

12. Appendix & Glossary of ServiceNow Terms

12.1 Glossary of Terms

UI Policy, UI Policy Action, Client Script, onChange, onSubmit, onCellEdit, Incident.

12.2 Platform System Properties Configuration

No special system property is required for the core implementation.