

UI Policy Specification - High Impact Control

Project: Implement Client Script & UI Policy (Incident)

Document Reference: PRJ-INC-P5-001

Milestone: M4 - Implementation

Owner: Dinesh Kumar

Status: Submission Ready

1. UI Policy Header

Field	Value
Table	Incident [incident]
Short description	High Impact Control
Active	true
Global	true
On load	true
Reverse if false	true
Run scripts	false
UI Policy condition	[Impact] [is] [1 - High] (encoded: impact=1^EQ)

2. UI Policy Actions

#	Field name	Mandatory	Visible	Read only
1	Assigned to (assigned_to)	True	Leave alone	Leave alone
2	Assignment group (assignment_group)	True	Leave alone	Leave alone
3	Urgency (urgency)	Leave alone	Leave alone	True

3. Runtime Behaviour

Impact value	Assigned to	Assignment group	Urgency
1 - High	Mandatory	Mandatory	Read-only (set to High by script)
2 - Medium	Optional	Optional	Editable
3 - Low	Optional	Optional	Editable

4. Notes

- Because *Reverse if false* is enabled, no second policy is needed for the “not High” case.
- Machine-readable definition: `ui_policy_high_impact_control.json`. Creation script: `scripts/setup_ui_policy.js`.