INDIAN INSTITUTE OF INFORMATION TECHNOLOGY SONEPAT



APPLICATION PROGRAMMING LAB FILE

BY- RAHUL JAGLAN BRANCH - CSE ROLL NO - 11911051

Creating a HTML Web page form

PROCEDURE


- Create a HTML file
- > Use form element for creating a form.
- ➤ Under form element create various input elements.
- > Create a submit button for submitting the form.

```
<!DOCTYPE html>
<html>
<head>
       <title>Registration Page</title>
       <style type="text/css">
              * {box-sizing: border-box
.container {
 padding: 16px;
 margin: auto;
text-align: center;
}
input[type=text], input[type=password],input[type="email"] {
 width: 50%;
 padding: 15px;
 margin: 5px 0 22px 0;
 display: inline-block;
 border: none;
```

```
background: #C0C0C0;
}
input[type=text]:focus, input[type=password]:focus,input[type="email"]:focus {
background-color: #ddd;
outline: none;
}
hr {
border: 1px solid #00FF00;
margin-bottom: 25px;
}
#registerbtn {
background-color: blue;
 color: white;
 padding: 16px 20px;
 margin: 8px 0;
 border: none;
 cursor: pointer;
width: 100%;
 opacity: 0.9;
#registerbtn:hover {
opacity:1;
}
       </style>
</head>
<body>
       <form>
```

```
<div class="container">
                    <h1>Register</h1>
                    <hr>
                    Name: <input type="text" id="name" placeholder="Enter your name"
name="name"><br>
                    City: <input type="text" placeholder="Enter your name"
name="name"><br>
                    Email: <input type="email" placeholder="Enter your mail address"
name="mail"><br>
                    Password: <input type="password" placeholder="Enter the password"
name="pwd"><br>
                    Gender:<br>
                    Male<input type="radio" name="gender">
                    Female<input type="radio" name="gender">
                    Others<input type="radio" name="gender"><br>
             </div>
              <div >
                    <button type="submit" id="registerbtn">Register/button>
              </div>
      </form>
</div>
</body>
<script type="text/javascript">
      document.getElementById("registerbtn").addEventListener("click",function(e){
var fieldValue=document.getElementById("name").value;
if(fieldValue==null | | fieldValue== ""){
e.preventDefault();
alert("you must enter a username");
```

```
}
});
</script>
</html>
```





Creating Web Page using Html

а

PROCEDURE

```
<!DOCTYPE html>
<html>
<head>
      <title></title>
      <style type="text/css">
           body{
                 background-image: linear-
gradient(90deg,rgba(0,0,255,0),rgba(0,0,255,1))
           h2{
                 color: #4682B4;
      </style>
</head>
<body>
<h2>Contact NO-9588551992</h2>
<h2>Email-rahuljaglan035@gmail.com</h2>
</body>
</html>
```

```
<!DOCTYPE html>
<html>
<head>
     <title></title>
     <style type="text/css">
           body{
                 background-image:
           }
           h1{
                 color:blue;
                 font-size: 45px
     </style>
</head>
<body>
<h1>APPLICATION PROGRAMMING</h1>
</body>
</html>
                  home_page
<!DOCTYPE html>
<html>
<head>
```

```
<title>Assignment</title>
</head>
<frameset rows="20%,60%,20%">
      <frame src="top.html">
      <frame src="a.html">
      <frame src="b.html">
</frameset>
<body>
</body>
</html>
                           top
<!DOCTYPE html>
<html>
<head>
     <title></title>
      <style type="text/css">
            h1{
                  color: #4169E1;
                  text-align: center;
                 font-size: 50px;
           }
            body{
```

```
background-image: linear-gradient(90deg,red,yellow)
           }
      </style>
</head>
<body>
<h1>IIIT SONEPAT</h1>
</body>
</html>
                               sd
<!DOCTYPE html>
<html>
<head>
      <title></title>
      <style type="text/css">
            h1{
                  color: cyan;
                  text-align: center;
            }
           h2{
                  color:blue;
           }
            body{
                  background-image:
```



Contact NO-9588551992

Email-rahuljaglan035@gmail.com



Creating Web Page using XHTML and CSS

PROCEDURE

- Create a HTML file
- > Provide a class to every element you want to style.
- > Create a CSS file and link it to your HTML file using link element.
- In the CSS file add styles to various classes id and XHTML tags.


```
<!DOCTYPE html>
<html>
<head>
      <title>Registration Page</title>
      <style type="text/css">
            * {box-sizing: border-box
.container {
 padding: 16px;
 margin: auto;
 text-align: center;
input[type=text], input[type=password],input[type="email"] {
 width: 50%;
 padding: 15px;
 margin: 5px 0 22px 0;
 display: inline-block;
 border: none;
 background: #C0C0C0;
}
```

```
input[type=text]:focus,
input[type=password]:focus,input[type="email"]:focus {
 background-color: #ddd;
 outline: none;
hr {
 border: 1px solid #00FF00;
 margin-bottom: 25px;
#registerbtn {
 background-color: blue;
 color: white;
 padding: 16px 20px;
 margin: 8px 0;
 border: none;
 cursor: pointer;
 width: 100%;
 opacity: 0.9;
#registerbtn:hover {
 opacity:1;
      </style>
</head>
<body>
      <form>
            <div class="container">
                  <h1>Register</h1>
                  <hr>
                  Name: <input type="text" id="name"
placeholder="Enter your name" name="name"><br>
                  City: <input type="text" placeholder="Enter your name"
name="name"><br>
```

```
Email: <input type="email" placeholder="Enter your mail
address" name="mail"><br>
                  Password: <input type="password" placeholder="Enter
the password" name="pwd"><br>
                  Gender:<br>
                  Male<input type="radio" name="gender">
                  Female<input type="radio" name="gender">
                  Others<input type="radio" name="gender"><br>
            </div>
            <div >
                  <button type="submit"
id="registerbtn">Register</button>
            </div>
      </form>
</div>
</body>
<script type="text/javascript">
      document.getElementById("registerbtn").addEventListener("click",fu
nction(e){
var fieldValue=document.getElementById("name").value;
if(fieldValue==null | | fieldValue== ""){
e.preventDefault();
alert("you must enter a username");
}
});
</script>
</html>
```

```
* {box-sizing: border-box
.container {
 padding: 16px;
 margin: auto;
 text-align: center;
input[type=text], input[type=password],input[type="email"] {
 width: 50%;
 padding: 15px;
 margin: 5px 0 22px 0;
 display: inline-block;
 border: none;
 background: #f1f1f1;
input[type=text]:focus,
input[type=password]:focus,input[type="email"]:focus {
 background-color: #ddd;
 outline: none;
hr {
 border: 1px solid #f1f1f1;
 margin-bottom: 25px;
}
#registerbtn {
 background-color: #4CAF50;
 color: white;
 padding: 16px 20px;
 margin: 8px 0;
 border: none;
 cursor: pointer;
```

```
width: 100%;
opacity: 0.9;
}
#registerbtn:hover {
  opacity:1;
}
```





Setting Up and Configuration Of XAMPP Server


PROCEDURE


- > Download XAMPP from www.apachefriends.org and install it.
- Now browse to the XAMPP folder in C drive and search for htdocs folder.
- ➤ Under this folder create a PHP file for checking whether the server is working or not.
- ➤ Open the XAMPP control panel and start the apache server and run the PHP file.


CODE


PHP File

```
<?php
echo "Hello !<br />";
echo "My Name is Rahul Jaglan<br />";
echo "Branch-CSE<br />";
echo "Roll No. 11911051<br />"; ?>
```














💌 VIGAD G/ 🗴 | 🐋 Learn to C 🗴 | 🚥 Coursera | X | 🚡 Web_Desi X | 🜀 heroku - C X | 🚥 Coursera | X | 👣 rahuljagla X | 🔯 XAMPP Ir X | 🔯 XAMPP Ir X | 🔯 Bitnami fr X 🔯 localhost/ X 🛨

 \leftarrow \rightarrow \mathbf{C} (\odot localhost/phpfiles/new.php/

Creating calendar of year 2020 using HTML

```
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" href="styles.css">
<title>CALENDER</title>
</head>
<body>
<div class="month">
cli class="prev">❮
 cli class="next">❯
 Janruary<br><span style="font-size:18px">2020</span>
</div>
Mo
Tu
We
Th
Fr
Sa
Su
```



```
30
31
<div class="month">
cli class="prev">❮
cli class="next">❯
February<br><span style="font-size:18px">2020</span>
</div>
Mo
Tu
We
Th
Fr
Sa
Su
1
2
3
4
5
6
```

```
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
<div class="month">
cli class="prev">❮
cli class="next">❯
March<br><span style="font-size:18px">2020</span>
</div>
```

```
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
<div class="month">
cli class="prev">❮
cli class="next">❯
April<br><span style="font-size:18px">2020</span>
</div>
Mo
Tu
We
Th
Fr
Sa
Su
```

```
28
29
30
<div class="month">
class="prev">❮
cli class="next">❯
May<br><span style="font-size:18px">2020</span>
</div>
Mo
Tu
We
Th
Fr
Sa
Su
1
2
3
4
5
6
```

```
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
<div class="month">
cli class="prev">❮
cli class="next">❯
June<br><span style="font-size:18px">2020</span>
```


<ul class="weekdays">
Mo
Tu
We
Th
Fr
Sa
Su
<ul class="days">
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19

```
20
21
22
23
24
25
26
27
28
29
30
<div class="month">
cli class="prev">❮
cli class="next">❯
July<br><span style="font-size:18px">2020</span>
</div>
Mo
Tu
We
Th
Fr
Sa
Su
```



```
<div class="month">
class="prev">❮
cli class="next">❯
August<br><span style="font-size:18px">2020</span>
</div>
Mo
Tu
We
Th
Fr
Sa
Su
1
2
3
4
5
6
7
8
```

```
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
<div class="month">
cli class="prev">❮
cli class="next">❯
September<br><span style="font-size:18px">2020</span>
</div>
```




```
21
22
23
24
25
26
27
28
29
30
<div class="month">
cli class="prev">❮
cli class="next">❯
October<br/>span style="font-size:18px">2020</span>
</div>
Mo
Tu
We
Th
Fr
Sa
Su
```



```
<div class="month">
class="prev">❮
cli class="next">❯
November<br><span style="font-size:18px">2020</span>
</div>
Mo
Tu
We
Th
Fr
Sa
Su
1
2
3
4
5
6
7
```

```
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
<div class="month">
cli class="prev">❮
cli class="next">❯
December<br/>span style="font-size:18px">2020</span>
</div>
```



```
21
22
23
24
25
26
27
28
29
30
31
</body>
</html>
                          Style(CSS)
ul {list-style-type: none;}
body {font-family: Verdana, sans-serif;}
.month {
padding: 70px 25px;
width: 100%;
background: #1abc9c;
text-align: center;
.month ul {
margin: 0;
padding: 0;
.month ul li {
color: white;
```

```
font-size: 20px;
 text-transform: uppercase;
 letter-spacing: 3px;
}
.month\;.prev\;\{
 float: left;
 padding-top: 10px;
.month .next {
 float: right;
 padding-top: 10px;
.weekdays {
 margin: 0;
 padding: 10px 0;
 background-color:#ddd;
.weekdays li {
 display: inline-block;
 width: 13.6%;
 color: #666;
 text-align: center;
}
.days {
 padding: 10px 0;
 background: #eee;
 margin: 0;
}
.days li {
 list-style-type: none;
 display: inline-block;
```

```
width: 13.6%;

text-align: center;

margin-bottom: 5px;

font-size:12px;

color: #777;

}


.days li .active {


padding: 5px;


background: #1abc9c;


color: white !important
```


OUTPUT















PROBLEM STATEMENT

Understanding JavaScript

CODE

```
<!DOCTYPE html>
<html>
<head>
      <title>Regular Expression</title>
      <script type="text/javascript">
            function validate()
            {
                  var username=document.getElementById("uname").value;
                  var regx=/A00/;
                  if(regx.test(username))
                        alert("valid username");
                  }
                  else
                  {
                        alert("Invalid username");
                  }
      </script>
```







PROBLEM STATEMENT

Creating a web page using back end in php and front end in js

CODE

```
(HTML)
<!DOCTYPE html>
<html>
   <head>
      <title>PHP Server Side Form Validation and JS client side validation</title>
      <script
src="https://ajax.googleapis.com/ajax/libs/jquery/2.2.0/jquery.min.js"></script>
      k
                                                                rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css"
/>
      <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/js/bootstrap.min.js"></s
cript>
      <script type="text/javascript">
document.getElementById("registerbtn").addEventListener("click",function(e){
     var fieldValue=document.getElementById("name").value;
     if(fieldValue==null | fieldValue== ""){
     e.preventDefault();
```

```
alert("you must enter a username");
     }
     });
    </script>
   </head>
   <body>
     <br />
     <div class="container" style="width:500px;">
        <h3 class="text-center">PHP Server Side Form Validation and JS client side
validation</h3>
                                        action="http://localhost/AP/form.php"
                   method="POST"
        <form
name="regform" onsubmit="return validate()">
           <div class="form-group">
             <label>Enter Name<span class="text-danger">*</span></label>
             <input type="text" name="name" id="name" class="form-control"</pre>
maxlength="75" />
             <span class="text-danger"><?php echo $name error; ?></span>
           </div>
           <div class="form-group">
             <label>Enter Email<span class="text-danger">*</span></label>
                        type="text"
                                        name="email"
             <input
                                                          class="form-control"
maxlength="150"/>
             <span class="text-danger"><?php echo $email error; ?></span>
           </div>
           <div class="form-group">
             <label>Select Gender<span class="text-danger">*</span></label>
```

```
<div class="radio">
                <input type="radio" name="gender" value="Male" />Male
             </div>
             <div class="radio">
                <input type="radio" name="gender" value="Female" />Female
             </div>
             <span class="text-danger"><?php echo $gender_error; ?></span>
          </div>
          <div class="form-group">
                         type="submit"
                                          name="submit"
                                                             id="registerbtn"
             <but
value="Submit" class="btn btn-info">Submit</button>
          </div>
        </form>
        <div><?php echo $output; ?></div>
     </div>
     <br />
 </body>
 </html>
```

```
<?php
$name_error = ";
$email_error = ";
$gender_error = ";
$output = ";
if(isset($_POST["submit"]))
{
  if(empty($_POST["name"]))
     $name_error = "Please Enter Name";
   }
   else
   {
     if(!preg\_match("/^[a-zA-Z\ ]^*\$/", \$\_POST["name"]))\\
        $name_error = "Only Letters and whitespace allowed";
   if(empty($_POST["email"]))
  {
     $email_error = "Please Enter Email";
   }
```

```
else
   {
     if(!filter_var($_POST["email"], FILTER_VALIDATE_EMAIL))
     {
       $email_error = "Invalid Email format";
   }
  if(empty($_POST["gender"]))
   {
     $gender error = "Please Enter your Gender";
  }
  if($name_error == "" && $email_error == "" && $gender_error == "")
  {
     $output = '<label>Ouput-</label>
     Your Name is '.$_POST["name"].'
     Your Email is '.$_POST["email"].'
     Your Gender is '.$_POST["gender"].'
  }
?>
<!DOCTYPE html>
<html>
   <head>
```

```
<title>PHP Server Side Form Validation and JS client side validation</title>
      <script
src="https://ajax.googleapis.com/ajax/libs/jquery/2.2.0/jquery.min.js"></script>
      k rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css"
/>
      <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/js/bootstrap.min.js"></s
cript>
      <script type="text/javascript">
document.getElementById("registerbtn").addEventListener("click",function(e){
     var fieldValue=document.getElementById("name").value;
     if(fieldValue==null | fieldValue== ""){
     e.preventDefault();
     alert("you must enter a username");
     });
    </script>
   </head>
   <body>
      <br />
      <div class="container" style="width:500px;">
        <h3 class="text-center">PHP Server Side Form Validation and JS client
side validation</h3>
        <form method="POST" action="http://localhost/AP/form.php"</pre>
name="regform" onsubmit="return validate()">
```

```
<div class="form-group">
             <label>Enter Name<span class="text-danger">*</span></label>
             <input type="text" name="name" id="name" class="form-control"</pre>
maxlength="75" />
             <span class="text-danger"><?php echo $name error; ?></span>
           </div>
           <div class="form-group">
             <label>Enter Email<span class="text-danger">*</span></label>
             <input type="text" name="email" class="form-control"
maxlength="150" />
             <span class="text-danger"><?php echo $email error; ?></span>
           </div>
           <div class="form-group">
             <label>Select Gender<span class="text-danger">*</span></label>
             <div class="radio">
                <input type="radio" name="gender" value="Male" />Male
             </div>
             <div class="radio">
                <input type="radio" name="gender" value="Female" />Female
             </div>
             <span class="text-danger"><?php echo $gender error; ?></span>
           </div>
           <div class="form-group">
             <button type="submit" name="submit" id="registerbtn"
value="Submit" class="btn btn-info">Submit</button>
```

```
</div>
</form>
<div><?php echo $output; ?></div>
</div>
</body>
</html>
```

OUTPUT

