




← Go Back to Cloud Computing on AWS




No: 2	Correct Answer	
eceive reques	ver in a private subnet is set to communicate vi ts from the app server despite ping requests be could be the reason for this?	•
O There is	no NAT instance between the servers	
Route ta	bles are not set up correctly	
Port 330	06 is closed for the app server	You Selected
None of Explanation: place between	The required port has to be open on both serve	ers for communication to take
Explanation: place betwee No: 3 Vhich of the f	The required port has to be open on both serve	
Explanation: place betwee No: 3 Vhich of the f diting the cor	The required port has to be open on both serve on them. Correct Answer collowing conditions occur when an Internet Gat	
Explanation: place betwee No: 3 Vhich of the f diting the cor	The required port has to be open on both serve on them. Correct Answer collowing conditions occur when an Internet Gate responding entry in the routing table? In destination	
Explanation: place betwee No: 3 Which of the f diting the cor	The required port has to be open on both serve on them. Correct Answer collowing conditions occur when an Internet Gate responding entry in the routing table? In destination	

Both VPCs ca	an be in different regions	
Both VPCs ca	an be from different accounts	
None of these	е	
VPC peering	is transitive in nature	You Selected
Explanation: Peee	ring VPC A to B and B to C does not au	tomatically peer A to C.
No. 5	Correct Answer	
	Correct Answer ving is used for a dedicated connection to	from a private data center to an
hich of the follow		from a private data center to an
hich of the follow	ving is used for a dedicated connection t	from a private data center to an
Vhich of the follow WS data center?	ving is used for a dedicated connection t	from a private data center to an
Which of the follow WS data center? None of these	ving is used for a dedicated connection t	
Which of the follow WS data center? None of these	ving is used for a dedicated connection t	
WS data center? None of these BastionHost DirectConnect SnowMobile	ving is used for a dedicated connection t	You Selected
Which of the follow WS data center? None of these BastionHost DirectConnect SnowMobile Explanation: Direct	ving is used for a dedicated connection to	You Selected physical connection between an
Which of the follow WS data center? None of these BastionHost DirectConnect SnowMobile Explanation: Direct	ving is used for a dedicated connection to	You Selected physical connection between an
/hich of the follow WS data center? None of these BastionHost DirectConnect SnowMobile Explanation: Direct	ving is used for a dedicated connection to	You Selecter physical connection between a

NACLs are s	tateless while security groups are stateful	You Selected
None of the	se	
NACLs can f	ilter traffic by IP while security groups cannot	
•	response for an authorized outgoing request is a e of inbound rules. This is not the case for NACLs	•
No: 7	Correct Answer	
notwork adminis	trator needs to create a VPC for 13 EC2 instance	es and has decided to
	ock 192.168.5.0/28. Which of the following erro	
sign the CIDR bl	_	
sign the CIDR blo	_	
sign the CIDR blancountered here? CIDR is not	_	
ssign the CIDR block is sign the CIDR block is	valid to be used in an AWS environment	rs is likely to be
ssign the CIDR block is sign the CIDR block is	valid to be used in an AWS environment s not valid for private IP addresses P address will fall short of requirements	
countered here? CIDR is not were countered here? CIDR block i	valid to be used in an AWS environment s not valid for private IP addresses P address will fall short of requirements se	rs is likely to be You Selected
countered here? CIDR is not were countered here? CIDR block i	valid to be used in an AWS environment s not valid for private IP addresses P address will fall short of requirements se The provided in an AWS environment and the private IP addresses see The private IP address will be 2 ⁽³²⁻²⁸⁾ -5=2 ⁴ -5=16-5=16-5=16-5=16-5=16-5=16-5=16-5=16	You Selected
csign the CIDR block incountered here? CIDR is not with the CIDR block incountered here? CIDR block incountered here? Number of III	valid to be used in an AWS environment s not valid for private IP addresses P address will fall short of requirements se The provided in an AWS environment and the private IP addresses see The private IP address will be 2 ⁽³²⁻²⁸⁾ -5=2 ⁴ -5=16-5=16-5=16-5=16-5=16-5=16-5=16-5=16	rs is likely to be You Selected
countered here? CIDR is not were countered here? CIDR is not were countered here? Number of II	valid to be used in an AWS environment s not valid for private IP addresses P address will fall short of requirements se The provided in an AWS environment and the private IP addresses see The private IP address will be 2 ⁽³²⁻²⁸⁾ -5=2 ⁴ -5=16-5=16-5=16-5=16-5=16-5=16-5=16-5=16	You Selected

	NACL is stateful while security groups are stateless	
0	NACL and security groups are stateful	
•	NACL is stateless while security groups are stateful	You Selected
0	NACL and security groups are stateless	
No Vhic	: 9 Correct Answer h of the following is incorrect?	
•	Overlapping CIDR blocks can be associated with a VPC	You Selected
0	the allowed CIDR block size is between a /28 netmask and /16 netmask	(
0	The CIDR block must not overlap an existing CIDR block associated with	n that VPC
0	You cannot change the size of an existing CIDR block	
Q No		ng is true?
/PC	: 10 Correct Answer	ng is true? You Selected
/PC	: 10 Correct Answer X has peered to VPC Y. VPC Y has peered to VPC Z. Which of the following	
/PC	: 10 Correct Answer X has peered to VPC Y. VPC Y has peered to VPC Z. Which of the following VPC X and Z cannot communicate by default	

Attempt #2



Proprietary content. ©Great Learning. All Rights Reserved. Unauthorized use or distribution prohibited.

© 2021 All rights reserved

Privacy Terms of service Help