

APOLLO PHARMACY CHAIN

Corporate Quality Assurance Department
Apollo Health City, Jubilee Hills, Hyderabad 500033
complaints@apollopharmacy.in | +91-40-2360-7777

PRODUCT QUALITY COMPLAINT - DISCOLORATION DEFECT

Complaint No.: APC-QC-2026-0089 | Source: Pharmacy Portal

1. PRODUCT INFORMATION

Product Name:	Amoxicillin Capsules
Dosage Form:	Hard Gelatin Capsules
Strength:	500 mg
Batch / Lot Number:	AMX240602
Manufacturing Date:	March 2026
Expiry Date:	February 2028
Quantity Reported Defective:	12 capsules (from 1 blister strip)
Total Pack Size:	10 capsules per strip, 10 strips per box
Manufacturer:	Pharma Solutions Pvt. Ltd., Gujarat, India

2. COMPLAINANT INFORMATION

Pharmacy Branch:	Apollo Pharmacy - Banjara Hills Branch, Hyderabad
Reported By:	Ms. Deepa Sharma, Senior Pharmacist
Date of Report:	18 September 2026
Complaint Source:	Pharmacy Portal
Patient Impact:	Patient returned product; no adverse event reported

3. NATURE OF COMPLAINT

A patient returned a box of Amoxicillin 500mg capsules to our Banjara Hills branch on 16 September 2026, reporting that the capsule shells appeared yellow-brown instead of the usual white colour. The patient had not consumed any discoloured capsules after noticing the abnormality.

On inspection by pharmacist Ms. Deepa Sharma, 12 capsules in the returned strip showed visible discoloration ranging from light yellow to dark brown. The capsule contents appeared intact with no unusual odour.

The batch was then checked across 3 Apollo branches in Hyderabad. Two additional branches (Jubilee Hills and Kondapur) reported similar discoloration in the same batch, affecting approximately 30 capsules total.

4. PHARMACIST ASSESSMENT - POSSIBLE CAUSE

The pharmacist suspects possible moisture ingress during storage or a coating/dyeing process deviation during manufacturing. No temperature excursion was recorded at our storage facility (maintained 22-24 deg C).

5. SEVERITY AND PRIORITY

Complaint Type:	Quality Defect - Discoloration
Severity:	MAJOR
Priority:	HIGH
Justification:	Product integrity compromised; batch in active distribution at multiple locations
Immediate Action Taken:	Affected capsules quarantined; batch flagged for hold

6. REQUESTED ACTION

Please investigate the root cause of discoloration in Batch AMX240602:

1. Confirm whether batch recall is required across all distribution points
2. Arrange replacement product for affected patients
3. Provide CAPA measures to prevent recurrence

Initial response expected within 48 hours given the multi-location scope.

Submitted by: Apollo Pharmacy Corporate QA | 18 September 2026