OPEN AGENT HACKATHON 2026 · TRACK 03 · REASONING ARCHITECTURE

Sanctions Desk


A review desk for sanctions-screening alerts. The desk recommends; a person decides.

Nemotron via Nightshift · Zetaris

Real OFAC and UN list entries; synthetic customers and payments.

Repo github.com/rahulmahadik/sanctions-desk

Site rahulmahadik.github.io/sanctions-desk



The project site, 25 Oct 2026

Most alerts are noise; the costly mistake is closing the one that is real

Analysts work every name-match alert by hand, field by field; a senior reviewer approves any block.

Plain name matching misses hidden ownership, stale clearances and risk hidden in free text.

10 of 43

risk cases wrongly closed by plain name matching on the 70-case exam (95% range 13–38%)


5 of 6

by name matching on the last blind held-out round (v4)

Source: eval/REPORT.md (a2); README.md held-out table

A reasoning architecture, not a prompt: eleven logged steps, and every failure ends with a person

Code does most steps; the models weigh evidence. Amber paths end with a person, never a close.



Source: README.md (How it works); docs/ARCHITECTURE.md (The steps; Failure handling); diagram drawn for this deck

One live review of ALR-0073: the answers it kept carry signed receipts; the backup's round 1 was sent back

Safety guard

Lightning, laptop

0.5 s · flagged

signature valid, key pinned

Screener

Lightning, laptop

2.0 s · flagged

signature valid, key pinned

Decision

Ultra, cloud

41.0 s · round 2

signature valid, key pinned

Critic

Ultra, cloud

27.9 s · approved

signature valid, key pinned

Risk signal from the payment reference

“Machine parts, onward delivery to Tehran”

sanctioned jurisdiction link · 90% · blocks a close

Recommendation: Escalate to level 2 · record sealed · waiting for a person to decide

Round 1 of the decision and the critic fell to the Ollama backup after a failed Nightshift call and a fast-lane retry; the critic sent it back. Round 2 on Ultra stood, and the signal keeps the case open.

Source: trace and review page of the live run of ALR-0073, 25 Oct 2026

A failing Zetaris data-quality rule holds the case: ALR-0030 cannot be closed without a date of birth

A data-quality rule blocks a close: the customer has no date of birth on record, so the Zetaris rule dob_present_for_individuals fails, the policy guard blocks any close, and the case goes to a person as need more information.

Recorded run sys2b (23 Oct 2026), replayed on the site at runs/alr-0030

37

data-quality rules registered in the semantic layer

0

rules re-implemented by the agents; they ask Zetaris which records fail

The policy guard treats a failing rule as a block on any close; it can only raise caution. In the same run the critic sent back a citation of a table that does not exist.

Source: site replay of the recorded run sys2b (runs/alr-0030); eval/zetaris-harness.json (data_quality)

It re-checks, argues and screens without being asked; a flag can stop a close, never cause one

Stale check

does an earlier decision still hold?

List change


re-screens after a list update

Challenger

argues against a close

Safety guard

flags text aimed at the reviewer



Live run (ALR-0067, 25 Oct 2026): the screener flags a planted instruction in a customer note

Each fires on its own and can only make an outcome more cautious; none can close a case.

Source: README.md (What it does without being asked); docs/RESPONSIBLE_AI.md (Guardrails); live run of ALR-0067

The checks stopped every first-answer close on a risk case; on held-out v3 the critic also caused two wrong closes

6 of 6

first-answer closes on risk cases stopped by the checks, first system's 70-case run

147 of 147

changed facts caught by the critic's fact re-check (mutation test, sample mode)

27 of 28


injected texts caught on the fresh set; false alarms 7 of 16

v3

the critic's citation rule caused both wrong closes on held-out v3; fixed in policy 8, not re-measured blind

Source: README.md (critic-value block); eval/critic-mutation.json; eval/nemotron-scorecard.json (guard)

On the 70-case exam the full system wrongly closed 0 of 43 risk cases; Nemotron alone closed 3 and 6



Dot: the run's share. Line: 95% range (Wilson). One run each.

Full system = the current system's newest run (sys6). The rules have a home advantage here: the exam labels share their definitions; the held-out rounds test beyond them. The with-free-text arm is a study arm only.

13 blocks

recommended, 0 of 35 unsupported (0–10%)


81 s

median per alert in that run (p95 240 s)

Source: eval/nemotron-scorecard.json (exam_arms); eval/REPORT.md (a2)

One case (EX-043) was relabelled after the runs, because the 50% rule applies through the holding company. Under the original labels: full system 0 of 42, Nemotron alone with text 5 of 42, rules 0 of 42. See eval/REPORT.md.

On the blind held-out rounds it wrongly closed 4 of 48 risk cases; the deterministic rules closed 13 of 48



0 of 25

clears made on the held-out rounds; the rules made 8 of 25

4 vs 10

of 34 wrongly closed without v2: full system vs rules (5–27% vs 17–46%)

Blind rounds, frozen before each run, on the system of its time. Wrong closes 2, 0, 2, 0; each led to a fix. In v2 the screener failed, so nothing closed.

Source: README.md (Every held-out round, as run); eval/nemotron-scorecard.json (heldout_totals)

Nemotron alone clears more and closes risk; the agents trade some clears for zero wrong closes


Arm (70 cases, one run)	Risk cases wrongly closed	Clears made	Unsupported blocks	Unusable answers	Decision answer came from (cases)
Full system (current system)	0 of 43 (0–8%)	12 of 25	0 of 35	1	Ultra 62, Lightning (router) 1, Ollama backup 4, none 3
Nemotron alone, no free text	3 of 43 (2–19%)	23 of 25	5 of 35 (6–29%)	4	Ultra 50, Lightning (fast-lane retry) 14, Ollama backup 2, none 4
Nemotron alone, with the free text (sent to the cloud)	6 of 43 (7–27%)	23 of 25	1 of 35 (1–15%)	4	Ultra 33, Lightning (fast-lane retry) 30, Ollama backup 3, none 4

Unusable = no usable decision answer; 'none' adds the 2 draft checks, which have no decision step.

One model call per case through Nightshift, no agents: it clears more but wrongly closes 3 and 6 of 43 risk cases and recommends blocks the labels do not support. The agents wrongly close none; a person decides.

Source: eval/nemotron-scorecard.json (exam_arms); eval/REPORT.md (a2)
One case (EX-043) was relabelled after the runs, because the 50% rule applies through the holding company. Under the original labels: full system 0 of 42, Nemotron alone with text 5 of 42, rules 0 of 42. See eval/REPORT.md.

Lightning reads the raw text on the laptop; Ultra reasons on structured facts in the cloud



Who answered each step: the signed receipts of the 28 recorded evaluation runs. The 32 exported runs add 2 current-system and 2 Nemotron-alone runs.

Model-choice study	Reasoning on Ultra (cloud)	Reasoning on Lightning (laptop)
Median s per case	110	385
Clears made	3 of 10	1 of 10
Risk cases wrongly closed	0 of 10	0 of 10
Ollama backup answers	6	32

Why two sizes: small study, 20 cases, one live run per arm.

The router chooses inside the pinned lane: Ultra answered 87 of 89 decision calls in the first run, 90 of 99 in the current one. Fully local mode: not measured yet.

Source: eval/receipt-stats.json; eval/nemotron-scorecard.json; eval/model-choice.json

3,411 signed receipts, all verified against the pinned key; a changed byte is caught

```
$ npm run -s receipts:tamper-test
receipt from eval/runs/heldout-routed-
20261023T121140Z/receipts.jsonl.gz
original:            valid_pinned
copy, 1 byte changed: invalid (byte 4827 of the receipt's JSON)
committed file:      unchanged
PASS: the change was caught
$
```

npm run receipts:tamper-test, 25 Oct 2026

Step	Round	Answered by	Receipt
Decision	1	Ollama backup	none
Critic	1	Ollama backup	none
Decision	2	Ultra 550B, cloud	valid
Critic	2	Ultra 550B, cloud	valid

Live run of ALR-0073, from its trace: round 1 fell to the backup and was sent back; round 2 on Ultra


3,411 = 2,532 + 879

signed receipts: 32 exported runs plus the small studies, all verified against the pinned key.

By design, the desk never uses a Nightshift answer without a valid signature from the pinned key: it retries, then holds the case. Local backup answers carry no receipt and are labelled 'Ollama backup, no receipt'.

Source: eval/receipts-check.json; README.md (receipt_gate); trace of the live run of ALR-0073

Zetaris is the only data path: 0 of 73 agent files name a data source



Eight roles (own user, own token)	Used by	Tables granted
evidence	evidence step, queue	all tables; identifiers masked
ownership	ownership step	beneficial_owner
critic	critic's fact re-read	9 tables, no identifier table
memory	memory step	disposition
document	document check	customer_identifier
rescreen	list-change check	disposition, list_entry, alert, payment
reviewer	people reviewing	all tables, in full
eval	evaluation runs	read-only

0 of 73 agent files name a data source, so a source switch is a layer change. Column and row policies, PII classification, MCP and lineage: not exposed to us in this edition; covered another way (notes).

Source: eval/zetaris-harness.json; docs/ZETARIS.md (Roles; Features we covered another way in this edition)

Three Meterless engines each run a feature, with the official conformance tests passing

H-MEM

13 of 13 tests

earlier decisions kept as pointers, stale when the listed entry changes

World Model

8 of 8 tests

each company's ownership register; the 50 percent rule as a cascade

Markovian


8 of 8 tests

re-screens earlier decisions after a list change, in bounded batches

Meterless Nightshift is the primary path for every model call, with a signed receipt on every answer; the local Ollama backup answers only when Nightshift cannot.

Source: README.md (Meterless engines; Meterless Nightshift; prove block)

A person decides; the limits are written down; everything here can be re-checked from the repository



Live run of ALR-0018, 25 Oct 2026: the first approver's second approval is refused

A person decides every alert; a block needs a second, different approver; the desk never blocks, writes to a source system or messages a customer. Two limits: 0 of 25 held-out clears made (the rules made 8), and small synthetic test sets, one run per variant.

Check it yourself

Repo
github.com/rahulmahadik/sanctions-desk
Site
rahulmahadik.github.io/sanctions-desk
Try it, no keys
SAMPLE_MODE=true docker compose up --build
Re-check
npm run prove · npm run evidence:verify

Source: docs/GOVERNANCE.md; docs/KNOWN_ISSUES.md; eval/nemotron-scorecard.json (heldout_totals); live run of ALR-0018