

# FreshFlow Beverages Pvt. Ltd.

FreshFlow Bottling Plant - Pune Production Facility  
FSSAI: 10012022000345 | ISO 22000:2018 / ISO 14001:2015

## INSPECTION REPORT

### Inspection Report: Hygiene & Sanitation Inspection

Department: Labeling

|                                                  |
|--------------------------------------------------|
| Document Number: INSP-008                        |
| Revision: Final                                  |
| Classification: CONFIDENTIAL - INTERNAL USE ONLY |
| Prepared by: Engineering / QA Department         |
| Approved by: Plant Manager                       |

## 1. Inspection Details

### 1.1 Overview

| Parameter              | Value                           |
|------------------------|---------------------------------|
| Inspection ID          | INSP-008                        |
| Type                   | Hygiene & Sanitation Inspection |
| Date & Time            | 2023-01-07 17:19                |
| Location / Department  | Labeling                        |
| Inspector              | Anita Desai (QC Manager)        |
| Overall Score / Result | 89%                             |

## 2. Scope & Methodology

This report covers the Hygiene & Sanitation Inspection conducted in the Labeling department. The inspection utilized standard FreshFlow checklists and visual observations. The objective is to ensure compliance with FSSAI, ISO 22000, and internal corporate standards.

## 3. Detailed Observations

| Area/Equipment | Observation                      | Status | Priority |
|----------------|----------------------------------|--------|----------|
| LB102          | Sanitizer station empty.         | Failed | High     |
| LB101          | Water pooled under machine.      | Failed | High     |
| LB104          | Sanitizer station empty.         | Failed | High     |
| LB104          | Water pooled under machine.      | Failed | High     |
| General Area   | Residue found on external cover. | Failed | Medium   |
| LB103          | CIP logs up to date.             | Passed | Low      |

## 4. Recommendations & Corrective Actions

All 'Failed' or 'Requires Attention' items must be entered into the CMMS or CAPA system within 24 hours of this report. Shift Supervisors are responsible for immediate mitigations.

## 5. Signatures

Inspected By: Anita Desai  
Date: 2023-01-07