

FreshFlow Beverages Pvt. Ltd.

FreshFlow Bottling Plant - Pune Production Facility
FSSAI: 10012022000345 | ISO 22000:2018 / ISO 14001:2015

INCIDENT REPORT

Incident Report: Safety (Medical Treatment)

Crush injury

Equipment ID: Plant-Wide

Document Number: INC-129
Revision: Final
Classification: CONFIDENTIAL - INTERNAL USE ONLY
Prepared by: Engineering / QA Department
Approved by: Plant Manager

1. Incident Overview

1.1 Basic Information

Parameter	Value
Incident ID	INC-129
Type	Safety (Medical Treatment)
Date & Time	2023-04-24 01:28
Location / Department	General Area
Associated Asset	N/A
Asset Name	N/A
Reported By	Employee 12 (Engineer)
Investigator	Farah Shaikh (Food Safety Officer)

2. Description of Event

On 2023-04-24 at 01:28, an incident classified as 'Safety (Medical Treatment)' occurred. The primary observation was: Fingers pinched in capping chuck during changeover.. The area was secured by the shift supervisor immediately after the event.

3. Immediate Actions Taken

- Secured the area and stopped relevant machinery (if applicable).
- Administered first aid / contained spill / quarantined product (as per incident type).
- Notified the Plant Manager and EHS/QC department.
- Initial mitigation applied: Hospital treatment. Modify guard to prevent access during jogging.

4. Root Cause Analysis (Summary)

A formal investigation was conducted. The preliminary root causes identified include inadequate risk perception, equipment failure, or procedural deviation. (A full RCA report is generated separately for critical incidents).

5. Corrective and Preventive Actions (CAPA)

Action Description	Owner	Target Date	Status
Hospital treatment. Modify guard to prevent access duri	Farah Shaikh	2023-05-01	Closed
Review and update relevant SOP/RA	Employee 12	2023-05-08	In Progress
Conduct toolbox talk with shift team	Shift Supervisor	2023-04-26	Closed

6. Signatures & Closure

Report Prepared By: Employee 12

Date: 2023-04-25

Approved By: Farah Shaikh

Date: 2023-04-26