



Build the single-line IPRS base

One process for new and existing clients. Start each reporting run with the client's IPRS export.




Map each source to the IPRS base

Use the same mapping loop for each source, in the order below. Keep source evidence alongside each proposed link.




Score matches and explain the evidence

Use these rules for source mapping and then across the entire combined dataset, including records from the same source.



Display possible duplicates one below another

A review case is a set of candidate records to compare. It is not a confirmed duplicate group until a reviewer decides.



ILLUSTRATIVE CASE C-001 / SIX RECORDS SHOWN TOGETHER

Order	Record ID / source	Review position	Evidence shown
1	R-001 / IPRS	Suggested keeper / reference	Most complete verified record; selection is editable.
2	R-017 / PRS	Strongest candidate	All required comparable fields agree after an approved alias.
3	R-042 / SOCAN	Next candidate	Title and creators agree; some fields are missing.
4	R-058 / ASCAP	Next candidate	Title spelling varies; matching contributors support review.
5	R-103 / Spotify	Related recording candidate	May link to the work; recording identity remains separate.
6	R-119 / Apple Music	Weakest candidate in this case	Limited evidence or differences require closer review.

The same record can appear in several cases

R-042 may also appear in Case C-008. This is another view of the same stored record, not another imported work.

A decision on R-042 refreshes every affected case.


Review-row totals can be much larger

For example, 1,000 source records may appear as 6,000 review rows across overlapping cases. These are illustrative counts.

Report records, unique works and review appearances separately.

Manual decisions drive the learning loop

The reviewer selects the records and retained values. The system learns from confirmed decisions, then refreshes the remaining cases.



Define what a 10/10 match means

Use 10/10 as the full-match score across the nine field groups in your brief. Detailed scoring rules require approval.

Field from the brief	Required comparison behaviour
Song title	Compare original and normalized titles. Keep alternate titles and version labels; explain fuzzy spelling matches.
Composer; author / lyricist	Compare all contributors by role, using approved identities/aliases. Do not compare only the first name in a list.
Singer / performer; producer	Keep these as separate roles. A difference may indicate another recording or version, requiring review. Confirm what "producer" means in the actual export.
Publisher	Compare the full publisher details. Preserve available shares, territories and dates; conflicting rights details remain visible.
Internal number / source work ID	Keep MRM Record ID separate from source IDs. Compare IPRS with IPRS, PRS Tune Code with PRS Tune Code, etc. An approved cross-reference may connect them.
ISRC [1]	Identifies a recording. Use exact validated values; keep separate recordings linked to the appropriate work.
ISWC [2]	Identifies a musical work. Use exact validated values; a common work can be associated with multiple recordings.

Full-match gate

All fields required for that comparison must be present and agree, with no unresolved conflicts. Show which fields were tested.

Basic formatting or an approved alias may count as equal; an unverified fuzzy guess may not.


Scoring decisions to approve

Approve required fields for work and recording comparisons, relative weights and the minimum review threshold using sample data.

Show missing / not-comparable fields explicitly. Never turn missing data into a 100% match.

Approval and technology handoff

Approve the process first. The technology team can then validate the sample exports and turn this flow into a build specification.



INTERNAL APPROVAL POINTS

Confirm before development	Proposed requirement / acceptance check
Source structure and field names	Use actual IPRS and other source samples. No Excel export was supplied for this flowchart; exact column mapping remains to be validated.
Review and removal behaviour	Show all candidates in ranked blocks. No automatic deletion, including 10/10 matches. Manual removal from the active master remains recoverable.
Scoring and identity rules	Approve required fields, weights, thresholds and alias scope on a pilot set. A matches B and B matches C must not automatically merge A with C.
Learning and repeat appearances	Test the first 100 reviewed cases, then rerun affected pending cases. Counts may fall or rise; verify the refreshed queue rather than promise a fixed reduction.

Approval: Approved / Changes required | MRM approver: _____ | Date: _____

Reference notes: [1] IFPI, ISRC FAQs. [2] CISAC, International Identifiers. [3] PRS/MCPS, Tunecode definition. Sources checked 28 Sep 2026. These support identifier meanings; all workflow and scoring rules above are proposed MRM requirements.

[1] IFPI ISRC

[2] CISAC identifiers

[3] PRS/MCPS glossary