

## SAN DELLA

### DETAILS

# Name

**RAHUL NAIK** 

#### Roll Number

22BI24CS411-T

#### **EXPERIMENT**

**Title** 

SUM OF NUMBERS AT PRIME FACTORS

### Description

Prime factors of a positive integer are the prime numbers that divide that integer exactly.

Given an array arr of n integers and a positive integer num.

Let's suppose prime factorization of num is:  $p^a \times q^b \times r^c \times .... \times z^f$ , where p,q,r...z are prime numbers.

Sum of numbers in array arr at indices of prime factors of number num is: a x arr[p] + b x arr[q] + c x arr[r] +..... + f x arr[z].

You are given an array arr of size n and a positive integer num. You are required to calculate the sum of numbers in arr as mentioned above, and print the same.

A STANDARD OF THE STANDARD OF

Note:

- If arr is empty, print -1.
- If prime factor of num not found as indices, print 0.

## **Input Format:**

The input consists of three lines:

- The first line contains an integer, i.e. n.
- The second line contains an array arr of length of n.
- The third line contains an integer num

The input will be read from the STDIN by the candidates.

Output Format:

Print the sum that was mentioned in the problem statement.

Example:

Input:

6

11 21 32 45 1 23

6

Output:

77

Explanation:

```
6=2<sup>1</sup> x 3<sup>1</sup>
sum=1*arr[2]+1*arr[3]=1*32+1*45=77
```

#### **Source Code:**

```
def prime_factors(n):
   factors = set()
   # Check for number of 2s that divide n
   while n % 2 == 0:
       factors.add(2)
       n //= 2
   \# n must be odd at this point so a skip of 2 (i.e., i = i + 2) can be used
   for i in range(3, int(n**0.5) + 1, 2):
       while n % i == 0:
            factors.add(i)
            n //= i
   # This condition is to check if n is a prime number greater than 2
        factors.add(n)
    return list(factors)
def calculate_sum(arr, num):
    if not arr: # Check if the array is empty
        return -1
   factors = prime_factors(num) # Get prime factors of num
   total_sum = 0
   found_valid_index = False
    for factor in factors:
       if factor < len(arr): # Check if factor can be used as an index
            total_sum += arr[factor]
            found_valid_index = True
    return total_sum if found_valid_index else 0 # Return sum or 0 if no valid index found
# Reading input
n = int(input()) # Length of the array
arr = list(map(int, input().split())) # The array elements
num = int(input()) # The number to factor
# Calculate and print the result
result = calculate_sum(arr, num)
print(result)
```

## **RESULT**

2 / 5 Test Cases Passed | 40 %

https://practice.reinprep.com/student/get-report/246bb206-7bcf-11ef-ae9a-0e411ed3c76bare for the control of t