220

28/2



# STUDENT REPORT

# DETAILS N-

**RAHUL NAIK** 

### Roll Number

22BI24CS411-T

# **EXPERIMENT** 28224 Title

CANDIES

### Description

Let's consider a scenario where there are K candies to be distributed among N children, each uniquely numbered from 1 to N. The distribution commences with Child A, followed by a sequential allocation to the subsequent children in the order: A, A+1, A+2,..., N. The query at hand is to identify which child will be the last recipient of a candy.

In more explicit terms, after Child x (where  $1 \le x \le N$ ) receives a candy, the subsequent candy is granted to Child x+1. Upon Child N receiving a candy, the distribution cycle restarts. and Child 1 becomes the next recipient.

The primary objective is to ascertain the identity of the child who will receive the last candy in this cyclic distribution.

Note: Each child receives only 1 candy.

### **Input Format:**

The first line of input contains 3 space seperated integers N, K and A.

### **Output Format:**

Print the friend who will be the final recipient of the candy.

812AC

### **Constraints:**

## 1<=N<=K<=10^8

Sample Input:

521

Sample Output:

2

```
Source Code:
           n,k,a=list(map(int,input().split()))
           ans=(a+k-1)%n
           if ans==0:
               print(n)
           else:
               print(ans)
```

# **RESULT**

9/26/24, 8:45 PM 22BI24CS411-T-Candies

6 / 6 Test Cases Passed | 100 %