

Containerization, Docker, and Docker Hub


Submitted to - Vikul Sir

Date of Submission – 11/APR/2026


Submitted by – NALATHATI RAHUL

L1 - Create Docker file and build the docker container Application Image for the application build in Jenkins Module


Step 1: login into AWS and ec2 instance




Step 2: Make sure prerequisites are ready




Step 3: login into Jenkins



Step 4: Make sure Docker file in git hub



Step 5: create a job and write Jenkins pipeline script



Step 6: Click build now

The screenshot shows the Jenkins web interface for a pipeline named 'hotstar'. The 'Build Now' button is highlighted with a red box. The 'Stage View' section shows a table of stages and their execution times. The 'Permalinks' section lists the last build, last failed build, last unsuccessful build, and last completed build.

	git checkout	maven build	Build Docker Image
Average stage times: (full run time: ~19s)	821ms	15s	5s
#2 Apr 08 15:06 No Changes	590ms	7s	10s
#1 Apr 08 15:03 No Changes	1s	22s	1s failed

Permalinks:

- Last build (#1), 2 min 9 sec ago
- Last failed build (#1), 2 min 9 sec ago
- Last unsuccessful build (#1), 2 min 9 sec ago
- Last completed build (#1), 2 min 9 sec ago

Step 7: Verify image

The screenshot shows the AWS Management Console with the EC2 Instance Connect terminal output. The terminal shows the command to list Docker images and the output, which includes the 'hotstar' image. The 'United States (N. Virginia)' region is selected, and the 'Rahul (8106-4823-6072)' user is logged in.

```
[root@ip-172-31-72-123 ec2-user]# docker images
REPOSITORY          TAG         IMAGE ID      CREATED       SIZE
hotstar              latest      94a31801e622 About a minute ago 4.32MiB
[root@ip-172-31-72-123 ec2-user]#
```

END

NALATHATI RAHUL

