MARATHINEX FILM

VIBE CODING MASTER BLUEPRINT

Architecture • Development phases • Unified membership • Professional profiles • Identity verification • Databases • Admin operations

Version 1.0 | 04 November 2026

Purpose: a copy-ready technical and product instruction manual for building the MarathiNEX Film web platform incrementally, safely and testably.

DESIGN DIRECTION / WHITE + BLACK + RED

Clean minimal interface, bold readable typography, red accent, accessible navigation, mobile-first registration. Film is the first vertical of a future MarathiNEX umbrella brand.

01 / Product definition

What we are building

- A year-round verified professional network for Marathi film and entertainment, with an annual MarathiNEX Film event.
- A single membership identity for actors, writers, directors, producers, financiers, casting professionals, crew, post-production, distributors, exhibitors and organizations.
- Profiles, project listings, opportunities, industry directory, event interest registrations, meeting requests and administrator review workflows.
- Feature film is the flagship focus; support shorts, documentaries, series/OTT, television, microdrama, animation and theatre as content categories.

What the first release is NOT

- Not a live crowdfunding or investment transaction portal. Financier introductions are not financial advice or funding guarantees.
- Not a job-guarantee, casting-guarantee or paid-access-to-celebrity system.
- Not a facial-recognition surveillance or Aadhaar-image collection platform.
- Not a full mobile app, ticketing infrastructure and custom scheduling optimizer on day one.

Success definition

- A visitor can understand the value proposition, join the event interest list, create an account, complete one core profile and choose professional roles.
- An administrator can review registrations, moderate content, approve organizations and download permitted operational reports.
- No private contact fields or identity checks are exposed through public APIs.

02 / Site map and navigation

Public navigation

- Home / Film 2027 / Why Attend / Who Should Join / Film Formats / Industry Tracks / Projects & Opportunities / Festivals & Resources / About / Contact
- Primary CTA: Register Your Interest. Secondary CTA: Explore Membership. Persistent header login / My Account.
- Separate publicly visible statuses: Event planned / Dates to be confirmed / Registration interest open / Paid tickets not yet available.

Logged-in navigation

- Dashboard / My Profile / My Roles / Portfolio / My Projects / Opportunities / Connections / Meetings / Event Interest / Verification / Membership / Settings
- Organization workspace: Company Profile / Team / Projects / Jobs & Casting / Requests / Events.
- Admin-only navigation: Overview / Users / Profiles / Verification / Listings / Events / Communications / Reports / Audit.

Future MarathiNEX umbrella

- Keep film content at /film and film membership scoped to film; use shared identity tables so /trade and /business can arrive later without rebuilding authentication.
- Use one codebase and shared design system first; extract independent services only when operational necessity is proven.

03 / Experience and design system

Visual tokens

- Film red: #DC1023. Ink: #16191E. White: #FFFFFF. Muted: #565F6C. Background: #F5F6F8.
- Headlines: bold sans-serif; body: highly legible sans-serif. Prefer system font or appropriately licensed Inter.
- White space, strong grid, high contrast, clear buttons. No heavy animations; respect reduced-motion preferences.
- Reusable UI: navigation, hero, role card, category pill, profile preview, empty state, progress stepper, verified indicator, modal, toast.

Homepage order

- Hero: what MarathiNEX Film is, plus single registration CTA. Do not display invented partners, dates, statistics or confirmed speakers.
- Who it serves, membership benefits, content formats, industry tracks, next-project use cases, FAQ, event-interest CTA, newsletter opt-in.
- Footer: contact, privacy, terms, grievance/contact pathway, social links, copyright.

Accessibility and language

- English first with Marathi-ready localization keys and Unicode-aware input. Real Marathi translation to be reviewed by a fluent editor.
- Keyboard navigation, labeled form fields, focus states, error summaries, WCAG 2.2 AA as the design target.
- Responsive states: 360px mobile, tablet, laptop and desktop. Forms must work without hover actions.

BUILD ONCE, EXPAND LATER

04 / Recommended technical architecture

Baseline stack

- Next.js with TypeScript + App Router + React, Tailwind CSS and a reusable component library.
- Supabase Auth / PostgreSQL / Storage; server-side actions or secure route handlers for privileged work.
- Vercel or comparable deployment, GitHub version control, preview environments and staged production releases.
- Transactional emails through an authenticated provider, with queue/retry and audit history.
- Event analytics with privacy-aware first-party events and explicitly consented marketing tracking.

Logical diagram

- Browser -> Next.js frontend -> authenticated server actions -> Supabase Auth / PostgreSQL RLS / Storage.
- Server-only verification adapters, notifications, payment integrations and admin utilities behind authorization checks.
- Search: PostgreSQL full-text and indexes at first; external search only when scale demands it.
- Event meeting engine: availability tables + allocation constraints + notification jobs. Start with requests, then confirmed slots.

Architecture guardrails

- No secrets in browser code, no service-role token in public environment variables, no direct public access to verification artifacts.
- DB schema migrations are versioned; avoid manual production-only changes.
- Scheduled tasks must be idempotent and logged; third-party API failures must not corrupt registration records.

IDENTITY + ONBOARDING

05 / One account, one registration

Step-by-step onboarding

- 1. Visitor clicks Register Interest / Become a Member. Ask only name, email, country and password or email magic link.
- 2. Verify email; optionally verify mobile by OTP as a separate step.
- 3. Ask primary role, optional secondary roles, country/city, language, and content-format interest.
- 4. Ask whether the user wants film membership, event news, event participation interest or all; these are independent choices.
- 5. Create one personal profile, then role-specific profile extensions based on selected roles.
- 6. Ask whether member is joining on behalf of an organization; organizations are separate entities.
- 7. Display profile-completion checklist and privacy/visibility preferences.

Account states

- invited -> email_pending -> active -> optional verification_pending -> verified / rejected -> suspended / closed.
- Membership states are independent from identity: free / trial / active / grace / expired / cancelled.
- Event registration states: interest / applied / waitlisted / offered / booked / cancelled; no implied event booking at the interest stage.

Required consent boundaries

- Terms acceptance; privacy notice acceptance; marketing opt-in unselected by default; public profile visibility setting.
- Each purpose needs separate records with consent text version, timestamp and withdrawal state.

06 / Role-based professional profiles

Common profile

- Display name, short bio, profile photo, location at city level, languages, public work links, professional credits, availability, portfolio, tags, primary role and additional roles.
- Private fields: legal name if needed, email, phone, verification records, communication preferences and billing metadata.
- Visibility controls per field: public / members-only / private.

Role extensions

- Actor: playing age range, languages, skills, demo reel, headshots, portfolio and availability; avoid mandatory sensitive traits.
- Writer: genres, loglines (optional), sample links, languages, script status, rights ownership declarations.
- Director: filmography, showreel, formats, budgets/scale experience, upcoming projects and collaborators sought.
- Producer: company affiliations, producer credits, current slate, project stage, hiring and co-production interests.
- Financier: organization, sectors and deal preferences, geographic interests and verified mandate. Avoid public disclosure of private wealth.
- Casting director: casting credits, active mandates, audition submission links and opportunity verification.
- DOP / Editor / VFX / Crew: specialist equipment/skills, reel, past credits, software, availability and location.
- Distributor / Sales / Exhibitor: territories, formats, acquisition interests, company verification and contact workflow.

07 / Organization profiles and permissions

Organization record

- Legal name, brand name, entity type, official site, business email, public description, services, location, specialties, projects, official contact, review status.
- Do not assume a user can claim a company merely by entering its name. Require domain email or manual proof and an admin approval path.

Team model

- A person may belong to multiple organizations with separate permissions.
- Organization roles: owner, admin, recruiter/editor, member, viewer.
- Invitation acceptance and removal must be auditable; former staff lose access immediately.

Profiles and membership interaction

- Personal membership is not the same as organization verification.
- Event representation can be personal or company; selected context is shown on an appointment invitation.

08 / Registration form specification

Base form fields

- Full name; preferred display name (optional); email; password or magic-link selection; country; city (optional); primary professional role; additional roles; formats of interest; language preference.
- Interest: year-round membership / film event interest / hiring / collaboration; desired meeting track (optional); optional organization name.
- Legal: terms checkbox; privacy acknowledgement; separate marketing consent.

Progressive profile fields

- Step 1 Basic account -> Step 2 Roles -> Step 3 Portfolio -> Step 4 Preferences -> Step 5 Optional verification.
- Store incomplete progress as drafts; allow resume without losing input.
- Use server validation, normalized email, controlled enumerations, Unicode support and file-size/type restrictions.

User-facing confirmations

- Account confirmation clearly distinguishes membership registration from event ticket purchase.
- Send welcome email with profile-completion checklist; never claim user is verified before approval.
- Show next suggested action by role, with no false promise of auditions, jobs or finance.

09 / Verification architecture

Separate trust badges

- Email verified: ownership of email; Phone verified: ownership of phone; Identity checked: reviewed identity evidence; Professional credentials checked: credits / affiliation reviewed; Organization verified: business identity confirmed.
- Badge tooltip must state precisely what was checked, when it was checked, and what it does NOT guarantee.
- Verification can expire, be revoked, appealed or re-requested; store reviewer and reason.

Privacy-first identity options

- Phase 1: optional video call with human reviewer + supported ID pathway under lawful consent; do not record the call by default.
- For India: explore UIDAI-registered OVSE or compliant licensed provider for consent-based Aadhaar offline verification; do not build an unapproved Aadhaar API.
- Users must have a non-Aadhaar path where appropriate; overseas members can use an approved passport/other-ID provider where legally supported.
- Never store Aadhaar numbers, Aadhaar biometrics or raw identity-card photos in the general profile database.
- Do not use raw video to train models, perform hidden biometric matching or create permanent face templates.

Verification data minimization

- Store provider transaction reference, method, reviewer, result, verified_at, expires_at, legal basis/consent version and audit trail.
- If temporary evidence is necessary, use encrypted restricted storage, short retention and automated deletion subject to counsel-approved policy.

10 / Verification workflow and fraud controls

Request-to-decision path

- User selects Verify Profile -> reads purpose/alternatives -> consents -> chooses approved method -> schedules video call OR enters provider flow.
- Provider/admin checks identity and liveness where lawful; professional credits or company affiliation are checked independently.
- Reviewer returns approved, needs-more-info, rejected or escalated, with explanation and appeal path.
- Public result displays scope-specific badge, not document data.

Human video call safeguards

- Do not ask members to send Aadhaar scans through chat/email or share full ID number over a call.
- Reviewer guidance: compare visible identity evidence, confirm live presence, record only yes/no and necessary metadata; no screen recording by default.
- Require a second reviewer for suspicious or high-risk cases; staff least-privilege access and session audit.

Threats to test

- Impersonation, synthetic profiles, forged credits, company takeovers, phishing, fake casting calls, recruiter abuse, unsolicited contact, harassment and privilege escalation.
- Rate limits on verification and invites; report/block controls; account appeal and moderation escalation.

11 / Data model A: core accounts

Core relational tables

- auth.users (managed by auth provider) -> public.users_private (user_id PK/FK, encrypted/private contact metadata).
- profiles (id, user_id UNIQUE, display_name, headline, bio, city, country, avatar_path, visibility, status).
- profile_roles (profile_id, role_code, is_primary); roles (role_code, display_name); profile_formats (profile_id, format_code).
- credits (id, profile_id, production_title, role, year, source_url, review_state).
- media_assets (id, owner_user_id, kind, storage_path, visibility, processing_state).
- organizations (id, legal_name, brand_name, type, domain, status); organization_members (org_id, user_id, permission, status).
- consent_events (user_id, purpose, version, granted, occurred_at); notification_preferences (user_id, channel, topic, enabled).

Implementation principles

- Use UUIDs, created_at/updated_at, unique constraints, foreign keys, soft-delete where needed and indexed lookups.
- Avoid one huge table with fields for every role. Keep common identity + role extensions.
- Use enums or reference tables for categorical data, never free-form role permissions.

12 / Data model B: work and discovery

Catalog tables

- formats, genres, skills, languages, territories and specializations as managed reference catalogs.
- projects (id, owner_user_id, organization_id, title, format_code, stage_code, summary, visibility, moderation_state).
- project_team (project_id, profile_id, responsibility); project_assets (project_id, asset_id, access_scope).
- opportunities (id, org_id, project_id, type, role_code, location, compensation_label, deadline, moderation_state).
- applications (opportunity_id, applicant_profile_id, cover_note, status, submitted_at) with privacy controls.
- connections (requester_user_id, receiver_user_id, state); conversation_threads and messages (future phase).
- saved_items and search_alerts (owner_user_id, target_id, filters, delivery_preference).

Discovery rules

- Public listing sees only published projects and approved opportunities, never draft pitches or private budgets.
- Introduce granular project visibility: public teaser / members-only / invited collaborators / private.
- Copyright and ownership acknowledgements before uploads; no assumption of assignment or transfer of IP rights.

13 / Data model C: events and membership

Events

- events (id, slug, name, city, tentative_dates, status); event_tracks (event_id, role/format filters).
- event_interest (user_id, event_id, preferred_tracks, attendance_preference, status).
- event_tickets / orders / payments reserved for later phases; never pre-create paid bookings without processor webhook reconciliation.
- meeting_participants (event_id, profile/org, capacity); meeting_requests (requester, receiver, goal, status).
- meeting_slots (event_id, room_or_table, start_at, end_at, capacity); meeting_bookings (request_id, slot_id, status).

Annual membership

- plans (scope, entitlements), subscriptions (user_id/org_id, plan, period, status), entitlements (feature, limit, effective period).
- No access based solely on browser state; membership entitlements checked server-side.
- Membership renewal / non-renewal / expiry and cancellation must not delete the underlying user identity.

Separate operational records

- verification_cases and verification_events; notification_jobs and delivery_events; moderation_cases; admin_audit_logs.
- Pseudonymous analytics events separated from account and verification material wherever practicable.

14 / Access model and privacy controls

Role and object access

- Visitor: public published content only. Member: edit own profile, consented discovery, own applications/requests.
- Organization editor: authorized organization-owned listings. Verifier: only assigned cases. Moderator: content decisions, not raw identity evidence.
- Admin: privileged operations via audited server-side interfaces, no automatic blanket download of private data.
- Service account: specific background operations with narrow permissions.

Database authorization

- Enable Row Level Security and explicit grants on every client-accessible table; add tests for deny and allow cases.
- Separate public_profile views from users_private; protect identity, billing, consent and verification artifacts.
- No service-role key on client; storage buckets private by default with short-lived signed URLs.
- Use MFA for privileged accounts; session expiry and account recovery flows.

Compliance features

- Clear notice, access/correction/erasure process, consent withdrawal, retention schedule and breach response.
- Protect minors: age policy and guardian pathway if allowing users under 18; avoid launching underage onboarding without review.
- Review DPDP Act/Rules, applicable India law and international data rules with counsel before production.

15 / Admin command center

Admin modules

- Registrations dashboard by date, role, country, format, acquisition source and event interest.
- Queue: pending company verification, identity verification, reported profiles, casting calls, flagged messages and appeals.
- Content CMS for public site, FAQs, event announcements, programming tracks, newsletter updates.
- Role directory and taxonomy manager; export scoped reports with audit log and purpose check.
- Support inbox, account recovery, consent and deletion requests, notification delivery logs.

Quality gates

- All admin changes record actor, time, record and reason. Sensitive views and exports require additional permissions.
- No public counters that inflate targets as achieved results; always label confirmed versus planned.
- No automatic bulk member contact sharing with sponsors or external companies.

16 / Notifications, automations and messaging

Trigger-to-message examples

- Email verification -> verify address; welcome -> profile completion link; role-specific reminder -> incomplete steps.
- New opportunity -> opt-in alert by discipline, location and format; new project inquiry -> notification.
- Verification submitted -> case acknowledgment; approved/rejected -> result with safe explanation.
- Meeting requested -> accept/decline; confirmed -> calendar; reminder -> confirmed attendee only; cancellation -> release slot.
- Membership approaching renewal -> lawful notice, clear choice and payment confirmation.

Transport rules

- Transactional and marketing messages use independent consent/opt-out logic.
- Email first. WhatsApp Business only via approved official integration and applicable opt-in/template rules.
- Queue, idempotency key, retry with exponential backoff, dead-letter handling and delivery logs.
- Never send sensitive IDs, private contact numbers, full scripts or confidential meeting notes in notifications.

GATED INCREMENTAL RELEASES

17 / Phased roadmap at a glance

Phase 0 — Foundation

- Repo, design tokens, environments, branch policy, schema conventions, CI, lint, formatting, seed data, baseline security.

Phase 1 — Public launch

- Responsive homepage, content pages, event-interest form, email capture, privacy pages, administrator view, analytics.

Phase 2 — Unified identity

- Signup/login/reset, email verification, roles, profile wizard, private dashboard, per-field privacy.

Phase 3 — Directory and projects

- Search/filters, organization profiles, credits, portfolio, project listings, moderation, opportunities.

Phase 4 — Trust and verification

- Separate badge levels, human review workflow, appeal/revocation, optional provider integration after legal signoff.

Phase 5 — Events and meetings

- Event tracks, RSVP/interest conversion, meeting requests, buyer availability, booking allocator and reminders.

Phase 6 — Annual membership

- Plans/entitlements, processor integration, invoices, cancellations, renewal automation, support workflows.

Phase 7 — Scale and expansion

- Performance, analytics, localization, global member needs, MarathiNEX Business / Trade-ready architecture.

18 / Phase-by-phase acceptance gates

0 -> 1: public alpha

- Repository bootstraps cleanly, dev/staging/prod environments isolated, CI runs lint/typecheck/test/build.
- Landing page works on mobile and desktop; user can send interest form; admin sees submissions; no invented event claims.

1 -> 2: member beta

- Signup/login/reset and email confirmation tested, roles may be multiple, profile draft resumes, auth state safe.
- Each user sees only their own private data; rejected public API access verified with automated RLS tests.

2 -> 3: marketplace beta

- Filters work with index-backed query, moderation applies to listings, private projects stay hidden, file permissions tested.

3 -> 4: identity trusted pilot

- No default Aadhaar number capture, policy approved, reviewer workflow and deletion procedure tested, appeals supported.

4 -> 5: event beta

- No double-booking, slot timezone handling, accept/decline, clear cancellation, audit logs and reminders tested.

5 -> 6: paid membership launch

- Payment webhooks verified, duplicate webhooks idempotent, entitlements revoke/renew correctly, refund/expiry paths tested.

6 -> 7: production maturity

- Backup restoration drilled; error monitoring; incident process; rate-limit and accessibility review; operational runbook.

PASTE INTO YOUR CODING AGENT

19 / Copy-ready /init instruction

```
/init MarathiNEX Film — foundation build
Product: MarathiNEX Film, a global Marathi entertainment
professional network plus annual industry event.
Style: white #FFFFFF, ink #16191E, film red #DC1023.
Bold readable sans-serif, minimal, mobile first.
Use: Next.js App Router, TypeScript, Tailwind,
Supabase Auth/Postgres/Storage, server authorization.
Initial milestone: Phase 0 only. Do NOT implement
full registration, membership payments, Aadhaar,
meeting bookings or production verification yet.
Create: folder structure, design tokens, shared UI,
route placeholders, environment samples, migrations
folder, test setup, CI commands, README, architecture.
Security: RLS by default, server-only secrets, secure
cookies, no sensitive profile field published.
For every edit: explain files changed, migrations,
tests run, unresolved issues and manual setup steps.
Ask before adding dependencies or external services.
Stop after Phase 0 tests pass. Do not skip phases.
```

Rules for the AI coding agent

- Create small, reviewable changes. Never fabricate integration success or claim a test passed if not executed.
- Do not silently modify SQL policies, reset databases, expose secrets or deploy to production.
- Provide working sample data only; never use real Aadhaar numbers, real user IDs or unauthorized film images.

20 / Repository skeleton and coding conventions

```
src/app/(public)/film/page.tsx
src/app/(public)/film/event/page.tsx
src/app/(auth)/login/page.tsx
src/app/(auth)/register/page.tsx
src/app/(member)/dashboard/page.tsx
src/app/(member)/profile/page.tsx
src/app/(admin)/admin/page.tsx
src/components/ui/
src/components/film/
src/features/auth/
src/features/profiles/
src/features/events/
src/features/verification/
src/lib/supabase/{client,server,admin}.ts
src/lib/permissions/
src/lib/validation/
src/lib/notifications/
src/locales/en.json
src/locales/mr.json
supabase/migrations/
supabase/tests/
public/assets/
tests/e2e/
docs/{product,architecture,decisions,runbooks}/
```

Conventions

- Strict TypeScript. Validate at system boundaries using schemas. UI never trusts client-submitted role or entitlement.
- Feature directories own domain logic; shared components contain no secrets or privileged calls.
- Use database migrations, seeded reference taxonomies, component tests, integration tests and Playwright critical journeys.

21 / Copy-ready Phase 1 prompt

```
Implement Phase 1 only, using Phase 0 foundation.
Build public film homepage, navigation, event interest
form, role cards, format cards, FAQ, privacy pages.
The event date/venue and partners are NOT confirmed.
Use 'Mumbai · dates to be announced' where required.
Store interest leads with consent and source attribution.
Create admin read-only interest overview protected
by role checks. Add server validation, duplicate-
submission handling, spam controls, tests.
Do not add paid ticketing or promises of meetings.
Deliver: working local flow, migration, screenshots,
accessibility check, automated test report and README.
Stop for approval before Phase 2.
```

Minimum QA scenarios

- Submit valid international and Indian contact details; handle duplicate email gracefully; verify clear error display.
- Test opt-in off/on, form spam mitigation, refresh and back-button behavior, mobile display and keyboard navigation.
- Verify public visitors cannot query event interest rows.

22 / Copy-ready Phase 2 prompt

```
Implement Phase 2 only on approved Phase 1.
Use Supabase Auth for signup, login, logout,
password reset, email confirmation and session flow.
Build ONE registration wizard with primary and extra
roles, format interest, professional profile, and
separate event-interest and marketing consent.
Member dashboard: profile completeness, role cards,
visibility controls, own data update, account settings.
Create RLS policies and allow/deny tests for all data.
No raw identity document upload, payments or custom
booking engine in this phase. Verify private views
and account-recovery edge cases. Stop for approval.
```

Test matrix

- Visitor / Member A / Member B / Organization editor / Admin must have separately tested access rights.
- Register twice, confirm via link, expired link, reset token, revoked session and deleted-account behaviors.
- Check that changing a role in browser state never grants privileged access.

23 / Copy-ready Phase 3–5 prompts

Phase 3 — Directory

```
Create searchable, moderated profiles, organizations,
credits, portfolios, projects and opportunities. Add
role/format/location filters and safe public views.
Use only approved entries. Test private projects,
organization claims, abuse reports and RLS.
```

Phase 4 — Verification

```
Implement verification status workflow and admin
queues. Separate email, identity, credentials and
organization checks. Human video-call method first.
No Aadhaar capture, biometric matching or UIDAI
integration without documented legal/provider approval.
Add consent, appeal, revoke, audit and deletion tests.
```

Phase 5 — Events

```
Create event tracks, qualified interest, buyer desk
availability and meeting requests. Accept/decline and
slot allocation must prevent double booking. Add
email/calendar notifications with cancellation flow.
Do not guarantee access before desk confirmation.
```

24 / Copy-ready Phase 6–7 prompts

Phase 6 — Annual membership

```
Add annual membership plans and server-side feature
entitlements. Integrate payment gateway only after plan
and refund policy approval. Use server webhooks,
idempotency, invoice history, renewal/cancel/expiry
states, safe failure handling and finance audit logs.
Do not add recurring charges without clear consent.
```

Phase 7 — Hardening + global

```
Review accessibility, Marathi localization, backups,
restores, rate limits, query indexing, observability,
privacy rights workflows and incident operations.
Keep architecture ready for MarathiNEX Trade and
Business, but do not launch them as part of Film.
```

Definition of done for every phase

- Approved design matches intended UI on desktop and mobile; lint, typecheck, test, build and security checks pass.
- Provide migration plan, rollback plan, deployed staging URL (when available) and a manually verified acceptance checklist.
- No phase merges while critical auth/privacy defects remain open.

25 / Key decisions and approval register

Decisions to approve before Phase 1

- Brand legal clearance and domain ownership; privacy/terms contact entity; approved logo and font licenses.
- Public event wording: date unknown versus proposed dates; organizer identity; who can join; minimum age policy.
- Whether public event-interest registration requires account creation (recommend: optional, then convert to account).

Decisions before member and verification launch

- Membership eligibility and code of conduct; profile visibility defaults; list of supported role categories.
- Verification badge labels, human reviewer procedures, retention schedule, international ID alternatives.
- Aadhaar route requires legal consultation and a compliant UIDAI OVSE/provider arrangement where applicable.

Decisions before monetization

- Annual plans and entitlements, renewal/cancellation/refund policy, invoicing entity, tax integration.
- Admin support staffing, moderation SLA, breach/complaint contacts and service reliability.

DOCUMENTATION SOURCES

26 / Official reference links

UIDAI OVSE registration and eligible use cases

https://uidai.gov.in/pa/ovse

UIDAI Aadhaar Act — section 8A

https://www.uidai.gov.in/hi/aadhaar-act

UIDAI authentication and offline verification regulations

https://www.uidai.gov.in/images/The_Aadhaar_Authentication_and_Offline_Verifications_Regulations_2021-_Clean_copy-30122025.pdf

MeitY / PIB DPDP Rules announcement

https://www.pib.gov.in/PressReleasePage.aspx?PRID=2190014

Supabase RLS guide

https://supabase.com/docs/guides/database/postgres/row-level-security

Supabase security checklist

https://supabase.com/docs/guides/security/production-checklist

Supabase Auth

https://supabase.com/docs/guides/auth

This blueprint is a product and technical planning document, not legal advice. Recheck current laws, terms, service eligibility and provider documentation at implementation time.