REVISION R5 · 15 OCT 2026 · APPROVED BY CLIENT

Stand 15288 · Sinor Marine / Amphicos
Equipment layout proposal

EVENT	ADIPEC 2026, ADNEC
STAND	15288 · 6 × 5 m · 30 m²
TYPE	Peninsula, 3 sides open
REAR	Shared wall, Stand 15285
UNITS	cm unless noted
REVISION	R5
DATE	15 Oct 2026

Four equipment items, a back-wall video wall and the agreed logos added to the approved Amphicos booth without changing its structure or size. R1 was approved on 15 Oct 2026 with the recommended option for every decision at the bottom; revisions R2 to R5 were approved by the client, Rahul, on the same day and are shown throughout this copy. The interactive 3D model follows this layout.


Revision history

all approved by the client, 15 Oct 2026

REV	DATE	CHANGE
R1	15 Oct 2026	Original proposal approved with the recommended picks for decisions D1–D7.
R2	15 Oct 2026	SMT logo moved from the counter front to the back wall, centred below the video wall. Fugro and Sonardyne logos added to the aisle-facing fronts of their display tables. Two back-wall screens replaced by an 8-module video wall on the same footprint. Partner Brands Showcase added to the Sinor Marine front-corner frame.
R3	15 Oct 2026	Fugro and Sonardyne logos removed from the rear header corners; they now appear only on the table fronts. Partner Brands Showcase revised.
R4	15 Oct 2026	Partner Brands Showcase finalised as a 2 × 2 grid: Sinor Marine Technologies and SMT UK on top, Guidance Marine and Xplisi Technologies below.
R5	15 Oct 2026	Hanging MT and NAVIS logo panels removed because they blocked the video wall. Both logos now sit on lit white fascias across the console front cabinets. Console power confirmed at 230 V, 10 A each.

Proposed top view

plan · 1 grid = 50 cm · front aisle at bottom




New equipment · Operator / staff clearance · New logo (L1–L6) · Video wall (8 modules) · Existing frames, counter · Floor ring sticker · Header / canopy above · Conflict (see list)

Existing elements are drawn from the Amphicos booth drawings (scale 1:10). Seating positions and the lightbox column position are scaled from the renders and side views, so they are approximate. Logo markers sit on the face that carries the logo: L1 and L2 on the console front cabinets, L3 and L4 on the aisle-facing table fronts, L5 on the back wall, L6 on the left-aisle face of the Sinor Marine frame.


Annotated elevations concept · heights above 10 cm platform

Front elevation (from front aisle)



Straight on, the angled frames hide the rear corners, so the consoles and their fascia logos are seen from the side aisles and on the diagonal from the front aisle. The rear header corners stay blank white. The video wall keeps the outer footprint of the two former screens, 120–320 cm above the platform. The SMT logo (L5, ≈ 90 × 36, centre 80 cm) is drawn dashed because in a true elevation the 95 cm counter stands in front of it; from standing eye height in the front aisle it reads above the counter, as the render shows.

Left elevation (from Sinor Marine side aisle)



No logo is hung above the console: the MT logo is on a lit fascia across the front cabinet, 20–60 cm above the platform, and nothing rises above the console's own 120.5 cm. The Fugro logo is centred on the aisle-facing table front. The right elevation mirrors this with NAVIS (2), Sonardyne (4) and the Amphicos header; the Amphicos frame carries no partner grid.

1 · The current booth `what the files show`

- **Size and type.** 6 m wide × 5 m deep, 30 m², peninsula. Front, left and right aisles are open; the rear adjoins Stand 15285. 10 cm raised platform with blue edge light. Overall height 400 cm.
- **Back wall.** 600 × 330 cm with two 250 × 200 cm screens and two 130 × 35 cm lit shelves below them. From R2 the two screens are replaced by an 8-module video wall on the same outer footprint (see the placement schedule).
- **Header.** A 600 × 260 cm rear header frame (60 cm fascia, open centre) carrying the Sinor Marine Services logo on the left side and the Amphicos logo on the right side. A semicircular canopy (Ø 465 cm, 230 cm deep) projects to the front with a 700 × 50 cm wrap-around flexible screen and a ceiling of downlights.
- **Front corners.** Two angled 165 × 330 cm frames with blue LED edges, double-sided: Sinor Marine on the left, Amphicos on the right, each with a 55" TV and a 50 × 35 cm laptop shelf on the aisle face.
- **Columns.** One triple-pole column with a 75 × 150 cm lightbox on each side, about 1.75 m from the rear.
- **Reception.** Curved 170 × 50 × 95 cm counter at front centre carrying the Sinor Marine and Amphicos logos, with lockable storage.
- **Seating.** Two round tables with three chairs each under the canopy, inside a Ø 465 cm blue floor ring. Two potted plants appear in the renders near the rear sides.
- **Design language.** White surfaces, Amphicos cyan, Sinor navy, blue LED edge lighting and lit acrylic logos.
- **Power.** B = 60 A three-phase main DB at rear left (1.0 m from the left side, 0.5 m from the rear). A = 15 A single-phase build-up power at rear right. All cabling runs under the platform.
- **Fixed vs movable.** Walls, header, canopy, frames, columns and screens are structural and stay. Tables, chairs, plants and the small side shelves can move.

2 · Requirements from the Sinor Marine document

#	ITEM	SIZE (FROM DOCUMENT)	PLACEMENT ASKED	LOGO ABOVE	DATA GAPS
1	MT DP console	`W 653.5 × D 685.9 × H 1,205 mm desk 767–797 · cabinet 676`	Floor-standing, Sinor Marine side, "marked location"	MT (on console fascia from R5, see L1)	Marked location not in any file. Power confirmed: 230 V, 10 A (≈ 2.3 kW).
2	NAVIS DP console	`Same as item 1`	Floor-standing, opposite side, "marked location"	NAVIS (on console fascia from R5, see L2)	Same enclosure as MT, NAVIS screen and joystick panel. Power confirmed: 230 V, 10 A (≈ 2.3 kW).
3	Fugro Seastar 9410-AUT DGPS + monitoring display	`not given`	Presentable display table, units side by side	Fugro (on table front from R2)	`assumption` unit sizes needed from datasheet. Power unknown.
4	Sonardyne SPRINT-Nav DP	`not given`	Presentable display table with secure holder	Sonardyne (on table front from R2)	`assumption` unit size and weight needed for holder. Power unknown.
5	SMT (Sinor Marine Technologies) logo	—	In the overall booth branding, with Sinor Marine and Amphicos	—	Placement left to us. Approved in R2: back wall, below the video wall.

The document jumps from section 05 to 07. If a section 06 existed, it was not in the file. Added at the client's request after R1, and not in the document: the 8-module video wall (R2) and the Partner Brands Showcase (R2–R4).

3 · Placement schedule

#	POSITION	FOOTPRINT	CLEARANCE	EXISTING ELEMENTS AFFECTED	WHY HERE
1	Rear-left corner, turned 45° to face the booth centre. Centre about 75 cm from left, 75 cm from rear.	65.4 × 68.6 H 120.5	90 cm operator zone in front; cable gap behind	Left plant and small rear side shelf removed. Left seating moves ~25 cm forward.	On the Sinor Marine side under the SMS header, next to the main DB for a short feed, visible from the left aisle and diagonally from the front. Own 16 A socket from DB B assumption.
2	Rear-right corner, mirror of item 1.	65.4 × 68.6 H 120.5	Same as item 1	Right plant and side shelf removed. Right seating moves ~25 cm forward.	Opposite side as required, keeps the booth symmetric. Own 16 A socket from DB B under the platform assumption.
3	Left edge, between the frame and the lightbox column, long side to the left aisle.	100 × 50 H 95 assumption	~55 cm staff side inside	None structural.	Faces the left aisle so visitors stand off-stand. Staff demo from inside. Pairs the DGPS with the MT console on one side.
4	Right edge, mirror of item 3, unit in a lockable cradle on the table.	100 × 50 H 95 assumption	~55 cm staff side inside	None structural.	Mirror of item 3 for balance. Pairs SPRINT-Nav with NAVIS on the Amphicos side.
5	Back wall, centred on the booth centre line directly below the video wall. Centre 80 cm above the platform. R2	≈ 90 × 36	—	Counter returns to two logos (Sinor Marine Services, Amphicos). Lit shelves unchanged; the logo sits between them.	On the main sightline from the front aisle, under the video wall, and keeps the counter uncluttered.
6	Partner Brands Showcase on the left-aisle face of the Sinor Marine front-corner frame, below the TV. R2–R4	≈ 122 × 70 centre H 97 from 3D model	—	Graphic on the existing white frame panel. None structural.	Groups the SMT group and partner brands on the Sinor Marine side, facing the left aisle.
VW	Video wall on the back wall, 2 rows × 4 columns, centred, 120–320 cm above the platform. Left 4 modules Sinor VR platform content (stand-in images until screenshots arrive), right 4 marketing artwork. R2	519 × 200 overall module ≈ 129 × 99.5 bezel 1.2 · gap 1	—	Replaces the two 250 × 200 screens on the same outer footprint.	One continuous image across the back wall, seen from all three aisles.

LOGO	PROPOSED FIXING	SIZE	VISIBLE FROM
L1 MT	Lit white fascia across the MT console front cabinet, 20–60 cm above the platform, blue LED line along its bottom edge. Nothing rises above the console's 120.5 cm. R5 replaces the panel hung from the header.	`fascia ≈ 58 × 40` `logo 44 wide`	Left aisle, inside, front diagonal
L2 NAVIS	Same, on the NAVIS console front cabinet. R5	`fascia ≈ 58 × 40` `logo 50 wide`	Right aisle, inside, front diagonal
L3 Fugro	Centred on the aisle-facing front of the Fugro display table, centre 52 cm above the platform. Removed from the rear header corner in R3.	`40 wide`	Left aisle
L4 Sonardyne	Same, on the Sonardyne display table. Removed from the rear header corner in R3.	`60 wide`	Right aisle
L5 SMT	Lit acrylic on the back wall, centred on the booth centre line directly below the video wall, centre 80 cm above the platform. Moved from the counter front in R2.	`≈ 90 × 36`	Front aisle, inside
L6 Partner Brands Showcase	2 × 2 grid with hairline dividers on the left-aisle face of the Sinor Marine frame, below the TV. Top row: Sinor Marine Technologies, SMT UK. Bottom row: Guidance Marine, Xplisi Technologies. R2–R4	`≈ 122 × 70` `from 3D model`	Left aisle
Counter	Existing counter graphic: Sinor Marine Services and Amphicos only.	`unchanged`	Front aisle

4 · Conflicts and installation concerns

	ISSUE	PROPOSED RESOLUTION
C1	The requirements say the consoles go at "previously marked" locations, but none of the four files marks them.	Rear corners proposed. If you have the marked drawing, send it and I will match it.
C2	DB B (60 A) sits 0.5 m from the rear, but the notes say supply points are concealed behind the back wall, which the drawings place on the rear boundary. It also lands right beside the MT console flank.	Keep B as a floor box under the platform with an access hatch beside the console, which also hides it. Or ask SM Advertise to move the point to the rear boundary.
C3	Point A is 15 A build-up power and is normally not live during the show. NAVIS and Sonardyne are on that side.	Feed all four items from DB B under the platform (about 5 m run to the right side). MT and NAVIS are confirmed at 230 V, 10 A each (≈ 2.3 kW each, 4.6 kW for the pair), each on its own 16 A socket from DB B; the 16 A socket rating is our assumption, to confirm with the electrician. Fugro and Sonardyne power ratings are still needed from the suppliers.
C4	The console operator zones reach the rear chairs of both seating groups. Seating is not dimensioned in the drawings.	Move both table groups ~25 cm toward the front. If that is too tight once furniture sizes are known, drop to two chairs per table.
C5	From dead-straight in front, the angled frames hide both rear corners, so the consoles and their fascia logos are seen from the side aisles and front diagonals only.	Accepted to avoid moving structure. The alternative (consoles further in, behind the seating) blocks circulation and covers the back screens.
C6	The small rear side shelves (≈ 104 cm high) and the two potted plants sit where the consoles go.	Remove the shelves. Plants can move beside the counter or be dropped.
C7	No dimensions for the Fugro receiver, its display, or the SPRINT-Nav. The holder and table cannot be sized yet.	Table drawn at 100 × 50 cm as a placeholder. Need datasheets before 3D.
C8	The electrical plan lists the exhibitor as First Marine and Engineering Services Limited, while the stand brands are Sinor Marine and Amphicos.	No layout impact. Flagging in case the organiser record needs correcting.
C9	The MT and NAVIS logo panels hung from the rear header (underside ≈ 240 cm) blocked the video wall.	Resolved in R5: panels removed; each logo is on a lit fascia across its console's front cabinet, below desk height.
C10	The 95 cm counter stands in front of the SMT back-wall logo (62–98 cm above the platform) on the centre line.	Accepted in R2. From standing eye height in the front aisle the logo reads above the counter (see render). Check the sightline on site.

5 · Decisions for you

D1 · Console positions

Recommended: rear-left (MT) and rear-right (NAVIS) corners, as drawn.

Or send the marked drawing the requirements refer to.

D2 · Console orientation

Recommended: turned 45° toward the booth centre, so the screens read from the side aisle and the front diagonal.

Alternative: square to the front aisle. Tidier lines, but the screens face the back of the frames.

D3 · Which side gets Fugro and Sonardyne

Recommended: Fugro with MT on the Sinor Marine side, Sonardyne with NAVIS on the Amphicos side.

Alternative: swap them. The document does not specify sides.

D4 · MT and NAVIS logo fixing

Recommended: lit acrylic panels hung from the header frame directly over each console.

Alternative: put them on the white header corners for front-aisle visibility. This moves Fugro and Sonardyne onto table-mounted risers instead.

> **Superseded in R5.** The hung panels blocked the video wall and were removed. Each logo is now on a lit white fascia (≈ 58 × 40 cm) across its console's front cabinet, 20–60 cm above the platform. Fugro and Sonardyne are on their table fronts (R2) and no longer on the header corners (R3); the header corners stay blank.

D5 · Display tables

Recommended: two 100 × 50 × 95 cm white plinth tables with blue LED edge to match the counter, with a lockable cradle for SPRINT-Nav.

Sizes change once the unit datasheets arrive.

D6 · SMT logo

Recommended: counter front, centred between Sinor Marine and Amphicos.

Alternative: beside the SMS logo on the left side of the header.

> **Superseded in R2.** The SMT logo is on the back wall, centred below the video wall (≈ 90 × 36 cm, centre 80 cm). The counter keeps only the Sinor Marine Services and Amphicos logos. SMT also appears in the Partner Brands Showcase.

D7 · Seating


Recommended: keep both tables, shift ~25 cm forward, three chairs each.

Fallback: two chairs per table.

Assumptions to confirm

- Left as seen from the front aisle is the Sinor Marine side. The renders show the SMS header and frame on that side.
- Seating, plant and lightbox column positions are scaled from renders and side views, not from dimensioned drawings.
- All heights are measured from the top of the 10 cm platform.
- Logo sizes are proposals sized to fit the surfaces. Final artwork should come from the logo files in the requirements document. Partner Brands Showcase overall size is taken from the 3D model.
- MT and NAVIS console power is confirmed at 230 V, 10 A each. The 16 A socket per console is our assumption, to confirm with the electrician.
- Fugro and Sonardyne power ratings and unit dimensions are unknown until datasheets are supplied.
- The left four video wall modules show stand-in images until the Sinor VR platform screenshots arrive.

3D views R5 model renders · for reference, the drawings govern



Front-left view. Video wall on the back wall, consoles with fascia logos in the rear corners, Sonardyne table on the right edge.



Front view. SMT logo centred below the video wall; counter with Sinor Marine Services and Amphicos logos only.