



**SREE NARAYANA GURUKULAM
COLLEGE OF ENGINEERING
KADAYIRUPPU, KOLENCHERY 682311**

**LABORATORY RECORD
YEAR: 2022 TO 2023**

NAME: RAHUL P R
SEMESTER: 3
ROLL NO: 26
BRANCH: COMPUTER APPLICATIONS

Certified that this is a Bonafide Record of Practical work done in partial fulfillment of the requirements for the award of the Degree in Master of Computer Applications of Sree Narayana Gurukulam College of Engineering.

Kadayiruppu
Date:

Head of the Department

Course Instructor

Submitted for University Practical Examination

Reg. No: SNG21MCA-2028 **on**-----

External Examiner

Internal Examiner

INDEX PAGE

NO	PROGRAM	DATE
COURSE OUTCOME 1		
1	LOGIN FORM	30/08/22
2	ACTIVITY LIFECYCLE	03/09/22
3	SIMPLE CALCULATOR	10/09/22
4	FORM VALIDATION	20/09/22
COURSE OUTCOME 2		
5	INTENT AND SHARED PREFERENCES	25/09/22
6	GRID CALCULATOR	30/09/22
7	FACEBOOK PAGE	05/10/22
8	TOGGLE IMAGE	20/10/22
COURSE OUTCOME 3		
9	INTENT	30/10/22
10	MENU	10/11/22
COURSE OUTCOME 5		
11	DATABASE MANAGEMENT	20/11/22

PROGRAM NO:5

DATE:25/09/22

INTENTS AND SHARED PREFERENCES

AIM:Design a registration activity and store registration details in local memory of phone using Intents and SharedPreferences

PAGE 1

XML CODE:

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical"
    tools:context=".MainActivity">

    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:gravity="center"
        android:background="@color/black"
        android:textColor="@color/white"
        android:text="ENTER THE DETAILS"
        android:layout_marginTop="30px"
        android:textSize="25sp"
    />

    <EditText
        android:id="@+id/fullname"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:ems="10"
        android:layout_marginTop="30sp"
        android:inputType="textPersonName"
        android:hint="FULL NAME" />

    <EditText
        android:id="@+id/email"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:ems="10"
        android:layout_marginTop="30sp"
        android:hint="EMAIL"
        android:inputType="textPersonName" />
```

```
<EditText
    android:id="@+id/location"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:ems="10"
    android:layout_marginTop="30sp"
    android:inputType="textPersonName"
    android:hint="LOCATION" />
```

```
<Button
    android:id="@+id/button"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginTop="30sp"
    android:onClick="reg"
    android:text="REGISTER" />
```

```
</LinearLayout>
```

JAVA CODE:

```
package com.example.registration_intent_shared;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.content.SharedPreferences;
import android.os.Bundle;
import android.view.View;
import android.widget.EditText;
import android.widget.Toast;

public class MainActivity extends AppCompatActivity {
    EditText name,email,location;
    SharedPreferences sp;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        name=findViewById(R.id.fullname);
        email=findViewById(R.id.email);
        location=findViewById(R.id.location);
        sp=getSharedPreferences("register",MODE_PRIVATE);
    }

    public void reg(View view) {
        Toast.makeText(this,"REGISTERED
SUCCESSFULLY",Toast.LENGTH_SHORT).show();
        Intent i=new Intent(MainActivity.this,MainActivity2.class);
        String val1=name.getText().toString();

        String val2=email.getText().toString();
```

```

        i.putExtra("name",val1);
        i.putExtra("email",val2);

        SharedPreferences.Editor ed=sp.edit();
        ed.putString("location",location.getText().toString());
        ed.commit();
        startActivity(i);
    }
}

```

PAGE 2

XML CODE:

```

<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical"
    tools:context=".MainActivity2">

    <TextView
        android:id="@+id/det"
        android:layout_width="match_parent"
        android:layout_marginTop="30px"
        android:fontFamily="serif"
        android:textStyle="bold"
        android:textColor="@color/white"
        android:gravity="center"
        android:background="@color/black"
        android:textSize="25sp"
        android:layout_height="wrap_content"
        android:text="REGISTRATION DETAILS" />

    <TextView
        android:id="@+id/name"
        android:layout_width="match_parent"
        android:layout_marginTop="30px"
        android:fontFamily="serif"
        android:textStyle="bold"
        android:textColor="#5981f7"
        android:gravity="center"
        android:textSize="25sp"
        android:layout_height="wrap_content"
        android:text="NAME" />

    <TextView
        android:id="@+id/email"

```

```

        android:textColor="#5981f7"
        android:fontFamily="serif"
        android:layout_marginTop="30px"
        android:textSize="25sp"
        android:textStyle="bold"
        android:gravity="center"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="EMAIL" />

```

```

<TextView
    android:id="@+id/location"
    android:textColor="#5981f7"
    android:fontFamily="serif"
    android:layout_marginTop="30px"
    android:textSize="25sp"
    android:textStyle="bold"
    android:gravity="center"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="LOCATION" />

```

```

</LinearLayout>

```

JAVA CODE:

```

package com.example.registration_intent_shared;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.content.SharedPreferences;
import android.os.Bundle;
import android.widget.TextView;

public class MainActivity2 extends AppCompatActivity {
    TextView t1,t2,t3;
    SharedPreferences sp;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main2);
        t1=findViewById(R.id.name);
        t2=findViewById(R.id.email);
        t3=findViewById(R.id.location);
        sp=getSharedPreferences("register",MODE_PRIVATE);

        Intent intent=getIntent();
        String val1=intent.getStringExtra("name");
        String val2=intent.getStringExtra("email");
        String val3=sp.getString("location","");


        t1.setText("NAME: "+val1);

```

```
t2.setText("EMAIL: "+val2);
    t3.setText("LOCATION: "+val3);

}
}
```

OUTPUT



PROGRAM NO:6

DATE:30/09/22

GRID CALCULATOR

AIM:Design a simple Calculator using GridLayout and Cascaded LinearLayout

XML CODE:

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical"
    tools:context=".MainActivity">

    <TextView
        android:id="@+id/textView"
        android:layout_width="match_parent"
        android:layout_marginTop="5dp"
        android:layout_height="40dp"
        android:background="#16B7CA"
        android:gravity="center"
        android:textColor="#0E0E0D"
        android:text="WELCOME" />

    <EditText
        android:id="@+id/display"
        android:layout_marginTop="30dp"
        android:layout_width="390dp"
        android:layout_gravity="center"
        android:layout_height="80dp"
        android:gravity="center"
        android:hint="Result"
        android:inputType="textPersonName"
        />

    <androidx.gridlayout.widget.GridLayout
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="30dp"
        android:layout_gravity="center">

        <Button
            android:id="@+id/b7"
            android:layout_width="wrap_content"
            android:layout_height="54dp"
            android:backgroundTint="#6e7778"
```



```
android:text="7"
    app:layout_column="0"
    app:layout_row="0" />
```

```
<Button
    android:id="@+id/b8"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#6e7778"
    android:text="8"
    app:layout_column="1"
    app:layout_row="0" />
```

```
<Button
    android:id="@+id/b9"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#6e7778"
    android:text="9"
    app:layout_column="2"
    app:layout_row="0" />
```

```
<Button
    android:id="@+id/div"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#3C393B"
    android:text="/"
    app:layout_column="3"
    app:layout_row="0" />
```

```
<Button
    android:id="@+id/b4"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:backgroundTint="#6e7778"
    android:text="4"
    app:layout_column="0"
    app:layout_row="1" />
```

```
<Button
    android:id="@+id/b5"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#6e7778"
    android:text="5"
```

```
app:layout_column="1"
    app:layout_row="1" />
```

```
<Button
    android:id="@+id/b6"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#6e7778"
    android:text="6"
    app:layout_column="2"
    app:layout_row="1" />
```

```
<Button
    android:id="@+id/mul"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#3C393B"
    android:text="x"
    app:layout_column="3"
    app:layout_row="1" />
```

```
<Button
    android:id="@+id/b1"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:backgroundTint="#6e7778"
    android:text="1"
    app:layout_column="0"
    app:layout_row="2" />
```

```
<Button
    android:id="@+id/b2"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#6e7778"
    android:text="2"
    app:layout_column="1"
    app:layout_row="2" />
```

```
<Button
    android:id="@+id/b3"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#6e7778"
    android:text="3"
    app:layout_column="2"
```

```
app:layout_row="2" />
```

```
<Button
    android:id="@+id/sub"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#3C393B"
    android:text="-"
    app:layout_column="3"
    app:layout_row="2" />
```

```
<Button
    android:id="@+id/clr"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:backgroundTint="#3C393B"
    android:text="clr"
    app:layout_column="0"
    app:layout_row="3" />
```

```
<Button
    android:id="@+id/b0"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#6e7778"
    android:text="0"
    app:layout_column="1"
    app:layout_row="3" />
```

```
<Button
    android:id="@+id/equal"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#3C393B"
    android:text="="
    app:layout_column="2"
    app:layout_row="3" />
```

```
<Button
    android:id="@+id/add"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#3C393B"
    android:text="+"
    app:layout_column="3"
    app:layout_row="3" />
```

</androidx.gridlayout.widget.GridLayout>

</LinearLayout>

JAVA CODE:

```
package com.example.gridcalculator;
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;

public class MainActivity extends AppCompatActivity implements View.OnClickListener {
    EditText number;
    double num1=0;
    double num2=0;
    String op="";
    Button b1, b2, b3, b4, b5, b6, b7, b8, b9, b0, sum, sub, mul, div,equal, clear;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        number = findViewById(R.id.display);
        b0 = findViewById(R.id.b0);
        b1 = findViewById(R.id.b1);
        b2 = findViewById(R.id.b2);
        b3 = findViewById(R.id.b3);
        b4 = findViewById(R.id.b4);
        b5 = findViewById(R.id.b5);
        b6 = findViewById(R.id.b6);
        b7 = findViewById(R.id.b7);
        b8 = findViewById(R.id.b8);
        b9 = findViewById(R.id.b9);

        sum = findViewById(R.id.add);
        sub = findViewById(R.id.sub);
        mul = findViewById(R.id.mul);
        div = findViewById(R.id.div);

        equal = findViewById(R.id.equal);
        clear = findViewById(R.id.clr);

        b0.setOnClickListener(this);
        b1.setOnClickListener(this);
        b2.setOnClickListener(this);
        b3.setOnClickListener(this);
        b4.setOnClickListener(this);
```

```

b5.setOnClickListener(this);
b6.setOnClickListener(this);
b7.setOnClickListener(this);
b8.setOnClickListener(this);
b9.setOnClickListener(this);

mul.setOnClickListener(this);
div.setOnClickListener(this);SSSSS
sub.setOnClickListener(this);
sum.setOnClickListener(this);
clear.setOnClickListener(this);
equal.setOnClickListener(this);
}

@Override
public void onClick(View view) {
    Button b= (Button) view;
    if(view==clear)
    {
        number.setText("");
    }


    else if(view==sub||view==sum||view==mul||view==div)
    {
        num1=Integer.parseInt(number.getText().toString());
        op=b.getText().toString();
        number.setText("");
    }

    else if(view==equal)
    {
        num2=Integer.parseInt(number.getText().toString());
        if(op.equals("+"))
        {
            number.setText(num1+num2+"");
        }
        else if(op.equals("-"))
        {
            number.setText(num1-num2+"");
        }
        else if(op.equals("x"))
        {
            number.setText(num1*num2+"");
        }
        else if(op.equals("/"))
        {
            number.setText(num1/num2+"");
        }
    }
    else

```

```
{  
    String s=number.getText().toString();  
    number.setText(s+b.getText().toString());  
}  
}
```

OUTPUT



PROGRAM NO:7

DATE:05/10/22

FACEBOOK PAGE

AIM:Create a Facebook page using RelativeLayout; set properties using .xml file

XML CODE:

```
<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="#3e52ab"
    tools:context=".MainActivity">

    <ImageView
        android:id="@+id/imageView"
        android:layout_width="match_parent"
        android:layout_height="100dp"
        android:layout_gravity="center"
        android:layout_marginTop="40dp"
        app:srcCompat="@drawable/facebook" />

    <EditText
        android:id="@+id/username"
        android:layout_width="match_parent"
        android:layout_height="50dp"
        android:layout_below="@+id/imageView"
        android:layout_marginLeft="10dp"
        android:layout_marginRight="10dp"
        android:layout_marginTop="60dp"
        android:background="@drawable/back"
        android:ems="10"
        android:hint="Email or Phone Number"
        android:inputType="textPersonName"
        android:paddingLeft="30dp"
        android:textColor="@color/white"
        android:textColorHint="@color/white"
        android:textSize="19sp" />

    <EditText
        android:id="@+id/password"
        android:layout_width="match_parent"
        android:layout_height="50dp"
        android:layout_below="@+id/username"
        android:layout_marginLeft="10dp"
        android:layout_marginTop="10dp"
```

```
android:layout_marginRight="10dp"
    android:background="@drawable/back"
    android:ems="10"
    android:hint="password"
    android:inputType="textPersonName"
    android:paddingLeft="30dp"
    android:textColor="@color/white"
    android:textColorHint="@color/white"
    android:textSize="19sp" />
```

```
<Button
    android:id="@+id/button"
    android:layout_width="260dp"
    android:layout_height="55dp"
    android:layout_below="@+id/password"
    android:layout_centerHorizontal="true"
    android:layout_marginTop="40dp"
    android:backgroundTint="#46b082"
    android:text="Login"
    android:textSize="18sp" />
```

```
<TextView
    android:id="@+id/textView"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_below="@id/button"
    android:layout_centerHorizontal="true"
    android:layout_marginTop="15dp"
    android:text="Forgot account?"
    android:textColor="@color/white"
    android:textSize="22dp" />
```

```
<View
    android:layout_width="match_parent"
    android:layout_height="2dp"
    android:layout_below="@+id/textView"
    android:layout_marginTop="20dp"
    android:background="#94918e" />
```

```
<Button
    android:id="@+id/button2"
    android:layout_width="260dp"
    android:layout_height="55dp"
    android:layout_below="@+id/textView"
    android:layout_centerHorizontal="true"
    android:layout_marginTop="70dp"
    android:backgroundTint="#46b082"
    android:text="Create New Account" />
```

```
</RelativeLayout>
```



```
<?xml version="1.0" encoding="utf-8"?>
<shape xmlns:android="http://schemas.android.com/apk/res/android"
    android:shape="rectangle" >


    <!-- View background color -->
    <solid
        android:color="#3e52ab" >
    </solid>

    <!-- View border color and width -->
    <stroke
        android:width="1dp"
        android:color="@color/white" >
    </stroke>

    <!-- The radius makes the corners rounded -->
    <corners
        android:radius="4dp"    >
    </corners>

</shape>
```

OUTPUT



PROGRAM NO:8

DATE:20/10/22

TOGGLE IMAGE

AIM:Develop an application that toggles image using FrameLayout

XML CODE:

```
<?xml version="1.0" encoding="utf-8"?>
<FrameLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="match_parent"
        android:orientation="vertical">

        <ImageView
            android:id="@+id/image1"
            android:layout_width="match_parent"
            android:layout_height="100dp"
            app:srcCompat="@android:drawable/btn_star" />

        <ImageView
            android:id="@+id/image2"
            android:layout_width="match_parent"
            android:layout_height="100dp"
            app:srcCompat="@android:drawable/ic_lock_idle_lock" />
    </LinearLayout>
</FrameLayout>
```

JAVA CODE:

```
package com.example.imagetoggle;

import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle;
import android.view.View;
import android.widget.ImageView;



public class MainActivity extends AppCompatActivity implements View.OnClickListener {
    ImageView img1,img2;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
```

```

super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    img1=findViewById(R.id.image1);
    img2=findViewById(R.id.image2);
    img1.setOnClickListener(this);
    img2.setOnClickListener(this);
}
@Override
public void onClick(View v) {
if(v==img1)
{
    img1.setVisibility(View.GONE);
    img2.setVisibility(View.VISIBLE);
}
else
{
    img2.setVisibility(View.GONE);
    img1.setVisibility(View.VISIBLE);
}
}
}

```

OUTPUT



PROGRAM NO:9

DATE:30/10/22

INTENT

AIM:Implement Intent to navigate between multiple activities

PAGE 1

XML CODE:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"
tools:context=".MainActivity">

    <Button
        android:id="@+id/button"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Next Page"
        android:onClick="click"
        tools:layout_editor_absoluteX="144dp"
        tools:layout_editor_absoluteY="157dp"
        tools:ignore="MissingConstraints" />

</androidx.constraintlayout.widget.ConstraintLayout>
```

JAVA CODE:

```
package com.example.intent;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;

public class MainActivity extends AppCompatActivity {
    Button b1;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        b1=findViewById(R.id.button);
    }
}
```

```

    }

    public void click(View view) {
        Intent i=new Intent(MainActivity.this,MainActivity2.class);
        startActivity(i);
    }
}

```

PAGE 2

XML CODE:

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity2">

    <Button
        android:id="@+id/button2"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="previous page"
        android:onClick="click"
        tools:layout_editor_absoluteX="149dp"
        tools:layout_editor_absoluteY="113dp" />
</androidx.constraintlayout.widget.ConstraintLayout>

```

JAVA CODE:

```

package com.example.intent;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;

public class MainActivity2 extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main2);
    }


    public void click(View view) {

        Intent i=new Intent(MainActivity2.this,MainActivity.class);

```

```
startActivity(i);  
    }  
}
```

OUTPUT



PROGRAM NO:10

DATE:10/11/22

MENU

AIM:Implement Options Menu to navigate to activities

MENU

```
<?xml version="1.0" encoding="utf-8"?>
<menu xmlns:android="http://schemas.android.com/apk/res/android">
    <item
        android:id="@+id/item1"
        android:title="DEPARTMENT">
        <menu>
            <item
                android:id="@+id/inside1"
                android:title="MCA" />
            <item
                android:id="@+id/inside2"
                android:title="MBA" />
        </menu>
    </item>
    <item
        android:id="@+id/item2"
        android:title="STUDENTS" />
</menu>
```

XML CODE:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Hello World!"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />

</androidx.constraintlayout.widget.ConstraintLayout>
```

JAVA CODE:

```
package com.example.menu;
import androidx.annotation.NonNull;
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
import android.view.Menu;
import android.view.MenuInflater;
import android.view.MenuItem;
import android.widget.Toast;


public class MainActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
    }


    @Override
    public boolean onCreateOptionsMenu(Menu menu) {
        MenuInflater inflater=getMenuInflater();
        inflater.inflate(R.menu.menu,menu);
        return true;
    }

    @Override
    public boolean onOptionsItemSelected(@NonNull MenuItem item) {
        switch (item.getItemId()){
            case R.id.inside1:
                Toast.makeText(this,"mca department",Toast.LENGTH_LONG).show();
                break;
            case R.id.inside2:
                Toast.makeText(this, "mba department", Toast.LENGTH_SHORT).show();
                break;
            case R.id.item2:
                Toast.makeText(this, "students", Toast.LENGTH_SHORT).show();
                break;
        }
        return true;
    }
}
```


OUTPUT



Hello World!



Hello World!

PROGRAM NO:11

DATE:20/11/22

DATABASE MANAGEMENT

AIM:Create database using SQLite and perform INSERT,SELECT,UPDATE AND DELETE

XML CODE:

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical"
    tools:context=".MainActivity">

    <TextView
        android:id="@+id/textView"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="TextView" />

    <EditText
        android:id="@+id/id"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:ems="10"
        android:inputType="textPersonName"
        android:hint="id" />

    <EditText
        android:id="@+id/name"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:ems="10"
        android:inputType="textPersonName"
        android:hint="name" />

    <EditText
        android:id="@+id/place"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:ems="10"
        android:inputType="textPersonName"
        android:hint="place" />

    <Button
        android:id="@+id/insert"
```

```

        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="insert" />

<Button
    android:id="@+id/select"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="select" />

<Button
    android:id="@+id/update"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="update" />

<Button
    android:id="@+id/delete"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="delete" />

<Button
    android:id="@+id/clear"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="clear" />
</LinearLayout>

```

JAVA CODE:

```

package com.example.database_management;
import androidx.appcompat.app.AlertDialog;
import androidx.appcompat.app.AppCompatActivity;
import android.database.Cursor;
import android.database.sqlite.SQLiteDatabase;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

public class MainActivity extends AppCompatActivity {

    EditText id,name,place;
    Button insert,select,update,delete,clear;
    AlertDialog.Builder builder;
    SQLiteDatabase db;
    @Override
    protected void onCreate(Bundle savedInstanceState) {

```

```

super.onCreate(savedInstanceState);
setContentView(R.layout.activity_main);
id = findViewById(R.id.id);
name = findViewById(R.id.name);
place = findViewById(R.id.place);
insert = findViewById(R.id.insert);
select = findViewById(R.id.select);
update = findViewById(R.id.update);
delete = findViewById(R.id.delete);
clear = findViewById(R.id.clear);

builder = new AlertDialog.Builder(this);

try {
db=openOrCreateDatabase("empdb",MODE_PRIVATE,null);
db.execSQL("create table employee(id integer primary key,name Text,place Text)");
    Toast.makeText(getApplicationContext(),
"table created successfully",Toast.LENGTH_SHORT).show();

    } catch (Exception e) {

    }

insert.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View view) {
        try {
            db.execSQL("insert into employee values(" + id.getText().toString()
+ "," + name.getText().toString() + "," + place.getText().toString() + ")");
            Toast.makeText(getApplicationContext(),
"inserted successfully", Toast.LENGTH_SHORT).show();
        }
        catch(Exception e)
        {
            Toast.makeText(getApplicationContext(),
"error", Toast.LENGTH_SHORT).show();
        }
    }
});

clear.setOnClickListener();
select.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View view) {
        Cursor c=db.rawQuery("select * from employee",null);
        if(c.getCount()==0)
        {
            Toast.makeText(getApplicationContext(),
"no record", Toast.LENGTH_SHORT).show();
        }
    }
}

```

```

else

{
    StringBuffer b=new StringBuffer();
    while(c.moveToNext())
    {
        b.append("id:"+c.getString(0)+"\n");
        b.append("name:"+c.getString(1)+"\n");
        b.append("place:"+c.getString(2)+"\n");
        Toast.makeText(getApplicationContext(),
b.toString(), Toast.LENGTH_SHORT).show();
        builder.setMessage(b.toString());
        AlertDialog alert=builder.create();
        alert.setTitle("Employee data");
        alert.show();
    }
}

});

update.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View view) {
        db.execSQL("update
employee set name='"+name.getText().toString()+"',place='"+place.getText().toString()+"'
where id='"+id.getText().toString()+"");
        Toast.makeText(getApplicationContext(),
"updated....", Toast.LENGTH_SHORT).show();
    }
});

delete.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View view) {
        db.execSQL("delete from employee where id='"+id.getText().toString());
        Toast.makeText(getApplicationContext(),"Item Deleted",
Toast.LENGTH_SHORT).show();
    }
});

clear.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View view) {
        id.setText("");
        name.setText("");
        place.setText("");
    }
});

clear.callOnClick();

```

```
}  
}
```

OUTPUT

9:55 AM 100%

Database_management

TextView

2

alwin

piravom


INSERT

SELECT

UPDATE

DELETE

CLEAR



9:55 AM 100%

Database_management

TextView

2

alwin


piravom

INSERT

SELECT

Employee data

id:1
name:ajay
place:kollam
id:2
name:alwin
place:piravom



COURSE OUTCOME 2

COURSE OUTCOME 3

COURSE OUTCOME 5