


THE FURNACE BELOW

Bix and Pack descend to repair the cooling system. Their repair wakes the furnace supervisor, which mistakes them for scrap. Five areas, going down and getting hotter.



1 · 2 MIN

2 · 3-4 MIN

3 · 4-5 MIN

4 · 3-4 MIN

5 · 3-5 MIN

0 MIN · LIFT LANDS

TOTAL PLAYTIME 15-20 MIN

EMERGENCY LIFT · END

1 · BROKEN LIFT

Safe arrival and training

Timed vents, hanging, descending ledges

NO REACHABLE ENEMY

DIFFICULTY

2 · CASTING HALL

Moving molds and lava blasts

Three lanes: rails, molds, molten channel

2 × SCRAP CRAWLER

DIFFICULTY

3 · COOLING WORKS

Two routes to restore coolant

Retracting pipes above, flooding tunnel below

2 × SLAG SPITTER

DIFFICULTY

4 · SCRAP SORTER

Pack puzzles and laser gates

Alternating gates, belts that carry you in

SORTER CLAW + CRAWLER

DIFFICULTY

5 · FURNACE ESCAPE

Rising heat and exit lift

Climb, three shutters, cycle speeds up

CINDER WASPS + SUPERVISOR


DIFFICULTY

BROKEN LIFT

≈ 2
MIN

PACK · WARM-
UP

DIFFICULTY
■ ■ ■ ■ ■



WHAT IT TEACHES

Timed vents, hanging and climbing, and descending ledges. There are no pits: a mistake costs a few seconds, not a life.

ENEMIES

None that can reach you. One Scrap Crawler paces a sealed bay behind glass, so the player learns its silhouette and its sound before it matters.

CHECKPOINTS

CP 1 after the landing, before the descent. CP 2 before the vent and the hang-and-climb wall.

PACK'S ROLE


Rides on Bix's back. No job yet, only his first quip: "We have arrived. The lift has retired."

CASTING HALL

≈ 3-4
MIN

PACK ·
SCAN

DIFFICULTY
■■■■■



WHAT IT TEACHES

Riding moving molds, jumping between safe islands and reading blast warnings. The upper rail lane is a harder optional route.

ENEMIES

2 × Scrap Crawler patrol the safe islands, so the island stops being a rest. Pass behind one during its 0.6 s turn, ping it, or ride a mold past it.

CHECKPOINTS

CP 1 at the start of the mold lane. CP 2 on the middle island, before the last two blasts.

PACK'S ROLE


SCAN: his eye turns amber before each blast, and a small light marks the danger on the machine itself.

COOLING WORKS

≈ 4-5
MIN

PACK ·
OPERATE

DIFFICULTY
■■■■■



WHAT IT TEACHES

Two routes, two valves, either first. The upper pipe walk retracts under you; the lower tunnel floods on a timer. Both meet at the coolant gate.

ENEMIES

1× Slag Spitter per route, lobbing a molten arc on a fixed parabola every 2.6 s. Time the arc, or have Pack shut the port it fires through.

CHECKPOINTS

CP at the pump hub before the split. CP after the coolant gate, before the Scrap Sorter.

PACK'S ROLE


OPERATE: tap ACT at a terminal and Pack extends an arm to open a gate. The gate and its target light up.

SCRAP SORTER

≈ 3-4
MIN

PACK · POWER
CELL

DIFFICULTY
■■■■■



WHAT IT TEACHES

Timed laser gates over conveyors that carry you toward them. Gates now alternate in pairs, so standing still is its own mistake.

ENEMIES

1 × Sorter Claw tracks Bix's belt lane and slams every 3.2 s — change lanes after it commits. 1 × Crawler blocks Pack's tunnel and must be pinged.

CHECKPOINTS

CP at the entry pad. CP before the first laser gate is passed, at the exit pad.

PACK'S ROLE


CARRY: Bix collects the power cell, Pack stores it in plain sight, then installs it at the marked socket. He also opens the gates from the tunnel.

FURNACE ESCAPE

≈ 3-5
MIN

PACK · HOLD THE
EXIT

DIFFICULTY
■■■■■



WHAT IT TEACHES

A vertical climb above rising heat with safe rest ledges. Each shutter Bix opens makes the supervisor speed the cycle, so the heat climbs faster after every win.

ENEMIES

Cinder Wasps drift up out of the vents and track Bix loosely; an open shutter's mist clears the ones near it. The Supervisor sweeps a classification beam across the mid-climb – caught in it, Bix is reclassified.

CHECKPOINTS

CP at the start and on each rest ledge, so every shutter push begins from a safe point.

PACK'S ROLE

HOLD THE EXIT: Pack holds the failing shutter while Bix reaches the override, then flies back to him.

ENEMIES

Bix is a repair technician, not a fighter — there is no weapon and no health bar, exactly as in Level 1. Every enemy is a hazard with a readable rhythm: learn the cycle, or spend Pack.



SCRAP CRAWLER

CASTING HALL · SCRAP SORTER

Four-legged salvage drone. Patrols a fixed span, turns at the edge and pauses. Contact means it grabs Bix as scrap.

Counter: Pass behind it during the turn pause, ride a mold past it, or spend a Pack ping.



SLAG SPITTER

COOLING WORKS

Wall turret. Amber eye, then a molten arc along a fixed parabola. The arc always lands in the same place.

Counter: Learn the landing spot and cross on the cooldown, or have Pack shut the port it fires through.




SORTER CLAW

SCRAP SORTER

Ceiling claw on a rail — the supervisor's arm. It picks Bix's belt lane, commits, then slams down.

Counter: Watch which lane it locks, then change lanes. It cannot correct once it commits.





CINDER WASP

FURNACE ESCAPE

Ember drone that rises out of a vent and drifts toward Bix. Slow, but it never stops, so resting costs you.

Counter: Keep climbing. An open shutter's coolant mist clears every wasp near it.



THE SUPERVISOR

SCRAP SORTER CAMEO · FURNACE ESCAPE

The furnace supervisor's head unit on a gantry. Never a fight: it sweeps a classification beam across the climb.

Counter: Stay out of the beam. It stalls for 2 s each time a cooling shutter opens — that is the window.



ONE RESOURCE, TWO USES

Pack recharges at every checkpoint and holds ONE charge. Spend it to PING an enemy (stunned ~2 s) or save it for the emergency CATCH after a missed jump. You cannot have both.

HOW ENEMIES ARE INTRODUCED

Each enemy appears once on its own, on flat ground with no second hazard, before it is ever combined with blasts, lasers or a moving platform.

WHAT THEY NEVER DO

No off-screen damage, no instant kills without a tell, no chasing through a checkpoint. Every enemy telegraphs on the machine itself, the way blasts and lasers already do.

ASSET PLATES

CHARACTERS · 2

pack-assist-v1.png

P1

1536 × 1024 · 4 × 2 CELLS

0	1	2	3
4	5	6	7

0 hover idle · 1 arm extended · 2 scan · amber eye · 3 carry cell · 4 ping burst · 5 hold shutter · 6 catch · arms out · 7 detach from back

Pack's assisting mode. Travelling mode reuses pack-companion-v1.

supervisor-head-v1.png

P2

1536 × 1024 · 4 × 2 CELLS

0	1	2	3
4	5	6	7

0 idle · 1 sweep left · 2 sweep right · 3 locked · red · 4 stalled · 5 gantry mount · 6 emitter close · 7 spare

Head unit only. The beam itself is drawn in code, like Level 1s lasers.

ENEMIES · 4

enemy-crawler-v1.png

P1

1536 × 1024 · 4 × 2 CELLS

0	1	2	3
4	5	6	7

0 walk A · 1 walk B · 2 walk C · 3 walk D · 4 turn · 5 alert · 6 stunned · 7 grab

Walk A–D is a 4-frame loop at the same cadence as Bix's run.

enemy-spitter-v1.png

P2

1536 × 1024 · 4 × 2 CELLS

0	1	2	3
4	5	6	7

0 idle · 1 charge amber · 2 charge full · 3 fire · 4 recoil · 5 cooldown · 6 port shut · 7 arc projectile

Charge frames are the tell. Cell 7 is the flying slug, drawn separately.

enemy-claw-v1.png

P2

1536 × 1024 · 4 × 2 CELLS

0	1	2	3
4	5	6	7

0 open idle · 1 tracking · 2 locked · 3 descending · 4 slam impact · 5 gripping · 6 retracting · 7 rail carriage

Cell 7 tiles along the ceiling rail independently of the claw.

enemy-wasp-v1.png

P2

1536 × 1024 · 4 × 2 CELLS

0	1	2	3
4	5	6	7

0 flight A · 1 flight B · 2 flight C · 3 flight D · 4 spawn ember · 5 dissolve A · 6 dissolve B · 7 dissolve C

Small on screen (~40 px). Silhouette must read against fire.

ENVIRONMENT · 7

furnace-background-v1.png

P1

2172 × 724 · SINGLE SUBJECT

parallax plate

Tiles horizontally at 1720 px, exactly like facility-background-v1. Hotter, deeper, more shadow.

furnace-platform-atlas-v1.png

P1

1536 × 1024 · 3 × 2 CELLS

0	1	2
3	4	5

0 slab wide · 1 slab mid · 2 ledge · 3 slab worn · 4 slab grated · 5 ledge rail

Six slabs in the Level 1 rect layout: left cap, middle, right cap are cut in code.

furnace-prop-atlas-v1.png

P1

1536 × 1024 · 4 × 2 CELLS

0	1	2	3
4	5	6	7

0 vent housing · 1 ACT terminal · 2 cooling shutter · 3 coolant valve · 4 laser emitter · 5 power socket · 6 emergency lift · 7 pipe gantry

Read by index the same way as facility-prop-atlas-v1 (4 × 2 cells).

casting-mold-v1.png

P2

1254 × 1254 · SINGLE SUBJECT

coolant-mist-v1.png

P3

1536 × 1024 · 4 × 2 CELLS

0	1	2	3

conveyor-belt-v1.png

P3

1536 × 256 · 4 × 1 CELLS

0	1	2	3
---	---	---	---

0 A · 1 B · 2 C · 3 D

Thirteen new plates, in the same sizes and cell layouts `game.js` already reads. P1 is everything a playable Level 2 needs; P3 can ship later because code can draw it first.

ART SPEC

Industrial semi-realistic, brighter molten metal, deeper shadow, and platform edges that read instantly. Same world as Level 1, one floor down and much hotter.

PALETTE · TAKEN FROM THE SHIPPED GAME

Ink
#071217
Page and HUD ground

Steel
#1a2e36
Platform body

Steel edge
#48707a
Platform outline

Edge light
#ffc84a
Top lip of every platform

Mint
#59e2c2
Pack, safe, checkpoints

Yellow
#ffd75a
Cogs, objectives

Molten
#ff9d23
Heat, vents, movers

Hot core
#ffe02e
Blast core, sparks

Danger
#ff4d3a
Enemies, lasers

Cream
#edf0dc
Body text

FILE RULES

PNG-24 with a real alpha channel. **No baked shadow and no baked glow** — the game draws both, so anything baked in doubles up.

Every subject is drawn on transparent, centred in its cell, with its own margin. The game measures the true alpha bounds per frame and stores them in **artBounds**, so a subject may sit anywhere in its cell as long as it does not touch a neighbour.

Naming stays **<subject>-v<N>.png**. A changed plate is a new version number, never an overwrite, so a cached browser cannot serve a stale mix.

WEIGHT BUDGET · A PROBLEM TO FIX FIRST

Level 1 already ships **16 MB** of art. These 13 plates would take it past **30 MB**, which is a punishing first load on a phone. The cause is that every plate is authored far larger than it is ever drawn: the cog is a 1254 px plate drawn at 54 px.

PLATE	NOW	SIZE	SHIP AT	SAVES TO
bix-motion-v2	1160 × 1356	1.6 MB	580 × 678	0.5 MB
pack-companion	1254 × 1254	1.4 MB	256 × 256	0.1 MB
energy-cog	1254 × 1254	2.1 MB	128 × 128	0.05 MB
molten-blast	1536 × 1024	1.9 MB	768 × 512	0.5 MB
platform atlas	1536 × 1024	1.5 MB	768 × 512	0.4 MB
prop atlas	1536 × 1024	2.0 MB	768 × 512	0.5 MB
background	2172 × 724	2.2 MB	keep as is	2.2 MB

Rule: author large, ship at twice the largest on-screen size. That takes Level 1 from 16 MB to about 4 MB and leaves room for Level 2.

REUSED FROM LEVEL 1 · NO NEW ART

bix-motion-v2.png
1160 × 1356
12 frames. Bix is unchanged in Level 2.

bix-hang-v1.png
2172 × 724
Already shipped but unused. Wire it up for hang and climb.

pack-companion-v1.png
1254 × 1254
Pack's travelling mode.

energy-cog-v1.png
1254 × 1254
Cogs are the same collectible.

molten-blast-v1.png
1536 × 1024
8 blast frames. Reused for every vent.