Status	Finished
Started	Saturday, 10 October 2026, 1:24 PM
Completed	Saturday, 10 October 2026, 1:29 PM
Duration	5 mins 7 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. () ✓

b. Computer

c. Error

d. (Computer)

Question **2**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

a. {}

b. {2,5,3,1}

c. {3} ✓

d. {2,5,1}

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

- a. [1,2,3,4]
- b. (1,4,5,6,7) ✓
- c. ("Wonder")
- d. {1,3,8,9,41}

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

- a. 12
- b. (12)
- c. Error ✓
- d. (55,78,64,25)

Question **5**

Incorrect

Mark 0.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

- a. Elements of set1 will get appended to set2
- b. A new set will be created with the elements of both set1 and set2
- c. Elements of set2 will get appended to set1
- d. A new set will be created with the unique elements of set1 and set2. ✗

Question **6**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

a. (11,3,11,11,3,11,11,11,3)

b. (11,3)(11,3)(11,3)

c. [11,11,11,3,3,3]

d. (11, 3, 11, 3, 11, 3) ✓

Question **7**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. {40, 10, 50, 20, 60, 30}

b. SynatxError: Different types cannot be used with sets

c. {40, 10, '10', 50, 20, 60, 30} ✓

d. {40, '10', 50, 20, 60, 30}

Question **8**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {'rec', True, ('cse', 'ece')}

b. {'rec', 1, ('cse', 'ece')} ✓

c. {'rec', 1, ('cse', 'ece'),True}

d. Error

Question **9**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

t = (58, 47, 36, 25, 14, 3)

x = t[2:-1]

print(x)

a. Error

b. (3,14,25)

c. (58,47,36,25)

d. (36, 25, 14) ✓

Question **10**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

t = (15,83,83,52,60,45,52,85,100)

print(min(t)+max(t)+t.count(52))

a. 2

b. 117 ✓

c. 100

d. Error

Question **11**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

- a. True ✓
- b. False

Question **12**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

- a. None of these
- b. A tuple is unordered
- c. We can change the tuple once created
- d. A tuple maintains the order of items ✓

Question **13**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

- a. Error
- b. False ✓
- c. True
- d. Error

Question **14**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

- a. In Python, a tuple can contain both integers and strings as its elements. ✓
- b. In Python, a tuple can contain only strings as its elements.
- c. In Python, a tuple can contain either string or integer but not both at a time.
- d. In Python, a tuple can contain only integers as its elements.

Question **15**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

a. [2, 3, 9]

b. [1, 2, 4, 3, 8, 9]

c. [1, 4, 8] ✓

d. (1, 4, 8)