## K 1-SE 2

Thanks for sharing the files. Here's a full **assessment of the current backend progress**, based on the extracted files and your detailed summary:

## What's Already Done (And Well Done)

### ✓ Core Backend Functionalities

- main.py: Well-structured FastAPI backend with:
  - Resume upload
  - Groq-powered question generation
  - Question-by-question delivery
  - Video-based stress analysis
  - Session-level stress score averaging

### **✓** Supabase Integration

Storing resumes, interview questions, and stress metrics with correct relational design

#### Emotion-Stress Model

- MobileNetV2 model (emotion\_stress\_model.h5) integrated and functional
- Input handling and frame processing via OpenCV
- Emotions mapped to quantitative stress levels
- Stress scoring per question + per session

#### ✓ Requirements & Environment

- .env with proper keys (redacted), and requirements.txt for easy setup
- Resume sample ( resume-teja.pdf ) included for testability

## Gaps & What's Missing

## No Modularization or Clean Folder Structure

All files are in a flat directory. Ideally:

## No Frontend Integration

#### The system:

- Assumes frontend will capture video and POST it to /analyze-stress
- Lacks support for real-time or in-browser camera streaming (e.g., WebRTC base64 or MJPEG)

### No Interview Result Report

While stress analysis is done:

- There is **no unified report endpoint** to return:
  - All questions
  - Their stress score
  - A confidence level
  - Technical vs HR performance summary
  - Recommendations

## Question Answer Handling is Missing

- No endpoint yet for:
  - Submitting an answer
  - Saving text/audio of answer
  - Performing answer evaluation (LLM/NLP) → for future scoring

## Roadmap – What More to Do (Clear Steps)

#### **₱ PHASE 1: Backend Finalization**

#### **A.** Restructure Code into Modules

- Organize by responsibility:
  - routes/question\_routes.py
  - services/stress\_analysis.py
  - utils/resume\_parser.py
  - config/env.py

#### B. Add New Endpoints

- POST /submit-answer/{session\_id}/{question\_number}
  - → Accept text or audio and store it (future NLP analysis)
- GET /final-report/{session\_id}
  - → Combines:
    - All questions
  - Each stress level
  - Overall average
  - Final feedback (use GPT: "Based on the answers + stress level, this candidate needs to...")

## ₱ PHASE 2: Frontend Integration

• React/Next.js frontend to:

- Upload resume
- Show questions one by one
- Record video after each answer (WebRTC + FileReader or Blob)
- Display stress feedback live or after each question
- Show final report graph

### PHASE 3: Advanced Features (Optional for Hackathon/Submission)

Feature	Value
✓ Text-Based Answer Evaluation (LLM scoring)	Uses GPT/Groq to rate answer quality
✓ Real-Time Stress Heatmap (per second)	Overlay confidence chart
Personalized Learning Plan	Based on weak areas from answers + stress
✓ AI Panel Interview	3 persona-based GPT interviewers

## Summary: Is He on the Right Path?

- ☑ YES The backend core is strong, API-driven, and modular enough for scaling.
- Model integration is working, even if basic you've reached a functioning MVP.
- 1 Just needs clean structure, final reporting, and frontend tie-in for full polish.

#### Would you like me to:

- K Generate a modular folder structure + refactored template?
- In Design the /final-report endpoint + JSON output format?
- Five frontend code to record webcam + send video?

Let's lock the rest of it down. You're very close!

Here is a **modular folder structure** and a fully **refactored FastAPI backend template** for your *Mock Interview Project*. This makes your code clean, scalable, and production-ready.

## Folder Structure

```
bash
mock_interview_backend/
  - app/
   — api/
       routes_resume.py # Resume upload & parsing
       routes_questions.py # Question generation & retrieval
                               # Stress analysis endpoints
       ─ routes_stress.py
       └─ routes_misc.py  # Health checks, Supabase test
    ├─ core/
       resume_parser.py # Extract text and info from PDF
       — question_generator.py # Uses Groq to generate Qs
       ├─ stress_analyzer.py # Video → emotion model → stress
       report_generator.py # Compile session report
     — models/
       supabase_schema.py # Table/column references
     — utils/
       supabase_client.py # Reusable Supabase methods
     — config/
       └─ env.py
                               # Loads environment variables
    └─ main.py
                                 # FastAPI app entry point
  - models/
   emotion_stress_model.h5  # Pre-trained emotion model
   .env
                                 # API keys (excluded in prod)
 - requirements.txt
                                 # Dependencies
```

## **K** Refactored main.py

```
python
from fastapi import FastAPI
from fastapi.middleware.cors import CORSMiddleware
from app.api import routes_resume, routes_questions, routes_stress, routes_misc
from app.config.env import load_env
app = FastAPI()
# CORS
app.add_middleware(
    CORSMiddleware,
    allow_origins=["http://localhost:3000"],
    allow_credentials=True,
    allow_methods=["*"],
    allow_headers=["*"],
)
# Load ENV
load_env()
# Register Routes
app.include_router(routes_misc.router)
app.include_router(routes_resume.router)
app.include_router(routes_questions.router)
app.include_router(routes_stress.router)
```

# Sample: routes\_questions.py

python

```
from fastapi import APIRouter
from app.core.question_generator import generate_questions_from_resume
router = APIRouter()
@router.post("/generate-questions/{mock_user_id}/{resume_id}")
async def generate_questions(mock_user_id: str, resume_id: str):
    return await generate_questions_from_resume(mock_user_id, resume_id)
```

## Sample: core/question\_generator.py

```
python
from app.utils.supabase_client import supabase
from app.core.resume_parser import extract_text_from_pdf
from langchain.chat_models import ChatOpenAI
from langchain.prompts import PromptTemplate
import os
groq_api_key = os.getenv("GROQ_API_KEY")
client = ChatOpenAI(
    openai_api_key=groq_api_key,
    model="mixtral-8x7b-32768",
    base_url="https://api.groq.com/openai/v1"
)
async def generate_questions_from_resume(user_id, resume_id):
    # 1. Fetch resume PDF from Supabase
    resume_url = supabase.get_resume_url(resume_id)
    resume_text = extract_text_from_pdf(resume_url)
    # 2. Format prompt and call Groq
    prompt_template = PromptTemplate(
        input_variables=["resume_text", "job_role"],
        template="""
        Resume Content: {resume_text}
        Job Role: Software Engineer
```

## utils/supabase\_client.py

```
from supabase import create_client
import os

supabase = create_client(
    os.getenv("SUPABASE_URL"),
    os.getenv("SUPABASE_KEY")
)

# Example helper
def get_resume_url(resume_id):
    result = supabase.table("mock_interview_resumes").select("*").eq("id",
resume_id).execute()
    return result.data[0]["file_path"]
```

## ☆ config/env.py

python

```
from dotenv import load_dotenv
import os

def load_env():
    load_dotenv()
    print("  Environment variables loaded.")

required_vars = ["SUPABASE_URL", "SUPABASE_KEY", "GROQ_API_KEY"]
    for var in required_vars:
        if not os.getenv(var):
            raise EnvironmentError(f"Missing env var: {var}")
```

## Benefits of This Structure

- Easier to test, scale, and debug
- Each file has one responsibility
- Future devs (or your frontend teammate) will understand it instantly
- Allows easy CI/CD deployment on Vercel, AWS, or GCP

#### Would you like me to:

- Add frontend API calls for each route?

You're now building like a **pro startup backend**. Let's finish strong! 💪