```
b=parseInt(prompt("enter any Number 1"))
c=parseInt(prompt("enter any Number 1"))
document.write("<h1>Number 1 ="+a)
document.write("<h1>Number 2="+b)
document.write("<h1>Number 3="+c)
if(a>b && a>c){
document.write("<h1>A Is Greater</h1>")
}
else if(b>a && b>c){
document.write("<h1>B Is Greater</h1>")
}
else{
document.write("<h1>C Is Greater</h1>")
}
</script>
</body>
</html>
```

```
<!Doctype html>
<html>
<head>
<title>Vowel</title>
</head>
<body>
<script>
var a
a=prompt("enter any alpha")
document.write("<h1>"+a)
if(a=="a" || a=="A" ||a=="e" ||a=="E" ||a=="i" ||a=="I" ||a=="o" ||a=="O" ||a=="u" ||
a=="U"){
document.write("<h1>It Is Vowel</h1>")
}
else{
document.write("<h1>It Is Consonent</h1>")
}
</script>
</body>
```

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>site</title>
</head>
<script>
    var a,b,c
  a= parseInt(prompt("<h1>Type Your Number"))
  b=     parseInt(prompt("<h1>Type Your Number"))
  c=          parseInt(prompt("<h1>Type Your Number"))
          document.write("<h1> Your Number is="+a)
              document.write("<h1> Your Number is="+b)
                  document.write("<h1> Your Number is="+c)
                    if(a>b&&a>c){
                        document.write("<h1>A is Greater</h1>")
                    }
                    else if(b>c&&b>a){
                        document.write("<h1>B is Greater</h1>")
                    }
                    else if(c>a&&c>b){
                        document.write("<h1>C is Greater</h1>")
                    }
                    else if(a==b){
                        document.write("<h1> and A and B are equal</h1>")
                    }
                    else if(a==c){
                        document.write("<h1> A and C are equal</h1>")
                    }
                    else if(b==c){
                        document.write("<h1> B and C are equal</h1>")
                    }
                    else if(a==c){
                        document.write("<h1>A and B and C are equal</h1>")
                    }
                    else if(a==c&&b==c&&c==a){
```

```
   <> site.html   X

s > Desktop > New folder > <> site.html > @ html > @ script
CTYPE html>
1 lang="en">
d>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>site</title>
ad>
ipt>
var a,b,c
= parseInt(prompt("<h1>Type Your Number"))
=    parseInt(prompt("<h1>Type Your Number"))
c=      parseInt(prompt("<h1>Type Your Number"))
        document.write("<h1> Your Number is="+a)
            document.write("<h1> Your Number is="+b)
                document.write("<h1> Your Number is="+c)
                    if(a>b&&a>c){
                        document.write("<h1>A is Greater</h1>")
                    }
                    else if(b>c&&b>a){
                        document.write("<h1>B is Greater</h1>")
                    }
                    else if(c>a&&c>b){
                        document.write("<h1>C is Greater</h1>")
                    }
                    else if(a==b){
                    document.write("<h1> and A and B are equal</h1>")
                }
                else if(a==c){
                    document.write("<h1> A and C are equal</h1>")
                }
                else if(b==c){
                    document.write("<h1> B and C are equal</h1>")
                }
                else if(a==c){
```

```html
<html>
<head>
<title>Details</title>
</head>
<body>
<button type="submit" onclick="details()">
Details</button>
<script>
function details(){
var a,b,c,d,e
a=prompt("enter any name")
b=parseInt(prompt("enter Your Roll no"))
c=parseInt(prompt("enter Your marks"))
d=parseInt(prompt("enter Your marks"))
e=c+d
document.write("<h1>name="+a)
document.write("<h1>Roll No="+b)
document.write("<h1>Marks="+c)
document.write("<h1>marks="+d)
document.write("<h1>total="+e)
}
```

```html
<body>
    <button type="submit" name="" value="" onclick="red()">ONCLICK</button>
    <button type="submit" name="" value="" ondblclick="green()">ONDBLCLICK</
    button>
    <button type="submit" name="" value="" onmouseover="asd()">ONMOUSEOVER</
    button>
    <button type="submit" name="" value="" onmouseout="plum()">ONMOUSEOUT</
    button>

    <button type="submit" name="" value="" onmouseout="plum()" onclick="red()"
    ondblclick="green()" onmouseover="asd()">all</button>
<script>
function red(){
    document.bgColor="red";
}
function green(){
    document.bgColor="green";
}

function asd(){
    document.bgColor="blue";
}
function plum(){
    document.bgColor="plum";
}
</script>
</body>
</html>
<!-- onclick
ondblclick
onmouseover
onmouseount -->
```

```html
1    <!DOCTYPE html>
2    <html lang="en">
3    <head>
4        <meta charset="UTF-8">
5        <meta http-equiv="X-UA-Compatible" content="IE=edge">
6        <meta name="viewport" content="width=device-width, initial-scale=1.0">
7        <title>JAVA SCRIPT</title>
8    </head>
9
10   <body>
11       <button type="submit" onclick="red()">Onclick</button>
12       <button type="submit" ondblclick="green()">On Double Click</button>
13       <button type="submit" onmouseover="plum()">On Mouse Over</button>
14       <button type="submit" onmouseout="orange()">On Mouse Move</button>
15
16   <script>
17       function red(){
18           document.bgcolor="red";
19       }
20       function green(){
21           document.bgcolor="green";
22       }
23       function plum(){
24           document.bgcolor="plum";
25       }
26       function orange(){
27           document.bgcolor="orange";
28       }
29   </script>
30
31   </body>
32   </html>
```

index.html   style.css

```html
1    <!DOCTYPE html>
2    <html>
3    <head>
4        <meta charset="utf-8">
5        <meta name="viewport" content="width=device-width, initial-scale=1">
6        <title>Text-Effect</title>
7        <link rel="stylesheet" type="text/css" href="css/style.css">
8    </head>
9    <body>
10
11   <div class="wraper">
12       <h1>I AM UI / UX DEVELOPER</h1>
13   </div>
14   </body>
15   </html>
```

Edit Selection Find View Goto Tools Project Preferences Help

LDERS

Text-transform

css

/* style.css

<> index.html

index.html   style.css

```css
1   *{
2       margin: 0;
3       padding: 0;
4       box-sizing: border-box;
5   }
6   .wraper{
7       width: 100%;
8       height: 100vh;
9       background-color: orange;
10      display: flex;
11      align-items: center;
12      justify-content: center;
13  }
14  .wraper h1{
15      font-size: 40px;
16      color: white;
17      white-space: nowrap;
18      border-right: 5px solid white;
19      width: 0ch;
20      overflow: hidden;
21      animation: text 5s steps(26) infinite alternate;
22  }
23
24  @keyframes text{
25      0%{
26          width: 0ch;
27      }
28      100%{
29          width: 26ch;
30      }
31  }
```

```html
1    <!DOCTYPE html>
2    <html>
3    <head>
4        <meta charset="utf-8">
5        <meta name="viewport" content="width=device-width, initial-scale=1">
6        <title>jQuery</title>
7        <link rel="stylesheet" type="text/css" href="css/style.css">
8    </head>
9    <body>
10
11   <div class="box">
12   </div>
13   <button type="submit" class="show">SHOW</button>
14   <button type="submit" id="hide">HIDE</button>
15
16
17   <script src="js/jq.js"></script>
18   <script>
19
20   $(document).ready(function(){
21   $('#hide').click(function(){
22   $('.box').hide();
23   });
24
25   $('.show').click(function(){
26
27   $('.box').show();
28   });
29   });
30   </script>
31   </body>
32   </html>
```

File Edit Format View Help

```
<!Doctype html>
<html>
<head>
<title>pamphlets</title>
</head>
<body bgcolor="plum">
<p align="center"><font color="white">WELCOME TO</font></p>
<p align="center"><b><font color="yellow"size=16>VALLEY</font></b></p>
<p align="center"><b><font color="purple"size=16>HEALTH</font></b></p>
<p align="center"><b><font color="white"size=16>NETWORK</font></b></p>
<hr color="red"size=10</hr>
<p align="right"><b><font color="white">We TAKE CARE of you</font></b></p><br>
<p align="right"><b><font color="white">and YOUR FAMILY</font></b></p>
<p align="right">our professionals are experienced,</p><br>
<p align="right">dedicated and highly skilled professionals.</p><br>
<p align="right">they are paitents, understand your health</p><br>
<p align="right">problems as best as they can, and</p><br>
<p align="right">provide unique solutions to your health</p><br>
<p align="right">you cover as quickely as possible</p><br>
<maequee direction="right">WELCOME TO</marquee>
```

```
10  <script>
11      var a,b
12      a=parseInt(prompt("enter value"))
13      if(a<=20){
14      /*for(a=10; a>=1; a--){
15          document.write("<h1>"+a)
16      }*/
17      /*for(a=2; a<=20; a=a+2){
18          document.write("<h1>"+a)
19      }*/
20
21      /*for(b=1; b<=a; b++){
22          document.write("<h1>"+b)
23      }
24
25  */
26  for(b=1; b<=10; b++){
27      document.write("<h1>"+a+"*"+b+"="+a*b)
28  }
29  }
30  else{
31      document.write("<h1>Please type<=20</h1>")
32  }
33  </script>
34  </body>
35  </html>
36
```

File   Edit   Selection   Find   View   Goto   Tools   Project   Preferences   Help

FOLDERS

▼ 📁 IMAGE
  ▼ 📁 CSS
    /* style.css
  ▶ 📁 IMAGES
    <> index.html

◄ ►   index.html   ✕   style.css   ✕

```css
 5   }
 6   /*.gal{
 7       margin-top: 4%;
 8   }*/
 9   .gal img{
10       width: 30%;
11       height: 250px;
12       margin-left: 2%;
13   }
14   .modal{
15       background-color: black;
16       width: 32%;
17       height: 250px;
18       position: fixed;
19       top: 15%;
20       Left: 34%;
21       transition: 0.9s;
22       transform: scale(0);
23       overflow: hidden;
24   }
25   .modal img{
26       width: 100%;
27       height: 100%;
28       padding: 5px;
```

Line 6, Column 8

C:\Users\hp\Desktop\IMAGE\CSS\style.css

```html
2   <html>
3   <head>
4       <meta charset="utf-8">
5       <meta name="viewport" content="width=device-width, initial-scale=1">
6       <title>Image Gallery</title>
7       <link rel="stylesheet" type="text/css" href="css/style.css">
8   </head>
9   <body>
10  <div class="gal">
11      <img src="images/1.jpg" onclick="modal(this.src)">
12      <img src="images/2.jpg" onclick="modal(this.src)">
13      <img src="images/3.jpg" onclick="modal(this.src)">
14      <img src="images/4.jpg" onclick="modal(this.src)">
15      <img src="images/5.jpg" onclick="modal(this.src)">
16      <img src="images/6.jpg" onclick="modal(this.src)">
17  </div>
18
19  <div class="modal" id="modal">
20      <img src="" id="big_img">
21      </div>
22
23
24  <script>
25      function modal(source){
```

```html
9   <body>
10  <div class="gal">
11      <img src="images/1.jpg" onclick="modal(this.src)">
12      <img src="images/2.jpg" onclick="modal(this.src)">
13      <img src="images/3.jpg" onclick="modal(this.src)">
14      <img src="images/4.jpg" onclick="modal(this.src)">
15      <img src="images/5.jpg" onclick="modal(this.src)">
16      <img src="images/6.jpg" onclick="modal(this.src)">
17  </div>
18
19  <div class="modal" id="modal">
20      <img src="" id="big_img">
21      </div>
22
23
24  <script>
25      function modal(source){
26          document.getElementById('big_img').src = source;
27          document.getElementById('modal').style.transform ="scale(1)";
28      }
29  </script>
30  </body>
31  </html>
```