PROJECT OVERVIEW

Pijak

A shoe guide and running workspace to understand your footwear, plan sessions, and record your miles.

Raihan Evanza · Fullstack & Mobile Developer · portfolio-raihan-evanza.vercel.app

ROLE

Personal project: design, frontend, source-attributed catalog curation, integration, testing, and demo.


PLATFORMS

Responsive web for desktop and mobile. No account needed for the demo.

LINKS

Interactive demo: portfolio-raihan-evanza.vercel.app/demo/pijak/

TanStack Start · React · TypeScript · Rupa · CSS Modules · TanStack Query · Zod · Supabase · Vitest · Testing Library · Playwright · axe-core



OVERVIEW

Shoe selection often stops at the product catalog. Pijak connects a source-attributed catalog with actual use: daily wear, road running, trail, and the session being planned.

Users explore 24 models across seven brands, compare up to three models, save a wishlist, and manage the shoes they own. Running sessions, distance, duration, and purchase cost become a usage history that can be calculated and exported.

The public demo uses a separate browser build, illustrative data, and isolated storage. Source remains private. Supabase integration and ownership policies are prepared, but the demo does not access a real database or

account.

KEY FEATURES

Source-attributed catalog

Daily, road, and trail shoes, including On Cloud 6, Cloudsurfer 2, and Cloudultra 3. Unverified prices are not estimated; weights without a sample size remain unavailable.

Filters, comparison, and finder

Search and filters live in the URL. Comparison supports three models and shareable links. The finder explains the ordering using category, purpose, and available cushioning data.

Seven running session types

Easy, long, tempo, interval, recovery, race, and trail sessions, with surface selection. Shoe candidates follow existing catalog purposes; unsupported combinations remain empty.

Plans and recorded results

Create, edit, and delete weekly plans. Plans do not add mileage; results use actual distance and duration. Plan completion reuses one ID so saving again does not duplicate an activity.

Three-way pace calculator

Calculate finish time from distance and pace, pace from duration and distance, or distance from duration and pace. Includes 5K, 10K, half-marathon and marathon presets, plus fractional finishing splits.

Statistics and goals

Current-week distance, session count, longest run, weighted pace, prior-week distance, eight-week history, and personal goal progress. Initial shoe mileage does not count as this week's activity.

Rotation and collection

Optional mileage goals, last-use date, cost per kilometer, active or archived status, and editable activities. Rotation considers purpose, personal targets, and recorded last use; it does not predict shoe lifespan.

Portability and accessibility

Activity CSV and complete JSON exports. Rupa components support keyboard use, light and dark themes, and labeled forms. Browser checks cover desktop, mobile, and axe.

ARCHITECTURE & DATA FLOW

TanStack Start
Typed routing and React UI with Rupa and CSS Modules.

→

Domain logic
Filtering, pace, dates, statistics, rotation, and Zod schemas.

→

Browser demo
Static build under the portfolio. Isolated sample storage; Supabase disabled.

→

Supabase ready
PostgreSQL migrations, Auth, Storage, and ownership RLS for account mode.

- The main build supports SSR; the demo is a static SPA built from the same source.
- Demo storage uses a separate prefix. Reset only removes demo changes in that browser.
- Plans and actual results are separate. Existing data receives compatible defaults without discarding records.

STACK BY LAYER

Interface	TanStack Start · React · TypeScript · Rupa Design System · CSS Modules
Data and validation	TanStack Query · Zod · Local storage · Supabase-ready schema
Testing	Vitest · React Testing Library · Playwright · axe-core
Demo	TanStack SPA · Vite · Portfolio subpath · Vercel rewrites

TECHNICAL DECISIONS

1. **Unknown values stay unknown**
   Prices without sources do not pass budget filters. Specifications and intended uses are attributed, rather than presented as first-hand test results.
2. **Pace uses timed activities**
   Total duration is divided by total distance for timed activities. Untimed records still add distance without distorting average pace.
3. **Private source, usable demo**
   Only the frontend build enters the portfolio repository. The demo needs no credentials, uses illustrative data, and can be reset.

HOW TO USE IT

These steps follow the same order as the tutorial video.

1. **Explore brands and purposes**
   Open the demo catalog and choose On, or road and long-run filters. Open a model to inspect details and its official source.
2. **Compare three models**
   Press Compare on shoe cards, then open comparison. Share selections preserves the chosen models in the URL.
3. **Select a session and plan**
   The running workspace offers seven session types. Pick a date and add a plan with distance and optional pace; navigate between weeks.
4. **Record actual results**
   Use Record result on a plan. Choose a shoe and enter actual distance and duration. The plan becomes completed and statistics update.
5. **Calculate pace and splits**
   Open the calculator, choose the output, and enter the other two values. Distance presets cover 5K through marathon.
6. **Review rotation and progress**
   Statistics shows the weekly goal and history. In My shoes, change mileage goals, archive a pair, or correct recorded activities.
7. **Export or reset**
   Export CSV or JSON from Statistics. Reset demo restores illustrative data; demo changes never reach a real account.

LIMITATIONS & NOTES

- Demo purchase prices are illustrative, not verified Indonesian retail prices. Unknown catalog prices remain blank.
- Selection uses recorded category and purpose rules, not first-hand comfort tests, fitting advice, or medical recommendations.
- Users choose plans and targets; the app does not prescribe training or predict shoe lifespan.
- Real Supabase configuration is required to verify migrations, Auth, Storage, and RLS. The public demo does not test them.
- Export is available; import, watch/GPS integration, and Strava sync are not. Photos and trademarks remain with their owners.

WHAT'S NEXT

- Verify account mode on a Supabase project with two users and a curator role.
- Add backup import and activity integration once formats and source permissions are defined.