

Exploratory QA Test-Case Planner Agent

Autonomous Android testing campaign — full results

Application under test: shobarkhamar (Bengali-language Android livestock-management app)
Campaign: 45 autonomous test cases, generated and executed without human input
Executed: 2026-09-20 · **Report generated:** 20 Sep 2026

1 • Executive summary

An LLM-driven agent designed 45 exploratory test cases for an Android app it had never seen before, ran each one on a real device, and wrote what it learned into a knowledge graph that shaped the next test. No human wrote a test case, a selector, or a script.

45 TESTS EXECUTED	20 PASSED (44%)	25 FAILED (55%)	95 FINDINGS ABOUT THE APP
----------------------	--------------------	--------------------	------------------------------

Read the pass rate carefully. Of the 25 failures, only **11** are statements about the application — cases where the agent reached its checkpoint and the app did something unexpected. The other **14** are our agent running out of its own interaction budget or failing to navigate, which says nothing about the app's quality. The honest headline is **11 app-level failures across 45 tests**, not a 55% defect rate.

The campaign produced **163 findings**, of which 95 describe the application and 47 record our own agent's difficulties. It covered **33/106 requirements** (31%) across **29 feature areas**, and mapped **97 distinct UI states**. Total device time was 7.5 hours, median 476s per test.

2 • How the system works

Three LLM agents share one Neo4j knowledge graph. Each test makes the graph a little richer, so the next test is proposed from better facts.

Agent	Job	What it reads and writes
Planner	Decides what to test next and writes the test case	Calls tools over the graph — untested requirements, screens already mapped, findings so far, open questions, coverage gaps — then proposes a test. A validation gate rejects proposals that duplicate earlier work or target screens that do not exist.
Executor	Drives the real device	Receives the test case in plain language and interacts with the live app, with a budget of 50 steps. Emits a step-by-step trajectory.

Investigator	Turns the trajectory into knowledge	Reads the trajectory and writes <i>findings</i> — typed, deduplicated claims about the app — back into the graph, and marks earlier open questions resolved when a run settles them.
---------------------	-------------------------------------	--

Nothing is carried in conversation history. Every planner call is stateless and rebuilt from the graph, so "learning" means the graph grew — not that the model remembers.

3 · Results

3.1 Outcome

Verdict	Tests	Share	
Passed	20	44%	
Failed	25	56%	

3.2 Why tests failed — and what each reason means

Reason	Count	Tells us about	Interpretation
STEP_LIMIT_EXCEEDED	12	Agent limitation	The executor exhausted its interaction budget before it could assert. Not evidence of an app defect.
ASSERTION_FAILURE	11	App evidence	The agent reached its checkpoint and the app did not do what the test expected. These are the results that describe the app.
NAVIGATION_FAILURE	2	Agent limitation	The agent could not reach the screen the test targeted.

This split is the most important number in the report. A testing agent that cannot finish its own test produces a failure that looks identical to a real defect unless you separate them. 11 of 25 failures are app evidence; the rest are our ceiling, and they are the clearest direction for future work.

3.3 Coverage

Dimension	Covered	Total	
Requirements exercised by at least one test	33	106	
Feature areas reached	29	29	
Distinct UI states mapped	97	—	

3.4 Spread across the app

An exploratory agent's failure mode is tunnelling — hammering one feature it already understands. Across 45 tests the agent touched **29 areas**, the largest taking 17% of the campaign.

Feature area	Tests	Pass	Fail	
farm_management	8	1	7	
favourites	5	0	5	
animal_record	2	0	2	
chat	2	0	2	
disease_information	2	1	1	
profile_settings	2	1	1	
health_check	2	1	1	
farm_profile	1	1	0	
navigation_data_states	1	0	1	

notifications	1	1	0	
navigation_primary_bar	1	1	0	
profile	1	0	1	
navigation_detail_views	1	1	0	
settings	1	1	0	
favorites_management	1	1	0	
error_handling	1	0	1	
usability	1	1	0	
feed_store	1	1	0	
auth_account_management	1	1	0	
navigation_home_discovery	1	1	0	
listing_images	1	0	1	
navigation_location_filter	1	0	1	
location	1	1	0	
marketplace	1	1	0	
role_isolation	1	1	0	
medicine_store	1	1	0	
profile_and_settings	1	1	0	
navigation_list_loading	1	0	1	
authentication	1	1	0	

4 · What the agent learned — findings

A *finding* is a typed, deduplicated claim the investigator wrote into the graph. Findings are deduplicated semantically, so a repeat observation increments a counter rather than creating a new row. This campaign produced **163** of them.

Kind	Count	What it means	
SUSPECTED_DEFECT	30	App behaved in a way that looks wrong. Needs a human to confirm.	
SPEC_VIOLATION	5	App contradicts a written requirement in the SRS.	
SPEC_GAP	1	The SRS does not say what should happen here.	
UNEXPECTED_BEHAVIOUR	14	Surprising, but not clearly a defect.	
CONFIRMED_BEHAVIOUR	36	App worked as expected — evidence the feature is sound.	
CONTROL_DISCOVERED	9	A UI control the agent had not previously mapped.	
UNVERIFIED	21	The run could not settle the question either way.	
AGENT_DIFFICULTY	47	Our testing agent struggled. Says nothing about the app.	

Lifecycle. Findings that pose a question start open and are closed when a later run settles them — after three inconclusive attempts they are marked `inconclusive` rather than retried forever. Status now: **69** resolved, **47** open, **47** n/a. n/a covers kinds that are not questions, such as `AGENT_DIFFICULTY`.

4.1 SUSPECTED_DEFECT — all 30

App behaved in a way that looks wrong. Needs a human to confirm.

Claim	Screen	Sev	Seen	Evidence
The second bottom-navigation tab renders visually as 'রগ' (Record) but its accessibility label is 'ব্লগ', and tapping it opens the disease/blog list (রোগের তালিকা) — a label/destination mismatch that misdirects navigation.	Seller Tester	medium	3	steps 14, 21, 26, 30, 38, 46: clicking index 27 ('ব্লগ') always landed on রোগের তালিকা; steps 40, 42, 48: coordinate taps intended for the visually-labeled 'রগ' tab also landed...
The গবাদিপশু screen reached via 'গবাদিপশু দেখুন' is a browse/marketplace listing of animals for sale with no visible add-animal entry point, even after scrolling.	ফিরে যান	medium	1	steps 2-3, 12, 17: agent swiped the animals list twice looking for an add/FAB button and found none; steps 20, 29, 33, 36, 45: agent repeatedly concluded it is a marketplace for...
The run ended with only ছাগল selected on the farm info screen — the original গরু+ছাগল baseline was never restored, and the run reported success=True without a restore step.	খামারের তথ্য আপডেট	medium	1	steps 6-9: baseline গরু+ছাগল established then গরু deselected; step 11: saved; steps 12-14: re-entry showed only ছাগল selected; step 14: complete(success=True) with no restore...
Saving a farm name containing only spaces shows a success toast ('প্রোফাইল তথ্য আপডেট করা হয়েছে') instead of a validation error, while the field reverts to the previous value — success feedback on a failed save.	খামারের তথ্য আপডেট	medium	2	steps 8-10, 18-20, 27-29: typed ' ', clicked 'নিশ্চিত করুন'; step 30: field showed 'Trust Dairy Farm' with green success toast; repeated identically at steps 10, 20, 29....
The খামারের তথ্য আপডেট farm name field accepts a 160+ character value with no validation error, character-count warning, or rejection; saving succeeds with 'প্রোফাইল তথ্য আপডেট করা হয়েছে'.	খামারের তথ্য আপডেট	medium	1	steps 7-10: typed 160+ char name (clear=True), tapped 'নিশ্চিত করুন' (step 9), got success message 'প্রোফাইল তথ্য আপডেট করা হয়েছে' with no validation feedback.

A saved 160+ character farm name persists across app restart and re-navigation: the field still shows the full long text after the app was reopened and the farm profile screen revisited.	খামারের তথ্য আপডেট	medium	1	steps 11-14: app restarted via open_app, navigated Menu > খামার প্রোফাইল, field (index 12) displayed the full long text saved in step 7.
The farm name field on খামারের তথ্য আপডেট performs no validation at all: it accepts empty/whitespace, special characters, emoji, and 150+ character values alike, saving them with success feedback and silently reverting or persisting...	খামারের তথ্য আপডেট	high	1	generalised from 5 findings during TC-007 The empty-farm-name save behaviour could not be determined: no clearing method emptied the field, so save-with-empty-name was never...
Pressing the system BACK button while the Seller Tester navigation drawer is open terminates the app entirely (switches to the previous app, e.g. YouTube) instead of closing the drawer; the drawer's BACK handler is missing.	Seller Tester	high	1	steps 3-5: drawer opened via মেনু tap, system_button back pressed, result: app exited to YouTube; agent reports 4 reproducible runs including the prior run in F-71d5b133.
The farm name field on খামারের তথ্য আপডেট has no validation and its save flow can emit success feedback ('প্রোফাইল তথ্য আপডেট করা হয়েছে') even when the user's edit was not what was saved (value silently reverted), so empty, whitespace...	খামারের তথ্য আপডেট	high	3	generalised from 4 findings during TC-011 The farm name field performs no validation at all: empty, whitespace-only, special characters, emoji and 150+ character values are all...
The menu item 'আমার প্রোফাইল' does not open a seller profile screen; it opens the সেটিংস screen (showing only 'Seller Tester', security and general settings), so no dedicated বিক্রেতার প্রোফাইল screen with name/phone details is reachable...	সেটিংস	medium	1	steps 2-3, 5-6, 8-9, 11-12, 14-15, 17-18, 20-21, 23-24, 29-30, 35-36, 39-40, 43-44, 47-48: every click of 'আমার প্রোফাইল' landed on সেটিংস, never a profile screen.
Pressing the system BACK button while the Seller Tester navigation drawer is open terminates the app to the OS home screen (Pixel Launcher) instead of closing the drawer; reproduced in 2 additional runs this attempt, 4 total.	Seller Tester	high	2	steps 3-5: tapped মেনু (index 29), drawer opened, pressed system BACK, app exited to Pixel Launcher. steps 7-9: repeated identically with same result. Agent reports consistency...
On the Seller Tester drawer, the 'ভাষা বাংলা' language button only responds near the chevron (~850,590); tapping its main text area (675,714) does nothing — most of the button's touch target is non-interactive.	Seller Tester	medium	1	step 4: click on index 11 at (675,714) left screen unchanged; step 5: tap_at(850,590) opened the dropdown with 'ইংরেজি'/'বাংলা' options; step 7 summary confirms both results.
Tapping the heart/favourite icon on the first marketplace product (adfa, ৳123) has no visible effect: the heart never fills despite ~12 taps including click, click_at and long_press.	ফিরে যান	high	2	steps 6-9, 12, 15-17, 20-24, 27-28, 32-34: agent repeatedly tapped the heart at (964,529) via click, click_at and long_press; every time the agent reports hearts 'still appear...
The product detail view for 'adfa' (৳123) has no favourite/heart button; favouriting is only offered (non-functionally) on the marketplace list cards.	adfa	medium	1	steps 18-19, 25-26, 30-31: agent opened the detail view three times and each time reported 'no heart/favourite button on this detail screen', then returned to the list.
Favourites state is inconsistent across screens: 'দুধ' (হানিফ মাহমুদ, ৳110) appears in পছন্দসই পণ্ডসমূহ, but its heart icon on the marketplace card is unfilled.	ফিরে যান	medium	1	step 2-3: favourites list shows দুধ and সর পুটি with filled red hearts; steps 10-23: the same দুধ product in marketplace search results shows an unfilled heart at index 21.
The farm name field performs no validation at all: empty, whitespace-only, special characters, emoji and 150+ character values are all accepted and report success.	খামারের তথ্য আপডেট	high	2	generalised from a 4-finding cluster Saving the farm info form with an empty farm name does not trigger any validation error; a success toast 'প্রোফাইল তথ্য আপডেট করা হয়েছে'...

Tapping via element index 15 also executes at (964,529), a point outside the element's reported bounds (789-839, 422-472), so element-index clicks are subject to the same coordinate offset as click_at.	ফিরে যান	high	1	steps 3, 5, 8, 10, 12, 15-19, 25, 33-35, 37: click({'index': 15}) -> 'Coordinates: (964, 529)' despite the element's bounds being (789,422,839,472).
The tap-execution layer consistently lands taps at (964,529) regardless of requested coordinates or element bounds, so the heart control was never actually hit; the 'heart does not fill' symptom is unproven and may be an artifact of this...	ফিরে যান	high	1	generalised from 5 findings during TC-026 Agent repeatedly clicked the same heart element (index 21) 9 times and index 18 8 times with no visible effect before recognising the...
Selecting a language in the navigation drawer does not update visible UI labels immediately; the change only takes effect after the app is terminated and relaunched.	Seller Tester	medium	1	steps 7-8: selected 'ইংরেজি' but UI stayed Bengali, so agent pressed BACK; steps 9-11: app had to be restarted via open_app before labels showed English. Same pattern repeated...
The navigation drawer (and Menu screen) lacks a BACK-key handler: pressing system BACK while the drawer is open exits the app instead of closing the drawer or returning in-app.	Seller Tester	high	1	generalised from 3 findings during TC-027 Pressing the system BACK button while the Seller Tester navigation drawer is open terminates the app to the OS home screen (Pixel...
The second bottom-navigation tab on Seller Tester, visually labeled 'রোগ' but with accessibility label 'রোগ', navigates to the রোগের তালিকা (Disease List) screen; the a11y label ('রোগ') misdirects assistive-technology users away from the...	Seller Tester	medium	1	step 2: tapped index 27 ('Blog', ImageView at 332,2269); step 3: resulting screen titled 'Disease List' showing Common Cattle Diseases (Lumpy Skin Disease, IBK, Cow Pox,...
A sub-district selection on Update Farm Info is silently discarded if the user leaves without tapping Confirm: after picking 'Kutubdia - 4720' and navigating back, the form showed 'Coxs Bazar Sadar - 4700' again with no warning or...	Update Farm Info	medium	1	step 10: selected Kutubdia - 4720; step 11: pressed BACK; steps 13-14: menu still showed old location and the form showed 'Coxs Bazar Sadar - 4700'. No unsaved-changes warning...
The run's objective is refuted: clearing Farm Name and tapping Confirm never triggers a specific validation error naming the field; the save completes with a success toast in every attempt.	Update Farm Info	high	1	Three save attempts on a visibly empty field (step 9-10, 25-27, 33-35) each returned 'Profile information updated successfully' (also Main #7 screen fact) with no error message.
Pressing BACK from the খামারের তথ্য আপডেট save flow exits the app entirely (to launcher) rather than returning to the previous in-app screen, forcing an app relaunch to re-verify.	Update Farm Info	low	1	step 12: pressed BACK after save; step 13: agent notes 'The back button exited the app' and had to open_app by package name; same again at steps 20-21.
The info button in an open chat conversation (top-right, index 9, ~(1017,216)) gives no visible response: no menu, dialog, or screen change ever appears no matter how often it is tapped.	Gazi A Fardin Offline	medium	1	Steps 9-14, 17-18, 22-26, 32-40, 43-47: the same click on index 9 at (1017,216) was repeated ~27 times across the run; the agent remained inside the Gazi A Fardin conversation...
No working method to delete an existing chat conversation could be found: the info button is unresponsive, long-press opens the conversation instead of a delete menu, and left-swipe on the row reveals no delete action.	Chats	medium	1	Steps 16 and 42: long-press on the conversation row opened the chat rather than showing options; steps 20, 30, 49: left-swipes (e.g. (888,752)-> (118,752)) produced no delete...
No entry point to the 'গবাদিপশু যোগ করুন' add-animal flow exists anywhere in the Seller Tester UI (home screen, animals listing, মেনু drawer, or bottom navigation), so the flow is unreachable and its step-2 'পশুর ধরন নির্বাচন করুন'...	Seller Tester	high	1	generalised from 4 findings during TC-040 F-8f5073a8 remains unresolved: the 'গবাদিপশু যোগ করুন' add-animal form was never opened, so whether an empty 'পশুর ধরন নির্বাচন করুন'...

Repeated taps on elements that are not the effective touch target (or are non-interactive) produce no visible feedback, causing the agent to loop without progress across multiple flows.	Seller Tester	high	1	generalised from 3 findings during TC-042 Agent clicked 'গবাদিপশু দেখুন' and then 'ফিরে যান' on the same screens over a dozen times with no new state explored, indicating...
The empty farm name save is not persisted: the value the user sees after the success toast is the pre-edit original name, not the empty value the user submitted — a silent revert masked by success feedback.	Update Farm Info	medium	1	steps 4-7: field was verified empty (step 4), Confirm tapped (step 6), yet the field showed the original 'Trust Dairy Farm...' value after the success toast (step 7).
Selecting Bangla does not fully localize the menu UI: after choosing 'Bangla', labels such as 'Language', 'Change Profile', 'logout' remain in English, showing the Bengali localization is incomplete.	Seller Tester	medium	1	Step 20: after tapping 'Bangla' (step 19), the agent observes 'কুতুবদিয়া, কক্স বাজার' in Bengali while 'Language', 'Change Profile', 'logout' remain in English.

4.2 SPEC_VIOLATION — all 5

App contradicts a written requirement in the SRS.

Claim	Screen	Sev	Seen	Evidence
The বিক্রেতার প্রোফাইল screen displays the seller's name ('Seller Tester'), address and reviews, but no phone number and no explicit 'Farmer/Seller' role indicator, violating FR-PROF-01 and FR-PROF-03.	বিক্রেতার প্রোফাইল	high	1	Step 50: agent reached বিক্রেতার প্রোফাইল and enumerated contents — name, address (কক্স বাজার...), 0 Reviews present; phone number and role designation explicitly absent; a swipe...
The objective's expected result 'after tapping the language option, all visible UI labels switch' is not met in-session without an app restart; language switching was only verified across restarts.	Seller Tester	medium	1	steps 7-11, 14-19, 21-24: every language change required open_app + wait on splash screen before labels updated; no in-session label update was ever observed after selecting a...
The home screen header shows no location label ('Trust Dairy Farm' + 'Farmer / Seller' only); the active region appears only in the Menu drawer, so the header can never reflect a region change as FR-LOC-06 specifies.	Farmer / Seller	medium	1	steps 7, 12, 21: agent repeatedly notes 'No visible location label in the header' on the home screen; the updated label 'Kutubdia, Cox's Bazar' was only found inside the Menu...
The location label did not update immediately after selecting a region; it only reflected 'Kutubdia - 4720' after tapping Confirm and relaunching the app, so FR-LOC-06's 'immediately displays' expectation was not met in-session.	Update Farm Info	medium	1	steps 10-13: after selecting Kutubdia - 4720 without saving, menu still showed 'Coxs Bazar Sadar, Cox's Bazar'; steps 17-21: update only visible after Confirm (step 17) plus app...
On the Seller Profile (বিক্রেতার প্রোফাইল) screen, no explicit 'Farmer/Seller' role label or badge is displayed; the page title 'Seller Profile' is the only role identification, so FR-PROF-03's role-display requirement is not met on that...	Seller Profile	medium	1	steps 36-38: agent opened Farm tab, reached Seller Profile showing 'Seller Tester', '0 Reviews', location, 'Share Profile'/'My Products'/'Farmer Market' buttons; swiped to check...

4.3 SPEC_GAP — all 1

The SRS does not say what should happen here.

Claim	Screen	Sev	Seen	Evidence
The 'Notification' row in Settings (GENERAL section) does not toggle in-app; tapping it opens the Android system notification settings, and the app merely reflects the system switch state on return.	Seller Tester #6	medium	1	Steps 3-4, 5-6, 13-14: tapping the row at (540,879) repeatedly landed in system settings ('android:id/switch_widget', 'All সবার খামার notifications'); steps 29-32: after toggling...

4.4 UNEXPECTED_BEHAVIOUR — all 14

Surprising, but not clearly a defect.

Claim	Screen	Sev	Seen	Evidence
Clicking the farm name field repeatedly caused the device to switch to the YouTube app, forcing re-navigation back to the farm screen (4 interruptions in one run).	খামারের তথ্য আপডেট	medium	1	steps 5-6, 22-23, 30-31, 49-50: after clicking the EditText the agent found itself on YouTube and had to reopen com.tirzokpvt.shobarkhamar or press BACK each time.
Clicking 'নিশ্চিত করুন' on the farm info screen navigates away to the home screen even when the save did not apply, forcing re-navigation to verify the outcome.	খামারের তথ্য আপডেট	low	1	steps 10-13, 20-22, 29-30: after each save click the agent found itself on the home/menu screen and had to re-navigate via মেনু → খামার প্রোফাইল.
No conversation-delete control could be found on the Chats screen or inside the chat: long press on the conversation item, left-swipe, and the info button all produced no delete option, and the conversation persisted throughout the run.	চ্যাট	medium	1	Steps 4, 17 (long press on conversation), step 6 (swipe left), steps 8, 15, 25, 33 (info button) all returned to the same list with 'Gazi A Fardin' conversation still present at...
After clicking the farm name field on the update screen, the app context unexpectedly switched to YouTube, requiring the agent to relaunch the target app by package name.	খামারের তথ্য আপডেট	low	1	step 10-11: clicked EditText index 12; step 11 found the device on YouTube instead of the app and had to open com.tirzokpvt.shobarkhamar.
No 'গবাদিপশু যোগ করুন' / add-animal entry point is visible on the home screen, the animals listing, the মেনু drawer, or the bottom navigation for a logged-in Seller Tester.	Seller Tester	medium	1	steps 3-50: home, animals listing ('গবাদিপশু দেখুন', 'সব দেখুন'), মেনু drawer (steps 5, 12, 27), and bottom nav tabs were all inspected; no add-animal control seen on any of them.
After switching role via 'গবাদিপশু বিক্রেতা' on the Account Management screen, the app returned to রোগের তালিকা without any visible confirmation, and the menu still showed the user as 'Seller Tester'.	রোগের তালিকা	low	1	steps 33-35: role click at step 33, next screen is রোগের তালিকা, then menu at step 35 still shows 'Seller Tester'.
A toast reading 'ক্রেতা-এ পরিবর্তন করা হচ্ছে...' (changing to buyer...) appeared when tapping the heart icon on the marketplace card, which is not a favourite acknowledgement.	ফিরে যান	medium	1	step 5: after clicking heart icon (964,529), toast 'ক্রেতা-এ পরিবর্তন করা হচ্ছে...' displayed; heart icons remained unfilled.
The product detail screen for 'adfa' (reached from the marketplace card) shows no heart/favourite icon; the favourite control appears to exist only on marketplace listing cards, so the objective's assumed detail-screen path does not exist...	adfa	low	1	steps 13-14: agent opened the 'adfa' product card (index 14) and observed 'There's no heart icon here - it was on the marketplace listing cards', then navigated back.
Tapping in the marketplace card area triggered a role-switch toast 'ক্রেতা-এ পরিবর্তন করা হচ্ছে...' (Changing to buyer...), showing the tapped point hit some interactive handler, but the heart itself never changed state.	ফিরে যান	medium	1	step 4: after first tap at (964,529) a toast 'ক্রেতা-এ পরিবর্তন করা হচ্ছে...' appeared; steps 5-37 show hearts remain unfilled afterwards.
Returning from the system notification settings after toggling sometimes relaunched the app through a splash screen and triggered notification permission dialogs, rather than restoring the Settings screen in place.	Seller Tester	medium	1	Steps 15-18: after back from system settings, app was blank/splash then a permission dialog ('Allow') appeared; steps 24-26 and 39-40: 'Don't allow' dialogs and splash screen...
Tapping the second bottom-nav tab lands on Disease List, whose title reads 'Blog' in English structural facts — the screen itself is labeled 'Disease List' at runtime, so the tab's a11y label matches neither the visual 'ব্লগ' nor a blog...	Disease List	low	1	step 3: destination screen title index 7 is 'Disease List'; step 2: tab a11y label is 'Blog'.

The Add Cattle form accepted animal type 'Cow' (step 24) together with subtype 'Bull' (step 30) with no cross-field consistency check or warning; whether this is intended behaviour is unknown.	Add Cattle	low	1	Steps 23-24 selected type 'Cow'; steps 29-30 opened the subtype dropdown and selected 'Bull'; the form proceeded without complaint (step 40 advanced to step 2).
Runtime labels on this flow are English — tab 'Farm', button 'Share Profile' — not the assumed 'খামার'/'প্রোফাইল শেয়ার করুন', while the share payload text is Bangla: mixed-language UI within one flow.	Seller Profile	low	1	step 3: tab text 'Farm'; step 4: button text 'Share Profile'; step 5: Bangla share text 'সবার খামার-এ Seller Tester এর প্রোফাইল দেখুন: ...'.
Uploading a non-cattle image (an app screenshot) and running Start Scanning does not produce an error; the analyzer returns a 'Normal' result screen ('No visible disease detected...') instead of rejecting the irrelevant input.	Health check result	medium	1	steps 3-7: picked a screenshot from gallery, Start Scanning enabled, AI Analyzer ran ~5s, result screen showed 'Normal' / 'No visible disease detected in the cattle from the...

5 · Every test case

All 45 tests in execution order. "Why" quotes the agent's own reasoning about what happened on the device.

1. TC-001 — FR-ANM-02: Animal record requires cattle type selection before proceeding

FAIL · area animal_record · 50 device steps · 847s · 05:41 · STEP_LIMIT_EXCEEDED · Agent limitation [FR-ANM-02](#)

Why it failed: Reached max step count of 50 steps

Agent's account: Objective unclear. The agent never reached the গবাদিপশু যোগ করুন multi-step flow, so the core validation question (does an empty পশুর ধরন নির্বাচন করুন block step 2?) remains unverified. The run instead established that the add-animal flow is hard to discover: the animals screen shows a marketplace with no add control, the bottom-nav second tab is mislabeled in the accessibility tree ('ব্লগ' vs visual 'ব্লগ'), and the agent looped for ~50 steps without...

2. TC-002 — FR-FARM-05: Animal type selection persistence on farm update screen

PASS · area farm_profile · 14 device steps · 185s · 05:45 [FR-FARM-02](#) [FR-FARM-05](#)

Agent's account: Objective confirmed. The run verified FR-FARM-05: deselecting গরু while keeping ছাগল and saving persisted the new selection after re-entering the screen. However, the run again ended with only ছাগল selected and no restore step, confirming the open question F-8ce5a93c: the animal selection was not restored to the গরু+ছাগল baseline. Findings: 2 confirmed_behaviour, 1 suspected_defect. (3 new, 0 reinforced) Closed open question(s): F-8ce5a93c.

3. TC-003 — FR-FARM-04: Farm name field rejects empty input with specific error message

FAIL · area farm_management · 50 device steps · 702s · 05:58 · STEP_LIMIT_EXCEEDED · Agent limitation [FR-FARM-04](#)

Why it failed: Reached max step count of 50 steps

Agent's account: Objective unclear. The run never achieved a genuinely empty farm name field: every clearing attempt (type with clear=True ~6x, select-all + cut, triple-clicks) left '🐮 Trust Dairy Farm 🐮' in place, so the app's response to saving an empty name was never observed. It did confirm the field accepts and saves an emoji-containing name with a success toast. Repeated app switches to YouTube while clicking the field further blocked the test. Findings: 3...

4. TC-004 — FR-FARM-04: Farm name field rejects whitespace-only input with an error message

FAIL · area farm_management · 31 device steps · 509s · 06:09 · ASSERTION_FAILURE · App evidence [FR-FARM-04](#)

Why it failed: The save action was blocked (farm name field retained original value "🐮 Trust Dairy Farm 🐮", spaces were not saved), but no specific validation error message appeared. Instead, a generic success toast "প্রোফাইল তথ্য আপডেট করা হয়েছে" was shown. The expected behavior — a specific error message indicating the farm name cannot be empty or contain only whitespace — was not observed. The app effectively prevented saving...

Agent's account: Objective refuted. Whitespace-only farm name input was tested three times; each save navigated to home and showed a success toast 'প্রোফাইল তথ্য আপডেট করা হয়েছে' while the field reverted to the prior value. The expected whitespace validation error never appeared. The run also shows the save silently discards the whitespace input without any user-facing failure feedback. Findings: 2 agent_difficulty, 1 confirmed_behaviour, 1 suspected_defect, 1...

5. TC-005 — FR-CHT-05: Empty chat inbox shows empty state UI without error or crash

FAIL · area chat · 50 device steps · 862s · 06:26 · STEP_LIMIT_EXCEEDED · Agent limitation [FR-CHT-01](#) [FR-CHT-05](#)

Why it failed: Reached max step count of 50 steps

Agent's account: Objective confirmed. The Chats empty-state message exists and is rendered in Bengali ('এখানে কোনো চ্যাট নেই', 'কথোপকথন শুরু করুন', 'এখানে দেখাবে') on the চ্যাট screen, satisfying the objective. However, the agent could not reach it live this run because no conversation-delete control was found anywhere (long press, swipe, info screen), so the empty state was only observed via the screen's structural snapshot, not through a user-driven deletion flow....

6. TC-006 — FR-DISEASE-01: Tapping a disease from রোগের তালিকা navigates to disease detail view

PASS · area disease_information · 4 device steps · 63s · 06:28

Agent's account: Objective confirmed. The run confirmed the objective: tapping মাষ্টাইটিস on the রোগের তালিকা screen navigated to a detail page with title, common names, cause, and symptoms. The disease detail screen's structure (title, চলিত নাম, রোগের কারণ, লক্ষণ sections) is newly discovered. No defects observed. Findings: 1 confirmed_behaviour, 1 control_discovered, 1 unverified. (3 new, 0 reinforced)

7. TC-007 — FR-FARM-06: Farm update with 150+ character name shows appropriate feedback

FAIL · area farm_management · 14 device steps · 232s · 06:33 · ASSERTION_FAILURE · App evidence [FR-FARM-04](#) [FR-FARM-06](#)

Why it failed: Validation test FAILED: The 'খামারের তথ্য আপডেট' screen does not implement proper validation for farm names exceeding 150 characters. When entering a 160+ character name, the app: (1) visually truncates the display but stores the full text, (2) accepts the input without any character count warning or validation error during entry, and (3) successfully saves the data with a success message "প্রোফাইল তথ্য আপডেট করা..."

Agent's account: Objective confirmed. The run entered a 160+ character farm name and saved it successfully with no validation error, truncation warning, or rejection — confirming the farm name field performs no length validation. The long value persisted across app restart and re-navigation. This settles the open question F-422162fd: the field accepts over-long values with success feedback. Findings: 1 agent_difficulty, 1 confirmed_behaviour, 2 suspected_defect, 1...

8. TC-008 — FR-FARM-04: Clear required farm field before save shows specific error

FAIL · area farm_management · 50 device steps · 741s · 06:47 · STEP_LIMIT_EXCEEDED · Agent limitation [FR-FARM-04](#)

Why it failed: Reached max step count of 50 steps

Agent's account: Objective unclear. The run never cleared the উপজেলা field, so the intended validation-error test was never executed. The agent spent 50 steps cycling between the farm update screen and the উপজেলা dropdown, repeatedly clicking what it believed was a clear button (index 25) which actually opened the dropdown, and never reached the save action. The only app behaviour established is that closing the dropdown with BACK preserves the previously selected value....

9. TC-009 — FR-NAV-02: System back on open drawer closes menu instead of exiting app

FAIL · area navigation_data_states · 17 device steps · 327s · 06:53 · NAVIGATION_FAILURE · Agent limitation [FR-NAV-02](#)

Why it failed: FAIL: Pressing the system BACK button while the Seller Tester navigation drawer is open does NOT close the drawer. Instead, it exits the app entirely (com.tirzokpvt.shobarkhamar terminates and the device switches to YouTube). This was confirmed across 3 reproducible runs. The expected behavior (drawer closes, app remains on Home/Main screen) was not achieved. The navigation drawer's BACK handler is not implemented...

Agent's account: Objective refuted. This run reproduced and confirmed that pressing the system BACK button while the Seller Tester navigation drawer is open exits the app entirely (terminates to another app, here YouTube) instead of closing the drawer. This was observed reproducibly (agent reports 4 consistent runs) and directly answers the open question about BACK exiting the app. Findings: 1 confirmed_behaviour, 1 suspected_defect. (2 new, 0 reinforced) Closed open...

10. TC-010 — FR-ANM-04: Validate empty animal type blocks advancing in add-animal flow

FAIL · area animal_record · 50 device steps · 653s · 07:06 · STEP_LIMIT_EXCEEDED · Agent limitation [FR-ANM-01](#) [FR-ANM-04](#)

Why it failed: Reached max step count of 50 steps

Agent's account: Objective unclear. The run never reached the 'গবাদিপশু যোগ করুন' add-animal screen. The agent repeatedly cycled between the home screen and the animal listing without locating any add-animal entry point, so whether an empty 'পশুর ধরন নির্বাচন করুন' blocks advancing to step 2 remains undetermined. The open question F-8f5073a8 stays open. Findings: 1 agent_difficulty, 1 unexpected_behaviour, 1 unverified. (3 new, 0 reinforced)

11. TC-011 — FR-FARM-04: Validate empty farm name rejection in খামারের তথ্য আপডেট

FAIL · area farm_management · 50 device steps · 594s · 07:17 · STEP_LIMIT_EXCEEDED · Agent limitation **FR-FARM-04**

Why it failed: Reached max step count of 50 steps

Agent's account: Objective unclear. The agent repeatedly cleared the farm name field but lost the cleared state by accidentally navigating away (clipboard-popup dismissal acted as back navigation) four times before completing a clear-and-save flow. A save with an empty field was finally issued at step 50, but the run ended at the step limit before the app's response could be observed, so the objective remains unverified. Step 41 did show a save succeeding with a success...

12. TC-012 — FR-NOT-04: Empty notification list shows empty state, not error or crash

PASS · area notifications · 2 device steps · 35s · 07:19 **FR-NOT-04**

Agent's account: Objective confirmed. The notifications screen loaded successfully with zero notifications and displayed a clear empty-state message 'এখনো কোনো নোটিফিকেশন নেই'. No error dialog, blank screen, or crash occurred; back and refresh controls remained available. The objective was fully confirmed. Findings: 1 confirmed_behaviour, 1 control_discovered. (2 new, 0 reinforced)

13. TC-013 — Verify bottom nav tab 'রোগ' navigates to correct destination matching its label

PASS · area navigation_primary_bar · 14 device steps · 251s · 07:35

Agent's account: Objective confirmed. This run re-verified the suspected defect: tapping the second bottom-navigation tab (visually 'রোগ', accessibility label 'ব্লগ') consistently opens রোগের তালিকা (Disease List), not a Record screen, across repeated taps from the Seller Tester home screen. This resolves F-8fa91d30 as a confirmed label/destination mismatch. Findings: 1 suspected_defect. (0 new, 1 reinforced) Closed open question(s): F-8fa91d30.

14. TC-014 — FR-PROF-01: Seller Profile screen displays user identity and role info

FAIL · area profile · 50 device steps · 708s · 07:48 · STEP_LIMIT_EXCEEDED · Agent limitation **FR-PROF-01**

Why it failed: Reached max step count of 50 steps

Agent's account: Objective unclear. The run could not verify the বিক্রেতার প্রোফাইল objective: no dedicated Seller Profile screen was found. The menu's 'আমার প্রোফাইল' item consistently opens সেটিংস (which shows the name 'Seller Tester'), 'খামার প্রোফাইল' opens খামারের তথ্য আপডেট, and 'প্রোফাইল পরিবর্তন করুন' opens the role-switch Account Management screen. The agent also burned most of its 50 steps repeating the same fruitless navigation. Screen hint was wrong; actually...

15. TC-015 — Test F-8fa91d30: Bottom nav tab 'রোগ' opens disease list (label/destination mismatch)

PASS · area navigation_detail_views · 2 device steps · 44s · 07:50

Agent's account: Objective confirmed. Tapping the second bottom-navigation tab (visually 'রোগ') landed on রোগের তালিকা (Disease List), confirming the destination matches the visual label. The accessibility tree exposes the tab as 'ব্লগ' (Blog), so the mismatch is between the accessibility label and the actual visual label/destination, not the destination itself. Findings: 1 confirmed_behaviour, 1 suspected_defect. (1 new, 1 reinforced) Closed open question(s): F-8fa91d30.

16. TC-016 — Test F-00be376d: 'আমার প্রোফাইল' menu item opens সেটিংস screen instead of dedicated profile

PASS · area settings · 3 device steps · 46s · 07:53 **FR-PROF-01** **FR-SET-01**

Agent's account: Objective confirmed. This run directly settles the open question F-00be376d: tapping 'আমার প্রোফাইল' in the Seller Tester navigation drawer navigates to the সেটিংস screen, which shows only the user name 'Seller Tester', a সাধারণ section (notification toggle) and a নিরাপত্তা section (password change). No dedicated বিক্রেতার প্রোফাইল screen with name/phone/role details is reachable via this menu item, which matches the stated expected result. Findings: 1...

17. TC-017 — Test FR-PROF-04: 'প্রোফাইল শেয়ার করুন' on বিক্রেতার প্রোফাইল opens system share sheet with profile link

PASS · area favorites_management · 6 device steps · 82s · 07:55 **FR-PROF-04**

Agent's account: Objective confirmed. Tapping 'প্রোফাইল শেয়ার করুন' on বিক্রেতার প্রোফাইল opened the Android native share sheet with 5 options, and the payload contained a populated profile URL (https://test.sobarkhamar.com/share/user/cattle/383). Both conditions of the test objective were verified directly. No defects observed. Findings: 3 confirmed_behaviour. (3 new, 0 reinforced)

18. TC-018 — Test FR-PROF-03: Seller profile displays identifying information when viewed

PASS · area profile_settings · 1 device steps · 31s · 07:58 [FR-PROF-03](#)

Agent's account: Objective confirmed. The বিক্রেতার প্রোফাইল screen displayed the seller name 'Seller Tester', location, review count, and a share button, supporting FR-PROF-03. The explicit 'Farmer/Seller' role label was not observed; the agent accepted the page title as equivalent identifying information. Profile viewability is confirmed; role-label presence is not. Findings: 1 confirmed_behaviour, 1 unverified. (2 new, 0 reinforced)

19. TC-019 — Test F-399a602a: Back button while navigation drawer is open should close drawer, not exit app

FAIL · area error_handling · 7 device steps · 278s · 08:04 · NAVIGATION_FAILURE · Agent limitation

Why it failed: FAILED: Pressing system BACK button while navigation drawer is open on Seller Tester screen exits the app to OS home screen instead of closing the drawer. Expected: drawer closes, user stays on Seller Tester. Actual: app terminates, returns to Pixel Launcher.

Agent's account: Objective refuted. This run reproduced the defect twice more (steps 3-5 and 7-9): opening the Seller Tester navigation drawer via মেনু and pressing system BACK exits the app to the Pixel Launcher instead of closing the drawer. Combined with the prior run, this is now 4 reproducible occurrences, confirming F-399a602a. Findings: 1 suspected_defect. (1 new, 0 reinforced) Closed open question(s): F-399a602a.

20. TC-020 — Test FR-FAV-04: Adding a product to favourites shows visible acknowledgement

FAIL · area favourites · 48 device steps · 901s · 08:20 · ASSERTION_FAILURE · App evidence [FR-FAV-04](#)

Why it failed: Workflow timed out after 900s (48/50 steps observed). Timed out with steps still available - not a step-budget issue; flagged for manual review of what it was doing when it stalled.

Agent's account: Objective unclear. The run never confirmed FR-FAV-04: dozens of taps on the heart icon on both the marketplace cards and the product detail screen produced no toast and no visible icon change. The only toast observed was an unrelated 'ক্রেতা-এ পরিবর্তন করা হচ্ছে...'. The run is dominated by agent loop behaviour (repeated ineffective clicks) so the favourite acknowledgement remains unverified. Findings: 3 agent_difficulty, 1 unexpected_behaviour, 1...

21. TC-021 — Test F-752e9150: Language dropdown touch target is misaligned - tapping main button text does nothing

PASS · area usability · 7 device steps · 121s · 08:24

Agent's account: Objective confirmed. The run reproduced and confirmed the small/misaligned touch target on the 'ভাষা বাংলা' language dropdown button in the Seller Tester navigation drawer. A tap on the button's main text area (675,714) produced no dropdown, while a tap near the chevron (850,590) opened it showing 'ইংরেজি' and 'বাংলা'. This resolves F-752e9150. Findings: 1 confirmed_behaviour, 1 suspected_defect. (2 new, 0 reinforced) Closed open question(s): F-752e9150.

22. TC-022 — Test FR-FAV-05: Favourite state survives leaving and re-entering product detail view

FAIL · area favourites · 36 device steps · 901s · 08:40 · ASSERTION_FAILURE · App evidence [FR-FAV-05](#)

Why it failed: Workflow timed out after 900s (36/50 steps observed). Timed out with steps still available - not a step-budget issue; flagged for manual review of what it was doing when it stalled.

Agent's account: Objective unclear. The agent never toggled any favourite: repeated taps on the heart icon of the first marketplace product had no visible effect (heart never filled), and the product detail view for 'adfa' contains no favourite button at all. The objective (persistence of favourites) could not be tested because favouriting itself appears non-functional or unreachable. Findings: 1 agent_difficulty, 2 suspected_defect, 1 unverified. (4 new, 0 reinforced)

23. TC-023 — Test FR-FAV-02: Remove product from favourites via heart icon on marketplace list

FAIL · area favourites · 47 device steps · 902s · 08:56 · ASSERTION_FAILURE · App evidence [FR-FAV-02](#)

Why it failed: Workflow timed out after 900s (47/50 steps observed). Timed out with steps still available - not a step-budget issue; flagged for manual review of what it was doing when it stalled.

Agent's account: Objective unclear. The run never completed the unfavourite objective. The agent could not get any heart icon to fill or toggle: ~20+ taps on heart controls across three products produced no visible state change, and the favourited 'দুধ' product shows an unfilled heart in the marketplace despite appearing in the favourites list. This is both a suspected defect (favourite toggle unresponsive/state inconsistent) and a major agent difficulty (repeated...

24. TC-024 — Test FR-FAV-03: Favourites list shows only favourited products after adding one

FAIL · area favourites · 15 device steps · 7572s · 11:11 · ASSERTION_FAILURE · App evidence [FR-FAV-01](#) [FR-FAV-02](#) [FR-FAV-03](#) [FR-FAV-04](#)

Why it failed: Workflow timed out after 900s (15/50 steps observed). Timed out with steps still available - not a step-budget issue; flagged for manual review of what it was doing when it stalled.

Agent's account: Objective unclear. The run never successfully toggled a favourite via the heart icon: repeated taps on the heart (index 15 / click_at (814,447)) produced no visible state change, and clicks were consistently registered at (964,529), a different location than requested. The run ended on the adfa product detail screen without verifying whether the product appears in পছন্দসই পণ্যসমূহ, so the objective remains unverified. Screen hint was wrong; actually used:...

25. TC-025 — Verify seller profile displays required identity fields (name, phone, role)

FAIL · area profile_settings · 50 device steps · 710s · 11:24 · STEP_LIMIT_EXCEEDED · Agent limitation [FR-PROF-01](#) [FR-PROF-03](#)

Why it failed: Reached max step count of 50 steps

Agent's account: Objective refuted. The run reached বিক্রেতার প্রোফাইল (step 50) after switching role to গবাদিপশু বিক্রেতা. The screen displays the seller's name 'Seller Tester', address and reviews, but no phone number and no explicit 'Farmer/Seller' role indicator, violating FR-PROF-01/FR-PROF-03. This settles open question F-db142639. Findings: 2 agent_difficulty, 1 spec_violation. (3 new, 0 reinforced) Closed open question(s): F-db142639.

26. TC-026 — Verify heart icon fills when tapping favourite on marketplace product card

FAIL · area favourites · 38 device steps · 902s · 11:40 · ASSERTION_FAILURE · App evidence [FR-FAV-01](#) [FR-FAV-04](#)

Why it failed: Workflow timed out after 900s (38/50 steps observed). Timed out with steps still available - not a step-budget issue; flagged for manual review of what it was doing when it stalled.

Agent's account: Objective unclear. The run did NOT settle whether the heart favourite control is broken: every tap, whether by index 15 or click_at, landed at (964,529), which is outside the heart's reported bounds (789-839 x 422-472). The heart may be functional but was never actually tapped. What the run does establish is a consistent coordinate mismatch between requested and executed tap locations, and a role-switch toast ('ক্রেতা-এ পরিবর্তন করা হচ্ছে...') appearing...

27. TC-027 — Verify language toggle from Bengali back to English on Seller Tester

PASS · area feed_store · 25 device steps · 341s · 11:47

Agent's account: Objective unclear. Language switching between English and Bengali works and persists, but the UI does not update immediately: after selecting a language in the drawer, labels remain in the old language until the app is killed and restarted (steps 8-11, 15-19, 22-24). This partially contradicts the objective's expectation of immediate label updates. Separately, BACK with the drawer open exits the app instead of closing the drawer, confirming the known...

28. TC-028 — Verify notification toggle state persistence after leaving settings

PASS · area auth_account_management · 46 device steps · 534s · 11:58

Agent's account: Objective confirmed. The push notification setting persists across navigation (FR-PROF-03 confirmed), but only because the app's 'Notification' row is a link to Android system notification settings rather than an in-app toggle; the app mirrors the system state. Toggling caused app restarts/splash screens and permission dialogs, and the agent repeatedly clicked the row expecting an internal toggle. Findings: 1 agent_difficulty, 1 confirmed_behaviour, 1...

29. TC-029 — Verify bottom-nav 'Record' tab opens disease list despite accessibility label mismatch

PASS · area navigation_home_discovery · 3 device steps · 63s · 12:00

Agent's account: Objective confirmed. This run confirms that tapping the second bottom-navigation tab (a11y label 'ব্লগ'/'Blog') on Seller Tester navigates to the রোগের তালিকা (Disease List) screen, matching the visual 'রোগ' label's destination. The accessibility-label mismatch ('ব্লগ' vs 'রোগ'/Disease List) is confirmed as a real defect for assistive-tech users. This settles F-8fa91d30. Findings: 1 suspected_defect, 1 unexpected_behaviour. (2 new, 0 reinforced) Closed...

30. TC-030 — Verify disease detail screen shows treatment/remedy section when opened from disease list

PASS · area health_check · 6 device steps · 127s · 12:03 **FR-DIS-02**

Agent's account: Objective confirmed. The run opened Lumpy Skin Disease from the Disease List and scrolled through its detail view, confirming treatment sections (Immediate Treatment, Immune Serum Treatment, Vaccines/Medicines) are present and readable. This settles F-25efb5f1: the treatment section exists and was fully observed. FR-DIS-02 is confirmed for this disease. Findings: 1 agent_difficulty, 1 confirmed_behaviour. (2 new, 0 reinforced) Closed open question(s):...

31. TC-031 — Verify FR-SELL-14: Listing images can be attached from device gallery on cattle product

FAIL · area listing_images · 50 device steps · 600s · 12:14 · STEP_LIMIT_EXCEEDED · Agent limitation **FR-SELL-02** **FR-SELL-14**

Why it failed: Reached max step count of 50 steps

Agent's account: Objective unclear. The objective was never reached: no listing-edit screen or image attachment control was seen, so FR-SELL-02/FR-SELL-14 remain unverified. All 50 steps were consumed switching the Seller Tester account to the Cattle Seller role (My Cattle was empty) and filling the multi-step Add Cattle creation form through step 2. The run did confirm role switching works, the empty My Cattle state, and the Add Cattle step-1-to-step-2 progression, and...

32. TC-032 — Verify region selector updates discovery results when changing from কক্সবাজার সদর to another region

FAIL · area navigation_location_filter · 4 device steps · 701s · 12:31 · ASSERTION_FAILURE · App evidence **FR-NAV-08** **FR-LOC-06**

Why it failed: Error: Connection error.

33. TC-033 — Verify region change updates the active location label in the header

PASS · area location · 22 device steps · 393s · 13:01 **FR-NAV-08** **FR-LOC-06**

Agent's account: Objective unclear. FR-LOC-06 was not verified as specified: the home header contains no location label at all, the region name only appears in the Menu drawer, and it updated only after tapping Confirm and relaunching the app (steps 17-21), not immediately after selection. A selection made without saving was silently dropped (steps 10-13). The location change itself does persist once saved. Screen hint was wrong; actually used: Update Farm Info / Seller...

34. TC-034 — Verify profile share link is valid and contains seller identity

PASS · area marketplace · 5 device steps · 99s · 13:05 **FR-PROD-06** **FR-PROF-04**

Agent's account: Objective confirmed. This run confirmed the share flow at the UI level: via the 'Farm' bottom-nav tab the agent reached the বিক্রেতার প্রোফাইল screen and tapping 'Share Profile' opened the native Android share sheet with payload 'সবার খামার-এ Seller Tester এর প্রোফাইল দেখুন: https://test.sobarkhamar.com/share/user/cattle/383' — populated URL, correct seller name, no empty values. It also discovered the Seller Profile screen, 'Farm' tab and 'Share...'

35. TC-035 — Verify role isolation: seller cannot access medicine or machinery store screens

PASS · area role_isolation · 7 device steps · 128s · 13:09 **FR-PROD-03** **FR-PROD-04** **FR-SELL-13**

Agent's account: Objective confirmed. The run confirmed FR-SELL-13 role isolation: 'See Medicine' and 'See Equipments' cards on the seller home screen both lead to marketplace browse views with no register-store or publish-item entry points. No new defects beyond what is already recorded; the objective's primary path was fully exercised. Findings: 2 confirmed_behaviour, 1 control_discovered. (3 new, 0 reinforced)

36. TC-036 — Verify AI health check displays clear limitations when image upload fails

FAIL · area health_check · 24 device steps · 902s · 13:26 · ASSERTION_FAILURE · App evidence [FR-DIS-03](#) [FR-DIS-05](#)

Why it failed: Workflow timed out after 900s (24/50 steps observed). Timed out with steps still available - not a step-budget issue; flagged for manual review of what it was doing when it stalled.

Agent's account: Objective unclear. The run never actually tested FR-DIS-05's error handling: the agent got stuck in a loop of picking the TEST CATTLE 1 image, then clearing it, and never pressed Start Scanning with a non-cattle image. The only completed scan used an app screenshot, which the AI analyzer accepted and returned a 'Normal' result with no error message. Camera flow and gallery picker behaviour were explored but the invalid-input error path remains...

37. TC-037 — Verify farm name cannot be saved as empty string

FAIL · area farm_management · 50 device steps · 630s · 13:38 · STEP_LIMIT_EXCEEDED · Agent limitation [FR-FARM-04](#)

Why it failed: Reached max step count of 50 steps

Agent's account: Objective refuted. The agent reached খামারের তথ্য আপডেট and attempted to clear the farm name three separate times (type with clear=true at steps 7 and 32-39, Cut after Select all at steps 22-24). Each time the field was visibly empty (placeholder 'Example: Bishwas Dairy Farm' shown), yet tapping Confirm produced the 'Profile information updated successfully' toast and the field reverted to the original long text. No inline error naming the farm name was...

38. TC-038 — Verify animal type selection persists after farm info save on খামারের তথ্য আপডেট

PASS · area farm_management · 25 device steps · 370s · 13:46 [FR-FARM-02](#) [FR-FARM-05](#)

Agent's account: Objective confirmed. The run fully executed the objective: it saved গরু+ছাগল, verified persistence on re-entry, then deselected গরু, saved, and re-entered to confirm only ছাগল remained. The suspected defect that the baseline was never restored is refuted — steps 17-19 perform the restore and steps 21-24 verify it. The animal-type selection persists correctly across app restarts. Findings: 2 confirmed_behaviour, 1 suspected_defect. (2 new, 1 reinforced)...

39. TC-039 — Verify disease detail screen shows prevention and remedy sections for Mastitis

FAIL · area disease_information · 50 device steps · 658s · 13:59 · STEP_LIMIT_EXCEEDED · Agent limitation [FR-DIS-02](#)

Why it failed: Reached max step count of 50 steps

Agent's account: Objective confirmed. The run navigated to the Disease List via the Blog tab, opened the Mastitis entry, and scrolled its detail screen, revealing Cause, Symptoms, Prevention, and Treatment sections — settling open question F-25efb5f1 in favour of the treatment section existing. The run then wasted ~28 steps repeating identical no-op swipes trying to scroll back up, hitting the 50-step cap without confirming the Symptoms section on-screen again (though it...

40. TC-040 — Verify chat inbox shows empty state when no conversations exist

FAIL · area chat · 50 device steps · 565s · 14:10 · STEP_LIMIT_EXCEEDED · Agent limitation [FR-CHT-05](#)

Why it failed: Reached max step count of 50 steps

Agent's account: Objective unclear. The agent reached the chat inbox via a 'Chat History' button on the home screen, but the inbox contained one existing conversation (Gazi A Fardin). The entire 50-step budget was spent trying to delete it: ~27 taps on an unresponsive info button, 3 swipe attempts and 2 long-presses never produced a delete option, so the empty state was never observed in this run. The run did establish that no working conversation-delete path could be...

41. TC-041 — Verify medicine store entry point on home screen

PASS · area medicine_store · 5 device steps · 68s · 14:16 [FR-NAV-03](#) [FR-PROD-03](#)

Agent's account: Objective confirmed. The run confirmed the 'See Medicine' discovery card exists on the Home (Farmer / Seller) screen and navigates to a functional Medicine browsing screen with search, filter, listings, and Details buttons. This confirms F-c07d529e and F-677499ad. No new defects or open questions were settled. Findings: 2 confirmed_behaviour. (0 new, 2 reinforced)

42. TC-042 — Verify role label presence on Seller Profile

PASS · area profile_and_settings · 38 device steps · 476s · 14:25 [FR-PROF-03](#)

Agent's account: Objective confirmed. The run reached the Seller Profile (বিক্রেতার প্রোফাইল) screen via the Farm tab and confirmed no explicit 'Farmer/Seller' role label/badge is present there, settling the open question F-b0ee5d38: the page title is the only role identification on that screen. A 'Farmer / Seller' badge was observed on the home screen, but not on the profile. The agent also looped ~20 times tapping the profile image/farm name with no navigation effect....

43. TC-043 — Verify empty farm name blocked on খামারের তথ্য আপডেট

FAIL · area farm_management · 7 device steps · 109s · 14:29 · ASSERTION_FAILURE · App evidence [FR-FARM-04](#) [FR-FARM-06](#)

Why it failed: Test FAILED: Clearing the farm name field to empty and tapping Confirm did NOT trigger a validation error. Instead, the app showed "Profile information updated successfully" and silently restored the original farm name. No field-specific error message, no disabled state, and no rejection occurred. The expected validation behavior (visible error + blocked save) is not implemented in the Update Farm Info screen.

Agent's account: Objective confirmed. The run settled F-acc99250 for the empty-value case: clearing the farm name and tapping Confirm produced a success toast ('প্রোফাইল তথ্য আপডেট করা হয়েছে') with no field-level error, no disabled state, and the original value silently restored. The expected validation is not implemented. The run did not separately test whitespace-only input, so that variant remains unverified. Findings: 2 suspected_defect, 1 unverified. (2 new, 1...

44. TC-044 — Verify disease list empty state when no diseases match

FAIL · area navigation_list_loading · 41 device steps · 730s · 14:42 · ASSERTION_FAILURE · App evidence [FR-NAV-07](#)

Why it failed: The Disease List (রোগের তালিকা) screen was found under the Blog tab and displays 5 common cattle diseases. However, the screen has no visible filter, search bar, or category selector that would allow filtering to show no results. The "Common Cattle Diseases" header is a static label, not an interactive filter. Without a filtering mechanism, the empty state cannot be triggered or verified. The screen appears to be a...

Agent's account: Objective unclear. The run located the Disease List screen (via the Blog tab) and confirmed it displays 5 cattle diseases, but found no search bar, filter, or category selector on the screen — 'Common Cattle Diseases' is a static label. The filtered empty-state scenario therefore cannot be triggered in the current UI, so the original open question about empty/loading states is only partially settled: the mechanism the objective assumed does not exist....

45. TC-045 — Verify language selection persists across navigation after changing to English

PASS · area authentication · 27 device steps · 392s · 14:49 [FR-SET-01](#)

Agent's account: Objective confirmed. The run verified only a Bangla→English→navigation cycle: after switching back to English (step 24), all labels on Update Farm Info, Disease List and the bottom nav stayed in English (steps 25-27), so English persistence across navigation is confirmed. It never started from a Bengali UI, so it does not settle F-8a8bf40e (whether selecting English from Bengali applies at all). New evidence: selecting Bangla leaves many menu labels in...

6 · Limitations

Stated plainly, because they bound every number above.

Limitation	Consequence
No ground truth	The app has no known, seeded defect list, so we cannot compute recall. We know what the agent found; we cannot say what it missed. This is the single biggest gap.
No ablation	Every component — graph memory, tools, the finding lifecycle — is on. We have not measured what each contributes, so we cannot attribute the results to any one design choice.
14 of 25 failures are ours	The 50-step executor budget and navigation reliability, not the app, cap the usable yield of a campaign.
Findings are LLM-authored	A SUSPECTED_DEFECT is a model's judgement from a device trajectory, not a verified bug. The "suspected" is load-bearing and each one still needs a human.
Single app, single run	One Bengali Android app, one campaign, no repetition. Nothing here establishes variance between runs.
Provider variance	Inference is routed through OpenRouter, where different providers served the same model with order-of-magnitude differences in latency and token usage, adding noise to any cost or timing figure.

Generated from the Neo4j campaign graph by `scripts/build_campaign_report.py` · project shobarkhamar · campaign since 2026-09-20T05:41:00 · 45 executions, 163 findings.