

Kuis Microservices

Kondisi jika mencari nama yang ada “an” baik di firstName, middleName ataupun di lastName.


The screenshot shows the Postman interface with a workspace named 'Microservices_202310034'. The left sidebar displays a collection of API requests under the 'students' folder, including 'POST Insert', 'PUT Update', 'GET Find by id', 'GET Find all data', and 'DEL Delete'. The main panel shows the 'POST Insert' request selected, with the URL 'localhost:8081/api/student/search'. The request body is a JSON object:

```
{  "searchKey": "an"}
```

. The response is displayed in the 'Body' tab, showing a status of 200 OK, a time of 15 ms, and a size of 943 B. The response body is a JSON object:

```
{  "result": true,  "message": [],  "data": [    {      "id": 1,      "npm": "242",      "firstname": "Raihan",      "middlename": "Dwi",      "lastname": "Pratama",      "program_id": 414116,      "department_id": 11313    },    {      "id": 2,
```

Kondisi jika mencari nama yang ada "ra" baik di firstName, middleName ataupun di lastName.



The screenshot shows the Postman interface with a workspace named "Microservices_202310034". The selected collection is "students / Insert". The request is a POST to "localhost:8081/api/student/search" with a body of {"searchKey": "ra"}. The response is a JSON object with status 200 OK, Time: 18 ms, and Size: 447 B. The response body is displayed in the "Pretty" view.

```
1 {
2   "result": true,
3   "message": [],
4   "data": [
5     {
6       "id": 1,
7       "npm": "242",
8       "firstname": "Raihan",
9       "middlename": "Dwi",
10      "lastname": "Pratama",
11      "program_id": 414116,
12      "department_id": 11313
13    },
14    {
15      "id": 4,
```