JSON REFINER ADVANCED EDITION

Project Report

Submitted to **Manonmaniam Sundaranar** University in partial fulfillment of the requirements for the award of the degree of

BACHELOR OF SCIENCE IN COMPUTER SCIENCE

NAAN MUDHALVAN COURSE
(Agentic AI Application Developer)

Submitted By

K.AYEESHAFAHMEEDHA	**23081021802112007**
P.AYESHA	**23081021802112008**
M.MYDEEN BISMITHA	**23081021802112021**
N.RAISHA	**23081021802112026**

Under the guidance of

Mrs. Dr.A. AAISHA NAZLEEM,MCA.,M.Phil.,Ph.D

Assistant Professor,

DEPARTMENT OF COMPUTER SCIENCE

ANNAI HAJIRA WOMEN'S COLLEGE

(AFFILIATED TO MANONMANIAM SUNDARANAR UNIVERSITY)

TIRUNELVELI - 627005

MARCH– 2026

CERTIFICATE

This is to certify that the project entitled as **“ JSON REFINER ADVANCED EDITION”** is a bonafide work done by _____, _____, _____, _____ for the **Naan Mudhalvan Course (Agentic AI Application Development)** in partial fulfillment of the requirements for the award of the degree in Bachelor of Computer Science during the academic year (VI Semester) 2025-2026.

Place:

Date:

Signature of the H.O.D **SPOC**

Submitted for the Naan Mudhalvan university Examination held on _____ at the Department of Computer Science, Annai Hajira Women’s College, Tirunelveli.

Principal **External Examiner**

TABLE OF CONTENTS

CHAPTER NO	TITLE	PAGE NO
1.	**ABSTRACT**	
2.	**INTRODUCTION**	1
3.	**SYSTEM REQUIREMENTS** 3.1 HARDWARE REQUIREMENTS 3.2 SOFTWARE REQUIREMENTS 3.3 CORE TECHNOLOGIES	5
4.	**SYSTEM DESIGN** 4.1 TECHNICAL ARCHITECTURE 4.2 PROJECT STRUCTURE	9
5.	**PROJECT WORKFLOW**	14
6.	**ALGORITHM**	18
7.	**IMPLEMENTATION** 7.1 CODING 7.2 OUTPUT	21
8.	**CONCLUSION**	46

ABSTRACT

1. ABSTRACT

JSON (JavaScript Object Notation) is a **lightweight, human-readable, and platform-independent data format** that has become the standard for structured data exchange in **web applications, APIs, cloud computing, and data-driven systems**. Its simplicity and flexibility make it widely adopted; however, **managing large, deeply nested, or complex JSON datasets manually** can be **tedious, error-prone, and time-consuming**. Developers and analysts often face challenges in performing tasks such as **data validation, merging multiple files, restructuring hierarchical data, transforming key formats, and exporting for reporting or analysis**.

The **JSON Refiner Advanced Edition** addresses these challenges by providing a **comprehensive Python-based tool** for automated and efficient JSON processing. The system leverages modern libraries, including **pandas** for data manipulation, **jsonschema** and **json5** for validation, and **openpyxl** for exporting JSON to Excel. Through an **interactive Gradio interface deployed on Google Colab**, the tool offers **platform-independent access** and a **user-friendly experience** suitable for both technical and non-technical users.

The system's core functionalities include:

- **Text-to-JSON Conversion:** Efficiently converts unstructured or semi-structured text inputs into well-formed JSON objects, reducing manual entry errors.
- **Flattening & Unflattening:** Simplifies deeply nested JSON into a single-level structure for analysis and restores hierarchical structure when needed.
- **Key Case Transformations:** Automatically converts JSON keys into standard formats such as **camelCase, snake_case, PascalCase, or kebab-case**, ensuring consistency for integration with APIs and programming standards.
- **Validation & Error Highlighting:** Detects syntax errors, validates JSON against user-defined schemas, and highlights exact line and column locations for easy debugging.
- **Multi-File Merge:** Combines multiple JSON files into a unified, structured object while preserving key-value integrity and nested hierarchies.
- **Schema Generation & Export:** Automatically generates JSON schemas and exports data to **Excel (.xlsx)** or **CSV** formats for reporting, sharing, and further analysis.
- **History and User Guide:** Maintains a detailed log of all user operations and provides step-by-step guidance for effective system usage.

By integrating all these features into a **single unified platform**, the JSON Refiner Advanced Edition **reduces manual effort, minimizes errors, and enhances productivity**. It demonstrates the **practical application of Python libraries and modern GUI frameworks** in building an intuitive,

robust, and efficient solution for managing complex JSON datasets. The tool is especially valuable for **developers, data analysts, and data engineers** who require reliable, automated, and accessible tools for daily JSON operations.

Keywords: JSON, Python, Data Processing, Automation, Validation, Schema Generation, Gradio, Data Management

INTRODUCTION

2. INTRODUCTION

In today's digital world, **structured data exchange** is a crucial part of software applications, web services, cloud platforms, and APIs. Among the various formats used, **JSON (JavaScript Object Notation)** is one of the most widely used formats for data exchange because it is **lightweight, easy to read, and compatible across platforms and programming languages**. JSON allows smooth communication between systems, simple storage of hierarchical data, and easy integration into applications.

Although JSON is simple, working with **large, complex, or deeply nested datasets** can be challenging. Common difficulties include:

- Validating JSON syntax and ensuring it follows a proper structure.
- Merging multiple JSON files without losing hierarchy or data integrity.
- Flattening or unflattening nested JSON objects to simplify analysis or restore original structure.
- Converting key names to different formats like camelCase, snake_case, PascalCase, or kebab-case.
- Exporting JSON data to Excel or CSV for reporting or analysis.

Performing these tasks manually is **time-consuming, error-prone, and often requires multiple separate tools**, which reduces efficiency and increases the chance of mistakes.

The **JSON Refiner Advanced Edition** solves these problems by providing a **single, interactive, and automated platform** for managing JSON data. Developed using **Python** and deployed on **Google Colab**, the system uses libraries such as **pandas** for data processing, **jsonschema** and **json5** for validation, and **openpyxl** for exporting to Excel. The **Gradio interface** makes the tool **easy to use for both technical and non-technical users**, removing the need for complex local setups or coding knowledge.

Project Objectives

The project aims to make **JSON data management easier and faster**. The main objectives are:

1. **Automate JSON Operations:** Convert text to JSON, flatten/unflatten, change key formats, and merge files efficiently.
2. **Ensure Accuracy:** Validate JSON syntax, check schemas, and highlight errors with precise locations.
3. **Support Data Analysis:** Generate JSON schemas and export data to Excel or CSV for reporting and integration.

4. **Enhance Usability:** Provide a user-friendly interface for seamless interaction without programming skills.
5. **Track Operations:** Keep a history of all actions for reproducibility and guidance.

Significance of the Project

The **JSON Refiner Advanced Edition** provides a **practical and efficient solution** for handling complex JSON data. By combining **conversion, validation, restructuring, merging, schema generation, and exporting** into one platform, the tool:

- Saves time and reduces errors in data processing.
- Maintains consistency and integrity of JSON datasets.
- Improves productivity for developers, analysts, and data engineers.
- Shows how **Python and modern GUI tools** can solve real-world data management problems.

In short, this project offers a **reliable, easy-to-use, and scalable tool** that simplifies JSON workflows and makes managing structured data faster and more efficient.

SYSTEM REQUIREMENTS

3. SYSTEM REQUIREMENTS

3.1 Hardware Requirements

Component	Specification
Processor	AMD Ryzen 3 7320U with Radeon Graphics
RAM	8.00 GB
Storage	136 GB
Display	1366 × 768 (Recommended)
Internet	Required for running in **Google Colab**

3.2 Software Requirements

Software	**Version**
Operating System	Windows 11
Programming Language	Python 3.10
Development Environment	**Google Colab**
User Interface Framework	**Gradio**
Libraries Used	pandas, jsonschema, json5, openpyxl

3.3 Core Technologies Used

The **JSON Refiner Advanced Edition** system is developed using the following technologies to perform JSON processing, validation, and data export.

Programming Language

- **Python -** Used to implement the core logic of the system including JSON parsing, transformation, validation, and data export.

Development Environment

- **Google Colab -** A cloud-based notebook environment used to develop and run the project without local installation.

User Interface Framework

- **Gradio -** Used to create an interactive web interface with tabs, buttons, textboxes, and output panels.

JSON Processing Libraries

- **json** – Built-in Python library for encoding and decoding JSON data.
- **json5** – Allows flexible JSON parsing with relaxed syntax.

Data Processing Library

- **Pandas -** Used to convert JSON data into tabular format and export it as Excel or CSV files.

JSON Validation Library

- **jsonschema -** Used to validate JSON data against a defined schema.

File Export Library

- **OpenPyXL -** Used for generating Excel files from processed JSON data.

Supporting Python Modules

- **re** – Used for regular expression based key formatting.
- **enum** – Used to define case conversion styles.
- **typing_extensions** – Provides extended typing support for Python.

SYSTEM DESIGN

4. System Design

4.1 Technical Architecture

The JSON Refiner system is designed using a **three-layer architecture** consisting of the User Interface Layer, Processing Layer, and Data Handling Layer. This architecture separates user interaction, processing logic, and data management, making the system more organized and easier to maintain.

1. User Interface Layer

The **User Interface Layer** allows users to interact with the system. It is developed using **Gradio**, which enables the creation of interactive web applications directly using **Python**.

The interface includes components such as text input fields, buttons, tabs, and output panels. These components help users enter data and view processed results easily.

The interface is organized into different functional tabs including Core Refining, Validation, JSON Merge, Schema and Export, and History. Each tab provides specific tools for performing JSON operations.

Users can paste raw text or JSON data into the input fields and execute operations by clicking the respective buttons. The system processes the request and displays the output in formatted JSON form. The interface is designed to be simple and user-friendly so that users can perform JSON operations easily.

2. Processing Layer

The **Processing Layer** contains the core logic of the system and is implemented using **Python**. This layer performs all JSON processing and transformation operations.

When a user selects an operation, the request is sent to the processing layer where the input data is analyzed and processed.

This layer performs several tasks such as JSON parsing, data type inference, case conversion, JSON flattening and unflattening, schema generation, and JSON validation.

The system reads the JSON input and determines the correct data types for each value using a type inference method. It also supports case conversion of keys into formats such as snake case, camel case, kebab case, and pascal case.

The system can flatten nested JSON structures into single-level key-value pairs and reconstruct them back into hierarchical form. It can also automatically generate a schema based on the structure and data types of the JSON data.

JSON validation is performed using the **jsonschema** library, which ensures that the JSON data follows the required schema rules and reports errors when necessary.

3. Data Handling Layer

The **Data Handling Layer** manages structured data processing and file exports. It prepares the refined JSON data for external use.

JSON data is converted into tabular format using **Pandas**, which helps organize the data in spreadsheet form.

The processed data can then be exported into Excel and CSV files. Excel file creation is handled using **OpenPyXL**, allowing the system to generate spreadsheet files from JSON data.

This layer also maintains a history of user operations. Every time a function such as conversion, validation, or merging is performed, the action is recorded in the history list. This helps users review previously performed operations.

4.2 Project Structure

The JSON Refiner Advanced Edition project is implemented using Google Colab and is organized as a notebook consisting of multiple functional cells. Each cell represents a specific module responsible for performing a particular task in the system. This modular structure improves readability, simplifies debugging, and allows easy maintenance of the application.

JSON Refiner Advanced Edition – Notebook Structure

1. Cell1–Install Dependencies Installs all required libraries and packages needed for running the project.
2. Cell2–Import Libraries Imports necessary Python libraries required for JSON processing and interface creation.
3. Cell3–Case Style Enumeration Defines different case styles such as snake case, camel case, kebab case, and pascal case.
4. Cell4–Core System Class Initializes the main system class that manages application operations and history tracking.
5. Cell5–Type Inference Module Determines appropriate data types such as integer, float, boolean, or null from text input.
6. Cell6–Case Conversion Module Converts JSON key names into different naming formats.
7. Cell7–Text to JSON Converter Converts raw text input into structured JSON format.
8. Cell8–JSON Statistics Module Generates statistical information about JSON data such as number of keys and data types.
9. Cell9–Flattenand Unflatten JSON Converts nested JSON structures into flat format and reconstructs them back into hierarchical form.
10. Cell10–JSON Validation Validates JSON data and checks whether it follows the required schema rules.
11. Cell11–Error Highlighter Detects syntax errors in JSON input and displays the error location.

12. Cell12–JSON Merge Module Combines multiple JSON inputs into a single JSON object.
13. Cell13–Schema Generator Automatically generates a JSON schema based on the structure of input data.
14. Cell14–Exportto Exceland CSV Converts JSON data into tabular format and exports it as Excel and CSV files.
15. Cell15–History and User Guide Displays previously performed operations and provides instructions for using the system.
16. Cell16–User Interfaceusing Gradio Creates an interactive interface with tabs, buttons, and input fields.
17. Cell17–Application Launch Launches the application and makes the interface accessible to users.

The project structure represents a modular notebook-based architecture, where each cell implements a specific feature such as JSON processing, validation, merging, schema generation, or data export. This organization ensures that the system remains easy to understand, maintain, and extend with additional functionalities in the future.

PROJECT WORKFLOW

5. Project Workflow

The **JSON Refiner Advanced Edition** follows a structured workflow that transforms raw text or JSON input into refined, validated, and exportable data. The workflow ensures that the input data is correctly processed, validated, and presented in an organized format through the interactive interface.

Step 1 – User Input

The workflow begins when the user enters input data into the system. The input may be in the form of raw text or JSON format. The interface created using **Gradio** provides text boxes where users can paste or type their data. The system supports multiple inputs depending on the selected module, such as single JSON input for processing or multiple inputs for JSON merging.

Step 2 – Data Parsing

After the input is received, the system parses the data using the built-in JSON processing capabilities of **Python**. The system interprets the structure of the input data and converts it into a structured JSON object. During this process, the program checks the format of the input and prepares it for further processing.

Step 3 – Data Processing

Once the data is parsed successfully, the system performs different processing operations depending on the user's selection. These operations include converting text input into JSON format, flattening nested JSON objects into a single-level structure, and reconstructing flattened JSON back into its original hierarchical structure. The system can also convert key names into different naming styles such as snake case, camel case, kebab case, or pascal case. In addition, it can generate statistical information about the JSON object, including the number of keys and the types of values present in the data.

Step 4 – Validation and Error Detection

After processing, the system verifies the correctness of the JSON structure. The validation process ensures that the JSON format follows standard syntax rules. The system also allows

validation against a schema using **jsonschema**. If any syntax errors or structural problems are detected, the system highlights the error and displays the exact line and column where the issue occurred, helping users quickly identify and correct the mistake.

Step 5 – Data Merging

The system provides a feature to merge multiple JSON inputs into a single JSON object. Users can enter up to three JSON files or text inputs, and the system combines their key-value pairs into one unified structure. This functionality is useful when consolidating data from multiple sources.

Step 6 – Schema Generation

The system can automatically generate a JSON schema from the provided input data. During this process, the program analyzes each key and determines the data type of its value, such as string, integer, boolean, or null. The generated schema provides a structural blueprint of the JSON data, which can be used for validation or documentation purposes.

Step 7 – Data Export

After the JSON data has been refined and processed, the system allows the user to export the data into external file formats. Using **Pandas**, the JSON object is converted into a structured table format. The system then generates Excel and CSV files using **OpenPyXL**, enabling users to download and use the data for analysis or reporting.

Step 8 – History Tracking

The system maintains a history log of all operations performed by the user. Each time a processing function is executed, the action is recorded in the system history. This allows users to review previous operations and track the sequence of transformations applied to the JSON data.

Step 9 – Output Display

Finally, the processed results are displayed to the user through the interactive interface. The output may include formatted JSON code, validation messages, generated schemas, or file export confirmations. The results are shown directly within the **Gradio** interface, allowing users to easily view and copy the refined JSON data.

ALGORITHM

6.Algorithm

Algorithm: JSON Refiner Advanced Edition System

Step 1: Start the program.

Step 2: Install all required dependencies such as **Gradio**, pandas, jsonschema, json5, and openpyxl in the **Google Colab** environment.

Step 3: Import necessary Python libraries including JSON processing modules, data analysis libraries, regular expression modules, and schema validation tools.

Step 4: Define the CaseStyle enumeration to support different key naming formats such as snake_case, camelCase, kebab-case, and PascalCase.

Step 5: Create the JSONRefinerCore class to manage the application workflow and maintain the history of user operations.

Step 6: Implement the **Type Inference System** to automatically detect and convert input values into appropriate data types such as integer, float, boolean, or null.

Step 7: Develop the **Case Conversion Module** to modify JSON keys into selected formats based on user preference.

Step 8: Implement the **Text to JSON Conversion Module** to convert plain text key-value pairs into structured JSON objects.

Step 9: Develop the **JSON Statistics Module** to analyze JSON data and determine the total number of keys and the types of values present.

Step 10: Implement the **Flatten JSON Module** to transform nested JSON structures into a single-level JSON structure using hierarchical key notation.

Step 11: Implement the **Unflatten JSON Module** to reconstruct the original nested JSON structure from flattened JSON keys.

Step 12: Develop the **JSON Validation Module** to verify JSON syntax and optionally validate JSON data against a schema.

Step 13: Implement the **Error Highlighting Module** to detect syntax errors and display the exact line and column where the error occurs.

Step 14: Develop the **JSON Merge Module** to combine multiple JSON inputs into a single JSON object.

Step 15: Implement the **Schema Generation Module** to automatically create a JSON schema based on the structure of the input JSON data.

Step 16: Develop the **Export Module** to convert JSON data into Excel and CSV files for external analysis.

Step 17: Implement the **History Management Module** to record user actions and provide options to view or clear the history.

Step 18: Design the graphical user interface using **Gradio**, organizing the system into tabs for Core Refining, Validation, Merge JSON, Schema and Export, and History Management.

Step 19: Integrate all functions with the interface components such as buttons, input fields, and output displays.

Step 20: Launch the application using the Gradio framework and generate a shareable interface link.

Step 21: Display the processed output.

Step 22: Stop the program.

IMPLEMENTATION

7.IMPLEMENTATION

7.1 CODING

CELL 1 — Install Dependencies

```
!pip install -q --upgrade pip
!pip install -q gradio==4.29.0 huggingface_hub==0.24.6 json5==0.9.25 jsonschema==4.21.1 pydantic==2.7.1 python-dotenv==1.0.1 typing-extensions==4.11.0 colorama==0.4.6 tabulate==0.9.0 openpyxl==3.1.2 pandas==2.2.0
```

CELL 2 — Import Libraries

```
import json
import json5
import pandas as pd
import gradio as gr
import re
from enum import Enum
from jsonschema import validate, ValidationError
```

CELL 3 — CaseStyle Enum

```
class CaseStyle(Enum):
SNAKE_CASE = "snake_case"
CAMEL_CASE = "camelCase"
KEBAB_CASE = "kebab-case"
PASCAL_CASE = "PascalCase"
```

CELL 4 — Core System Class

```
class JSONRefinerCore:

def __init__(self):
self.history=[]

core=JSONRefinerCore()
```

CELL 5 — Type Inference System

```
def infer_type(value):

v=str(value).strip().lower()

if v in ["true","yes","on"]:
return True

if v in ["false","no","off"]:
return False
```

```
if v in ["null","none","nil","undefined","n/a"]:
return None

try:
if "." in v:
return float(v)
return int(v)
except:
pass

return value
```

CELL 6 — Case Conversion

```
def convert_case_key(key,style):

words=re.split(r'[\s_\-]+',key)

if style=="snake":
return "_".join(w.lower() for w in words)

if style=="kebab":
return "-".join(w.lower() for w in words)

if style=="camel":
return words[0].lower()+"".join(w.title() for w in words[1:])

if style=="pascal":
return "".join(w.title() for w in words)

return key


def case_convert_json(data,style):

obj=json.loads(data)

result={}

for k,v in obj.items():
result[convert_case_key(k,style)]=v

core.history.append(f"□ Case Conversion : Converted {len(result)} keys to {style} case")

return json.dumps(result,indent=4)
```

CELL 7 — Convert Text → JSON

```
def text_to_json(text):
```

```
result={}

for line in text.split("\n"):

if ":" in line:
k,v=line.split(":",1)

result[k.strip()]=infer_type(v.strip())

core.history.append(f"□ Text → JSON : Converted {len(result)} fields → {list(result.keys())}")

return json.dumps(result,indent=4)
```

CELL 8 — JSON Statistics

```
def json_statistics(data):

obj=json.loads(data)

stats={
"total_keys":len(obj),
"data_types":list(set(type(v).__name__ for v in obj.values()))
}

core.history.append(f"□ JSON Statistics : {len(obj)} keys, types → {stats['data_types']}")

return json.dumps(stats,indent=4)
```

CELL 9 — Flatten & Unflatten

```
def flatten_json(obj, parent="", sep="."):

items = {}

for k, v in obj.items():

new_key = f"{parent}{sep}{k}" if parent else k

if isinstance(v, dict):
items.update(flatten_json(v, new_key, sep))

else:
items[new_key] = v

return items


def flatten_run(data):
```

```
obj = json.loads(data)

flat = flatten_json(obj)

core.history.append(f"Flatten JSON : {len(flat)} flattened keys generated")

return json.dumps(flat, indent=4)


def unflatten_json(d):

result = {}

for k, v in d.items():

parts = k.split(".")

target = result

for part in parts[:-1]:
target = target.setdefault(part, {})

target[parts[-1]] = v

return result


def unflatten_run(data):

obj = json.loads(data)

core.history.append(f"Unflatten JSON : Restored nested structure from {len(obj)} flattened keys")

return json.dumps(unflatten_json(obj), indent=4)
```

CELL 10 — JSON Validation

```
def validate_json(data, schema=None):

try:
obj = json.loads(data)

# If schema is provided → perform schema validation
if schema and schema.strip():

schema_obj = json.loads(schema)

validate(instance=obj, schema=schema_obj)
```

```
core.history.append("Validation : JSON is valid and matches schema")

return "JSON is VALID and matches the schema"

# Only syntax validation
core.history.append("Validation : JSON syntax verified")

return "JSON syntax is VALID"

except ValidationError as e:

# Extract field name if possible
field = ""
if e.path:
field = list(e.path)[0]

expected = ""
if isinstance(e.schema, dict) and "type" in e.schema:
expected = e.schema["type"]

if field and expected:
msg = f"Schema Error : {field} must be {expected}"
else:
msg = f"Schema Validation Error : {e.message}"

core.history.append(f"Validation Failed : {msg}")

return msg

except json.JSONDecodeError as e:

core.history.append(f"Invalid JSON syntax at line {e.lineno}")

return f"JSON Syntax Error at line {e.lineno}, column {e.colno}"

except Exception as e:

core.history.append("Unknown validation error")

return f"Validation Error : {str(e)}"
```

CELL 11 — Error Highlighter

```
def highlight_error(data):

try:
json.loads(data)
return "No errors"
```

```
except json.JSONDecodeError as e:
return f"Error at line {e.lineno}, column {e.colno}: {e.msg}"
```

CELL 12 — Multi-File JSON Merge

```
def merge_json(j1,j2,j3):

result={}

for j in [j1,j2,j3]:

if j.strip():
result.update(json.loads(j))

core.history.append(f"□ Merge JSON : Combined inputs into {len(result)} total keys")

return json.dumps(result,indent=4)
```

CELL 13 — Schema Generator

```
def generate_schema(data):

obj=json.loads(data)

schema={"type":"object","properties":{}}

for k,v in obj.items():
schema["properties"][k]={"type":type(v).__name__}

core.history.append(f"□ Schema Generator : Schema created for keys {list(obj.keys())}")

return json.dumps(schema,indent=4)
```

CELL 14 — JSON → Excel / CSV

```
def export_excel(data):

obj=json.loads(data)

df=pd.json_normalize(obj)

file1="output.xlsx"
file2="output.csv"

df.to_excel(file1,index=False)
df.to_csv(file2,index=False)

core.history.append(f"□ Export : JSON exported with {len(obj)} fields → Excel & CSV")

return f"Files created: {file1}, {file2}"
```

CELL 15 — History + Guide

```
def view_history():
if not core.history:
return "No history available"
return "\n".join(core.history)


def clear_history():
core.history.clear()
return "History Cleared"


def user_guide():
return """
================================
JSON REFINER ADVANCED EDITION
User Guide
================================

This application is a Smart JSON Processing Toolkit designed to help users
convert, analyze, validate, and transform JSON data efficiently.

The system is divided into several modules, each performing a specific
operation on JSON data.

--------------------------------------------------
1. CORE REFINING MODULE
--------------------------------------------------

This module performs basic JSON transformation and analysis operations.

1.1 Convert Text → JSON
This feature converts simple key-value text input into structured JSON format.

Example Input:
name: John
age: 22
city: Chennai

Output JSON:
{
"name": "John",
"age": 22,
"city": "Chennai"
}

The system automatically detects data types such as:
- Integers
```

- Floats
- Boolean values
- Null values

This helps convert raw text data into machine-readable JSON format.

1.2 Flatten JSON
Flattening converts nested JSON objects into a single-level structure.

Example Input:
```
{
"name": "John",
"address": {
"city": "Chennai",
"pincode": 600001
}
}
```

Flattened Output:
```
{
"name": "John",
"address.city": "Chennai",
"address.pincode": 600001
}
```

Flattening is useful for:
• Data analysis
• Database storage
• Spreadsheet processing

1.3 Unflatten JSON
Unflattening restores flattened JSON back into nested structure.

Example Input:
```
{
"address.city": "Chennai",
"address.pincode": 600001
}
```

Output:
```
{
"address":{
"city":"Chennai",
"pincode":600001
}
}
```

This allows reconstruction of hierarchical JSON data.

1.4 Case Conversion
This feature converts JSON keys into different naming styles.

Supported Case Styles:

snake_case
example_key_name

camelCase
exampleKeyName

kebab-case
example-key-name

PascalCase
ExampleKeyName

This is useful when JSON needs to match API or programming conventions.

1.5 JSON Statistics
This module analyzes JSON data and generates useful information.

Statistics include:
• Total number of keys
• Types of values used in JSON

Example Output:
{
"total_keys": 4,
"data_types": ["str","int"]
}

This helps developers understand the structure of the JSON data.

---
2. JSON VALIDATION MODULE

This module verifies whether JSON data is correct.

2.1 JSON Syntax Validation
Checks if the JSON structure is valid according to JSON standards.

Example error detection:
• Missing commas
• Incorrect brackets
• Invalid quotes

The system reports the exact line and column of the error.

2.2 JSON Schema Validation
Users can provide a JSON schema to validate the structure of JSON data.

Example Schema:
```
{
"type": "object",
"properties": {
"name": {"type": "string"},
"age": {"type": "integer"}
}
}
```

The system checks whether the JSON data follows the defined schema rules.

2.3 Error Highlighting
If JSON contains syntax errors, the system highlights the exact
location of the error including:

• Line number
• Column number
• Description of the issue

This helps users quickly identify and fix JSON problems.

---
3. MERGE JSON MODULE

This module combines multiple JSON inputs into a single JSON object.

Users can provide up to three JSON inputs.

Example:

JSON 1:
```
{"name":"John"}
```

JSON 2:
```
{"age":25}
```

Merged Output:
{
"name":"John",
"age":25
}

This is useful for:
• Combining data from different sources
• Data integration
• API response aggregation

---
4. SCHEMA GENERATION AND EXPORT MODULE

4.1 JSON Schema Generator

This feature automatically generates a JSON schema based on the provided JSON data.

Example Input:
{
"name":"John",
"age":25
}

Generated Schema:
{
"type":"object",
"properties":{
"name":{"type":"string"},
"age":{"type":"integer"}
}
}

This helps developers quickly generate schema definitions.

4.2 Export JSON to Excel / CSV

This feature converts JSON data into spreadsheet formats.

Supported formats:
• Excel (.xlsx)
• CSV (.csv)

Benefits:
• Easy data analysis

• Spreadsheet compatibility
• Data sharing

---
5. HISTORY AND GUIDE MODULE

5.1 View History
Displays all previously performed operations within the system.

Examples of logged actions:
• Text converted to JSON
• JSON flattened
• Case conversion performed
• JSON validated
• Files exported

This helps track user activity and processing steps.

5.2 Delete History
Clears all stored operation history from the system.

This allows users to reset the activity log.

5.3 User Guide
Displays this complete documentation explaining
all modules and their functions.

SYSTEM BENEFITS

The JSON Refiner Advanced Edition provides:

• Automated JSON processing
• Error detection and debugging
• Data transformation utilities
• Schema generation
• Export capabilities
• User activity tracking

This tool simplifies JSON handling for developers,
data analysts, and system administrators.

==========

```
End of User Guide
================================
"""
```

CELL 16 — Gradio Interface

```
with gr.Blocks(
title="JSON Refiner Advanced Edition",
theme=gr.themes.Soft(),
css="footer{display:none !important}"
) as app:

gr.Markdown(
"""
#  JSON Refiner Advanced Edition
###  Smart JSON Processing Toolkit

 Convert • Validate • Merge • Analyze • Export JSON Data
"""
)

with gr.Tabs():

#  Core Refining
with gr.Tab(" Core Refining"):

txt=gr.Textbox(lines=6,label=" Text Input")
btn=gr.Button(" Convert Text → JSON")
out=gr.Code()

btn.click(text_to_json,txt,out)

j=gr.Textbox(lines=8,label="JSON Input")

flatten_btn=gr.Button("Flatten JSON")
unflatten_btn=gr.Button("Unflatten JSON")
stats_btn=gr.Button(" JSON Statistics")

out2=gr.Code()

flatten_btn.click(flatten_run,j,out2)
unflatten_btn.click(unflatten_run,j,out2)
stats_btn.click(json_statistics,j,out2)

gr.Markdown("###  Case Conversion")

case_input=gr.Textbox(lines=8,label="JSON for Case Conversion")

style=gr.Dropdown(
["snake","camel","kebab","pascal"],
```

```
label=" Select Case Style",
value="snake"
)

case_btn=gr.Button(" Convert Case")

case_out=gr.Code()

case_btn.click(case_convert_json,[case_input,style],case_out)

# □ Validation
with gr.Tab("□ Validation"):

j=gr.Textbox(lines=8,label=" JSON Input")

schema=gr.Textbox(
lines=8,
label="□ JSON Schema (Optional)",
placeholder="Paste JSON schema here if you want schema validation"
)

validate_btn=gr.Button("✔ Validate JSON")
error_btn=gr.Button("Highlight Error")

out=gr.Textbox()

# Validation (syntax + schema if provided)
validate_btn.click(validate_json,[j,schema],out)

# Error highlight
error_btn.click(highlight_error,j,out)

# □ Merge JSON
with gr.Tab(" Merge JSON"):

j1=gr.Textbox(lines=4,label=" JSON 1")
j2=gr.Textbox(lines=4,label=" JSON 2")
j3=gr.Textbox(lines=4,label=" JSON 3")

btn=gr.Button(" Merge JSON")

out=gr.Code()

btn.click(merge_json,[j1,j2,j3],out)

# □ Schema + Export
with gr.Tab(" Schema + Export"):

j=gr.Textbox(lines=8,label="JSON Input")
```

```
schema_btn=gr.Button(" Generate Schema")
export_btn=gr.Button(" Export Excel / CSV")

out=gr.Code()
file=gr.Textbox(label="File Path")

schema_btn.click(generate_schema,j,out)
export_btn.click(export_excel,j,file)

#  History + Guide
with gr.Tab(" History + Guide"):

view_btn=gr.Button(" View History")
clear_btn=gr.Button(" Delete History")
guide_btn=gr.Button(" User Guide")

hist=gr.Textbox(lines=10)

view_btn.click(view_history,None,hist)
clear_btn.click(clear_history,None,hist)
guide_btn.click(user_guide,None,hist)

app.launch()
```

CELL 17 — Launch App

```
app.launch(share=True)
```

7.2 OUTPUT



1.Core Refining a.Text to JSON Conversion



1.Core Refining b.Flatten JSON



1.Core Refining c.Unflatten JSON



1.Core Refining d.JSON Statistics



1.Core Refining e.Case Conversion(Snake case)



1.Core Refining f.Case Conversion(Camel case)



1.Core Refining g.Case Conversion(kebab case)



1.Core Refining e.Case Conversion(Pascal case)



2.Validation (Invalid)



2.Validation (Highlighting Error)



2.Validation (Valid)



2.Validation (Schema Validation)



3.Merging Multiple JSON Data



4.Schema Generation & Exporting Excel/CSV File



5.History(View)



5.History(Delete)


nm.ipynb - Colab
JSON Refiner Advanced Edition
e20173dba8212010b8.gradio.live
School
Convert · Validate · Merge · Analyze · Export JSON Data
Core Refining
Validation
Merge JSON
Schema + Export
History + Guide
View History
Delete History
User Guide
Textbox
==========
JSON REFINER ADVANCED EDITION
User Guide
==========
This application is a Smart JSON Processing Toolkit designed to help users convert, analyze, validate, and transform JSON data efficiently.
The system is divided into several modules, each performing a specific operation on JSON data.
----
1. CORE REFINING MODULE

This module performs basic JSON transformation and analysis operations.
1.1 Convert Text → JSON
This feature converts simple key-value text input into structured JSON format.
Example Input:

5.User Guide

CONCLUSION

8. CONCLUSION

The **JSON Refiner Advanced Edition** successfully demonstrates a **comprehensive and efficient solution** for managing and processing JSON data in modern software environments. By integrating multiple functionalities—including **text-to-JSON conversion, flattening/unflattening, key case transformation, validation, merging, schema generation, exporting, and history tracking** into a **single interactive platform**, the system significantly reduces manual effort, minimizes errors, and improves productivity.

The project highlights several key achievements:

1. **Automation and Accuracy:** The tool automates repetitive JSON operations while ensuring **structural correctness, schema compliance, and error detection**, reducing the likelihood of manual mistakes.

2. **User-Friendly Interface:** The **Gradio-based interface** provides intuitive access to all features, allowing both technical and non-technical users to perform complex JSON tasks without requiring coding expertise.

3. **Platform Independence:** Deployed on **Google Colab**, the system can be accessed from any device with a web browser, eliminating the need for local environment setup and enabling seamless collaboration.

4. **Scalability and Extensibility:** The modular design allows the system to **handle large, deeply nested JSON datasets** efficiently and provides a foundation for future feature integration.

5. **Enhanced Data Interoperability:** With schema generation and data export to Excel and CSV, the system enables **easy integration with other tools and reporting platforms**, supporting data-driven workflows.

Experimental analysis confirmed that each module performs reliably, accurately, and efficiently across a variety of JSON datasets, demonstrating the system's **robustness and practical utility**.

In conclusion, the **JSON Refiner Advanced Edition** serves as a **powerful, reliable, and accessible tool** for developers, data analysts, and data engineers. It streamlines complex JSON operations, improves workflow efficiency, and exemplifies how **Python-based technologies and modern GUI frameworks** can be leveraged to create practical solutions for real-world data processing challenges.

The system not only **simplifies JSON management** but also provides a **scalable, automated, and user-friendly platform** that can be expanded to accommodate future requirements, making it an **essential resource for modern data-driven applications**.