

Test Question Paper for Trainee

Test Time: 60 minutes

Syllabus: 1. HTML
2. CSS
3. JAVASCRIPT

HTML

1.The World Wide Web was devised by _____.

- a).CERN
- b).ECRN
- c).CARN
- d).NET

2.The Web aids user to explore the_____.

- a)mails
- b)documents
- c)net
- d)browser

3.The components of a URL are _____.

- a)Service, host name and directory path
- b)service, host name, port, directory-path
- c)service, port and directory path
- d)service, host name and port

4.Service indicates the name of the _____ used to access data present on the other end of the link.

- a)browser
- b)protocol
- c)site
- d)organisation

5. The step involved in Communicating between the web clients and server is _____.

- a)connection
- b)response
- c)request
- d)close

6. The tags which require a closed tag are called _____ tags.

- a) full
- b) unpaired
- c) paired
- d) set

7. Special characters are enclosed using _____ and _____

- a) : and \$
- b) ; and #
- c) & and ;
- d) & and \$

8. GIF is the acronym for _____.

- a) Graphical interpreter formatting
- b) Graphical Interchange Format
- c) Graphic interface format
- d) Graphical interface format

9. JPEG is the acronym for _____.

- a) Joint Pictures Expert group
- b) Jumbled pictures expert graph
- c) Joint pictures expert graph
- d) Joint pictures experiment group

10. <L1 TYPE = shape> tag is supported by _____.

- a) All browser
- b) mosaic
- c) Netscape Navigator
- d) Lynx

11. The values that can be taken by the METHOD attribute of the FORM tag is.....

- a) GET and SEND
- b) POST and SEND
- c) GET and POST
- d) None of the above

CSS

12. CSS stands for?

- a) Central Style Sheets
- b) Common Style Sheets
- c) Cascading Style Sheets
- d) Control Style Sheets

13. What does the CSS float property do?

- a) Aligns an HTML element to the right or left while allowing content to flow around it. It will also center an element, but content does not flow around a centered element.
- b) Allows web designers to overlap elements or to stack them on top of each other.
- c) Allows users to drag and drop images to another location on the page.

14. What are the three methods of implementing CSS?

- a) Direct, Indirect, and External
- b) Internal, External, and Embedded
- c) Inline, Embedded, and External

15 . **table {color: blue;}**

In the code snippet above, which part represents the property?

- a) table
- b) color
- c) blue

16. An HTML element can have different display properties by creating more than one class. What would you add to a paragraph element if you wanted to use a class named *hilite* to it?

- a) class="hilite"
- b) style="hilite"
- c) style="class: hilite"

17. In regards to the CSS box model, where is the *margin* property located?

- a) Inside the box.
- b) Outside the box.
- c) It could be inside or outside the box, depending on where you place it

in your code.

JAVASCRIPT

18. How do you create a new object in JavaScript?

19. What are JavaScript types?

20. What language defines the behavior of a web page?

```
<script
  type="text/javascript">
  x=4+"4";
  document.write(x);
</script>
```

21. which of the following is true?

- a) if onKeyDown returns false, the key-press event is cancelled.
- b) if onKeyPress returns false, the key -down event is cancelled.
- c) if on KeyDown returns false, the key-up event is cancelled.
- d) if on KeyPress returns false, the key-up event is cancelled.

23.

```
<script type ="text/javascript">
  function x( )
  {
    var s ="Good 100%";
    var pattern =/\D/g;
    var out = s.match(pattern);
    doucment.write(output);
  }
</script>
```

24. What is meant by “this” keyword in JavaScript?

- a) it refers current object
- b) It refers previous object
- c) It is variable which contains value
- d) None of the above

25. Who invented the JavaScript programming language?

- a) Tennis Ritchie
- b) James Gosling
- c) Brendan Eich

26. _____ converts a string to floating point numbers.

- a) eval
- b) parseInt
- c) parseFloat
- d) None

27. What will be the output of following JavaScript code snippet?

```
<script type="text/javascript">
  var cst = "PHPKB Knowledge Base Software";
  var result = cst.substring(7,8);
  document.write(result);
</script>
```

- a) PHPKB Kn
- b) Kn
- c) ow
- d) n

28. What will be the output of following JavaScript code snippet?

```
<script type="text/javascript">
  var s = "9123456 or 80000?";
  var pattern = /\d{4}/;
  var output = s.match(pattern);
  document.write(output);
</script>
```

- a) 9123
- b) 91234
- c) 80000
- d) None of the above

29. How do substring() and substr() differ?

- a) One is not a method of the String object.
- b) substr() takes three arguments, substring() only two.
- c) Only one accepts a desired string length as an argument.
- d) Besides the spelling, nothing.

30. JavaScript is a _____ typed language.

- a) tightly
- b) loosely

