Notation	Description
	main track
	secondary track
label —	track label
	bufferstop
	friction bufferstop
	track closure
	turnout
	turnout with fouling point indicator
	turnout operated manually
	diamond crossing
	double-slip turnout
	turnout with points in right position
	turnout with points in left position
	turnout with moving points
	derailer
	parked vehicles
	train in shunting mode

- continued on next page -

Notation	Description
	train shunting
	train
	train moving slow
—	train moving
	train moving fast
/	train ghost
	train operated automatic
•	train operated by human
	distant signal
	distant signal with speed indicator
	speed signal
	block signal
	route signal
v	combined signal (distant, block and route signal)
	shunt signal
Φ	shunt signal locked
	shunt limit

Notation	Description
	train berth sign
± _e	trigger point
<u> </u>	view point
<u>+</u> -<	braking point
<u> </u>	end of movement authority
Å	danger point
	clearing point
	block clearing point
- 	route clearing point
> 0	unenumerated balise group (switchable)
> W	individual balises (switchable)
DOOG	track loop transmitter
	route
	direction control
	platform
+	level crossing

- continued on next page -

Notation	Description
	bridge
ath.	hump
	pylons
	interlocking
	distant power off
L.	power off
<u> </u>	power on
	distant pantograph down
	pantograph down
	pantograph up
	wire limit
å distance ▼	track distance
	train berth
·▶···length·····	measure line

- continued on next page -

	Notation	Description	
hectometer 1	hectometer 3	hectometer hectometer 4	
		track marking	