

Coordinates


This package adopts the CeTZ coordinate system. All of CeTZ's coordinate definitions also work within this package. For further reading consult the CeTZ documentation.

To simplify the process of drawing track infrastructure, several options for defining coordinates have been added.

Relative position in cardinal direction

Support for drawing tracks in all eight directions.


For example (e: 2) describes to go two units east and is internally translated to: (rel: (2, 0))



(key : number)

key: one of the cardinal directions: n, ne, e, se, s, sw, w, nw.

```
track(  
  (),  
  (e: 7),  
  (ne: 1),  
  (n: 1),  
  (nw: 1),  
  (w: 1),  
  (sw: 3)  
)
```



Position on track


To position elements on a referenced track.

(track: str, x: none number, y: none number)

str: track name.

Either x or y must be specified.

```
track(  
  (), (e: 3), (ne: 2), (e: 3),  
  name: "tr-1"  
)  
circle((track: "tr-1", x: 1), fill: purple)  
circle((track: "tr-1", x: 4), fill: orange)  
circle((track: "tr-1", y: 2), fill: green)
```



Track intersection in cardinal direction


Draw the track until it intersects with the specified track.

(key : str)

key: one of the cardinal directions: n, ne, e, se, s, sw, w, nw.

str: track name.

```
track(( ), (e: 7), name: "tr-1")
track((0, 1), (e: 1), (se: "tr-1"))
```




Elements

- track()
- turnout()

track

Draws a track

```
track(( ), (e: 3), (ne: 2), (e: 4))
```



Parameters

```
track(
  ..points: coordinate,
  kind: str,
  stroke: none | length | color | gradient | stroke | tiling | dictionary,
  name: none | str
)
```

..points coordinate

Positional two or more coordinates to draw tracks.


kind str

Kind of track. Can be either "main" or "secondary".

```
track(( ), (e: 7))
```



```
track(( ), (e: 7), kind: "secondary")
```



Default: "main"

stroke none or length or color or gradient or stroke or tiling or dictionary

How to stroke the track. See Typst's line documentation for more details.

Default: auto

name `none` or `str`


Anchor name.

Default: `none`

turnout

Draws a turnout

```
track(( ), (e: 8))
track((3,0), (ne: 1), (e: 4))
turnout((3,0))
```



Parameters

```
turnout(
  point: coordinate,
  fill: auto none color gradient tiling,
  stroke: auto none length color gradient stroke tiling dictionary,
  name: none str
)
```

point `coordinate`

Positional coordinate to draw the turnout.

fill `auto` or `none` or `color` or `gradient` or `tiling`

How to fill the turnout.

Default: `auto`

stroke `auto` or `none` or `length` or `color` or `gradient` or `stroke` or `tiling` or `dictionary`

How to stroke the turnout. See Typst's line documentation for more details.

Default: `auto`

name `none` or `str`

Anchor name.

Default: `none`