


## Overview



Airport  
ICAO/IATA  
State

Bucharest – Otopeni  
LROP/OTP  
Romania


Configurations  
in 2019

ARR:08L – DEP:08R 36%  
ARR:08R – DEP:08L 24%  
ARR:26L – DEP:26R 22%  
ARR:08L – DEP:08L 7%  
ARR:08R – DEP:08R 5%


## Summary

Indicator	2019 Results	Current Result
Total traffic (annual & recent month)	122831.00	4180 (Jul 2020)
Average additional ASMA time [min/arr]	0.75	0.56 (Jun 2020)
Average additional taxi-out time [min/dep]	2.67	1.72 (Mar 2020)
Average arrival ATFM delay [min/arr]	0.01	0 (Jul 2020)


## COVID19 Snapshot Traffic Evolution (Movements and Percentage Change 2020 vs 2019)




## IFR Traffic Evolution




## Average Hourly Throughput




Arrival ATFM Delay




ATFM slot adherence




Average ASMA (Terminal Airspace) Times




Average Taxi-Out Times




Average Taxi-In Times



Reported Pre-Departure Delay



Annual Average Turnaround Times



About

This Airport Performance Factsheet for Bucharest - Otopeni (LROP) is published by the EUROCONTROL Performance Review Unit in the interest of the exchange of performance related information.

Further performance related data can be downloaded from the performance portal at <https://ansperformance.eu>. Browse for the Support » Data downloads section.

An interactive dashboard with performance related data for Bucharest - Otopeni (LROP) is available at <https://ansperformance.eu/dashboard/stakeholder/airport/LROP>.

For further questions or observations, please contact PRU ([pru-support@eurocontrol.int](mailto:pru-support@eurocontrol.int)).