Database model documentation

Table of contents

1. Model details 3
2. Tables 4
2.1. Table app_user 4
2.2. Table vat_setting 4
2.3. Table seller 4
2.4. Table seller_contact 5
2.5. Table role 5
2.6. Table seller_region 5
2.7. Table commission_rate 5
2.8. Table sales_report 6
2.9. Table commission_calculation 6
2.10. Table invoice 6
2.11. Table region 7
2.12. Table seller_role 7
2.13. Table product_type 7
3. References 8
3.1. Reference FK_0 8
3.2. Reference FK_3 8
3.3. Reference FK_4 8
3.4. Reference FK_8 8
3.5. Reference agent_region_region 8
3.6. Reference agent_role_agent_contact 8
3.7. Reference agent_role_role 8
3.8. Reference agent_app_user 8
3.9. Reference commission_rate_product_type 9
3.10. Reference commission_calculation_commission_rate 9
3.11. Reference sales_report_seller 9
3.12. Reference commission_calculation_sales_report 9
4. Subject areas 10

1. Model details

Model name:

etas

Version:

2.4

Database engine:

PostgreSQL

Description:

2. Tables

2.1. Table app_user

2.1.1. Columns

Column name	Type	Properties	Description
id	serial	PK	
first_name	varchar(100)		
middle_name	varchar(100)	null	
last_name	varchar(100)		
email	varchar(255)		
password	varchar(255)		
user_status	varchar(20)		
user_role	char(1)		

2.1.2. Alternate keys

Key name	Columns	Description
AK_0	email	

2.2. Table vat_setting

2.2.1. Columns

Column name	Type	Properties	Description
id	serial	PK	
vat_rate	numeric(5,2)		
updated_at	timestamp		
updated_by	varchar(200)		

2.3. Table seller

2.3.1. Columns

Column name	Type	Properties	Description
id	serial	PK	
company_name	varchar(255)		
org_id	int		
contract_start	date	null	
contract_end	date	null	
notes	varchar(2000)	null	
status	varchar(10)		
created_at	timestamp		
created_by	int		

2.3.2. Alternate keys

Key name	Columns	Description
AK_1	org_id	

2.4. Table seller_contact

2.4.1. Columns

Column name	Type	Properties	Description
id	serial	PK	
seller_id	integer		
first_name	varchar(100)		
middle_name	varchar(100)	null	
last_name	varchar(100)		
phone	varchar(50)	null	
email	varchar(255)		

2.5. Table role

2.5.1. Columns

Column name	Type	Properties	Description
id	serial	PK	
code	varchar(5)		
seller_role_name	varchar(100)		

2.5.2. Alternate keys

Key name	Columns	Description
AK_2	code	

2.6. Table seller_region

2.6.1. Columns

Column name	Type	Properties	Description
id	serial	PK	
seller_id	integer		
region_id	int		
sales_point_count	integer		

2.7. Table commission_rate

2.7.1. Columns

Column name	Type	Properties	Description
id	serial	PK	

seller_id	integer		
fee_per_transaction	numeric(10,4)	null	
fee_percent	numeric(5,2)	null	
includes_vat	boolean		
valid_from	date		
valid_to	date	null	
product_type_id	int		

2.8. Table sales_report

2.8.1. Columns

Column name	Type	Properties	Description
id	serial	PK	
seller_id	int		
department_name	varchar(255)		
department_id	varchar(50)	null	
payment_channel	varchar(100)	null	
product_type	varchar(100)		
transaction_count	integer		
sales_amount	numeric(12,2)	null	
fee_sum	int		
period	varchar(20)		
region	varchar(100)	null	
created_at	timestamp		

2.9. Table commission_calculation

2.9.1. Columns

Column name	Type	Properties	Description
id	serial	PK	
commission_rate_id	int		
calculated_fee	numeric(12,2)		
vat_amount	numeric(12,2)		
total_fee	numeric(12,2)		
calculation_date	date		
sales_report_id	int		

2.10. Table invoice

2.10.1. Columns

Column name	Type	Properties	Description

id	serial	PK	
seller_id	integer		
period	varchar(20)		
number	varchar(100)	null	
amount	numeric(12,2)		
issued_on	date	null	
calculated_fee	numeric(12,2)		
notes	varchar(2000)	null	

2.10.2. Alternate keys

Key name	Columns	Description
AK_4	seller_id, period	

2.11. Table region

2.11.1. Columns

Column name	Type	Properties	Description
id	serial	PK	
region_name	varchar(20)		
sequence_number	int		

2.12. Table seller_role

2.12.1. Columns

Column name	Type	Properties	Description
id	serial	PK	
seller_contact_id	int		
seller_role_id	int		

2.13. Table product_type

2.13.1. Columns

Column name	Type	Properties	Description
id	serial	PK	
product_type_name	varchar(100)		

3. References

3.1. Reference FK_0

seller	0..*	seller_contact
id	<->	seller_id

3.2. Reference FK_3

seller	0..*	seller_region
id	<->	seller_id

3.3. Reference FK_4

seller	0..*	commission_rate
id	<->	seller_id

3.4. Reference FK_8

seller	0..*	invoice
id	<->	seller_id

3.5. Reference agent_region_region

region	0..*	seller_region
id	<->	region_id

3.6. Reference agent_role_agent_contact

seller_contact	0..*	seller_role
id	<->	seller_contact_id

3.7. Reference agent_role_role

role	0..*	seller_role
id	<->	seller_role_id

3.8. Reference agent_app_user

app_user	0..*	seller
id	<->	created_by

3.9. Reference commission_rate_product_type

product_type	0..*	commission_rate
id	<->	product_type_id

3.10. Reference commission_calculation_commission_rate

commission_rate	1..1	commission_calculation
id	<->	commission_rate_id

3.11. Reference sales_report_seller

seller	0..*	sales_report
id	<->	seller_id

3.12. Reference commission_calculation_sales_report

sales_report	1..1	commission_calculation
id	<->	sales_report_id

4. Areas

4.1. Aruande ülevaade (sales_report_summary) subject area

4.1.1. References

- FK_0
- FK_3
- FK_4
- FK_8
- agent_region_region
- agent_role_agent_contact
- agent_role_role
- agent_app_user
- commission_rate_product_type
- commission_calculation_commission_rate
- sales_report_seller
- commission_calculation_sales_report

4.2. Konkreetse rea akordion (sales_report_detail) subject area

4.2.1. References

- FK_0
- FK_3
- FK_4
- FK_8
- agent_region_region
- agent_role_agent_contact
- agent_role_role
- agent_app_user
- commission_rate_product_type
- commission_calculation_commission_rate
- sales_report_seller
- commission_calculation_sales_report